



Status Report

PC-12/47E

S/N 1497 N497NG

OWNER: PACKERS SANITATION SERVICES, INC.
ADDRESS: 3681 PRISM LANE
KIELER WI 53812
OFFICE: 608-568-3413
FAX: 608-568-3429

OPERATOR: PACKERS SANITATION SERVICES, INC.
ADDRESS: 3681 PRISM LANE
KIELER WI 53812
OFFICE: 608-568-3413
FAX: 608-568-3429

ANALYST: ANTHONY GUEVARA
EMAIL: AGUEVARA@CAMPSYSTEMS.COM

1-631-648-7028 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (FAX)

PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 1497/N497NG	MODEL: PC-12/47E	MANUFACTURER: PILATUS AIRCRAFT LTD
	CERTIFICATION DATE: 22-SEP-2014	LAST ACTUALS:	
		2594 A/C HRS	as of 24-JAN-2024
		1512 AFL	as of 24-JAN-2024
		440.9 ACH	as of 20-SEP-2019

ENGINE NO. 1	SERIAL/PART: PCE-RY0524/3072955-01	MODEL: PT6A-67P	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
	INSTALLED ON: 10-SEP-2014	LAST ACTUALS:	
	0 ENG. HRS 0 A/C HRS	2594 ENG. HRS	as of 24-JAN-2024
	0 ENC	1512 ENC	as of 24-JAN-2024

PROPELLER NO. 1	SERIAL/PART: KX1289/HC-E4A-3D	MODEL: HC-E4A-3	MANUFACTURER: HARTZELL PROPELLER INC.
	INSTALLED ON: 10-SEP-2014	LAST ACTUALS:	
	0 PROP HRS 0 A/C HRS	2594 PROP HRS	as of 24-JAN-2024
	0 PRC		



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
00-00/121 ^S	AIRCRAFT - AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED							Service	ATA:00
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
					PROC. REF: GENERIC NO REF			PKG:15 ,16,17,18,19,20,21	
00-00/122 ^S	AIRCRAFT - CHECK CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DMS REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH							Service	ATA:00
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
					PROC. REF: GENERIC NO REF			PKG:15 ,16,17,18,19,20,21	
00-00/481 ^S	AIRCRAFT-CHECK AIRCRAFT FLIGHT MANUAL IS AT THE LATEST REVISION							Service	ATA:00
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
					PROC. REF: GENERIC NO REF			PKG:15 ,16,17,18,19,20,21	
00C001 ^U	EXTERIOR WASH							Service	ATA:00
	MOS	24-Jan-24							
	HRS	2594	15		2609		15		
	AFL	1512							
00C002 ^U	INTERIOR CLEANING							Service	ATA:00
	DAYS	24-Jan-24	92		25-Apr-24		OVD		
	HRS	2594							
	AFL	1512							
E072-160317	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 25							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E072				
E072-160919	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 26							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E072				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-170113	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 44.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-180821	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 47.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-230410	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 57.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
P019-160801	NO. 1 PROPELLER - REVIEW HC-E4A-3 SL REV 10 REQUIREMENT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
								PROC. REF: RCF P019
P019-171001	NO. 1 PROPELLER - REVIEW HARTZELL HC-E4A-3 POM 149 REV 23							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
								PROC. REF: RCF P019
P019-210201	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 35							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
								PROC. REF: RCF P019

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P47E-160729	REVIEW PILATUS PC-12/47E REVISION AMM 15							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
P47E-161217	REVIEW PILATUS PC-12/47E REVISION AMM 16							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-180213	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 18							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-180524	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 19							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-181129	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 20							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-190503	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 21							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P47E-191121	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 22						Service ATA:00
	MOS/MSC	22-Sep-14	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
					PROC. REF: RCF P47E			
P47E-200515	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 23						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-201125	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 24						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-210716	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 25						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-220520	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 28						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-220829	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 29						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 04 - LIMITATIONS									
040001	AIRCRAFT LIMIT OF VALIDITY							Component	ATA:04
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	50000	TSN 0	50000		47406		
	AFL	0	60000	TSN 0	60000		58488		
PROC. REF: GENERIC NO REF									
040005	AIRCRAFT LEFT WING STRUCTURE LIMIT OF VALIDITY							Component	ATA:04
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	35000	TSN 0	35000		32406		
	AFL	0	43000	TSN 0	43000		41488		
PROC. REF: GENERIC NO REF									
040005	AIRCRAFT RIGHT WING STRUCTURE LIMIT OF VALIDITY							Component	ATA:04
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	35000	TSN 0	35000		32406		
	AFL	0	43000	TSN 0	43000		41488		
PROC. REF: GENERIC NO REF									
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
050001	SUPPLEMENTAL STRUCTURAL INSPECTION DOCUMENT (SSID)							Service	ATA:05
	MOS	22-Sep-14							
	HRS	0	25000		25000		22406		
	AFL	0	30000		30000		28488		
PROC. REF: AMM 05-10-30									
050005	AIRCRAFT REGISTRATION - FAR 47.40							Service	ATA:05
	MOS	15-Feb-23	36		15-Feb-26		657 d		
	HRS	2359.4							
	AFL	1386							
PROC. REF: GENERIC NO REF									
050010	SUPPLEMENTAL CORROSION PREVENTION AND CONTROL PROGRAM (CPCP) INSPECTION							Service	ATA:05
	MOS	22-Sep-14							
	HRS	0	25000		25000		22406		
	AFL	0	30000		30000		28488		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05200A	JOB SET UP / CLOSE UP PACKAGE							Package	ATA:05
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
	PROC. REF: AMM 12-B-05-20-00-00A-913A-A							PKG:15	
05401A	300 HOUR INSPECTION							Package	ATA:05
	MOS	26-Jun-23							
	HRS	2444.2	300 (+30/-30)	Adj 28.2	2772.4	2802.4	178.4 (+30)		
	AFL	1424							
	PROC. REF: AMM 12-B-05-40-01-01A-000B-A							PKG:16	
05402A	300 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	26-Jun-23	12	Adj -2d	24-Jun-24		56 d		
	HRS	2444.2	300 (+30/-30)	Adj 28.2	2772.4	2802.4	178.4 (+30)		
	AFL	1424							
	PROC. REF: AMM 12-B-05-40-01-02A-000B-A							PKG:17	
05403A	600 HOUR INSPECTION							Package	ATA:05
	MOS	26-Jun-23							
	HRS	2444.2	600 (+60/-60)	Adj -4.7	3039.5	3099.5	445.5 (+60)		
	AFL	1424							
	PROC. REF: AMM 12-B-05-40-01-03A-000B-A							PKG:18	
05404A	600 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	26-Jun-23	12	Adj -2d	24-Jun-24		56 d		
	HRS	2444.2	600 (+60/-60)		3044.2	3104.2	450.2 (+60)		
	AFL	1424							
	PROC. REF: AMM 12-B-05-40-01-04A-000B-A							PKG:19	
05405A	1200 HOUR OR 12 MONTH INSPECTION							Package	ATA:05
	MOS	26-Jun-23	12	Adj -2d	24-Jun-24		56 d		
	HRS	2444.2	1200 (+120/-120)		3644.2	3764.2	1050.2 (+120)		
	AFL	1424							
	PROC. REF: AMM 12-B-05-40-01-05A-000B-A							PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05406A	2400 HOUR OR 24 MONTHS INSPECTION							Package	ATA:05
	MOS	26-Jun-23	24 (+1m/-1m)	Adj 2d	28-Jun-25	28-Jul-25	425 d (+30)		
	HRS	2444.2	2400 (+60/-60)		4844.2	4904.2	2250.2 (+60)		
	AFL	1424							
PROC. REF: AMM 12-B-05-40-01-06A-000B-A								PKG:21	
057010	NO. 1 ENGINE - MINOR INSPECTION							Package	ATA:05
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)	Adj 28.2	(2772.4) 2772.4	2802.4	178.4 (+30)		
	ENC	1424							
PROC. REF: EMM 72-00-00, EMM 72-00-00									
ATA 06 - DIMENSIONS AND AREAS									
06-00/578 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 06-20-00								PKG:20	
06-00/579 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - INSTALL							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 06-20-00								PKG:20	
06-00/582 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 06-20-00								PKG:19	
06-00/583 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - INSTALL							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 06-20-00								PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/590 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:16	
06-00/591 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - INSTALL							Service	ATA:06
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:16	
06-00/592 ^S	ACCESS PANEL, ENGINE: 42AT - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:16	
06-00/593 ^S	ACCESS PANEL, ENGINE: 42AT - INSTALL							Service	ATA:06
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:16	
06-00/594 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/595 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - INSTALL							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/596 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:17	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/597 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - CLOSE OR INSTALL							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/598 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/599 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/602 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23							
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:18	
06-00/603 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	26-Jun-23							
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:18	
06-00/604 ^S	ACCESS PANEL, FUSELAGE: 11AL,12EL,21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:19	
06-00/605 ^S	ACCESS PANEL, FUSELAGE: 11AL, 12EL,21QZ - INSTALL							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/606 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:19	
06-00/607 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - INSTALL							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:19	
06-00/608 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21QZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	26-Jun-23	12 (+10m/-10%)						
	HRS	2444.2	1200 (+10/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:20	
06-00/609 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21QZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - CLOSE OR INSTALL							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:20	
06-00/610 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:20	
06-00/611 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - CLOSE OR INSTALL							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/612 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:20	
06-00/613 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:20	
06-00/614 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/615 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - CLOSE AND INSTALL							Service	ATA:06
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/616 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/617 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - INSTALL							Service	ATA:06
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/618 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:21	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/619 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/620 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/621 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - INSTALL							Service	ATA:06
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 06-20-00				PKG:21	
ATA 07 - LIFTING AND SHORING									
07-10/160 ^S	AIRCRAFT - LOWER TO THE GROUND, REMOVE JACKS AND DISCONNECT FROM GROUND							Service	ATA:07
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
				PROC. REF: AMM 07-10-00				PKG:15 ,16,17,18,19,20,21	
07-10/161 ^S	AIRCRAFT - LIFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND							Service	ATA:07
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
				PROC. REF: AMM 07-10-00				PKG:15 ,16,17,18,19,20,21	
ATA 08 - LEVELING AND WEIGHING									
080000	WEIGHT CHECK AIRCRAFT							Service	ATA:08
	MOS/MSC	24-Nov-14	A/R						
	HRS	26.5							
WC#: 08.005	AFL	13							
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10/428 ^S	EXTERNAL PROTECTIVE COVERS - EXAMINE. REPLACE IF ANY PART OF THE COVER IS MISSING, DAMAGED, TORN OR DOES NOT INSTALL PROPERLY.							Service	ATA:10
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF								PKG:17	
ATA 11 - PLACARDS AND MARKINGS									
11-00/220 ^S	PLACARDS AND MARKINGS - EXAMINE AND ATTACH NEW PLACARDS IF NECESSARY							Service	ATA:11
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 11-20-00, AMM 11-20-00, AMM 11-30-00, AMM 11-00-00, AMM 11-00-00								PKG:20	
ATA 12 - SERVICING									
12-20/124 ^S	AIRCRAFT - WASH THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS AS REQUIRED TO PERFORM THE INSPECTION							Service	ATA:12
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
PROC. REF: AMM 12-20-01								PKG:15 ,16,17,18,19,20,21	
12-20/125 ^S	WINDSHIELDS AND WINDOWS - CLEAN							Service	ATA:12
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
PROC. REF: AMM 12-20-02								PKG:15 ,16,17,18,19,20,21	
12-20/126 ^S	COCKPIT AND CABIN - CLEAN							Service	ATA:12
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
PROC. REF: AMM 12-20-03								PKG:15 ,16,17,18,19,20,21	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
00-00/45A	AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (INTERNAL)							Service	ATA:20
	MOS	26-Jun-23	12 (+1m/-1m)	Adj 2d	28-Jun-24	28-Jul-24	60 d (+30)		
	HRS	2444.2							
WC#: 20.010	AFL	1424							
PROC. REF: AMM 20-40-00									
00-00/45B	AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (EXTERNAL)							Service	ATA:20
	MOS	26-Jun-23	12 (+1m/-1m)	Adj 2d	28-Jun-24	28-Jul-24	60 d (+30)		
	HRS	2444.2							
WC#: 20.011	AFL	1424							
PROC. REF: AMM 20-40-00									
ATA 21 - AIR CONDITIONING									
21-20/221 ^S	ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT - EXAMINE							Service	ATA:21
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
21-20/317	ECS EMERGENCY SHUT-OFF SYSTEM - CHECK							Service	ATA:21
	MOS	26-Jun-23	12 (+10%/-10%)	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)	AIRWORTHINESS	
	HRS	2444.2	3000		5444.2		2850.2		
	AFL	1424							
PROC. REF: GENERIC NO REF									
21-30/314 ^S	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - CHECK FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT. IF CONTAMINATION IS FOUND REMOVE AND CLEAN							Service	ATA:21
PN:PN	MOS	26-Jun-23	24 (+10%/-10%)						
SN:UNKNOWN	HRS	2444.2	2400 (+10%/-10%)						
WC#: 21.030	AFL	1424							
PROC. REF: AMM 21-30-02									
21-30/318	PRESSURIZATION DUMP SWITCH MSN 1001-1719 - OPERATIONAL TEST							Service	ATA:21
	MOS	26-Jun-23	12 (+10%/-10%)	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)	AIRWORTHINESS	
	HRS	2444.2	3000		5444.2		2850.2		
WC#: 21.045	AFL	1424							
PROC. REF: AMM 21-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30/46 CABIN POSITIVE PRESSURE RELIEF 1001-1719 - FUNCTIONAL TEST Service ATA:21								
PN:PN	MOS	24-Jun-22	48 (+10%/-10%)		24-Jun-26	17-Nov-26	786 d (+146)	
SN:UNKNOWN	HRS	2172.4	4800 (+10%/-10%)		6972.4	7452.4	4378.4 (+480)	
WC#: 21.040	AFL	1278						
PROC. REF: AMM 21-30-00								
21-40/128^S FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH - OPERATIONAL TEST Service ATA:21								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	1200 (+10%/-10%)					
	AFL	1424						
PROC. REF: AMM 21-43-00								
21-40/330^S CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH - OPERATIONAL TEST Service ATA:21								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	1200 (+10%/-10%)					
WC#: 21.140	AFL	1424						
PROC. REF: AMM 21-40-01, AMM 21-40-01								
21-40/331^S UNDERFLOOR HEATER THERMAL PROTECTION SWITCH - FUNCTIONAL TEST Service ATA:21								
PN:9696781507	MOS	26-Jun-23	12 (+10%/-10%)					
SN:568161	HRS	2444.2	1200 (+10%/-10%)					
WC#: 21.150	AFL	1424						
PROC. REF: AMM 21-40-01, AMM 21-40-01								
21-40/50^S WATER SEPARATOR CONDENSER - CLEAN Service ATA:21								
PN:PN	MOS	26-Jun-23	12 (+10%/-10%)					
SN:UNKNOWN	HRS	2444.2	1200 (+10%/-10%)					
WC#: 21.080	AFL	1424						
PROC. REF: AMM 21-40-03								
21-40/51 OVERTEMPERATURE SWITCH - FUNCTIONAL TEST Service ATA:21								
PN:9738132216	MOS	19-Sep-19	60 (+10%/-10%)		19-Sep-24	19-Mar-25	143 d (+181)	
SN:0703	HRS	1660.7	4800 (+10%/-10%)		6460.7	6940.7	3866.7 (+480)	
WC#: 21.130	AFL	986						
PROC. REF: AMM 21-40-06								
21-40/52 DUCT OVERTEMPERATURE SWITCH - FUNCTIONAL TEST Service ATA:21								
PN:9738132214	MOS	20-Sep-19	60 (+10%/-10%)		20-Sep-24	20-Mar-25	144 d (+181)	
SN:0640	HRS	1660.7	4800 (+10%/-10%)		6460.7	6940.7	3866.7 (+480)	
WC#: 21.120	AFL	986						
PROC. REF: AMM 21-60-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-40/55 ^S	COLD AIR UNIT - ADD OIL							Service	ATA:21
	MOS	26-Jun-23							
	HRS	2444.2	600 (+10%/-10%)						
WC#: 21.060	AFL	1424							
				PROC. REF: AMM 21-40-02				PKG:18	
21-40/56 ^S	HEAT EXCHANGER MATRIX - INSPECT/CHECK							Service	ATA:21
	MOS	26-Jun-23							
	HRS	2444.2	600 (+10%/-10%)						
WC#: 21.070	AFL	1424							
				PROC. REF: AMM 21-40-02				PKG:18	
21-50/223 ^S	VAPOR CYCLE COOLING SYSTEM (IF INSTALLED) - EXAMINE							Service	ATA:21
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
				PROC. REF: GENERIC NO REF				PKG:20	
21-50/433 ^S	VAPOR CYCLE COMPRESSOR/CONDENSER MODULE (INCLUDIG MOTOR) (IF INSTALLED) - CLEAN							Service	ATA:21
PN:9599022106	MOS	26-Jun-23	12 (+10%/-10%)						
SN:1458	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
								PKG:17	
21-50/461	VAPOR CYCLE COMPRESSOR MOTOR (CCM P/N 959.90.22.140) (IF INSTALLED) - INSPECT/CHECK							Service	ATA:21
PN:9599022106	MOS/MSC	22-Sep-14	N/A						
SN:1458	HRS	0							
	AFL	0							
	ACH								
				PROC. REF: AMM 21-50-03					
21-50/462	VAPOR CYCLE COMPRESSOR MOTOR DRIVE BELT (CCM P/N 959.90.22.140) (IF INSTALLED) - CHECK FOR TENSION							Service	ATA:21
PN:9599022106	MOS/MSC	22-Sep-14	N/A						
SN:1458	HRS	0							
	AFL	0							
	ACH								
				PROC. REF: AMM 21-50-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-50/58		VAPOOR CYCLE COMPRESSOR MOTOR (IF INSTALLED) - INSPECTION/CHECK					Service		ATA:21
PN:9599022106	MOS	20-Sep-19							
SN:1458	HRS	1660.7							
WC#: 21.110	AFL	986							
	ACH	440.9	500 (+10%/-10%)		940.9	990.9	500 (+50)		
PROC. REF: AMM 21-50-03									
21-50/59		VAPOR CYCLE COMPRESSOR MOTOR DRIVE BELT (IF INSTALLED) - CHECK FOR TENSION					Service		ATA:21
PN:9599022106	MOS	20-Sep-19							
SN:1458	HRS	1660.7							
WC#: 21.100	AFL	986							
	ACH	440.9	500 (+10%/-10%)		940.9	990.9	500 (+50)		
PROC. REF: AMM 21-50-01									
210005		OVERPRESSURE SWITCH					Component		ATA:21
PN:9738115105	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1229	HRS	0		TSN 0					
WC#: 21.340	AFL	0		TSN 0					
PROC. REF: AMM 21-40-07									
210010		REFRIGERATION PACK					Component		ATA:21
PN:9599020111	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1958	HRS	0		TSN 0					
WC#: 21.255	AFL	0		TSN 0					
PROC. REF: AMM 21-40-02									
210015		WATER INJECTOR					Component		ATA:21
PN:9599020141	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1942	HRS	0		TSN 0					
WC#: 21.370	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210020		DUCT TEMP SENSOR					Component		ATA:21
PN:9599020121	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:3788	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210025	PRIM SHUT OFF VALVE							Component	ATA:21
PN:9599020132	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1939	HRS	0	TSN 0						
WC#: 21.290	AFL	0	TSN 0						
PROC. REF: AMM 21-40-05									
210030	HP SHUT OFF VALVE							Component	ATA:21
PN:9599020131	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1945	HRS	0	TSN 0						
WC#: 21.280	AFL	0	TSN 0						
PROC. REF: AMM 21-40-04									
210035	WATER SEPARATOR ASSY							Component	ATA:21
PN:PN	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 21.220	AFL	0	TSN 0						
PROC. REF: AMM 21-40-03									
210040	TEMP CONTROL VALVE							Component	ATA:21
PN:9599020136	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1928	HRS	0	TSN 0						
WC#: 21.310	AFL	0	TSN 0						
PROC. REF: AMM 21-60-02									
210045	AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE							Component	ATA:21
PN:9599022106	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1458	HRS	0	TSN 0						
WC#: 21.380	AFL	0	TSN 0						
PROC. REF: AMM 21-50-01									
210046	VAPOR CYCLE COMPRESSOR MOTOR							Component	ATA:21
PN:PN	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 21-50-01									
210050	CENTER EVAPORATOR MODULE ASSY							Component	ATA:21
PN:9599022121	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:786	HRS	0	TSN 0						
WC#: 21.200	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210055	RIGHT SIDE EVAPORATOR MODULE							Component	ATA:21
PN:9599022119	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:924	HRS	0			TSN 0				
WC#: 21.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210060	CABIN PRESSURE OUTFLOW VALVE							Component	ATA:21
PN:9599091122	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:103898-00494	HRS	0			TSN 0				
WC#: 21.250	AFL	0			TSN 0				
PROC. REF: AMM 21-30-03									
210065	CABIN PRESSURE RELIEVE VALVE							Component	ATA:21
PN:9599091132	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:74-F0504	HRS	0			TSN 0				
WC#: 21.270	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210115	UNDERFLOOR (FRONT) ELECTRIC HEATER							Component	ATA:21
PN:9696781507	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:568161	HRS	0			TSN 0				
WC#: 21.240	AFL	0			TSN 0				
PROC. REF: AMM 21-40-01									
210135	LEFT SIDE EVAPORATOR MODULE ASSY							Component	ATA:21
PN:9599022118	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:894	HRS	0			TSN 0				
WC#: 21.200	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210145	CABIN (REAR) ELECTRIC HEATER							Component	ATA:21
PN:9696781507	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:568162	HRS	0			TSN 0				
WC#: 21.230	AFL	0			TSN 0				
PROC. REF: AMM 21-40-15									
210170	OVERPRESSURE SWITCH							Component	ATA:21
PN:9738115106	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:1272	HRS	0			TSN 0				
WC#: 21.340	AFL	0			TSN 0				
PROC. REF: AMM 21-40-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210175	FLOW CONTROL VALVE ACTUATOR							Component	ATA:21
PN:9599020160	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1341	HRS	0		TSN 0					
WC#: 21.520	AFL	0		TSN 0					
PROC. REF: AMM 21-60-03									
210180	CABIN PRESSURE CONTROL UNIT							Component	ATA:21
PN:9599091144	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:2119232-00522	HRS	0		TSN 0					
WC#: 21.530	AFL	0		TSN 0					
PROC. REF: AMM 21-30-01									
210185	INTEG. ECS CONTROL UNIT							Component	ATA:21
PN:9599020129	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:0535	HRS	0		TSN 0					
WC#: 21.540	AFL	0		TSN 0					
PROC. REF: AMM 21-60-01									
210190	FLOOR DUCT TEMP SENSOR							Component	ATA:21
PN:9599020121	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:3799	HRS	0		TSN 0					
WC#: 21.550	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04									
210195	MIDDLE CONSOLE DUCT TEMP SENSOR							Component	ATA:21
PN:9599020121	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:3786	HRS	0		TSN 0					
WC#: 21.560	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210200	FIREWALL 1415-3 SHUT OFF VALVE							Component	ATA:21
PN:9633011005	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:0645	HRS	0		TSN 0					
WC#: 21.570	AFL	0		TSN 0					
PROC. REF: AMM 21-20-01									
210205	OVERTEMP. BLEEDAIR 1173T083-01 SWITCH							Component	ATA:21
PN:9738132216	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:0703	HRS	0		TSN 0					
WC#: 21.580	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210210		OVERTEMP. CONDAIR 1173T08 SWITCH						Component	ATA:21
PN:9738132214	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0640	HRS	0			TSN 0				
WC#: 21.590	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210215		DUAL FLAPPER 1.5 IN. CHECK VALVE						Component	ATA:21
PN:9633011105	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:1300B	HRS	0			TSN 0				
WC#: 21.490	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210220		LH DUAL FLAPPER 2.5 IN. CHECK VALVE						Component	ATA:21
PN:9633011106	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:2134B	HRS	0			TSN 0				
WC#: 21.500	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210225		RH DUAL FLAPPER 2.5 IN. CHECK VALVE						Component	ATA:21
PN:9633011106	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:2135B	HRS	0			TSN 0				
WC#: 21.500	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210230		DUAL FLAPPER 2.5 IN. SPANT 15 CHECK VALVE						Component	ATA:21
PN:9633011106	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:2130B	HRS	0			TSN 0				
WC#: 21.510	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210235		HEAD LINER DUCT TEMP SENSOR						Component	ATA:21
PN:9599020121	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:3816	HRS	0			TSN 0				
WC#: 21.600	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210240		INSULATED, WATER SEPERATOR ASSY						Component	ATA:21
PN:5214112047	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:3109	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 21-40-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
22-10/233 ^S	PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES - EXAMINE							Service	ATA:22
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:21
22-10/60 ^S	SERVO MOUNT (PITCH) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	26-Jun-23	12 (+1m/-1m)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 22-10-00								PKG:20
22-10/60 ^S	SERVO MOUNT (ROLL) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	26-Jun-23	12 (+1m/-1m)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 22-10-00								PKG:20
22-10/60 ^S	SERVO MOUNT (YAW) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	26-Jun-23	12 (+1m/-1m)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 22-10-00								PKG:20
22-10/60 ^S	SERVO MOUNT - (PITCH, ROLL AND YAW) REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
WC#: 22.010	AFL	1424							
	PROC. REF: AMM 22-10-00								PKG:20
22-20/129 ^S	ANGLE OF ATTACK (AOA) TRANSMITTERS - EXAMINE							Service	ATA:22
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 22-20-02								PKG:17
22-20/130 ^S	STICK PUSHER SYSTEM - CHECK							Service	ATA:22
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 22-20-00								PKG:16

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
22-20/226 ^S		STICK PUSHER SYSTEM - FUNCTIONAL TEST						Service	ATA:22
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 22-20-00								PKG:20	
220045		STICK PUSHER SERVO						Component	ATA:22
PN:9786111103	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:80802	HRS	0		TSN 0					
WC#: 22.220	AFL	0		TSN 0					
PROC. REF: AMM 22-20-04									
220055		STICK PUSHER CAPSTAN						Component	ATA:22
PN:9786111124	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:80789	HRS	0		TSN 0					
WC#: 22.140	AFL	0		TSN 0					
PROC. REF: AMM 22-20-06									
220060		STICK SHAKER						Component	ATA:22
PN:97861111143	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1313	HRS	0		TSN 0					
WC#: 22.230	AFL	0		TSN 0					
PROC. REF: AMM 22-20-03									
220070		STICK PUSHER						Component	ATA:22
PN:9754423104	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:132929	HRS	0		TSN 0					
WC#: 22.170	AFL	0		TSN 0					
PROC. REF: AMM 22-20-04									
220085		ELEVATOR KSM 375 A/P SERVO MOUNT						Component	ATA:22
PN:9859912133	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KSM375-B2577	HRS	0		TSN 0					
WC#: 22.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
220090		RUDDER KSM 375 A/P SERVO MOUNT						Component	ATA:22
PN:9859912133	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KSM375-B2569	HRS	0		TSN 0					
WC#: 22.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
220095	AILERON KSM 375 A/P SERVO MOUNT							Component	ATA:22
PN:9859912133	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KSM375-B2563	HRS	0		TSN 0					
WC#: 22.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
220100	RUDDER KSA 2700 SERVO							Component	ATA:22
PN:9859912131	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KSA2700-2609	HRS	0		TSN 0					
WC#: 22.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
220105	ELEVATOR KSA 2700 SERVO							Component	ATA:22
PN:9859912131	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KSA2700-2613	HRS	0		TSN 0					
WC#: 22.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
220110	AILERON KSA 2700 SERVO							Component	ATA:22
PN:9859912131	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KSA2700-2601	HRS	0		TSN 0					
WC#: 22.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
220115	KMC 9200 VNAV FLIGHT CONTROLLER							Component	ATA:22
PN:9859912204	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KMC9200-1676	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 23 - COMMUNICATIONS									
23-10/322 ^S	AUDIO CONTROL PANEL EMERGENCY SWITCH - OPERATIONAL TEST							Service	ATA:23
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 23-50-00									
PKG:21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-10/323^S EMERGENCY FREQUENCY COMM TUNING SWITCH - OPERATIONAL TEST								
	MOS	26-Jun-23	24 (+10%/-10%)					Service ATA:23
	HRS	2444.2	2400 (+10%/-10%)					
	AFL	1424						
				PROC. REF: AMM 23-12-00				PKG:21
230005 VHF/NAV SYSTEM I VHF COMM ANTENNA								
PN:9848110203	MOS/MSC	22-Sep-14	O/C	TSN 0				Component ATA:23
SN:310-26386	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
				PROC. REF: AMM 23-12-02				
230010 VHF/NAV SYSTEM II VHF COMM ANTENNA								
PN:9848110203	MOS/MSC	22-Sep-14	O/C	TSN 0				Component ATA:23
SN:301-26393	HRS	0		TSN 0				
WC#: 23.030	AFL	0		TSN 0				
				PROC. REF: AMM 23-12-03				
230040 IRIDIUM/GPS,S67-1575-109 ANTENNA								
PN:9848110210	MOS/MSC	22-Sep-14	O/C	TSN 0				Component ATA:23
SN:13267	HRS	0		TSN 0				
WC#: 23.070	AFL	0		TSN 0				
				PROC. REF: AMM 34-57-02				
230045 NO. 1 KTR 2280 MULTI-MODE DIGITAL RADIO								
PN:069-01037-0102	MOS/MSC	02-Mar-15	O/C					Component ATA:23
SN:3965	HRS	61.1						
WC#: 23.090	AFL	33						
				PROC. REF: AMM 23-12-01				
230050 NO. 2 KTR 2280 MULTI-MODE DIGITAL RADIO								
PN:069-01037-0102	MOS/MSC	02-Mar-15	O/C					Component ATA:23
SN:3970	HRS	61.1						
WC#: 23.080	AFL	33						
				PROC. REF: AMM 23-12-01				
230055 PILOT KMA 29 AUDIO/MARKER PANEL								
PN:9859912108	MOS/MSC	22-Sep-14	O/C	TSN 0				Component ATA:23
SN:K01382	HRS	0		TSN 0				
WC#: 23.100	AFL	0		TSN 0				
				PROC. REF: AMM 23-50-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
230060		CO-PILOT KMA 29 AUDIO/MARKER PANEL						Component	ATA:23
PN:9859912108	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:K01380	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: AMM 23-50-01									
ATA 24 - ELECTRICAL POWER									
24-30/311		GENERATOR CONTROL UNIT, GCU 1- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION						Service	ATA:24
PN:PN	MOS	26-Jun-23	12 (+10%/-10%)	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)	AIRWORTHINESS	
SN:UNKNOWN	HRS	2444.2	3000		5444.2		2850.2		
WC#: 24.015	AFL	1424							
PROC. REF: AMM 71-00-00									
24-30/311		GENERATOR CONTROL UNIT, GCU 2- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION						Service	ATA:24
PN:PN	MOS	26-Jun-23	12 (+10%/-10%)	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)	AIRWORTHINESS	
SN:UNKNOWN	HRS	2444.2	3000		5444.2		2850.2		
WC#: 24.025	AFL	1424							
PROC. REF: AMM 71-00-00									
24-30/312 ^S		EMERGENCY POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST						Service	ATA:24
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 24-40-00									
24-30/313 ^S		DC ELECTRICAL SYSTEM - FUNCTIONAL TEST						Service	ATA:24
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 71-00-00									
24-30/340		NO. 1 LEAD ACID BATTERY - REMOVE AND DO A CAPACITY TEST						Service	ATA:24
PN:RG-380E/44	MOS	04-Jan-24	6 (+10%/-10%)	Adj 2d	06-Jul-24	24-Jul-24	68 d (+18)		
SN:41223056	HRS	2591.6	600 (+10%/-10%)		3191.6	3251.6	597.6 (+60)		
WC#: 24.010	AFL	1510							
PROC. REF: AMM 24-30-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/340 NO. 2 LEAD ACID BATTERY - REMOVE AND DO A CAPACITY TEST Service ATA:24								
PN:RG-380E/44	MOS	04-Jan-24	6 (+10%/-10%)	Adj 2d	06-Jul-24	24-Jul-24	68 d (+18)	
SN:41223055	HRS	2591.6	600 (+10%/-10%)		3191.6	3251.6	597.6 (+60)	
WC#: 24.010	AFL	1510						
PROC. REF: AMM 24-30-07								
24-30/473^S GENERATOR 1 (P/N 978.91.23.407) - BRUSH CHECK Service ATA:24								
PN:23085-031 MOD A	MOS	26-Jun-23						
SN:P2074	HRS	2444.2	600 (+10%/-10%)					
	AFL	1424						
PROC. REF: AMM 24-30-01								
24-30/474^S STARTER/GENERATOR 2 (P/N 978.91.23.407) - BRUSH CHECK Service ATA:24								
PN:23085-031 MOD A	MOS	26-Jun-23						
SN:P2078	HRS	2444.2	600 (+10%/-10%)					
	AFL	1424						
PROC. REF: AMM 24-30-01								
24-30/492 GENERATOR 1 (P/N 978.91.23.407) - OVERHAUL Service ATA:24								
PN:23085-031 MOD A	MOS	20-Sep-19						OVERHAUL
SN:P2074	HRS	1660.7	1200 (+10%/-10%)		2860.7	2980.7	266.7 (+120)	
	AFL	986						
PROC. REF: AMM 05-10-10								
24-30/493 STARTER/GENERATOR 2 (P/N 978.91.23.407) - OVERHAUL Service ATA:24								
PN:23085-031 MOD A	MOS	20-Sep-19						OVERHAUL
SN:P2078	HRS	1660.7	1200 (+10%/-10%)		2860.7	2980.7	266.7 (+120)	
	AFL	986						
PROC. REF: AMM 24-30-01								
24-40/229^S EXTERNAL POWER UNIT (EPU) RECEPTACLE - EXAMINE Service ATA:24								
	MOS	26-Jun-23	24 (+10%/-10%)					
	HRS	2444.2	2400 (+10%/-10%)					
	AFL	1424						
PROC. REF: GENERIC NO REF								
24-50/70 EMERGENCY POWER SUPPLY - REMOVE AND CAP TEST Service ATA:24								
PN:9858314953	MOS	26-Jun-23	12 (+10%/-10%)	Adj 4d	30-Jun-24	06-Aug-24	62 d (+37)	
SN:83217	HRS	2444.2						
WC#: 24.050	AFL	1424						
PROC. REF: AMM 24-52-51								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-60/133^S COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS - EXAMINE								
	MOS	26-Jun-23	24 (+10%/-10%)					Service ATA:24
	HRS	2444.2	2400 (+10%/-10%)					
	AFL	1424						
PROC. REF: GENERIC NO REF								PKG:21
240005 VOLTAGE REGULATOR 1								
PN:9882114111	MOS/MSC	22-Sep-14	O/C	TSN 0				Component ATA:24
SN:P3539	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 24-30-05								
240010 GENERATOR 1 300A CONTACTOR								
PN:9740338113	MOS/MSC	22-Sep-14	O/C	TSN 0				Component ATA:24
SN:R663	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
240015 GENERATOR 2 300A CONTACTOR								
PN:9740338113	MOS/MSC	22-Sep-14	O/C	TSN 0				Component ATA:24
SN:R665	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
240125 BATTERY/ EXIT POWER JUNCTION (BEPJB) BOX								
PN:9740338142	MOS/MSC	22-Sep-14	O/C	TSN 0				Component ATA:24
SN:713	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-40-01								
240135 NO. 1 LEAD ACID BATTERY								
PN:RG-380E/44	MOS/MSC	07-Jul-22	O/C	TSN 0				Component ATA:24
SN:41223056	HRS	2181.1		TSN 0				
WC#: 24.010	AFL	1282		TSN 0				
PROC. REF: AMM 24-30-07								
240140 NO. 2 LEAD ACID BATTERY								
PN:RG-380E/44	MOS/MSC	07-Jul-22	O/C	TSN 0				Component ATA:24
SN:41223055	HRS	2181.1		TSN 0				
WC#: 24.010	AFL	1282		TSN 0				
PROC. REF: AMM 24-30-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
241015	NO. 3 CABIN INVERTER OUTLET							Component	ATA:24
PN:MT1-AC11005-3-HT609	MOS/MSC	24-Nov-14	O/C	TSN 0					
SN:154419-2-1	HRS	26.5		TSN 0					
	AFL	13		TSN 0					
PROC. REF: GENERIC NO REF									
241020	NO. 4 CABIN INVERTER OUTLET							Component	ATA:24
PN:MT1-AC11005-3-HT609	MOS/MSC	24-Nov-14	O/C	TSN 0					
SN:154419-2-2	HRS	26.5		TSN 0					
	AFL	13		TSN 0					
PROC. REF: GENERIC NO REF									
243010	NO. 2 STARTER-GENERATOR							Component	ATA:24
PN:23085-031 MOD A	MOS/MSC	20-Sep-19	O/C						
SN:P2078	HRS	1660.7							
WC#: 24.215	AFL	986							
PROC. REF: AMM 24-30-01									
243020	NO. 1 (GCU 1) GENERATOR CONTROL UNIT							Component	ATA:24
PN:PN	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.015	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243030	NO. 2 (GCU 2) GENERATOR CONTROL UNIT							Component	ATA:24
PN:PN	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243080	EMERGENCY POWER SUPPLY							Component	ATA:24
PN:9858314953	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:83217	HRS	0		TSN 0					
WC#: 24.050	AFL	0		TSN 0					
PROC. REF: AMM 24-52-51									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243160	NO. 1 STARTER GENERATOR							Component	ATA:24
PN:23085-031 MOD A	MOS/MSC	20-Sep-19	O/C						
SN:P2074	HRS	1660.7							
WC#: 24.205	AFL	986							
PROC. REF: AMM 24-30-01									
243170	110 VOLT STATIC ,SS50 INVERTER							Component	ATA:24
PN:9750215107	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:6880	HRS	0		TSN 0					
WC#: 24.220	AFL	0		TSN 0					
PROC. REF: AMM 24-60-01									
243175	HALL EFFECT,FE1263 GEN 1 TRANSDUCER							Component	ATA:24
PN:9755085111	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:N2685	HRS	0		TSN 0					
WC#: 24.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243180	HALL EFFECT,FE1263 GEN 2 TRANSDUCER							Component	ATA:24
PN:9755085111	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:N2906	HRS	0		TSN 0					
WC#: 24.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243190	VOLTAGE REGULATOR 2							Component	ATA:24
PN:9882114111	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:P3540	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-30-06									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/134 ^S	EXAMINE CREW SEAT BELTS							Service	ATA:25
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/135 ^S	EXAMINE CREW SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED							Service	ATA:25
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:16
25-10/294	CREW SEAT BELTS							Component	ATA:25
PN:PN	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
25-10/296 ^S	REMOVE CREW SEATS AS NECESSARY TO DO INSPECTION							Service	ATA:25
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
	PROC. REF: AMM 25-10-01								PKG:15 ,16,17,18,19,20,21
25-10/297 ^S	INSTALL CREW SEATS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:25
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
	PROC. REF: AMM 25-10-01								PKG:15 ,16,17,18,19,20,21
25-10/300 ^S	CREW SEATS - REMOVE CUSHIONS, COVERS AND SHELLS (REF. CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS.							Service	ATA:25
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 25-10-01								PKG:20
25-20/136 ^S	EXAMINE PASSENGER SEAT BELTS AND EXTENSIONS							Service	ATA:25
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:17
25-20/137 ^S	EXAMINE PASSENGER SEATS - FOR EXECUTIVE SEATS ONLY, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service	ATA:25
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20/295		PASSENGER SEAT BELTS					Component	ATA:25	
PN:PN	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 25.010	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
25-20/298 ^S		REMOVE PASSENGER SEATS AS NECESSARY TO DO THE INSPECTION					Service	ATA:25	
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
PROC. REF: AMM 25-21-01, AMM 25-22-01									
25-20/299 ^S		INSTALL PASSENGER SEATS AS NECESSARY TO CLOSE UP INSPECTION					Service	ATA:25	
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
PROC. REF: AMM 25-21-01, AMM 25-22-01									
25-20/302 ^S		EXAMINE PASSENGER SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.					Service	ATA:25	
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
25-60/231 ^S		OPERATIONAL TEST ELT					Service	ATA:25	
PN:9851380853	MOS	26-Jun-23	12 (+10%/-10%)						
SN:LX1100112708	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 25-63-00, AMM 25-63-00									
25-60/232 ^S		EXAMINE ELT INSTALLATION					Service	ATA:25	
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
25-63/23		ELT BATTERY					Component	ATA:25	
PN:PN-UNKNOWN	MOS/MSC	28-Jun-21	DUE	01-May-27 (M)		1097 d	DISCARD		
SN:UNKNOWN	HRS	1930.1							
WC#: 25.020	AFL	1141							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-63/434		DISCARD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD 406 AF NAV INTERFACE UNIT INSTALLED)						Service	ATA:25
PN:9851380858	MOS	22-Sep-14	120 (+6m/-6m)		22-Sep-24	22-Mar-25	146 d (+181)	DISCARD	
SN:KA1625829002	HRS	0	16000 (+500/-500)		16000	16500	13406 (+500)		
	AFL	0							
PROC. REF: GENERIC NO REF									
250005		REMOTE CONTROL PANEL						Component	ATA:25
PN:9851380817	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:TM0000055847	HRS	0		TSN 0					
WC#: 25.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
250010		EMERGENCY LOCATOR TRANSMITTER						Component	ATA:25
PN:9851380853	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:LX1100112708	HRS	0		TSN 0					
WC#: 25.050	AFL	0		TSN 0					
PROC. REF: AMM 25-63-00									
250630		KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY (IF KANNAD ELT NAV INTERFACE IS INSTALLED) MODULE						Component	ATA:25
PN:9851380858	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KA1625829002	HRS	0		TSN 0					
WC#: 25.060	AFL	0		TSN 0					
PROC. REF: AMM 25-63-03									
256015		CABLE ,S1825503-01 ASSEMBLY						Component	ATA:25
PN:9851380859	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:TM0000066155	HRS	0		TSN 0					
WC#: 25.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
256020		LH BLACK PILOT SEAT						Component	ATA:25
PN:9593001165	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:75277	HRS	0		TSN 0					
WC#: 25.090	AFL	0		TSN 0					
PROC. REF: AMM 25-10-01									
256025		RH BLACK CO-PILOT SEAT						Component	ATA:25
PN:9593001166	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:75169	HRS	0		TSN 0					
WC#: 25.100	AFL	0		TSN 0					
PROC. REF: AMM 25-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
257010	NO. 1 EMTEQ LIGHT SWITCH PANEL							Component	ATA:25
PN:PC12-SUL-101-14	MOS/MSC	24-Nov-14	O/C		TSN 0				
SN:154843-3-1	HRS	26.5			TSN 0				
	AFL	13			TSN 0				
PROC. REF: GENERIC NO REF									
257015	NO. 2 EMTEQ LIGHT SWITCH PANEL							Component	ATA:25
PN:PC12-SUR-201-14	MOS/MSC	24-Nov-14	O/C		TSN 0				
SN:154843-1-1	HRS	26.5			TSN 0				
	AFL	13			TSN 0				
PROC. REF: GENERIC NO REF									
257020	NO. 3 EMTEQ LIGHT SWITCH PANEL							Component	ATA:25
PN:PC12-SUR-201-14	MOS/MSC	24-Nov-14	O/C		TSN 0				
SN:154843-4-1	HRS	26.5			TSN 0				
	AFL	13			TSN 0				
PROC. REF: GENERIC NO REF									
257025	NO. 4 EMTEQ LIGHT SWITCH PANEL							Component	ATA:25
PN:PC12-SUR-201-14	MOS/MSC	24-Nov-14	O/C		TSN 0				
SN:154843-4-2	HRS	26.5			TSN 0				
	AFL	13			TSN 0				
PROC. REF: GENERIC NO REF									
257030	NO. 1 CABIN USB CHARGING PORT							Component	ATA:25
PN:6430102-2	MOS/MSC	24-Nov-14	O/C		TSN 0				
SN:H14-10393	HRS	26.5			TSN 0				
	AFL	13			TSN 0				
PROC. REF: GENERIC NO REF									
257035	NO. 2 CABIN USB CHARGING PORT							Component	ATA:25
PN:6430102-2	MOS/MSC	24-Nov-14	O/C		TSN 0				
SN:H14-10394	HRS	26.5			TSN 0				
	AFL	13			TSN 0				
PROC. REF: GENERIC NO REF									
257040	NO. 3 CABIN USB CHARGING PORT							Component	ATA:25
PN:6430102-2	MOS/MSC	24-Nov-14	O/C		TSN 0				
SN:H14-10395	HRS	26.5			TSN 0				
	AFL	13			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
257045	USB PORT ASSEMBLY							Component	ATA:25
PN:106401-0015-HT609	MOS/MSC	24-Nov-14	O/C	TSN 0					
SN:40414	HRS	26.5		TSN 0					
	AFL	13		TSN 0					
PROC. REF: GENERIC NO REF									
257055	NO. 1 ANTCOM CORP ANTENNA							Component	ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	24-Nov-14	O/C	TSN 0					
SN:437777	HRS	26.5		TSN 0					
	AFL	13		TSN 0					
PROC. REF: GENERIC NO REF									
257070	NO. 5 EMTEQ LIGHT SWITCH PANEL							Component	ATA:25
PN:PC12-SUR-101-14	MOS/MSC	24-Nov-14	O/C	TSN 0					
SN:154843-2-1	HRS	26.5		TSN 0					
	AFL	13		TSN 0					
PROC. REF: GENERIC NO REF									
257075	NO. 6 EMTEQ LIGHT SWITCH PANEL							Component	ATA:25
PN:PC12-SUR-101-14	MOS/MSC	24-Nov-14	O/C	TSN 0					
SN:154843-2-2	HRS	26.5		TSN 0					
	AFL	13		TSN 0					
PROC. REF: GENERIC NO REF									
257080	NO. 2 ANTCOM CORP ANTENNA							Component	ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	24-Nov-14	O/C	TSN 0					
SN:440840	HRS	26.5		TSN 0					
	AFL	13		TSN 0					
PROC. REF: GENERIC NO REF									
257085	NO. 3 ANTCOM CORP ANTENNA							Component	ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	24-Nov-14	O/C	TSN 0					
SN:440838	HRS	26.5		TSN 0					
	AFL	13		TSN 0					
PROC. REF: GENERIC NO REF									
258010	PERFORM EMERGENCY LOCATOR TRANSMITTER (ELT) 12-MONTHS INSPECTION - FAR 91.207 (D)							Service	ATA:25
	MOS	26-Jun-23	12	Adj -2d	24-Jun-24		56 d		
	HRS	2444.2							
WC#: 25.110	AFL	1424							
PROC. REF: AMM 25-63-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20/2		CABIN FIRE EXTINGUISHER 1.5 KG					Component	ATA:26	
PN:PN	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 26.030	AFL	0		TSN 0					
PROC. REF: AMM 26-20-02									
26-20/2		COCKPIT FIRE EXTINGUISHER					Component	ATA:26	
PN:9590806219	MOS	01-Sep-14	120	TSN 0	01-Sep-24		125 d	LIFE LIMIT	
SN:090946	HRS			TSN 0					
WC#: 26.010	AFL			TSN 0					
Manufacture Date:: 01-Sep-14 PROC. REF: AMM 26-20-01									
26-20/24		COCKPIT FIRE EXTINGUISHER CONTENTS CHECK (EXCEPT MODEL P3APP003010D - P/N 959.08.06.224)					Service	ATA:26	
PN:9590806219	MOS	26-Jun-23	12 (+1m/-1m)	Adj 2d	28-Jun-24	28-Jul-24	60 d (+30)		
SN:090946	HRS	2444.2							
WC#: 26.010	AFL	1424							
PROC. REF: AMM 26-20-00									
260005		FIRE/OVERHEAT DETECTOR					Component	ATA:26	
PN:9751210012	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:213560	HRS	0		TSN 0					
WC#: 26.020	AFL	0		TSN 0					
PROC. REF: AMM 26-10-01									
ATA 27 - FLIGHT CONTROLS									
27-00/138 ^S		AILERON, ELEVATOR AND RUDDER CONTROLS - OPERATE, MAKE SURE FULL AND FREE TRAVEL					Service	ATA:27	
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
27-00/402		EXAMINE - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES					Service	ATA:27	
	MOS	22-Sep-14							
	HRS	0	T:32500 (+500/-500)		32500	33000	29906 (+500)		
WC#: 27.255	AFL	0	T:42000 (+500/-500)		42000	42500	40488 (+500)		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK							Service	ATA:27
	MOS	15-Oct-20	60 (+10%/-10%)		15-Oct-25	15-Apr-26	534 d (+182)		
	HRS	1839.5	4800 (+10%/-10%)		6639.5	7119.5	4045.5 (+480)		
WC#: 27.010	AFL	1091							
PROC. REF: AMM 27-00-00									
27-10/139 ^S	AILERON LH AND RH - EXAMINE AND LUBRICATE THE TRIMHINGES WITH MINIMUM QUANTITY OFCPC (MAT. NO. P10-001)							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:17									
27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:20									
27-10/235 ^S	EXAMINE AILERON ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:20									
27-10/236 ^S	AILERON CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-10-00									
PKG:20									
27-10/237 ^S	CHECK AILERON CABLE TENSION							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-10-00									
PKG:20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/238 ^S	FUNCTIONAL TEST AILERONS							Service	ATA:27
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-10-00								PKG:21	
27-10/394	AILERON CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 27.155	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 27-10-00									
27-10/395	EDDY CURRENT INSPECTION AILERON CABLE SEGMENT							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 27.160	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 27-10-09									
27-10/396	EDDY CURRENT INSPECTION - AILERON CONTROL RODS							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 27.165	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 27-00-01									
27-10/397	MAGNETIC PARTICLE INSPECT - AILERON CONTROL RODS							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 27.170	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 27-00-01									
27-10/398	AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 27.175	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 27-10-08, AMM 27-10-08, AMM 27-10-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/400	EDDY CURRENT INSPECTION - LEFT WING AILERON HINGE POINTS							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 27.215	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 57-60-06									
27-10/400	EDDY CURRENT INSPECTION - RIGHT WING AILERON HINGE POINTS							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 57-60-06									
27-10/444	FLIGHT CONTROL CABLES, AILERON							Component	ATA:27
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: AMM 27-10-01									
27-10/445	AUTOPILOT CONTROL CABLE, AILERON							Component	ATA:27
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: AMM 27-10-02									
27-10/470 ^S	LUBRICATE AILERON CONTROL SYSTEM BEARINGS							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-10-00									
27-15/239 ^S	FUNCTIONAL TEST AILERON TRIM							Service	ATA:27
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-15-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/140 ^S	INSPECTION/CHECK RUDDER							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 55-40-00				PKG:17	
27-20/240 ^S	EXAMINE RUDDER STATIC DISCHARGERS							Service	ATA:27
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
				PROC. REF: GENERIC NO REF				PKG:21	
27-20/241 ^S	RUDDER CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 27-20-00				PKG:20	
27-20/243 ^S	CHECK RUDDER CABLE TENSION							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 27-20-00				PKG:20	
27-20/244 ^S	FUNCTIONAL TEST RUDDER							Service	ATA:27
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 27-20-00				PKG:21	
27-20/245 ^S	FUNCTIONAL TEST RUDDER TRIM							Service	ATA:27
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 27-25-00				PKG:21	
27-20/246 ^S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
				PROC. REF: GENERIC NO REF				PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/374 RUDDER CONTROL SYSTEM - EXAMINE Service ATA:27								
	MOS	22-Sep-14						AIRWORTHINESS
	HRS	0	T:32500		32500		29906	
WC#: 27.180	AFL	0	T:42000		42000		40488	
PROC. REF: AMM 27-20-00								
27-20/376 EXAMINE RUDDER CABLE QUADRANT SHEAR SPIGOT Service ATA:27								
	MOS	22-Sep-14						AIRWORTHINESS
	HRS	0	T:32500		32500		29906	
WC#: 27.190	AFL	0	T:42000		42000		40488	
PROC. REF: AMM 27-20-05								
27-20/430 RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED Service ATA:27								
	MOS/MSC	28-May-15	O/C					
	HRS	144						
	AFL	74						
PROC. REF: AMM 27-20-00								
27-20/431 RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER) Service ATA:27								
PN:PN	MOS/MSC	26-Oct-17	A/R					
SN:UNKNOWN	HRS	1088						
	AFL	642						
PROC. REF: AMM 27-20-00								
27-20/446 FLIGHT CONTROL CABLES, RUDDER Component ATA:27								
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406	
	AFL	0	27000	TSN 0	27000		25488	
PROC. REF: AMM 27-20-01								
27-20/447 AUTOPILOT CONTROL CABLES, RUDDER Component ATA:27								
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406	
	AFL	0	27000	TSN 0	27000		25488	
PROC. REF: AMM 27-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/575	REPLACE RUDDER BELLCRANK							Service	ATA:27
PN:PN	MOS	22-Sep-14						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		17406		
	AFL	0	27000		27000		25488		
PROC. REF: AMM 27-20-04									
27-30/141 ^S	EXAMINE ELEVATORS							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:17									
27-30/247 ^S	EXAMINE ELEVATOR ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:20									
27-30/248 ^S	EXAMINE ELEVATOR STATIC DISCHARGERS							Service	ATA:27
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:21									
27-30/249 ^S	ELEVATOR CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-30-00									
PKG:20									
27-30/250 ^S	CHECK ELEVATOR CABLE TENSION							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-30-00									
PKG:20									
27-30/251 ^S	FUNCTIONAL TEST ELEVATOR							Service	ATA:27
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-30-00									
PKG:21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/333	ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED							Service	ATA:27
	MOS/MSC	28-May-15	A/R						
	HRS	144							
WC#: 27.150	AFL	74							
PROC. REF: AMM 27-30-00									
27-30/334	CHECK FLIGHT CONTROL CABLES, ELEVATOR ELEVATOR CONTROL CABLES TENSION - AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)							Service	ATA:27
PN:PN	MOS/MSC	28-Jun-21	A/R						
SN:UNKNOWN	HRS	1930.1							
	AFL	1141							
PROC. REF: AMM 27-30-00									
27-30/363	ELEVATOR - CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 27.195	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 27-30-00									
27-30/364	EDDY CURRENT INSPECTION - ELEVATOR CONTROL RODS							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 27.200	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 27-00-01									
27-30/365	MAGNETIC PARTICLE INSPECT - ELEVATOR CONTROL RODS							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 27.205	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 27-00-01									
27-30/366	EDDY CURRENT INSPECTION - ELEVATOR CONTROL LEVER							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 27.210	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 27-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/448	FLIGHT CONTROL CABLES, ELEVATOR							Component	ATA:27
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: AMM 27-30-01									
27-30/449	AUTOPILOT CONTROL CABLES, ELEVATOR							Component	ATA:27
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: AMM 27-30-02									
27-30/450	STICK PUSHER CABLES							Component	ATA:27
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: GENERIC NO REF									
27-30/514 ^S	EXAMINE - ELEVATOR STOPS							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 55-20-01									
27-40/1	HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR)							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)	AIRWORTHINESS	
	HRS	2444.2	3000		5444.2		2850.2		
WC#: 27.021	AFL	1424							
PROC. REF: AMM 27-40-00									
27-40/142 ^S	OPERATIONAL TEST HORIZONTAL STABILIZER TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES							Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-40-00									

PKG:20

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-40/252 ^S		INSPECTION / CHECK PITCH TRIM ACTUATOR AND ATTACHMENTS					Service	ATA:27	
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-40-01								PKG:20	
27-40/26		OVERHAUL PITCH TRIM ACTUATOR					Service	ATA:27	
PN:978.73.14.203	MOS	28-Jun-21	84		28-Jun-28		1521 d	OVERHAUL	
SN:2653	HRS	1930.1	3400		5330.1		2736.1		
	AFL	1141							
PROC. REF: GENERIC NO REF									
27-40/291 ^S		OPERATIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM					Service	ATA:27	
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-40-00								PKG:16	
27-40/292 ^S		FUNCTIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM					Service	ATA:27	
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 27-40-00								PKG:20	
27-40/3		REPLACE PITCH TRIM ACTUATOR					Service	ATA:27	
PN:978.73.14.203	MOS	28-Jun-21						LIFE LIMIT	
SN:2653	HRS	1930.1	20000		21930.1		19336.1		
	AFL	1141	27000		28141		26629		
PROC. REF: GENERIC NO REF									
27-40/307		PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL SAFE PLATES AND THEIR ATTACHMENT PARTS (IPC 12-20-00-7)					Component	ATA:27	
PN:PN	MOS	22-Sep-14			TSN 0			LIFE LIMIT	
SN:UNKNOWN	HRS	0	10000		TSN 0	10000	7406		
WC#: 27.036	AFL	0			TSN 0				
PROC. REF: AMM 27-40-02									
27-40/574		DISCARD MANUAL PITCH TRIM RELAYS (P/N 974.20.01.221) K161D2 K161E2 ON LH RELAY PANEL A161					Service	ATA:27	
PN:PN	MOS/MSC	EFF	N/A						
SN:UNKNOWN	HRS	EFF							
	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/143^S LOWER FLAPS TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION Service ATA:27								
	MOS/MSC	26-Jun-23	A/R					
	HRS	2444.2						
	AFL	1424						
				PROC. REF: GENERIC NO REF				PKG:15 ,16,17,18,19,20,21
27-50/144^S EXAMINE FLAPS AND FLAP SUPPORT MECHANISM Service ATA:27								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	300 (+10%/-10%)					
	AFL	1424						
				PROC. REF: GENERIC NO REF				PKG:17
27-50/253^S EXAMINE FLAPS ELECTRICAL BONDING STRAPS Service ATA:27								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	1200 (+10%/-10%)					
	AFL	1424						
				PROC. REF: GENERIC NO REF				PKG:20
27-50/254^S EXAMINE FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS Service ATA:27								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	1200 (+10%/-10%)					
	AFL	1424						
				PROC. REF: GENERIC NO REF				PKG:20
27-50/255^S FUNCTIONAL TEST FLAPS AND ASYMMETRY MONITOR TEST Service ATA:27								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	1200 (+10%/-10%)					
	AFL	1424						
				PROC. REF: AMM 27-50-00				PKG:20
27-50/28 FLAP POWER DRIVE UNIT Component ATA:27								
PN:9787320003	MOS	22-Sep-14		TSN 0				OVERHAUL
SN:1302	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7406 (+500)	
WC#: 27.030	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11988 (+500)	
				PROC. REF: AMM 27-50-01				
27-50/31 LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT Component ATA:27								
PN:9450202205	MOS	22-Sep-14		TSN 0				DISCARD
SN:S7308	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7406 (+500)	
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11988 (+500)	
				PROC. REF: AMM 27-50-02				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/31		LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:9450202206	MOS	22-Sep-14		TSN 0				DISCARD	
SN:57286	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7406 (+500)		
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11988 (+500)		
PROC. REF: AMM 27-50-02									
27-50/31		RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:9450202205	MOS	22-Sep-14		TSN 0				DISCARD	
SN:S7310	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7406 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11988 (+500)		
PROC. REF: AMM 27-50-02									
27-50/31		RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:9450202206	MOS	22-Sep-14		TSN 0				DISCARD	
SN:S7262	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7406 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11988 (+500)		
PROC. REF: AMM 27-50-02									
27-50/386		FLAP MECHANISM - EXAMINE						Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
WC#: 27.220	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 27-51-00									
27-50/387		EDDY CURRENT INSPECTION - FLAP DRIVE ARM (NOT REMOVED)						Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
WC#: 27.225	AFL	0	T:30000		30000		28488		
PROC. REF: AMM 27-51-00									
27-50/388		EDDY CURRENT INSPECTION FLAP DRIVE ARM (REMOVED)						Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
WC#: 27.230	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/389	EDDY CURRENT INSPECTION - LEFT WING FLAP SUPPORT ARM							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
WC#: 27.235	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									
27-50/389	EDDY CURRENT INSPECTION - RIGHT WING FLAP SUPPORT ARM							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									
27-50/390	EDDY CURRENT INSPECTION - LEFT WING FLAP COVE RIB FITTINGS							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
WC#: 27.240	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									
27-50/390	EDDY CURRENT INSPECTION - RIGHT WING FLAP COVE RIB FITTINGS							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									
27-50/391	EDDY CURRENT INSPECTION - FLAP AFT LINKS							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
WC#: 27.245	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									
27-50/392	EDDY CURRENT INSPECTION - FLAP BELLCRANKS							Service	ATA:27
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
WC#: 27.250	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/414		LEFT HAND FLAP						Component	ATA:27
PN:5575012003	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:1243E	HRS	0	25000	TSN 0	25000		22406		
WC#: 57.060	AFL	0	30000	TSN 0	30000		28488		
PROC. REF: GENERIC NO REF									
27-50/414		RIGHT HAND FLAP						Component	ATA:27
PN:5575012004	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:1243	HRS	0	25000	TSN 0	25000		22406		
WC#: 57.060	AFL	0	30000	TSN 0	30000		28488		
PROC. REF: GENERIC NO REF									
27-50/437		INBOARD FLAP DRIVE ARMS - IN-SITU INSPECTION/CHECK						Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)	AIRWORTHINESS	
	HRS	2444.2	600 (+10%/-10%)		3044.2	3104.2	450.2 (+60)		
	AFL	1424							
PROC. REF: AMM 27-51-00									
27-50/443 ^S		SERVICE FLAP UP AND DOWN LIMIT SWITCHES						Service	ATA:27
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 12-20-07									
PKG:17									
27-50/451		LEFT INBOARD FLAP TENSION RODS						Component	ATA:27
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: GENERIC NO REF									
27-50/451		LEFT MID FLAP TENSION ROD						Component	ATA:27
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/451	LEFT OUTBOARD FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: GENERIC NO REF									
27-50/451	RIGHT INBOARD FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: GENERIC NO REF									
27-50/451	RIGHT MID FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: GENERIC NO REF									
27-50/451	RIGHT OUTBOARD FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: GENERIC NO REF									
27-50/475 ^S	RETRACT FLAPS TO 0 DEGREES TO CLOSE THE INSPECTION							Service	ATA:27
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
PROC. REF: GENERIC NO REF								PKG:15 ,16,17,18,19,20,21	
27-50/485	LEFT INBOARD FLAP ACTUATOR							Component	ATA:27
PN:9787320309	MOS	22-Sep-14		TSN 0				DISCARD	
SN:5122	HRS	0	20000	TSN 0	20000		17406		
WC#: 27.040	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: AMM 27-50-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/485		LEFT OUTBOARD FLAP ACTUATOR						Component	ATA:27
PN:9787320309	MOS	22-Sep-14		TSN 0				DISCARD	
SN:5123	HRS	0	20000	TSN 0	20000		17406		
WC#: 27.041	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: AMM 27-50-03									
27-50/485		RIGHT INBOARD FLAP ACTUATOR						Component	ATA:27
PN:9787320309	MOS	22-Sep-14		TSN 0				DISCARD	
SN:5117	HRS	0	20000	TSN 0	20000		17406		
WC#: 27.050	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: AMM 27-50-03									
27-50/485		RIGHT OUTBOARD FLAP ACTUATOR						Component	ATA:27
PN:9787320309	MOS	22-Sep-14		TSN 0				DISCARD	
SN:5125	HRS	0	20000	TSN 0	20000		17406		
WC#: 27.051	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: AMM 27-50-03									
27-50/495		BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	26-Jun-23	24 (+10%/-10%)	Adj 2d	28-Jun-25	09-Sep-25	425 d (+73)		
SN:5122	HRS	2444.2	2400 (+10%/-10%)		4844.2	5084.2	2250.2 (+240)		
WC#: 27.040	AFL	1424	3200 (+10%/-10%)		4624	4944	3112 (+320)		
PROC. REF: AMM 27-50-03									
27-50/495		BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	26-Jun-23	24 (+10%/-10%)	Adj 2d	28-Jun-25	09-Sep-25	425 d (+73)		
SN:5123	HRS	2444.2	2400 (+10%/-10%)		4844.2	5084.2	2250.2 (+240)		
WC#: 27.041	AFL	1424	3200 (+10%/-10%)		4624	4944	3112 (+320)		
PROC. REF: AMM 27-50-03									
27-50/495		BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	26-Jun-23	24 (+10%/-10%)	Adj 2d	28-Jun-25	09-Sep-25	425 d (+73)		
SN:5117	HRS	2444.2	2400 (+10%/-10%)		4844.2	5084.2	2250.2 (+240)		
WC#: 27.050	AFL	1424	3200 (+10%/-10%)		4624	4944	3112 (+320)		
PROC. REF: AMM 27-50-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/495		BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	26-Jun-23	24 (+10%/-10%)	Adj 2d	28-Jun-25	09-Sep-25	425 d (+73)		
SN:5125	HRS	2444.2	2400 (+10%/-10%)		4844.2	5084.2	2250.2 (+240)		
WC#: 27.051	AFL	1424	3200 (+10%/-10%)		4624	4944	3112 (+320)		
PROC. REF: AMM 27-50-03									
27-50/506		OVERHAUL LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	22-Sep-14					OVERHAUL		
SN:5122	HRS	0	5000 (+10%/-10%)		5000	5500	2406 (+500)		
WC#: 27.040	AFL	0	7000 (+500/-500)		7000	7500	5488 (+500)		
PROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	22-Sep-14					OVERHAUL		
SN:5123	HRS	0	5000 (+10%/-10%)		5000	5500	2406 (+500)		
WC#: 27.041	AFL	0	7000 (+500/-500)		7000	7500	5488 (+500)		
PROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL RIGHT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	22-Sep-14					OVERHAUL		
SN:5117	HRS	0	5000 (+10%/-10%)		5000	5500	2406 (+500)		
WC#: 27.050	AFL	0	7000 (+500/-500)		7000	7500	5488 (+500)		
PROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	22-Sep-14					OVERHAUL		
SN:5125	HRS	0	5000 (+10%/-10%)		5000	5500	2406 (+500)		
WC#: 27.051	AFL	0	7000 (+500/-500)		7000	7500	5488 (+500)		
PROC. REF: GENERIC NO REF									
27-50/576 ^S		LUBRICATE LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	26-Jun-23	12 (+10%/-10%)						
SN:5122	HRS	2444.2	300 (+10%/-10%)						
WC#: 27.040	AFL	1424							
PROC. REF: AMM 27-50-00									

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/576 ^S		LUBRICATE LEFT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	26-Jun-23	12 (+10%/-10%)						
SN:5123	HRS	2444.2	300 (+10%/-10%)						
WC#: 27.041	AFL	1424							
PROC. REF: AMM 27-50-00								PKG:17	
27-50/576 ^S		LUBRICATE RIGHT INBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	26-Jun-23	12 (+1m/-1m)						
SN:5117	HRS	2444.2	300 (+10%/-10%)						
WC#: 27.050	AFL	1424							
PROC. REF: AMM 27-50-00								PKG:17	
27-50/576 ^S		LUBRICATE RIGHT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	26-Jun-23	12 (+1m/-1m)						
SN:5125	HRS	2444.2	300 (+10%/-10%)						
WC#: 27.051	AFL	1424							
PROC. REF: AMM 27-50-00								PKG:17	
270003		HORIZONTAL TAIL ASSY							Component ATA:27
PN:5551012037	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1307	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 55-10-01									
270015		ELEVATOR LH ASSY							Component ATA:27
PN:5552012039	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1367	HRS	0		TSN 0					
WC#: 27.015	AFL	0		TSN 0					
PROC. REF: AMM 55-20-01									
270023		ELEVATOR RH ASSY							Component ATA:27
PN:5552012040	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1365	HRS	0		TSN 0					
WC#: 27.023	AFL	0		TSN 0					
PROC. REF: AMM 55-20-01									
270025		RUDDER TRIM LINEAR ACTUATOR							Component ATA:27
PN:9787318138	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:0971	HRS	0		TSN 0					
WC#: 27.090	AFL	0		TSN 0					
PROC. REF: AMM 27-25-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270030	FIN ASSY							Component	ATA:27
PN:5553012041	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1241E	HRS	0		TSN 0					
WC#: 27.031	AFL	0		TSN 0					
PROC. REF: AMM 55-30-01									
270033	RUDDER ASSY							Component	ATA:27
PN:5554012040	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1244	HRS	0		TSN 0					
WC#: 27.033	AFL	0		TSN 0					
PROC. REF: AMM 55-40-01									
270035	FLAP CONTROL AND WARNING UNIT							Component	ATA:27
PN:9787320017	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:132770	HRS	0		TSN 0					
WC#: 27.130	AFL	0		TSN 0					
PROC. REF: AMM 27-50-05									
270041	RUDDER BELLCRANK							Component	ATA:27
PN:PN	MOS/MSC	22-Sep-14	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-20-04									
270045	LH INBOARD TRANSMITTER							Component	ATA:27
PN:9787320021	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1430090DY	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270050	LH ROTATION TRANSMITTER							Component	ATA:27
PN:9787320602	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:2089	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270060	LH OUTBOARD TRANSMITTER							Component	ATA:27
PN:9787320021	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:13D0121DW	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270070		RH INBOARD TRANSMITTER					Component		ATA:27
PN:9787320021	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1430004DY	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270075		RH ROTATION,C70016705 TRANSMITTER					Component		ATA:27
PN:9787320602	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:2109	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270080		KTA2810,TRIM ADAPTER					Component		ATA:27
PN:065-00195-0100	MOS/MSC	10-Sep-15	O/C	TSN 0					
SN:KTA2810-1762	HRS	248.6		TSN 0					
WC#: 22.135	AFL			TSN 0					
PROC. REF: AMM 22-10-07, AMM 22-10-07									
270090		AILERON LINEAR ACTUATOR					Component		ATA:27
PN:9787318138	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:0987	HRS	0		TSN 0					
WC#: 27.140	AFL	0		TSN 0					
PROC. REF: AMM 27-15-01									
270095		RH OUTBOARD TRANSMITTER					Component		ATA:27
PN:9787320021	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1430010DY	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
274020		PITCH TRIM ACTUATOR					Component		ATA:27
PN:978.73.14.203	MOS/MSC	28-Jun-21	H/T	TSN 0					
SN:2653	HRS	1930.1		TSN 0					
	AFL	1141		TSN 0					
PROC. REF: AMM 27-40-01									
274030		MANUAL PITCH TRIM RELAYS					Component		ATA:27
PN:PN	MOS/MSC	22-Sep-14	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-10/145 ^S	EXAMINE FUEL TANK FILLER CAPS							Service	ATA:28
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:17	
28-10/146 ^S	SAMPLE FUEL - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER							Service	ATA:28
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 28-10-02							PKG:17	
28-10/306	OPERATIONAL TEST FUEL CROSS VENT AND OUTWARD CHECK VALVE							Service	ATA:28
	MOS	26-Jun-23							
	HRS	2444.2	2400 (+10%/-10%)		4844.2	5084.2	2250.2 (+240)		
WC#: 28.029	AFL	1424							
	PROC. REF: AMM 28-10-01								
28-20/147 ^S	OPERATIONAL TEST FUEL TANK VENT VALVE AND FLAME ARRESTOR							Service	ATA:28
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 28-20-07							PKG:17	
28-20/148 ^S	REMOVE/CLEAN FUEL FILTER ELEMENT							Service	ATA:28
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 28-20-01, AMM 28-20-01							PKG:17	
28-20/149 ^S	OPERATE FIREWALL SHUTOFF VALVE FUEL EMERG SHUTOFF LEVER AND MAKE SURE FIREWALL SHUTOFF VALVE OPENS AND CLOSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT LEVER OUTER END IS BELOW 10 LBF (4-4.5 N)							Service	ATA:28
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-20/150^S EXAMINE ENGINE DRIVEN PUMP Service ATA:28								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	300 (+10%/-10%)					
	AFL	1424						
PROC. REF: GENERIC NO REF								PKG:17
28-20/256^S FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED / REMOVED IN THIS INSPECTION PACKAGE Service ATA:28								
	MOS	26-Jun-23	24 (+10%/-10%)					
	HRS	2444.2	2400 (+10%/-10%)					
	AFL	1424						
PROC. REF: GENERIC NO REF								PKG:21
28-20/32 OVERHAUL ENGINE DRIVEN PUMP Service ATA:28								
PN:9688451108	MOS	22-Sep-14		TSN 0				OVERHAUL
SN:B5886	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	906 (+350)	
WC#: 28.010	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03								
280005 LOW PRESSURE FUEL PUMP Component ATA:28								
PN:9688451108	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:B5886	HRS	0		TSN 0				
WC#: 28.120	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03								
280010 FUEL FLOW TRANSMITTER Component ATA:28								
PN:9753512106	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:AAF3832	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 73-30-01								
280012 FUEL CONTROL MONITORING UNIT Component ATA:28								
PN:975.37.31.336	MOS/MSC	08-Nov-16	O/C	TSR 0				
SN:308	HRS	719.6		TSR 0				
WC#: 28.155	AFL	417		TSR 0				
PROC. REF: AMM 28-40-04, AMM 73-20-01								
280015 FIREWALL FUEL,SHUT-OFF VALVE Component ATA:28								
PN:9638722301	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:3247	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 28-20-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280020	MAINTENANCE FUEL SHUT-OFF VALVE							Component	ATA:28
PN:9638722301	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:3251	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-20-12									
280025	FUEL FILTER ASSY							Component	ATA:28
PN:9683521001	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:2014FFT916	HRS	0		TSN 0					
WC#: 28.025	AFL	0		TSN 0					
PROC. REF: AMM 28-20-01									
280030	FUEL LOW PRESSURE SWITCH							Component	ATA:28
PN:9738114102	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:2453	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									
280035	EJECTOR,TRANSFER LH PUMP							Component	ATA:28
PN:9688471104	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:B5470	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									
280040	EJECTOR,DELIVERY LH PUMP							Component	ATA:28
PN:9688471105	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:B5503	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06									
280045	FUEL QUANTITY OUTER LH SENSOR							Component	ATA:28
PN:9753731253	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:2062	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280050	FUEL QUANTITY,CENTRAL LH SENSOR							Component	ATA:28
PN:9753731252	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:2052	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280055	FUEL QUANTITY, INNER LH SENSOR							Component	ATA:28
PN:9753731251	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:2058	HRS	0			TSN 0				
WC#: 28.090	AFL	0			TSN 0				
PROC. REF: AMM 28-40-01									
280060	FUEL QUANTITY, COLLECTOR LH SENSOR							Component	ATA:28
PN:9753731250	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:2049	HRS	0			TSN 0				
WC#: 28.080	AFL	0			TSN 0				
PROC. REF: AMM 28-40-01									
280065	FUEL, BOOSTER LH PUMP							Component	ATA:28
PN:9688411405	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:C-033	HRS	0			TSN 0				
WC#: 28.050	AFL	0			TSN 0				
PROC. REF: AMM 28-20-04									
280070	EJECTOR, TRANSFER RH PUMP							Component	ATA:28
PN:9688471104	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:B5468	HRS	0			TSN 0				
WC#: 28.040	AFL	0			TSN 0				
PROC. REF: AMM 28-20-05									
280075	EJECTOR, DELIVERY RH PUMP							Component	ATA:28
PN:9688471105	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:B5502	HRS	0			TSN 0				
WC#: 28.030	AFL	0			TSN 0				
PROC. REF: AMM 28-20-06									
280080	FUEL QUANTITY, COLLECTOR RH SENSOR							Component	ATA:28
PN:9753731250	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:2065	HRS	0			TSN 0				
WC#: 28.080	AFL	0			TSN 0				
PROC. REF: AMM 28-40-01									
280085	FUEL QUANTITY, INNER RH SENSOR							Component	ATA:28
PN:9753731251	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:2055	HRS	0			TSN 0				
WC#: 28.090	AFL	0			TSN 0				
PROC. REF: AMM 28-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280090	FUEL QUANTITY,CENTRAL RH SENSOR							Component	ATA:28
PN:975.37.31.252	MOS/MSC	01-Nov-16	O/C	TSN 0					
SN:2374	HRS	713	TSN 0						
WC#: 28.070	AFL	411	TSN 0						
PROC. REF: AMM 28-40-01									
280095	FUEL QUANTITY,OUTER RH SENSOR							Component	ATA:28
PN:9753731253	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:2054	HRS	0	TSN 0						
WC#: 28.060	AFL	0	TSN 0						
PROC. REF: AMM 28-40-01									
280100	FUEL,BOOSTER RH PUMP							Component	ATA:28
PN:968.84.11.405	MOS/MSC	14-Feb-17	O/C	TSN 0					
SN:C-626	HRS	806.4	TSN 0						
WC#: 28.050	AFL	469	TSN 0						
PROC. REF: AMM 28-20-04									
280105	TOP CHECK VALVE							Component	ATA:28
PN:9630423105	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:3274	HRS	0	TSN 0						
WC#: 28.150	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
280110	BOTTOM CHECK VALVE							Component	ATA:28
PN:9630423105	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:3267	HRS	0	TSN 0						
WC#: 28.150	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
280115	LH FUEL QUANTITY, TANK HARNESS							Component	ATA:28
PN:9753731335	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1325	HRS	0	TSN 0						
WC#: 28.140	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
280120	RH FUEL QUANTITY, TANK HARNESS							Component	ATA:28
PN:975.37.31.335	MOS/MSC	08-Nov-16	O/C	TSN 0					
SN:1435	HRS	719.6	TSN 0						
WC#: 28.140	AFL	417	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-10/418	NITROGEN ACCUMULATOR (IF INSTALLED)							Component	ATA:29
PN:PN-UNKNOWN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22406		
WC#: 29.020	AFL	0	30000	TSN 0	30000		28488		
PROC. REF: AMM 29-10-02									
ATA 30 - ICE AND RAIN PROTECTION									
30-10/154 ^S	INSPECTION/CHECK WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS							Service	ATA:30
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 30-10-00									
30-10/155 ^S	OPERATIONAL TEST INERTIAL SEPARATION SYSTEM							Service	ATA:30
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 30-20-00									
30-10/260 ^S	FUNCTIONAL TEST AIRFOIL DE-ICE SYSTEM							Service	ATA:30
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 30-10-00, AMM 30-10-00									
30-10/79	APPLY TO AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO.1							Service	ATA:30
	MOS	26-Jun-23	6 (+10%/-10%)	Adj -2d	24-Dec-23	11-Jan-24	OVD		
	HRS	2444.2							
WC#: 30.010	AFL	1424							
PROC. REF: GENERIC NO REF									
30-20/156 ^S	EXAMINE ENGINE AIR INTAKE DE-ICE LIP AND LOOK FOR SIGNS OF GAS LEAKS, NONE ARE PERMITTED							Service	ATA:30
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-20/261 ^S	EXAMINE AIR BY-PASS DOOR AND OPERATING MECHANISM AND LUBRICATE WITH MINIMUM QUANTITY OF P10-001							Service	ATA:30
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:20
30-30/329 ^S	FUNCTIONAL TEST PROBES DE-ICE SYSTEM							Service	ATA:30
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 30-30-20								PKG:19
30-40/262 ^S	OPERATIONAL TEST WINDSHIELD DE-ICE SYSTEM							Service	ATA:30
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 30-40-00								PKG:21
30-60/158 ^S	INSPECTION/CHECK PROPELLER DE-ICE SYSTEM							Service	ATA:30
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 30-60-00, AMM 30-60-00								PKG:19
30-60/159 ^S	OPERATIONAL TEST PROPELLER DE-ICE SYSTEM							Service	ATA:30
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 30-60-00, AMM 30-60-00, AMM 30-60-00, AMM 30-60-00								PKG:19
300005	PROP DE-ICE CONTROLLER							Component	ATA:30
PN:4E3163-2	MOS/MSC	26-Mar-18	O/C		TSR 0				
SN:UNKNOWN	HRS				TSR 0				
WC#: 30.140	AFL				TSR 0				
	PROC. REF: GENERIC NO REF								
300010	LPMI LINEAR ACTUATOR							Component	ATA:30
PN:9787315302	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:D14421	HRS	0			TSN 0				
WC#: 30.150	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300015	REGULATOR-RELIEVER ASSY							Component	ATA:30
PN:9598901012	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:N141248	HRS	0		TSN 0					
WC#: 30.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300020	L606 LOWER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE							Component	ATA:30
PN:9598901008	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:N141508	HRS	0		TSN 0					
WC#: 30.110	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
300025	L605 UPPER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE							Component	ATA:30
PN:9598901008	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:N141503	HRS	0		TSN 0					
WC#: 30.120	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
300035	L601 LOWER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE							Component	ATA:30
PN:9598901008	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:N141507	HRS	0		TSN 0					
WC#: 30.120	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
300040	L600 UPPER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE							Component	ATA:30
PN:9598901008	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:N141511	HRS	0		TSN 0					
WC#: 30.130	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
300045	EMPENAGE PRESSURE GAGE SWITCH							Component	ATA:30
PN:9738114312	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:7246	HRS	0		TSN 0					
WC#: 30.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300050	WATER SEPARATOR							Component	ATA:30
PN:9598901010	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:N142293	HRS	0		TSN 0					
WC#: 30.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300055		DE-ICING SYSTEM TIMER						Component	ATA:30
PN:PN-UNKNOWN	MOS/MSC	27-Jun-18	O/C	TSR 0					
SN:UNKNOWN	HRS			TSR 0					
WC#: 30.100	AFL			TSR 0					
PROC. REF: AMM 30-60-01									
300060		LEFT WINDSHIELD DE ICE CONTROLLER						Component	ATA:30
PN:9728132202	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:133021	HRS	0		TSN 0					
WC#: 30.020	AFL	0		TSN 0					
PROC. REF: AMM 30-40-01									
300065		RIGHT WINDSHIELD DE ICE CONTROLLER						Component	ATA:30
PN:9728132202	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:133030	HRS	0		TSN 0					
WC#: 30.020	AFL	0		TSN 0					
PROC. REF: AMM 30-40-01									
300090		LH HORIZ STAB DE-ICER BOOT						Component	ATA:30
PN:P27S7D221-25	MOS/MSC	15-Oct-20	O/C	TSN 0					
SN:NFL6240	HRS	1839.5		TSN 0					
WC#: 30.030	AFL	1091		TSN 0					
PROC. REF: AMM 30-16-01									
300095		RH HORIZ STAB DE-ICER BOOT						Component	ATA:30
PN:P27S7D5221-26	MOS/MSC	15-Oct-20	O/C	TSN 0					
SN:J5520	HRS	1839.5		TSN 0					
WC#: 30.030	AFL	1091		TSN 0					
PROC. REF: AMM 30-16-01									
300100		RH INBD-WING DE-ICER BOOT						Component	ATA:30
PN:9598901023	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:NCD1730	HRS	0		TSN 0					
WC#: 30.040	AFL	0		TSN 0					
PROC. REF: AMM 30-14-01									
300105		RH OUTBD-WING DE-ICER BOOT						Component	ATA:30
PN:P27-7D5221-24	MOS/MSC	15-Oct-20	O/C	TSN 0					
SN:NFD7110	HRS	1839.5		TSN 0					
WC#: 30.050	AFL	1091		TSN 0					
PROC. REF: AMM 30-14-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300110		LH AOA PLATE TEMP CONTROLLER						Component	ATA:30
PN:9754421417	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:UE145	HRS	0		TSN 0					
WC#: 30.170	AFL	0		TSN 0					
PROC. REF: AMM 30-30-21									
300115		LH INBD-WING DE-ICER BOOT						Component	ATA:30
PN:9598901022	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:NCB4970	HRS	0		TSN 0					
WC#: 30.040	AFL	0		TSN 0					
PROC. REF: AMM 30-14-01									
300120		LH OUTBD-WING DE-ICER BOOT						Component	ATA:30
PN:P27-7D221-23	MOS/MSC	15-Oct-20	O/C	TSN 0					
SN:NFD3660	HRS	1839.5		TSN 0					
WC#: 30.050	AFL	1091		TSN 0					
PROC. REF: AMM 30-14-01									
300125		RH AOA PLATE TEMP CONTROLLER						Component	ATA:30
PN:9754421418	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:UE142	HRS	0		TSN 0					
WC#: 30.170	AFL	0		TSN 0					
PROC. REF: AMM 30-30-21									
300130		S601 LOWER SURF. INBD. WING PRESSURE, GAGE SWITCH						Component	ATA:30
PN:9738114312	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:7236	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300135		S600 UPPER SURF. INBD. WING PRESSURE, GAGE SWITCH						Component	ATA:30
PN:9738114312	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:7230	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300140		S602 LOWER SURF. OUTBD. WING PRESSURE, GAGE SWITCH						Component	ATA:30
PN:9738114312	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:7253	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300145		S603 UPPER SURF.OUTBD.WING PRESSURE,GAGE SWITCH							Component ATA:30
PN:9738114312	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:7256	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300150		L602 EMPENAGE EJECTOR FLOW CONTROL VALVE							Component ATA:30
PN:9598901008	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:N141515	HRS	0		TSN 0					
WC#: 30.200	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-30/421^S		OPERATIONAL TEST COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT LDR (IF INSTALLED)							Service ATA:31
PN:9859920146	MOS	26-Jun-23	12 (+10%/-10%)						
SN:000975241	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 31-30-01									
PKG:20									
310050		DIGITAL CLOCK							Component ATA:31
PN:9996111214	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:22450	HRS	0		TSN 0					
WC#: 31.040	AFL	0		TSN 0					
PROC. REF: AMM 31-20-12									
310070		CO-PILOT KMC 2210 DISPLAY CONTROLLER							Component ATA:31
PN:9859912178	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KMC2210-2225	HRS	0		TSN 0					
WC#: 31.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
310075		NO. 1 MAU ADVANCED GRAPHIC MODULE							Component ATA:31
PN:7036410-1904	MOS/MSC	20-Jan-20	O/C	TSN 0					
SN:1912H111	HRS	1744.3		TSN 0					
WC#: 31.240	AFL	1032		TSN 0					
PROC. REF: AMM 31-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310077 NO. 2 MAU ADVANCED GRAPHIC MODULE Component ATA:31								
PN:70364101904	MOS/MSC	10-Sep-15	O/C	TSN 0				
SN:1503C477	HRS	248.6		TSN 0				
WC#: 31.270	AFL			TSN 0				
PROC. REF: AMM 31-42-00								
310080 NO. 2 RH MAU SINGLE NETWORK I/F CARD Component ATA:31								
PN:9859912231	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:14058896	HRS	0		TSN 0				
WC#: 31.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
310085 OVERHEAD CONTROL BASIC PANEL Component ATA:31								
PN:9728121155	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:0522	HRS	0		TSN 0				
WC#: 31.260	AFL	0		TSN 0				
PROC. REF: AMM 31-10-00								
310090 KMC2220 MF CONTOLLER Component ATA:31								
PN:9859912189	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:KMC2220-1693	HRS	0		TSN 0				
WC#: 31.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
310095 PILOT KMC 2210 DISPLAY CONTROLLER Component ATA:31								
PN:9859912178	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:KMC2210-2221	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
310100 NO. 1 MAU ACTUATOR I/O PROCESSOR MODULE Component ATA:31								
PN:7028432-1902	MOS/MSC	24-Jun-22	O/C	TSR 0				
SN:1410K202	HRS	2172.4		TSR 0				
WC#: 31.230	AFL	1278		TSR 0				
PROC. REF: AMM 31-42-00								
310102 NO. 2 MAU ACTUATOR I/O PROCESSOR MODULE Component ATA:31								
PN:9859912190	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:1405J443	HRS	0		TSN 0				
WC#: 31.230	AFL	0		TSN 0				
PROC. REF: AMM 31-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310105	MODULAR AVIONICS ,12SLOT UNIT							Component	ATA:31
PN:9859912147	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:14017297	HRS	0			TSN 0				
WC#: 31.150	AFL	0			TSN 0				
PROC. REF: AMM 31-41-00									
310110	NO. 1 LH MAU SINGLE NETWORK I/F CARD							Component	ATA:31
PN:9859912231	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:14058883	HRS	0			TSN 0				
WC#: 31.160	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310115	NO. 1 LH MAU POWER SUPPLY MODULE							Component	ATA:31
PN:9859912250	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:13080955	HRS	0			TSN 0				
WC#: 31.220	AFL	0			TSN 0				
PROC. REF: AMM 31-42-00									
310120	NO. 2 RH MAU POWER SUPPLY MODULE							Component	ATA:31
PN:9859912250	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:14061646	HRS	0			TSN 0				
WC#: 31.220	AFL	0			TSN 0				
PROC. REF: AMM 31-42-00									
310125	MAU DUAL GENERIC I/O MODULE							Component	ATA:31
PN:9859912252	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:14010674	HRS	0			TSN 0				
WC#: 31.250	AFL	0			TSN 0				
PROC. REF: AMM 31-42-00									
310130	MAU CUSTOM I/O MODULE DUAL CH UNIT							Component	ATA:31
PN:9859912251	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:14011246	HRS	0			TSN 0				
WC#: 31.140	AFL	0			TSN 0				
PROC. REF: AMM 31-42-00									
310135	CO-PILOT PFD KDU 1080 FLAT PANEL DISPLAY							Component	ATA:31
PN:9859912103	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:1890339655	HRS	0			TSN 0				
WC#: 31.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310140 UPPER MFD KDU 1080 FLAT PANEL DISPLAY Component ATA:31								
PN:066-01202-0101	MOS/MSC	02-Mar-15	O/C					
SN:1890337732	HRS	61.1						
WC#: 31.200	AFL	33						
PROC. REF: GENERIC NO REF								
310145 PILOT PFD KDU 1080 FLAT PANEL DISPLAY Component ATA:31								
PN:9859912103	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:1890342653	HRS	0		TSN 0				
WC#: 31.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
310150 LOWER MFD KDU 1080 FLAT PANEL DISPLAY Component ATA:31								
PN:9859912103	MOS/MSC	02-Mar-15	O/C					
SN:1890339040	HRS	61.1						
WC#: 31.190	AFL	33						
PROC. REF: GENERIC NO REF								
310155 REV CTL PNL,4-POT DISPLAY Component ATA:31								
PN:9728121141	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:0534	HRS	0		TSN 0				
WC#: 31.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
310160 NO. 1 LH AIRCRAFT PERSONALITY MODULE Component ATA:31								
PN:9858314204	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:40374196	HRS	0		TSN 0				
WC#: 31.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
310165 NO. 2 RH AIRCRAFT PERSONALITY MODULE Component ATA:31								
PN:9858314204	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:40374207	HRS	0		TSN 0				
WC#: 31.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
310167 CC-500 CONTROL UNIT Component ATA:31								
PN:9859912202	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:487	HRS	0		TSN 0				
WC#: 31.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310170	CCD INTERNAL ELECTRICAL ASSEMBLY							Component	ATA:31
PN:9859912218	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0309	HRS	0			TSN 0				
WC#: 31.290	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310175	REAR CENTRE CONS PNL PC-12 47/E							Component	ATA:31
PN:9728121154	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0478	HRS	0			TSN 0				
WC#: 31.300	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310177	MIDDLE CENTRE CONS PANEL							Component	ATA:31
PN:9728121146	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0505	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310180	COCKPIT AREA MICROPHONE							Component	ATA:31
PN:9859920137	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:000966628	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-30-02									
310185	COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT							Component	ATA:31
PN:9859920146	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:000975241	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-30-01									
ATA 32 - LANDING GEAR									
32-10/162 ^S	LUBRICATE MAIN LANDING GEAR							Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 12-20-04									
PKG:19									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/163 ^S		EXAMINE MAIN LANDING GEAR LEGS						Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF								PKG:19	
32-10/164 ^S		EXAMINE MAIN LANDING GEAR COMPARTMENTS						Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF								PKG:19	
32-10/165 ^S		CHECK MAIN LANDING GEAR SHOCK STRUTS NITROGEN PRESSURE						Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 32-10-00								PKG:19	
32-10/263 ^S		EXAMINE MAIN LANDING GEAR ELECTRICAL BONDING STRAPS						Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF								PKG:20	
32-10/315		MAIN LANDING GEAR HINGE PIN AND BUSHES INSPECTION/CHECK						Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)		
	HRS	2444.2	2400 (+10%/-10%)		4844.2	5084.2	2250.2 (+240)		
WC#: 32.010	AFL	1424							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-10/345		LEFT MAIN LANDING GEAR ASSEMBLY						Component	ATA:32
PN:5321012055	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:SI-1014	HRS	0		TSN 0					
WC#: 32.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-10/345		RIGHT MAIN LANDING GEAR ASSEMBLY						Component	ATA:32
PN:5321012056	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:SI-1014	HRS	0		TSN 0					
WC#: 32.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/346	LEFT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION (ELECTRO MECHANICAL LANDING GEAR)							Service	ATA:32
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
	AFL	0	T:30000		30000		28488		
PROC. REF: AMM NO REF									
32-10/346	RIGHT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION (ELECTRO MECHANICAL LANDING GEAR)							Service	ATA:32
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
WC#: 32.215	AFL	0	T:30000		30000		28488		
PROC. REF: AMM NO REF									
32-10/347	LEFT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
	AFL	0	T:30000		30000		28488		
PROC. REF: GENERIC NO REF									
32-10/347	RIGHT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
WC#: 32.220	AFL	0	T:30000		30000		28488		
PROC. REF: GENERIC NO REF									
32-10/436	EXAMINE MAIN LANDING GEAR SHOCK STRUTS TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)	Adj 4d	30-Jun-24	06-Aug-24	62 d (+37)		
	HRS	2444.2							
	AFL	1424							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-10/438	EXAMINE LEFT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	15-Oct-20	72		31-Oct-26 (M)		915 d		
	HRS	1839.5							
	AFL	1091							
PROC. REF: AMM 32-10-00, AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/438	EXAMINE RIGHT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	15-Oct-20	72		31-Oct-26 (M)		915 d		
	HRS	1839.5							
	AFL	1091							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-10/439	EXAMINE LEFT MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	15-Oct-20	72		31-Oct-26 (M)		915 d		
	HRS	1839.5							
	AFL	1091							
PROC. REF: AMM 32-10-00									
32-10/439	EXAMINE RIGHT MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	15-Oct-20	72		31-Oct-26 (M)		915 d		
	HRS	1839.5							
	AFL	1091							
PROC. REF: AMM 32-10-00									
32-10/440	EXAMINE LEFT MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	15-Oct-20	72		31-Oct-26 (M)		915 d		
	HRS	1839.5							
	AFL	1091							
PROC. REF: AMM 32-10-00									
32-10/440	EXAMINE RIGHT MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	15-Oct-20	72		31-Oct-26 (M)		915 d		
	HRS	1839.5							
	AFL	1091							
PROC. REF: AMM 32-10-00									
32-10/441	EXAMINE LEFT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS							Service	ATA:32
	MOS	22-Sep-14	120		22-Sep-24		146 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00									
32-10/441	EXAMINE RIGHT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS							Service	ATA:32
	MOS	22-Sep-14	120		22-Sep-24		146 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/80 LUBRICATE LEFT MAIN LANDING GEAR WHEEL BEARINGS Service ATA:32								
PN:PN	MOS/MSC	26-Jun-23	12 (+1m/-1m) / T/C	Adj 2d	28-Jun-24	28-Jul-24	60 d (+30)	
SN:UNKNOWN	HRS	2444.2						
	AFL	1424						
PROC. REF: AMM 12-20-06								
32-10/80 LUBRICATE MAIN AND NOSE WHEEL BEARINGS Service ATA:32								
	MOS/MSC	26-Jun-23	12 (+10%/-10%) / T/C	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)	
	HRS	2444.2						
WC#: 32.030	AFL	1424						
PROC. REF: AMM 12-20-06								
32-10/80 LUBRICATE NOSE WHEEL BEARINGS Service ATA:32								
PN:9595602302	MOS/MSC	26-Jun-23	12 (+1m/-1m) / T/C	Adj 2d	28-Jun-24	28-Jul-24	60 d (+30)	
SN:1410	HRS	2444.2						
	AFL	1424						
PROC. REF: AMM 12-20-06								
32-10/80 LUBRICATE RIGHT MAIN LANDING GEAR WHEEL BEARINGS Service ATA:32								
PN:PN	MOS/MSC	26-Jun-23	12 (+1m/-1m) / T/C	Adj 2d	28-Jun-24	28-Jul-24	60 d (+30)	
SN:UNKNOWN	HRS	2444.2						
	AFL	1424						
PROC. REF: AMM 12-20-06								
32-20/166^S CHECK NOSE LANDING GEAR LEG SHOCK STRUT NITROGEN PRESSURE Service ATA:32								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	600 (+10%/-10%)					
	AFL	1424						
PROC. REF: AMM 32-20-00								
PKG:19								
32-20/167^S LUBRICATE NOSE LANDING GEAR Service ATA:32								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	600 (+10%/-10%)					
	AFL	1424						
PROC. REF: AMM 12-20-04								
PKG:19								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-20/168 ^S	EXAMINE NOSE LANDING GEAR LEG AND STEERING MECHANISM IN PARTICULAR THE STEERING ROD END (PART NO. 532.20.12.13-4) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING.							Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:19	
32-20/169 ^S	EXAMINE NOSE LANDING GEAR COMPARTMENT							Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:19	
32-20/265 ^S	EXAMINE NOSE LANDING GEAR ELECTRICAL BONDING STRAPS							Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:20	
32-20/335	NOSE LANDING GEAR TORQUE TUBE							Component	ATA:32
PN:PN	MOS	22-Sep-14	120	TSN 0	22-Sep-24		146 d	LIFE LIMIT	
SN:UNKNOWN	HRS	0	11000	TSN 0	11000		8406		
WC#: 32.190	AFL	0	15000	TSN 0	15000		13488		
	PROC. REF: GENERIC NO REF								
32-20/338	INSPECTION/CHECK NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK							Service	ATA:32
PN:532.20.12.302	MOS/MS	22-Sep-14	N/A						
SN:UNKNOWN	HRS	0							
WC#: 32.195	AFL	0							
	PROC. REF: AMM 32-20-06								
32-20/403	NOSE LANDING GEAR - OVERHAUL							Component	ATA:32
PN:532.20.12.040	MOS	22-Sep-14		TSN 0				OVERHAUL	
SN:VLG1034	HRS	0	T:25000 (+500/-500)	TSN 0	25000	25500	22406 (+500)		
WC#: 32.200	AFL	0	T:30000 (+500/-500)	TSN 0	30000	30500	28488 (+500)		
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-20/416		NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK					Component	ATA:32	
PN:532.20.12.302	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22406		
WC#: 32.225	AFL	0	30000	TSN 0	30000		28488		
PROC. REF: AMM 32-20-05									
32-30/170^S		FUNCTIONAL TEST EXTENSION AND RETRACTION SYSTEM AND EMERGENCY EXTENSION SYSTEM					Service	ATA:32	
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 32-30-00									
32-30/423		LEFT MAIN LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR					Component	ATA:32	
PN:9595601823	MOS	26-Jun-23		TSN 105				LIFE LIMIT	
SN:113	HRS	2444.2		TSN 2444.2					
	AFL	1424	30000	TSN 1424	30000		28488		
PROC. REF: AMM 32-30-02, AMM 32-30-01									
32-30/423		NOSE LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR					Component	ATA:32	
PN:959.56.01.824	MOS	26-Jun-23		TSN 105				LIFE LIMIT	
SN:57	HRS	2444.2		TSN 2444.2					
	AFL	1424	30000	TSN 1424	30000		28488		
PROC. REF: AMM 32-30-02, AMM 32-30-01									
32-30/423		RIGHT MAIN LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR					Component	ATA:32	
PN:959.56.01.823	MOS	26-Jun-23		TSN 105				LIFE LIMIT	
SN:112	HRS	2444.2		TSN 2444.2					
	AFL	1424	30000	TSN 1424	30000		28488		
PROC. REF: AMM 32-30-02, AMM 32-30-01									
32-30/424		OPERATIONAL TEST EMERGENCY GEAR EXTENSION SYSTEM - ELECTRO MECHANICAL LANDING GEAR ONLY					Service	ATA:32	
	MOS	26-Jun-23	12 (+10%/-10%)	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)		
	HRS	2444.2	2000		4444.2		1850.2		
	AFL	1424							
PROC. REF: AMM 32-30-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/425 ^S	EXAMINE ELECTRO MECHANICAL LANDING GEAR EXTENSION AND RETRACTION MECHNAISM - EXAMINE ALL COMPONENTS AND THEIR ATTACHMENTS IN THE NOSE AND MAIN LANDING GEAR COMPARTMENTS							Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:19	
32-30/426	FUNCTION TEST TIME DELAY RELAYS AND POWER CONTACTORS - ELECTRO MECHANICAL LANDING GEAR ONLY							Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)		
	HRS	2444.2	2000		4444.2		1850.2		
	AFL	1424							
	PROC. REF: AMM 32-30-08								
32-30/429	CHECK MAIN LANDING GEAR SPRING STRUT - LOOSEN AND MOVE THE SPRING STRUT COVER TO EXAMINE THE SPRINGS - ELECTRO MECHANICAL LANDING GEAR ONLY							Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)		
	HRS	2444.2	2000		4444.2		1850.2		
	AFL	1424							
	PROC. REF: AMM 32-10-06								
32-30/435	DISCARD LEFT MAIN LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS	22-Sep-14						DISCARD	
	HRS	0							
	AFL	0	12000 (+500/-500)		12000	12500	10488 (+500)		
	PROC. REF: AMM 32-30-01, AMM 32-30-02								
32-30/435	DISCARD NOSE LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS	22-Sep-14						DISCARD	
	HRS	0							
	AFL	0	12000 (+500/-500)		12000	12500	10488 (+500)		
	PROC. REF: AMM 32-30-01, AMM 32-30-02								
32-30/435	DISCARD RIGHT MAIN LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS	22-Sep-14						DISCARD	
	HRS	0							
	AFL	0	12000 (+500/-500)		12000	12500	10488 (+500)		
	PROC. REF: AMM 32-30-01, AMM 32-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/442	EXAMINE LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	15-Oct-20	72		15-Oct-26		899 d		
	HRS	1839.5							
	AFL	1091							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-30/442	EXAMINE RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	15-Oct-20	72		15-Oct-26		899 d		
	HRS	1839.5							
	AFL	1091							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-30/518	LEFT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service	ATA:32
	MOS/MSC	22-Sep-14	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
32-30/518	RIGHT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service	ATA:32
	MOS/MSC	22-Sep-14	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
32-40/171 ^S	EXAMINE MAINWHEELS. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
32-40/172 ^S	EXAMINE MAINWHEEL TIRES AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 12-10-04									
32-40/173 ^S	EXAMINE NOSEWHEEL. ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40/174^S EXAMINE NOSEWHEEL TIRE AND CHECK TIRE PRESSURE Service ATA:32								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	300 (+10%/-10%)					
	AFL	1424						
				PROC. REF: AMM 12-10-04				PKG:17
32-40/175^S EXAMINE BRAKE SYSTEM - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING. Service ATA:32								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	300 (+10%/-10%)					
	AFL	1424						
				PROC. REF: GENERIC NO REF				PKG:17
32-40/176^S CHECK FLUID RESERVOIR AND REPLENISH IF NECESSARY Service ATA:32								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	300 (+10%/-10%)					
	AFL	1424						
				PROC. REF: AMM 12-10-02				PKG:17
32-50/404 EXAMINE - NLG STEERING MECHANISM Service ATA:32								
	MOS	22-Sep-14						
	HRS	0	T:32500 (+500/-500)		32500	33000	29906 (+500)	
WC#: 32.230	AFL	0	T:42000 (+500/-500)		42000	42500	40488 (+500)	
				PROC. REF: AMM 32-50-00				
320005 PILOT LH BRAKE MASTER CYLINDER Component ATA:32								
PN:9594751131	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:5930	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
				PROC. REF: AMM 32-40-04				
320010 PILOT RH BRAKE MASTER CYLINDER Component ATA:32								
PN:9594751131	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:5935	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
				PROC. REF: AMM 32-40-04				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320015		PARK BRAKE VALVE					Component ATA:32		
PN:9594751121	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:2771	HRS	0		TSN 0					
WC#: 32.140	AFL	0		TSN 0					
PROC. REF: AMM 32-40-05									
320020		NOSE WHEEL					Component ATA:32		
PN:9595602302	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1410	HRS	0		TSN 0					
WC#: 32.150	AFL	0		TSN 0					
PROC. REF: AMM 32-40-02									
320021		NOSE LANDING GEAR TIRE					Component ATA:32		
PN:021-327-0	MOS/MSC	26-Oct-17	O/C	TSN 0					
SN:UNKNOWN	HRS	1088		TSN 0					
WC#: 32.155	AFL	642		TSN 0					
PROC. REF: AMM 32-40-02									
320022		LEFT MAIN LANDING GEAR WHEEL					Component ATA:32		
PN:PN	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.160	AFL	0		TSN 0					
PROC. REF: AMM 32-40-01									
320023		LEFT MAIN LANDING GEAR TIRE					Component ATA:32		
PN:021-350-0	MOS/MSC	17-Jun-16	O/C						
SN:5082S00372	HRS	551.3							
WC#: 32.160	AFL								
PROC. REF: AMM 32-40-01									
320024		RIGHT MAIN LANDING GEAR WHEEL					Component ATA:32		
PN:PN	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.165	AFL	0		TSN 0					
PROC. REF: AMM 32-40-01									
320025		SHIMMY DAMPER ASSY					Component ATA:32		
PN:5322012215	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:VLG733	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320026	RIGHT MAIN LANDING GEAR TIRE							Component	ATA:32
PN:025-350-0	MOS/MSC	24-Jun-22	O/C	TSN 0					
SN:2111T00286	HRS	2172.4		TSN 0					
WC#: 32.165	AFL	1278		TSN 0					
PROC. REF: AMM 32-40-01									
320030	COPILOT LH BRAKE MASTER CYLINDER							Component	ATA:32
PN:9594751131	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:5940	HRS	0		TSN 0					
WC#: 32.120	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
320035	COPILOT RH BRAKE MASTER CYLINDER							Component	ATA:32
PN:9594751131	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:5952	HRS	0		TSN 0					
WC#: 32.120	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
320040	NOSE FOLDING STRUT SPRING PACK ASSY							Component	ATA:32
PN:5322012249	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:VLG615	HRS	0		TSN 0					
WC#: 32.080	AFL	0		TSN 0					
PROC. REF: AMM 32-50-02									
320045	NOSE LANDING GEAR STRUT ASSY							Component	ATA:32
PN:5322012044	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:VLG1034	HRS	0		TSN 0					
WC#: 32.090	AFL	0		TSN 0					
PROC. REF: AMM 32-50-02									
320055	RIGHT SHOCK ABSORBER ASSY							Component	ATA:32
PN:5321012211	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:SI-0610	HRS	0		TSN 0					
WC#: 32.060	AFL	0		TSN 0					
PROC. REF: AMM 32-10-03, AMM 32-10-03									
320060	LH BRAKE ASSY							Component	ATA:32
PN:30-244	MOS/MSC	28-Jun-21	O/C	TSO 0					
SN:2804	HRS	1930.1		TSO 0					
WC#: 32.050	AFL	1141		TSO 0					
PROC. REF: AMM 32-40-03, AMM 32-40-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320065	INNER LEFT WHEEL & COVER ASSY							Component	ATA:32
PN:9595601503	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:2987	HRS	0			TSN 0				
WC#: 32.110	AFL	0			TSN 0				
PROC. REF: AMM 32-40-01									
320066	OUTER LEFT WHEEL & COVER ASSY							Component	ATA:32
PN:9595601503	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:3004	HRS	0			TSN 0				
WC#: 32.205	AFL	0			TSN 0				
PROC. REF: AMM 32-40-01									
320080	LEFT SHOCK ABSORBER ASSY							Component	ATA:32
PN:5321012211	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:SI-0622	HRS	0			TSN 0				
WC#: 32.060	AFL	0			TSN 0				
PROC. REF: AMM 32-10-03, AMM 32-10-03									
320085	RH BRAKE ASSY							Component	ATA:32
PN:30-244	MOS/MSC	28-Jun-21	O/C		TSO 0				
SN:2800	HRS	1930.1			TSO 0				
WC#: 32.050	AFL	1141			TSO 0				
PROC. REF: AMM 32-40-03, AMM 32-40-03									
320090	INNER RIGHT WHEEL & COVER ASSY							Component	ATA:32
PN:9595601503	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:3005	HRS	0			TSN 0				
WC#: 32.110	AFL	0			TSN 0				
PROC. REF: AMM 32-40-01									
320091	OUTER RIGHT WHEEL & COVER ASSY							Component	ATA:32
PN:9595601503	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:3022	HRS	0			TSN 0				
WC#: 32.210	AFL	0			TSN 0				
PROC. REF: AMM 32-40-01									
320104	NOSE LANDING GEAR 72A74-01 "UP" PROXIMITY SWITCH							Component	ATA:32
PN:9733033116	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:4680	HRS	0			TSN 0				
WC#: 32.170	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320105	MAIN LANDING GEAR 72A74-01 RH "UP" PROXIMITY SWITCH							Component	ATA:32
PN:9733033116	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:4688	HRS	0		TSN 0					
WC#: 32.175	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320110	MAIN LANDING GEAR 72A74-01 RH "WOW" PROXIMITY SWITCH							Component	ATA:32
PN:9733033116	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:4683	HRS	0		TSN 0					
WC#: 32.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320115	NOSE LANDING GEAR 72A74-01 "DOWN" PROXIMITY SWITCH							Component	ATA:32
PN:9733033116	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:4664	HRS	0		TSN 0					
WC#: 32.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320135	R/H BOLT							Component	ATA:32
PN:532.34.12.056	MOS/MSC	15-Oct-20	O/C	TSN 0					
SN:UNKNOWN	HRS	1839.5		TSN 0					
WC#: 32.250	AFL	1091		TSN 0					
PROC. REF: GENERIC NO REF									
320140	INTERMEDIATE CABLE ASSY							Component	ATA:32
PN:959.56.01.816	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:00068	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-30-10, AMM 32-30-10, AMM 32-30-10									
320140	MAIN GEAR CABLE ASSY							Component	ATA:32
PN:959.56.01.814	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:00089	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-30-10, AMM 32-30-10, AMM 32-30-10									
320140	NOSE GEAR CABLE ASSY							Component	ATA:32
PN:959.56.01.815	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:00068	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-30-10, AMM 32-30-10, AMM 32-30-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320145 EXTENSION GEAR EMERGENCY HANDLE Component ATA:32								
PN:959.56.01.827	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:00058	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-30-10								
320150 FRONT HIGH CURRENT RELAY Component ATA:32								
PN:974.09.26.112	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:120	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
320150 REAR HIGH CURRENT RELAY Component ATA:32								
PN:974.09.26.112	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:124	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
320155 LEFT HAND SPRING PACK ASSY Component ATA:32								
PN:532.34.12.120	MOS/MSC	13-Mar-19	O/C					
SN:27	HRS	1503.9						
	AFL	894						
PROC. REF: GENERIC NO REF								
320155 RIGHT HAND SPRING PACK ASSY Component ATA:32								
PN:532.34.12.120	MOS/MSC	13-Mar-19	O/C					
SN:UNKNOWN	HRS	1503.9						
	AFL	894						
PROC. REF: GENERIC NO REF								
320160 MLG L/H WOW NLG UP SWITCH ASSY Component ATA:32								
PN:532.69.21.026	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:1434	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
320160 MLG R/H WOW NLG UP SWITCH ASSY Component ATA:32								
PN:532.69.21.026	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:1409	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320190	LEFT MAIN LANDING GEAR YOKE FITTING							Component	ATA:32
PN:PN	MOS/MSC	22-Sep-14	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
320190	RIGHT MAIN LANDING GEAR YOKE FITTING							Component	ATA:32
PN:PN	MOS/MSC	22-Sep-14	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
ATA 33 - LIGHTS									
33-40/177 ^S	OPERATIONAL TEST EXTERIOR LIGHTING							Service	ATA:33
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 33-40-00									
33-41/178 ^S	EXAMINE LANDING LIGHTS							Service	ATA:33
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 33-41-01									
33-42/179 ^S	EXAMINE TAXI LIGHTS							Service	ATA:33
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 33-42-01									
33-43/180 ^S	EXAMINE NAVIGATION AND STROBE LIGHTS							Service	ATA:33
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-44/181 ^S	EXAMINE RECOGNITION LIGHTS (IF INSTALLED)							Service	ATA:33
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 33-44-00								PKG:17
33-46/182 ^S	EXAMINE BEACON LIGHTS (IF INSTALLED)							Service	ATA:33
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:17
330005	DIM UNIT							Component	ATA:33
PN:9750215205	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:132817	HRS	0		TSN 0					
WC#: 33.080	AFL	0		TSN 0					
	PROC. REF: AMM 33-10-04								
330010	DE-ICE LIGHT ASSY							Component	ATA:33
PN:9728767111	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:2742929	HRS	0		TSN 0					
WC#: 33.010	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
330025	TOP SIDE ANTI COLLISION RED LIGHT ASSY							Component	ATA:33
PN:9728787337	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:152228-5-2	HRS	0		TSN 0					
WC#: 33.040	AFL	0		TSN 0					
	PROC. REF: AMM 33-46-00								
330030	BOTTOM SIDE ANTI COLLISION RED LIGHT ASSY							Component	ATA:33
PN:9728787337	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:152228-5-3	HRS	0		TSN 0					
WC#: 33.040	AFL	0		TSN 0					
	PROC. REF: AMM 33-46-00								
330040	LEFT HAND WING TIP WARNING LIGHT ASSEMBLY							Component	ATA:33
PN:9728787342	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:149762-4-11	HRS	0		TSN 0					
WC#: 33.030	AFL	0		TSN 0					
	PROC. REF: AMM 33-43-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
330045		RH WING POWER SUPPLY UNIT						Component	ATA:33
PN:9728787179	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:149762-3-1	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: AMM 33-43-03									
330050		RIGHT HAND WING TIP WARNING LIGHT ASSEMBLY						Component	ATA:33
PN:9728787343	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:149762-5-13	HRS	0		TSN 0					
WC#: 33.030	AFL	0		TSN 0					
PROC. REF: AMM 33-43-02									
330070		NOSE LANDING GEAR TAXI LIGHT						Component	ATA:33
PN:9727855630	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:149762-1-19	HRS	0		TSN 0					
WC#: 33.090	AFL	0		TSN 0					
PROC. REF: AMM 33-42-01									
330075		L/H 1X0005287-10 LANDING LIGHT						Component	ATA:33
PN:9728769406	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:148463-2-5	HRS	0		TSN 0					
WC#: 33.090	AFL	0		TSN 0					
PROC. REF: AMM 33-41-01									
330076		R/H 1X0005287-10 LANDING LIGHT						Component	ATA:33
PN:972.87.69.420	MOS/MSC	28-Sep-15	O/C						
SN:28979012	HRS	269.4							
WC#: 33.110	AFL	137							
PROC. REF: AMM 33-41-01									
330085		LEFT HAND RECOGNITION LED LIGHT						Component	ATA:33
PN:972.87.69.407	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:148499-2-13	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-44-00									
330085		RIGHT HAND RECOGNITION LED LIGHT						Component	ATA:33
PN:972.87.69.407	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:148499-2-14	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-44-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-00/183 ^S	EXAMINE COMMUNICATIONS AND NAVIGATION ANTENNAS							Service	ATA:34
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:21
34-00/184 ^S	EXAMINE COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT							Service	ATA:34
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:17
34-11/185 ^S	EXAMINE PITOT TUBE							Service	ATA:34
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:17
34-11/186 ^S	EXAMINE STATIC PORTS							Service	ATA:34
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:17
34-11/268 ^S	DRAIN PITOT AND STATIC SYSTEM							Service	ATA:34
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 34-11-00								PKG:20
34-11/343	INSPECTION/CHECK STATIC PORTS PLATE HEIGHT							Service	ATA:34
	MOS	24-Jun-22	24		24-Jun-24		56 d		
	HRS	2172.4							
WC#: 34.565	AFL	1278							
	PROC. REF: AMM 34-11-12								
34-11/82	LEAK CHECK STATIC SYSTEM							Service	ATA:34
	MOS	24-Jun-22	24		24-Jun-24		56 d		
	HRS	2172.4							
WC#: 34.010	AFL	1278							
	PROC. REF: AMM 34-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-11/CFR	PERFORM LEAK CHECK OF STATIC SYSTEM (14 CFR 91.411)							
	MOS	24-Jun-22	24		24-Jun-24		56 d	Service ATA:34
	HRS	2172.4						
	AFL	1278						
PROC. REF: GENERIC NO REF, CFR CFR 91.411								
34-21/84	SWING CHECK STANDBY MAGNETIC COMPASS (IF INSTALLED)							
	MOS	26-Jun-23	24 (+10%/-10%)	Adj 2d	28-Jun-25	09-Sep-25	425 d (+73)	Service ATA:34
	HRS	2444.2						
WC#: 34.560	AFL	1424						
PROC. REF: AMM 34-21-00								
34-25/344	FUNCTIONAL TEST ALTITUDE AND VERTICAL SPEED INDICATION (RVSM)							
	MOS	24-Jun-22	24 (+10%/-10%)		24-Jun-24	05-Sep-24	56 d (+73)	Service ATA:34
	HRS	2172.4						
WC#: 34.570	AFL	1278						
PROC. REF: AMM 34-14-00								
34-26/484	CHECK SWING ESIS MAGNETIC HEADING REFERENCE SYSTEM (IF INSTALLED)							
	MOS	26-Jun-23	24 (+10%/-10%)	Adj 2d	28-Jun-25	09-Sep-25	425 d (+73)	Service ATA:34
	HRS	2444.2						
	AFL	1424						
PROC. REF: AMM 34-26-40								
34-54/86	FUNCTIONAL TEST TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS)							
	MOS	24-Jun-22	24		24-Jun-24		56 d	Service ATA:34
	HRS	2172.4						
WC#: 34.050	AFL	1278						
PROC. REF: AMM 34-54-00, AMM 34-54-00, AMM 34-54-10, AMM 34-54-10								
34-54/CFR	TEST/INSPECT NO. 1 TRANSPONDER SYSTEM (14 CFR 91.413)							
	MOS	24-Jun-22	24		24-Jun-24		56 d	Service ATA:34
	HRS	2172.4						
	AFL	1278						
PROC. REF: AMM 34-54-00, AMM 34-54-00, AMM 34-54-10, AMM 34-54-10								
34-54/CFR	TEST/INSPECT NO. 2 TRANSPONDER SYSTEM (14 CFR 91.413)							
	MOS	24-Jun-22	24		24-Jun-24		56 d	Service ATA:34
	HRS	2172.4						
	AFL	1278						
PROC. REF: AMM 34-54-00, AMM 34-54-00, AMM 34-54-10, AMM 34-54-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340010		DME/IFF ANTENNA					Component		ATA:34
PN:9848110240	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:261-112612	HRS	0		TSN 0					
WC#: 34.080	AFL	0		TSN 0					
PROC. REF: AMM 34-52-02									
340020		MARKER ANTENNA					Component		ATA:34
PN:9848110260	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1017920	HRS	0		TSN 0					
WC#: 34.100	AFL	0		TSN 0					
PROC. REF: AMM 34-32-01									
340055		WITH HARM FILTER,KN63 DME					Component		ATA:34
PN:066-1070-01	MOS/MSC	02-Mar-15	O/C	TSR 0					
SN:32660	HRS	61.1		TSR 0					
WC#: 34.200	AFL	33		TSR 0					
PROC. REF: AMM 34-52-01									
340065		WX-RADAR RT UNIT					Component		ATA:34
PN:9859911507	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:14729	HRS	0		TSN 0					
WC#: 34.360	AFL	0		TSN 0					
PROC. REF: AMM 34-41-02									
340075		WX,VERTICAL ANTENNA					Component		ATA:34
PN:9859911504	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:7826	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-41-12									
340080		TRANSPONDER DME/IFF ANTENNA					Component		ATA:34
PN:9848110240	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:261-112633	HRS	0		TSN 0					
WC#: 34.080	AFL	0		TSN 0					
PROC. REF: AMM 34-54-03									
340085		ADF,KA44B ANTENNA					Component		ATA:34
PN:9859911167	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KA44B-A92943	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-53-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340100	FRONT KA92 ANTENNA							Component	ATA:34
PN:9859911200	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:49308411	HRS	0			TSN 0				
WC#: 34.090	AFL	0			TSN 0				
PROC. REF: AMM 34-57-02									
340101	REAR KA92 GPS ANTENNA							Component	ATA:34
PN:9859911200	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:49308405	HRS	0			TSN 0				
WC#: 34.090	AFL	0			TSN 0				
PROC. REF: AMM 34-57-02									
340131	KCM 805 CONFIGURATION MODULE							Component	ATA:34
PN:9859911884	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:18615	HRS	0			TSN 0				
WC#: 34.410	AFL	0			TSN 0				
PROC. REF: AMM 34-25-03									
340135	STANDBY MAGNETIC COMPASS							Component	ATA:34
PN:9999880103	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:AT-1446	HRS	0			TSN 0				
WC#: 34.130	AFL	0			TSN 0				
PROC. REF: AMM 34-21-00									
340140	RADOME							Component	ATA:34
PN:9857900005	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:290	HRS	0			TSN 0				
WC#: 34.420	AFL	0			TSN 0				
PROC. REF: AMM 34-41-02, AMM 34-41-05									
340145	ANTENNA,VHF NAV COUPLER							Component	ATA:34
PN:984.81.17.413	MOS/MSC	06-Dec-18	O/C		TSN 0				
SN:UNKNOWN	HRS	1455.9			TSN 0				
WC#: 34.160	AFL	863			TSN 0				
PROC. REF: AMM 23-11-03									
340155	LEFT SIDE RAD ALT,S67-2002 ANTENNA							Component	ATA:34
PN:9848129101	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:543-72010	HRS	0			TSN 0				
WC#: 34.110	AFL	0			TSN 0				
PROC. REF: AMM 34-42-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340160		RIGHT SIDE RAD ALT,S67-2002 ANTENNA						Component	ATA:34
PN:9848129101	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:543-72015	HRS	0			TSN 0				
WC#: 34.110	AFL	0			TSN 0				
PROC. REF: AMM 34-42-02									
340161		BOTTOM DIRECTIONAL KA815 - IHAS ANTENNA						Component	ATA:34
PN:9859911869	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:28206	HRS	0			TSN 0				
WC#: 34.430	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340162		TOP DIRECTIONAL KA815 - IHAS ANTENNA						Component	ATA:34
PN:071-01599-0100	MOS/MSC	28-May-15	O/C		TSN 0				
SN:29845	HRS	144			TSN 0				
WC#: 34.430	AFL	74			TSN 0				
PROC. REF: GENERIC NO REF									
340170		ALTIMETER,RADAR,KRA405B TRANSMITTER						Component	ATA:34
PN:9859911508	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:KRA405B-15506	HRS	0			TSN 0				
WC#: 34.310	AFL	0			TSN 0				
PROC. REF: AMM 34-42-01									
340220		STORMSCOPE WX-500 PROCESSOR						Component	ATA:34
PN:9859918006	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:99964	HRS	0			TSN 0				
WC#: 34.270	AFL	0			TSN 0				
PROC. REF: AMM 34-41-31									
340235		AOA SENSOR RH UNIT						Component	ATA:34
PN:9754421424	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:1669	HRS	0			TSN 0				
WC#: 34.330	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340255		AOA SENSOR LH UNIT						Component	ATA:34
PN:9754421423	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:1590	HRS	0			TSN 0				
WC#: 34.330	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340265	DME/IFF--ATC DIV. ANTENNA							Component	ATA:34
PN:9848110240	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:261-112608	HRS	0		TSN 0					
WC#: 34.500	AFL	0		TSN 0					
PROC. REF: AMM 34-54-03									
340280	OUTBOARD KMG 7010 MAGNETOMETER							Component	ATA:34
PN:9859912114	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KMG7010-3503	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
PROC. REF: AMM 34-25-02, AMM 34-25-02									
340285	INBOARD KMG 7010 MAGNETOMETER							Component	ATA:34
PN:9859912114	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KMG7010-3508	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
PROC. REF: AMM 34-25-02, AMM 34-25-02									
340290	KMH920 TAWS B,TCAS 1 UNIT							Component	ATA:34
PN:9859911887	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KMH920-B1677	HRS	0		TSN 0					
WC#: 34.545	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
340310	NO. 2 KXP 2290 MODE S TRANSPONDER							Component	ATA:34
PN:066-01198-0102	MOS/MSC	15-Oct-20	O/C						
SN:KXP2290A-2277	HRS	1839.5							
WC#: 34.540	AFL	1091							
PROC. REF: AMM 34-54-01									
340315	NO. 1 KXP 2290 MODE S TRANSPONDER							Component	ATA:34
PN:066-01198-0102	MOS/MSC	15-Oct-20	O/C						
SN:KXP2290A-2272	HRS	1839.5							
WC#: 34.540	AFL	1091							
PROC. REF: AMM 34-54-01									
340320	LH OAT SENSOR							Component	ATA:34
PN:5341312025	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:05010	HRS	0		TSN 0					
WC#: 34.525	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340325	RH OAT SENSOR							Component	ATA:34
PN:5341312025	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:05004	HRS	0			TSN 0				
WC#: 34.525	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340330	KSG 7200 DUAL CHANNEL AD AHRS UNIT							Component	ATA:34
PN:085-00188-5103	MOS/MSC	15-Oct-20	O/C						
SN:B1736	HRS	1839.5							
WC#: 34.505	AFL	1091							
PROC. REF: AMM 34-25-01									
340345	XM RADIO ANTENNA							Component	ATA:34
PN:XMR100-1	MOS/MSC	24-Nov-14	O/C		TSN 0				
SN:801000911	HRS	26.5			TSN 0				
WC#: 34.515	AFL	13			TSN 0				
PROC. REF: GENERIC NO REF									
340350	XM RADIO, XMD 157, UNIT							Component	ATA:34
PN:4092743-903	MOS/MSC	02-Aug-16	O/C						
SN:35530504	HRS	606.4							
WC#: 34.515	AFL	345							
PROC. REF: GENERIC NO REF									
340355	LH NAV/WHITE ANTENNA							Component	ATA:34
PN:S65-247-12	MOS/MSC	14-May-19	O/C		TSN 0				
SN:168-12835	HRS	1554			TSN 0				
	AFL	928			TSN 0				
PROC. REF: GENERIC NO REF									
340357	RH NAV/WHITE ANTENNA							Component	ATA:34
PN:S65-247-12	MOS/MSC	14-May-19	O/C		TSN 0				
SN:168-12834	HRS	1554			TSN 0				
	AFL	928			TSN 0				
PROC. REF: GENERIC NO REF									
341035	NO. 1 KGS200,SBAS GNSSU UNIT							Component	ATA:34
PN:9859912253	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:KGS200-2218	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-57-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341037	NO. 2 KGS200,SBAS GNSSU UNIT							Component	ATA:34
PN:9859912253	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:KGS200-2221	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-57-01									
341039	MAG-3100 MAGNETOMETER							Component	ATA:34
PN:9859003058	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:80527	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-26-45, AMM 34-26-45									
341040	PHASING COUPLER							Component	ATA:34
PN:SSPD-113-10	MOS/MSC	14-May-19	O/C	TSN 0					
SN:9935	HRS	1554		TSN 0					
	AFL	928		TSN 0					
PROC. REF: GENERIC NO REF									
341045	ESI-1000 STANDBY SYSTEM							Component	ATA:34
PN:9200-32100-1001	MOS/MSC	15-Oct-20	O/C						
SN:2040	HRS	1839.5							
	AFL	1091							
PROC. REF: GENERIC NO REF									
341060	NO. 1 ADAHRS UNIT							Component	ATA:34
PN:065-00188-5103	MOS/MSC	05-Sep-18	O/C						
SN:B1736	HRS	1361.2							
	AFL	801							
PROC. REF: AMM 34-25-01									
341070	AMERICAN DATABASE CARD							Component	ATA:34
PN:071-00167-0101	MOS/MSC	28-May-15	O/C						
SN:UNKNOWN	HRS	144							
	AFL	74							
PROC. REF: GENERIC NO REF									
34C001 ^U	UPDATE CHARTS							Service	ATA:34
	MOS/MSC	12-Apr-24	DUE		01-May-24 (M)		2 d		
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34C002 ^U	UPDATE NAV DATA							Service	ATA:34
	MOS/MSC	12-Apr-24	DUE		15-May-24 (M)		16 d		
	HRS								
	AFL								
ATA 35 - OXYGEN									
35-10/187 ^S	CHECK HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) - MAKE SURE THAT IT IS NOT DAMAGE							Service	ATA:35
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:17
35-10/188 ^S	CHECK OXYGEN SYSTEM CONTENTS							Service	ATA:35
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:16
35-10/269 ^S	EXAMINE OXYGEN PIPELINES AND EQUIPMENT							Service	ATA:35
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF								PKG:20
35-10/458 ^S	OPERATIONAL TEST CREW OXYGEN SYSTEM							Service	ATA:35
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 35-00-00, AMM 35-00-00								PKG:20
35-10/6	OXYGEN BOTTLE							Component	ATA:35
PN:895-06022	MOS	26-Jun-23	180	TSN 0	01-Jan-29		1708 d	AIRWORTHINESS	
SN:C14030479	HRS	2444.2							
WC#: 35.010	AFL	1424							
	Manufacture Date:: 01-Jan-14		PROC. REF: AMM 35-10-01						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-10/6	REAR FUSELAGE OXYGEN CYLINDER							Component	ATA:35
PN:PN	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 35-10-01									
35-10/7	HYDROSTATIC TEST OXYGEN BOTTLE							Service	ATA:35
PN:895-06022	MOS	26-Jun-23	60		26-Jun-28		1519 d	AIRWORTHINESS	
SN:C14030479	HRS								
WC#: 35.010	AFL								
PROC. REF: GENERIC NO REF									
35-10/7	HYDROSTATIC TEST REAR FUSELAGE OXYGEN CYLINDER							Service	ATA:35
PN:PN	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: GENERIC NO REF									
35-20/459	OPERATIONAL TEST OF PASSENGER OXYGEN (PLUG-IN MASK) SYSTEM (IF INSTALLED)							Service	ATA:35
	MOS	24-Jun-22							
	HRS	2172.4	600		2772.4		178.4		
	AFL	1278							
PROC. REF: AMM 35-00-00									
35-20/87	INSPECTION/CHECK PASSENGER OXYGEN MASKS							Service	ATA:35
	MOS	26-Jun-23	36 (+10%/-10%)		26-Jun-26	14-Oct-26	788 d (+110)		
	HRS	2444.2							
WC#: 35.010	AFL	1424							
PROC. REF: AMM 35-20-00									
350020	PILOT QUICK DONNING MASK-REGULATOR ASSY							Component	ATA:35
PN:9571201210	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:B007927	HRS	0		TSN 0					
WC#: 35.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350025	COPILOT QUICK DONNING MASK-REGULATOR ASSY							Component	ATA:35
PN:9571201210	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:B008135	HRS	0			TSN 0				
WC#: 35.040	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
350030	PRESSURE,GAGE,OXYGEN SWITCH							Component	ATA:35
PN:9738114401	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:1339	HRS	0			TSN 0				
WC#: 35.050	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
350035	CONTR,3-POSITION,37071-03 VALVE							Component	ATA:35
PN:9633211102	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0316	HRS	0			TSN 0				
WC#: 35.030	AFL	0			TSN 0				
PROC. REF: AMM 35-20-04									
350072	NO. 2 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:957.12.10.211	MOS/MSC	03-Oct-16	O/C		TSN 0				
SN:UNKNOWN	HRS	678.5			TSN 0				
	AFL	385			TSN 0				
PROC. REF: AMM 35-20-03									
350073	NO. 3 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:957.12.10.211	MOS/MSC	03-Oct-16	O/C		TSN 0				
SN:UNKNOWN	HRS	678.5			TSN 0				
	AFL	385			TSN 0				
PROC. REF: AMM 35-20-03									
350075	NO. 5 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:957.12.10.211	MOS/MSC	03-Oct-16	O/C		TSN 0				
SN:UNKNOWN	HRS	678.5			TSN 0				
	AFL	385			TSN 0				
PROC. REF: AMM 35-20-03									
350077	NO. 7 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:957.12.10.211	MOS/MSC	03-Oct-16	O/C		TSN 0				
SN:UNKNOWN	HRS	678.5			TSN 0				
	AFL	385			TSN 0				
PROC. REF: AMM 35-20-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350078	NO. 8 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:957.12.10.211	MOS/MSC	03-Oct-16	O/C		TSN 0				
SN:UNKNOWN	HRS	678.5			TSN 0				
	AFL	385			TSN 0				
PROC. REF: AMM 35-20-03									
350079	NO. 9 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:957.12.10.211	MOS/MSC	03-Oct-16	O/C		TSN 0				
SN:UNKNOWN	HRS	678.5			TSN 0				
	AFL	385			TSN 0				
PROC. REF: AMM 35-20-03									
350080	NO. 1 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	22-Sep-14	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
350081	NO. 2 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	22-Sep-14	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
350082	NO. 3 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	22-Sep-14	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
350083	NO. 4 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	22-Sep-14	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
350084	NO. 5 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	22-Sep-14	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350085	NO. 6 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	22-Sep-14	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
350086	NO. 7 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	22-Sep-14	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
350087	NO. 8 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	22-Sep-14	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
350088	NO. 9 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	22-Sep-14	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
35C001 ^U	OXYGEN/TIRES CHECK							Service	ATA:35
	DAYS	01-Apr-24	30	01-May-24			2 d		
	HRS								
	AFL								
ATA 45 - CENTRAL MAINT SYSTEM									
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS-EXPORT FAULT HISTORY - SEND TO LOCAL STORAGE - DOWNLOAD							Service	ATA:45
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 45-45-00									
PKG:20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 46 - INFORMATION SYSTEMS									
46-26/320 ^S	OPERATIONAL TEST PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES							Service	ATA:46
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
					PROC. REF: AMM 46-30-05, AMM 46-30-06			PKG:17	
46-26/321 ^S	OPERATIONAL TEST ADAHRS SENSOR SOURCE SELECT SWITCHES							Service	ATA:46
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
					PROC. REF: AMM 46-30-02			PKG:17	
460105	WIRELESS DATA LOADING DEVICE							Component	ATA:46
PN:975.96.32.439	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:2295	HRS	0		TSN 0					
	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				
ATA 52 - DOORS									
52-10/189 ^S	EXAMINE PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY P0-9-002 FRENCH CHALK							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
					PROC. REF: GENERIC NO REF			PKG:19	
52-10/190 ^S	EXAMINE PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
					PROC. REF: GENERIC NO REF			PKG:19	
52-10/191 ^S	PASSENGER/CREW DOOR HANDLE LOCK PIN - MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH P10-001 AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
					PROC. REF: GENERIC NO REF			PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/192 ^S	EXAMINE PASSENGER/CREW DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF								PKG:19	
52-10/271 ^S	EXAMINE PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF								PKG:20	
52-10/348	EXAMINE ALL STRUCTURAL ELEMENTS - PASSENGER/CREW DOOR							Service	ATA:52
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 52.070	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 52-10-00									
52-10/405	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR PIANO HINGE							Service	ATA:52
	MOS	22-Sep-14							
	HRS	0	T:32500 (+500/-500)		32500	33000	29906 (+500)		
WC#: 52.100	AFL	0	T:42000 (+500/-500)		42000	42500	40488 (+500)		
PROC. REF: AMM 52-00-01									
52-10/406	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR SKIN							Service	ATA:52
	MOS	22-Sep-14							
	HRS	0	T:25000 (+500/-500)		25000	25500	22406 (+500)		
WC#: 52.110	AFL	0	T:30000 (+500/-500)		30000	30500	28488 (+500)		
PROC. REF: AMM 52-10-01									
52-10/88	EXAMINE PASSENGER/CREW DOOR WITH TRIM REMOVED							Service	ATA:52
	MOS	15-Oct-20	72 (+6m/-6m)		15-Oct-26	15-Apr-27	899 d (+182)	MILD CORROSION ZONE	
	HRS	1839.5	6000 (+500/-500)		7839.5	8339.5	5245.5 (+500)		
WC#: 52.010	AFL	1091							
PROC. REF: AMM 25-21-03, AMM 25-22-03, AMM 52-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20/272 ^S	EXAMINE EMERGENCY DOOR (DOOR REMOVED)							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:20	
52-20/273 ^S	EXAMINE EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY P09-002 FRENCH CHALK							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:20	
52-20/349	EXAMINE ALL STRUCTURAL ELEMENTS - EMERGENCY DOOR							Service	ATA:52
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 52.080	AFL	0	T:42000		42000		40488		
	PROC. REF: AMM 52-20-00								
52-30/193 ^S	EXAMINE CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, AND APPLY P0-9-002 FRENCH CHALK							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:19	
52-30/194 ^S	EXAMINE CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM.							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 52-30-00							PKG:19	
52-30/195 ^S	EXAMINE CARGO DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/274 ^S	EXAMINE CARGO DOOR							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF								PKG:20	
52-30/350	EXAMINE ALL STRUCTURAL ELEMENTS - CARGO DOOR							Service	ATA:52
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 52.090	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 52-30-00									
52-30/407	EDDY CURRENT INSPECTION - CARGO DOOR PIANO HINGE							Service	ATA:52
	MOS	22-Sep-14							
	HRS	0	T:32500 (+500/-500)		32500	33000	29906 (+500)		
WC#: 52.120	AFL	0	T:42000 (+500/-500)		42000	42500	40488 (+500)		
PROC. REF: AMM 52-30-00									
52-30/408	EDDY CURRENT INSPECTION - CARGO DOOR SKIN							Service	ATA:52
	MOS	22-Sep-14							
	HRS	0	T:25000 (+500/-500)		25000	25500	22406 (+500)		
WC#: 52.130	AFL	0	T:30000 (+500/-500)		30000	30500	28488 (+500)		
PROC. REF: AMM 52-30-01									
52-30/8	CARGO DOOR LOWER LUG (QTY 3) FITTINGS							Component	ATA:52
PN:PN	MOS	22-Sep-14			TSN 0			AIRWORTHINESS	
SN:UNKNOWN	HRS	0	13000	TSN 0	13000		10406		
WC#: 52.020	AFL	0	17000	TSN 0	17000		15488		
PROC. REF: AMM 52-30-07									
52-30/89	EXAMINE CARGO DOOR WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM							Service	ATA:52
	MOS	15-Oct-20	72 (+6m/-6m)		15-Oct-26	15-Apr-27	899 d (+182)	MILD CORROSION ZONE	
	HRS	1839.5	6000 (+500/-500)		7839.5	8339.5	5245.5 (+500)		
WC#: 52.030	AFL	1091							
PROC. REF: AMM 52-30-00, AMM 25-21-03, AMM 25-22-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-70/275 ^S	OPERATIONAL TEST DOOR WARNING SYSTEM							Service	ATA:52
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 52-70-00				PKG:20	
520005	PASSENGER DOOR							Component	ATA:52
PN:5520512007	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1241E	HRS	0		TSN 0					
WC#: 52.050	AFL	0		TSN 0					
				PROC. REF: AMM 52-10-01, AMM 52-10-01					
520010	FREIGHT OF 10SERIE DOOR ASSY							Component	ATA:52
PN:5520512013	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1241E	HRS	0		TSN 0					
WC#: 52.040	AFL	0		TSN 0					
				PROC. REF: AMM 52-30-01					
520015	EMERGENCY 6 SERIE EXIT							Component	ATA:52
PN:5520512009	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1241E	HRS	0		TSN 0					
WC#: 52.060	AFL	0		TSN 0					
				PROC. REF: AMM 52-20-01					
ATA 53 - FUSELAGE									
53-00/196 ^S	EXAMINE FUSELAGE EXTERNAL SURFACE. FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS.							Service	ATA:53
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: GENERIC NO REF				PKG:17	
53-00/276 ^S	EXAMINE REAR PRESSURE BULKHEAD							Service	ATA:53
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
				PROC. REF: GENERIC NO REF				PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/277 ^S	EXAMINE FLOOR TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED							Service	ATA:53
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:20	
53-00/278 ^S	EXAMINE BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE FOR CORROSION							Service	ATA:53
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:21	
53-00/279 ^S	EXAMINE BAGGAGE COMPARTMENT							Service	ATA:53
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:21	
53-00/280 ^S	EXAMINE REAR FUSELAGE INTERNAL STRUCTURE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service	ATA:53
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:20	
53-00/324	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE (POST SB 04-009)							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	25000		25000		22406		
	AFL	0	30000		30000		28488		
	PROC. REF: GENERIC NO REF								
53-00/337 ^S	INSPECTION/CHECK CARRY THROUGH FRAMES 21 AND 24							Service	ATA:53
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 53-20-02							PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/351	UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 53.100	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 53-10-06									
53-00/352	FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 53.110	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 53-10-00									
53-00/353	FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 53.120	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 53-20-00									
53-00/354	EXAMINE ALL STRUCTURAL ELEMENTS - FUSELAGE FRAMES 36 TO 43							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 53.130	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 53-30-00									
53-00/355	EXAMINE - ANTENNA STRUCTURE							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 53.140	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 53-00-00									
53-00/356	EDDY CURRENT INSPECTION - ANTENNA - BOTTOM FUSELAGE SKIN							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:28300		28300		25706		
WC#: 53.150	AFL	0	T:37000		37000		35488		
PROC. REF: AMM 53-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/357	EDDY CURRENT INSPECTION - ANTENNA - UPPER FUSELAGE SKIN							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 53.160	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 53-00-00									
53-00/359	FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
WC#: 53.180	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 57-00-03									
53-00/360	FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
WC#: 53.190	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 53-20-02									
53-00/361	FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 53.200	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-30-03, AMM 53-30-02									
53-00/419	EDDY CURRENT INSPECTION - FRAME 40							Service	ATA:53
	MOS	22-Sep-14							
	HRS	0	T:32500 (+500/-500)		32500	33000	29906 (+500)		
WC#: 53.210	AFL	0	T:42000 (+500/-500)		42000	42500	40488 (+500)		
PROC. REF: AMM 55-30-03, AMM 53-30-02									
53-00/9	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE							Service	ATA:53
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	20000		20000		17406		
WC#: 53.010	AFL	0	27000		27000		25488		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/90	EXAMINE FRONT PRESSURE BULKHEAD (WITH INSULATION ON ENGINE AND COCKPIT SIDES REMOVED)							Service	ATA:53
	MOS	15-Oct-20	72 (+6m/-6m)		15-Oct-26	15-Apr-27	899 d (+182)	MILD CORROSION ZONE	
	HRS	1839.5	6000 (+500/-500)		7839.5	8339.5	5245.5 (+500)		
WC#: 53.030	AFL	1091							
PROC. REF: GENERIC NO REF									
53-00/91	EXAMINE FUSELAGE INTERNAL BOTTOM SURFACE (FRAMES 10,21,24,36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT,WITH INSULATION REMOVED)							Service	ATA:53
	MOS	15-Oct-20	72 (+6m/-6m)		15-Oct-26	15-Apr-27	899 d (+182)	MILD CORROSION ZONE	
	HRS	1839.5	6000 (+500/-500)		7839.5	8339.5	5245.5 (+500)		
WC#: 53.040	AFL	1091							
PROC. REF: GENERIC NO REF									
53-00/92	EXAMINE REAR PRESSURE BULKHEAD WITH TRIM REMOVED							Service	ATA:53
	MOS	15-Oct-20	72 (+6m/-6m)		15-Oct-26	15-Apr-27	899 d (+182)	MILD CORROSION ZONE	
	HRS	1839.5	6000 (+500/-500)		7839.5	8339.5	5245.5 (+500)		
WC#: 53.070	AFL	1091							
PROC. REF: GENERIC NO REF									
53-00/93	EXAMINE STRUCTURE AROUND WINDOWS							Service	ATA:53
	MOS	15-Oct-20	72 (+6m/-6m)		15-Oct-26	15-Apr-27	899 d (+182)	MILD CORROSION ZONE	
	HRS	1839.5	6000 (+500/-500)		7839.5	8339.5	5245.5 (+500)		
WC#: 53.050	AFL	1091							
PROC. REF: GENERIC NO REF									
53-00/94	EXAMINE DOOR FRAMES AND EMERGENCY EXIT FRAMES							Service	ATA:53
	MOS	14-Oct-20	72 (+6m/-6m)		14-Oct-26	14-Apr-27	898 d (+182)	MILD CORROSION ZONE	
	HRS	1839.5	6000 (+500/-500)		7839.5	8339.5	5245.5 (+500)		
WC#: 53.060	AFL	1091							
PROC. REF: GENERIC NO REF									
53-30/342	INSPECTION/CHECK STATIC PORTS CRITICAL AREA							Service	ATA:53
	MOS	26-Jun-23	12 (+10%/-10%)	Adj -2d	24-Jun-24	30-Jul-24	56 d (+36)		
	HRS	2444.2							
WC#: 34.575	AFL	1424							
PROC. REF: AMM 53-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
530070	FUSELAGE AB 1003 TEIL1							Component	ATA:53
PN:5530512116	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1241E	HRS	0		TSN 0					
WC#: 53.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 55 - STABILIZERS									
55-00/10	STRUCTURAL LIMITATION TAIL STRUCTURE							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	20000		20000		17406		
	AFL	0	27000		27000		25488		
PROC. REF: GENERIC NO REF									
55-00/325	STRUCTURAL LIMITATION TAIL STRUCTURE (POST SB 04-009)							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	25000		25000		22406		
	AFL	0	30000		30000		28488		
PROC. REF: GENERIC NO REF									
55-10/197 ^S	EXAMINE HORIZONTAL STABILIZER EXTERNAL SURFACE							Service	ATA:55
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:17									
55-10/319 ^S	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT							Service	ATA:55
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 55-00-00									
PKG:20									
55-10/415	HORIZONTAL STABILIZER							Component	ATA:55
PN:PN	MOS	22-Sep-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22406		
WC#: 55.090	AFL	0	30000	TSN 0	30000		28488		
PROC. REF: AMM 55-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10/638	HORIZONTAL STABILIZER - EXAMINE WITH BORESCOPE							Service	ATA:55
	MOS	22-Sep-14	T:240		22-Sep-34		3798 d		
	HRS	0	T:10000		10000		7406		
	AFL	0							
PROC. REF: AMM 55-10-01									
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service	ATA:55
	MOS	26-Jun-23	72		26-Jun-29		1884 d		
	HRS	2444.2							
	AFL	1424							
PROC. REF: AMM 55-00-00									
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND .178)							Service	ATA:55
	MOS	22-Sep-14	120		22-Sep-24		146 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 55-00-00									
55-10/96	EXAMINE VERTICAL STABILIZER INTERNAL SURFACES (AS FAR AS POSSIBLE WITH PANELS REMOVED)							Service	ATA:55
	MOS	15-Oct-20	72 (+6m/-6m)		15-Oct-26	15-Apr-27	899 d (+182)	MILD CORROSION ZONE	
	HRS	1839.5	6000 (+500/-500)		7839.5	8339.5	5245.5 (+500)		
	AFL	1091							
PROC. REF: GENERIC NO REF									
55-20/362	EXAMINE LEFT WING ELEVATOR							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 55.100	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-20-00									
55-20/362	EXAMINE RIGHT WING ELEVATOR							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20/367	EDDY CURRENT INSPECTION - ELEVATOR DRIVE LEVER							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 55.110	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-20-01									
55-20/368	EDDY CURRENT INSPECTION - LEFT WING ELEVATOR HINGES							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 55.120	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-20-01									
55-20/368	EDDY CURRENT INSPECTION - RIGHT WING ELEVATOR HINGES							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-20-01									
55-30/198 ^S	EXAMINE VERTICAL STABILIZER EXTERNAL SURFACE SPECIALLY AROUND REAR SPAR TOP RIVETS.							Service	ATA:55
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 55-00-01									
55-30/281 ^S	EXAMINE VERTICAL STABILIZER ELECTRICAL BONDING STRAPS							Service	ATA:55
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
55-30/369	EXAMINE - VERTICAL STABILIZER							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 55.130	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30/370	EDDY CURRENT INSPECTION - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 55.140	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-30-03, AMM 53-30-02									
55-30/371	EDDY CURRENT INSPECTION VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 55.150	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-00-00									
55-30/372	EDDY CURRENT INSPECTION VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 55.160	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-30-02									
55-30/420	EDDY CURRENT INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40							Service	ATA:55
	MOS	22-Sep-14							
	HRS	0	T:32500 (+500/-500)		32500	33000	29906 (+500)		
WC#: 55.190	AFL	0	T:42000 (+500/-500)		42000	42500	40488 (+500)		
PROC. REF: AMM 55-30-03									
55-40/373	EXAMINE - RUDDER							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 55.170	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-40-00									
55-40/377	EDDY CURRENT INSPECTION - RUDDER HINGES							Service	ATA:55
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 55.180	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 55-40-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-40/410	EXAMINE - RUDDER TRIM TAB							Service	ATA:55
	MOS	22-Sep-14							
	HRS	0	T:32500 (+500/-500)		32500	33000	29906 (+500)		
WC#: 55.200	AFL	0	T:42000 (+500/-500)		42000	42500	40488 (+500)		
PROC. REF: AMM 55-40-04									
ATA 56 - WINDOWS									
56-11/12	COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE IF CRACKED							Service	ATA:56
	MOS/MSC	22-Sep-14	A/R					AIRWORTHINESS	
	HRS	0							
WC#: 56.020	AFL	0							
PROC. REF: GENERIC NO REF									
56-11/13	COCKPIT INNER AND OUTER SIDE, DV WINDOWS AND CABIN WINDOWS- REPLACE IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS), CRAZING, SCRATCHED, BUBBLES OR DELAMINATED							Service	ATA:56
	MOS/MSC	22-Sep-14	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 56-00-00									
56-11/14	REPLACE LEFT HAND WINDSHIELD ASSY, (LH) (INNER LAMINATION CRACKED)							Service	ATA:56
PN:9598110109	MOS/MSC	22-Sep-14	A/R						
SN:13224H5861	HRS	0							
	AFL	0							
PROC. REF: AMM 56-11-01									
56-11/14	REPLACE RIGHT HAND WINDSHIELD ASSY, (RH) (INNER LAMINATION CRACKED)							Service	ATA:56
PN:9598110110	MOS/MSC	22-Sep-14	A/R						
SN:13073H9705	HRS	0							
	AFL	0							
PROC. REF: AMM 56-11-01									
56-11/15	LEFT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service	ATA:56
PN:9598110109	MOS/MSC	22-Sep-14	A/R						
SN:13224H5861	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11/15	RIGHT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service	ATA:56
PN:9598110110	MOS/MSC	22-Sep-14	A/R						
SN:13073H9705	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
56-11/200 ^S	EXAMINE WINDSHIELD LH AND RH							Service	ATA:56
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 56-00-00									
56-11/332	INSPECTION/CHECK COCKPIT SIDE WINDOWS							Service	ATA:56
	MOS	22-Sep-14	120 (+6m/-6m)		22-Sep-24	22-Mar-25	146 d (+181)		
	HRS	0	11000 (+500/-500)		11000	11500	8406 (+500)		
WC#: 56.100	AFL	0							
PROC. REF: AMM 56-11-02									
56-11/378	WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WIND-SHIELD AND SIDE WINDOWS REMOVED							Service	ATA:56
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 56.110	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 53-10-16, AMM 56-11-01, AMM 56-11-02									
56-11/517 ^S	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND							Service	ATA:56
	MOS	26-Jun-23	12						
	HRS	2444.2	1200						
	AFL	1424							
PROC. REF: GENERIC NO REF, AMM NO REF									
56-20/201 ^S	EXAMINE COCKPIT AND CABIN WINDOWS							Service	ATA:56
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 56-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
560015	SIDE,LH WINDOW							Component	ATA:56
PN:9598110111	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:13206H3629	HRS	0			TSN 0				
WC#: 56.090	AFL	0			TSN 0				
PROC. REF: AMM 56-11-02									
560020	SIDE,RH WINDOW							Component	ATA:56
PN:9598110112	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:12228H6865	HRS	0			TSN 0				
WC#: 56.090	AFL	0			TSN 0				
PROC. REF: AMM 56-11-02									
560025	RH NO 1 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0001605485-010	HRS	0			TSN 0				
WC#: 56.060	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560030	RH NO 2 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0001623624-005	HRS	0			TSN 0				
WC#: 56.060	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560035	RH NO 3 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0001623624-006	HRS	0			TSN 0				
WC#: 56.070	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560040	RH NO 4 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0001623624-010	HRS	0			TSN 0				
WC#: 56.070	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560045	RH NO 5 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0001623628-010	HRS	0			TSN 0				
WC#: 56.080	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
560050	LH NO 1 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0001601803-001	HRS	0			TSN 0				
WC#: 56.040	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560055	LH NO 2 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0001601803-002	HRS	0			TSN 0				
WC#: 56.040	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560060	LH NO 3 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0001601803-003	HRS	0			TSN 0				
WC#: 56.050	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560065	LH NO 4 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:0001601803-004	HRS	0			TSN 0				
WC#: 56.050	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560070	DV-WINDOW ASSY							Component	ATA:56
PN:5561412099	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:14178H0485	HRS	0			TSN 0				
WC#: 56.030	AFL	0			TSN 0				
PROC. REF: AMM 56-14-01									
561010	LEFT HAND WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:9598110109	MOS/MSC	22-Sep-14	O/C		TSN 0			AIRWORTHINESS	
SN:13224H5861	HRS	0			TSN 0				
WC#: 56.010	AFL	0			TSN 0				
PROC. REF: AMM 56-11-01									
561011	RIGHT HAND WINDSHIELD ASSY, (RH)							Component	ATA:56
PN:9598110110	MOS/MSC	22-Sep-14	O/C		TSN 0			AIRWORTHINESS	
SN:13073H9705	HRS	0			TSN 0				
WC#: 56.010	AFL	0			TSN 0				
PROC. REF: AMM 56-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/11	STRUCTURAL LIMITATION LEFT WING STRUCTURE							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	20000		20000		17406		
WC#: 57.010	AFL	0	27000		27000		25488		
PROC. REF: AMM 57-00-00									
57-00/11	STRUCTURAL LIMITATION RIGHT WING STRUCTURE							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	20000		20000		17406		
WC#: 57.010	AFL	0	27000		27000		25488		
PROC. REF: AMM 57-00-00									
57-00/202 ^S	EXAMINE WING EXTERNAL SURFACES							Service	ATA:57
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:17									
57-00/282 ^S	EXAMINE WING TIP STATIC DISCHARGERS							Service	ATA:57
	MOS	26-Jun-23	24 (+10%/-10%)						
	HRS	2444.2	2400 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:21									
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH PANELS REMOVED							Service	ATA:57
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:20									
57-00/284 ^S	EXAMINE WING TO FUSELAGE ATTACHMENTS AS FAR AS POSSIBLE							Service	ATA:57
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:20									
57-00/326	STRUCTURAL LIMITATION LEFT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	25000		25000		22406		
	AFL	0	30000		30000		28488		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/326	STRUCTURAL LIMITATION RIGHT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	25000		25000		22406		
	AFL	0	30000		30000		28488		
PROC. REF: GENERIC NO REF									
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - LEFT WING							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
WC#: 57.100	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 57-00-00									
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - RIGHT WING							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 57-00-00									
57-00/380	WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:30000		30000		27406		
WC#: 57.110	AFL	0	T:39000		39000		37488		
PROC. REF: AMM 57-00-03, AMM 57-00-03									
57-00/382	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
WC#: 57.120	AFL	0	T:30000		30000		28488		
PROC. REF: AMM 57-20-10									
57-00/382	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
	AFL	0	T:30000		30000		28488		
PROC. REF: AMM 57-20-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/383	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
WC#: 57.130	AFL	0	T:30000		30000		28488		
PROC. REF: AMM 57-20-10									
57-00/383	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
	AFL	0	T:30000		30000		28488		
PROC. REF: AMM 57-20-10									
57-00/384	EDDY CURRENT INSPECTION - LEFT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
WC#: 57.140	AFL	0	T:30000		30000		28488		
PROC. REF: AMM 57-20-05									
57-00/384	EDDY CURRENT INSPECTION - RIGHT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
	AFL	0	T:30000		30000		28488		
PROC. REF: AMM 57-20-05									
57-00/385	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
WC#: 57.150	AFL	0	T:30000		30000		28488		
PROC. REF: AMM 57-20-10									
57-00/385	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:25000		25000		22406		
	AFL	0	T:30000		30000		28488		
PROC. REF: AMM 57-20-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/412	EXAMINE - WING TIPS							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500 (+500/-500)		32500	33000	29906 (+500)		
WC#: 57.170	AFL	0	T:42000 (+500/-500)		42000	42500	40488 (+500)		
PROC. REF: AMM 57-33-00									
57-00/413	EDDY CURRENT INSPECTION - LEFT WING SKIN AROUND DRAIN HOLES							Service	ATA:57
	MOS	22-Sep-14							
	HRS	0	T:25000 (+500/-500)		25000	25500	22406 (+500)		
WC#: 57.180	AFL	0	T:30000 (+500/-500)		30000	30500	28488 (+500)		
PROC. REF: AMM 57-20-01									
57-00/413	EDDY CURRENT INSPECTION - RIGHT WING SKIN AROUND DRAIN HOLES							Service	ATA:57
	MOS	22-Sep-14							
	HRS	0	T:25000 (+500/-500)		25000	25500	22406 (+500)		
	AFL	0	T:30000 (+500/-500)		30000	30500	28488 (+500)		
PROC. REF: AMM 57-20-01									
57-00/427	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	16000		16000		13406		
	AFL	0	22500		22500		20988		
PROC. REF: AMM 57-20-10									
57-00/427	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	16000		16000		13406		
	AFL	0	22500		22500		20988		
PROC. REF: AMM 57-20-10									
57-00/97	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT (AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED)							Service	ATA:57
	MOS	15-Oct-20	72 (+6m/-6m)		15-Oct-26	15-Apr-27	899 d (+182)	MILD CORROSION ZONE	
	HRS	1839.5	6000 (+500/-500)		7839.5	8339.5	5245.5 (+500)		
WC#: 57.020	AFL	1091							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/98	EXAMINE LANDING GEAR COMPARTMENTS (ESPECIALLY MAIN AND REAR SPAR PARTS)							Service	ATA:57
	MOS	15-Oct-20	72 (+6m/-6m)		15-Oct-26	15-Apr-27	899 d (+182)	MILD CORROSION ZONE	
	HRS	1839.5	6000 (+500/-500)		7839.5	8339.5	5245.5 (+500)		
WC#: 57.030	AFL	1091							
PROC. REF: GENERIC NO REF									
57-00/99	EXAMINE WING TO FUSELAGE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service	ATA:57
	MOS	22-Sep-14	120 (+6m/-6m)		22-Sep-24	22-Mar-25	146 d (+181)		
	HRS	0	11000 (+500/-500)		11000	11500	8406 (+500)		
WC#: 57.040	AFL	0							
PROC. REF: AMM 57-00-00									
57-60/393	EXAMINE - RIGHT WING AILERON							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 57-60-00									
57-60/393	EXAMINE -LEFT WING AILERON							Service	ATA:57
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:32500		32500		29906		
WC#: 57.160	AFL	0	T:42000		42000		40488		
PROC. REF: AMM 57-60-00									
57-60/411	EXAMINE - AILERON TRIM TAB							Service	ATA:57
	MOS	22-Sep-14							
	HRS	0	T:32500 (+500/-500)		32500	33000	29906 (+500)		
WC#: 57.190	AFL	0	T:42000 (+500/-500)		42000	42500	40488 (+500)		
PROC. REF: AMM 57-60-04									
570005	AILERON LH 10A SERIE ASSY							Component	ATA:57
PN:5570512017	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:6040	HRS	0			TSN 0				
WC#: 57.050	AFL	0			TSN 0				
PROC. REF: AMM 57-60-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
570010	AILERON RH 10A SERIE ASSY							Component	ATA:57
PN:5570512018	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:6040	HRS	0		TSN 0					
WC#: 57.050	AFL	0		TSN 0					
PROC. REF: AMM 57-60-02									
570050	L/H WING							Component	ATA:57
PN:5570512139	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1241E	HRS	0		TSN 0					
WC#: 57.080	AFL	0		TSN 0					
PROC. REF: AMM 57-00-00, AMM 57-00-00, AMM 57-00-00, AMM 57-00-00									
570055	R/H WING							Component	ATA:57
PN:5570512140	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1241	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 57-00-00, AMM 57-00-00, AMM 57-00-00, AMM 57-00-00									
ATA 61 - PROPELLERS/PROPULSORS									
61-10/37	PROPELLER							Component	ATA:61
PN:9682913003	MOS	20-Apr-18	72	TSO 0	20-Apr-24		OVD	OVERHAUL	
SN:KX1289	HRS	1249	4000	TSO 0	5249		2655		
WC#: 61.010	AFL	724		TSO 0					
PROC. REF: AMM 61-10-01, AMM 61-10-01									
61-20/286 ^S	EXAMINE PROPELLER GOVERNOR, OVERSPEED GOVERNOR AND BETA CONTROLS							Service	ATA:61
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
610000 ^U	NO. 1 PROPELLER - OVERHAUL							Service	ATA:61
	MOS	24-May-18	72		24-May-24		25 d	OVERHAUL	
	HRS	1249	4000		(5249) 5249		2655		
	PRC	734							
611010 ^U	NO. 1 PROPELLER - ACCOMPLISH A DETAILED INSPECTION							Service	ATA:61
	MOS	26-Jun-23	12		26-Jun-24		58 d		
	HRS	2444.2	400		(2844.2) 2844.2		250.2		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
611020 ^U	NO. 1 PROPELLER - LUBRICATE PROPELLER							
	MOS	26-Jun-23	12		26-Jun-24		58 d	Service ATA:61
	HRS	2444.2	400		(2844.2) 2844.2		250.2	
611025	NO. 1 PROPELLER - APPLY CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS							
	MOS	26-Jun-23	12		26-Jun-24		58 d	Service ATA:61
	HRS	2444.2	400		(2844.2) 2844.2		250.2	
611101	NO. 1 PROPELLER - NO. 1 PROPELLER BLADE							
PN:E10477SK	MOS/MSC	15-May-18	O/C	TSO 0				Component ATA:61
SN:L49464	HRS			TSN 1249, TSO 0				
				PROC. REF: GENERIC NO REF				
611102	NO. 1 PROPELLER - NO. 2 PROPELLER BLADE							
PN:E10477SK	MOS/MSC	15-May-18	O/C	TSO 0				Component ATA:61
SN:L49462	HRS			TSN 1249, TSO 0				
				PROC. REF: GENERIC NO REF				
611103	NO. 1 PROPELLER - NO. 3 PROPELLER BLADE							
PN:E10477SK	MOS/MSC	15-May-18	O/C	TSO 0				Component ATA:61
SN:L49465	HRS			TSN 1249, TSO 0				
				PROC. REF: GENERIC NO REF				
611104	NO. 1 PROPELLER - NO. 4 PROPELLER BLADE							
PN:E10477SK	MOS/MSC	15-May-18	O/C	TSO 0				Component ATA:61
SN:L49461	HRS			TSN 1249, TSO 0				
				PROC. REF: GENERIC NO REF				
611230	NO. 1 PROPELLER - DE-ICE SYSTEM 200 HOUR/12 MONTH INSPECTION							
	MOS	26-Jun-23	12		26-Jun-24		58 d	Service ATA:61
	HRS	2444.2	200		(2644.2) 2644.2		50.2	
				PROC. REF: MM 30-61-80, MM 30-61-80, AMM 30-60-01				
611240	NO. 1 PROPELLER - ANTI-ICE SYSTEM 200 HOUR/12 MONTH INSPECTION							
	MOS	26-Jun-23	12		26-Jun-24		58 d	Service ATA:61
	HRS	2444.2	200		(2644.2) 2644.2		50.2	
				PROC. REF: MM 30-61-80				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
612010	NO. 1 ENGINE - PROPELLER GOVERNOR							Component	ATA:61
PN:3049558-01	MOS	28-Jun-14		TSN 0				OVERHAUL	
SN:19336525	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	906 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 61-20-00									
612020	NO. 1 ENGINE - OVERSPEED GOVERNOR							Component	ATA:61
PN:3037685	MOS	28-Jun-14		TSN 0				OVERHAUL	
SN:19251668	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	906 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 61-20-00									
619000	NO. 1 PROPELLER - PRE-FLIGHT CHECKS							Service	ATA:61
	MOS/MSC	24-Jul-14	A/R						
	HRS	0							
619010	NO. 1 PROPELLER - OPERATIONAL CHECKS							Service	ATA:61
	MOS/MSC	04-Mar-20	A/R						
	HRS	1771.9							
619020	NO. 1 PROPELLER - OVERSPEED/OVERTORQUE							Service	ATA:61
	MOS/MSC	24-Jul-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
619030	NO. 1 PROPELLER - LIGHTNING STRIKE							Service	ATA:61
	MOS/MSC	24-Jul-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
PROC. REF: MM 30-61-80									
619040	NO. 1 PROPELLER - FOREIGN OBJECT STRIKE/GROUND STRIKE							Service	ATA:61
	MOS/MSC	24-Jul-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
PROC. REF: MM 30-61-80									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
619050	NO. 1 PROPELLER - FIRE/HEAT DAMAGE							Service	ATA:61
	MOS/MSC	24-Jul-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
					PROC. REF: MM 30-61-80				
619060	NO. 1 PROPELLER - SUDDEN STOPPAGE							Service	ATA:61
	MOS/MSC	24-Jul-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
619070	NO. 1 PROPELLER - ENGINE OIL CONTAMINATION							Service	ATA:61
	MOS/MSC	24-Jul-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
619080	NO. 1 PROPELLER - LONG TERM STORAGE							Service	ATA:61
	MOS/MSC	24-Jul-14	A/R						
	HRS	0							
61PR1	NO. 1 PROPELLER							Component	ATA:61
PN:HC-E4A-3D	MOS/MSC		PP/C						
SN:KX1289	HRS								
WC#: 61.PR1	AFL								
					PROC. REF: AMM 61-10-01, AMM 61-10-01				
ATA 71 - POWER PLANT									
71-00/101 ^S	OPERATIONAL TEST POWER PLANT TORQUE LIMITER							Service	ATA:71
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
WC#: 71.010	AFL	1424							
					PROC. REF: AMM 71-00-00			PKG:19	
71-00/102 ^S	OPERATIONAL TEST POWER PLANT PERFORMANCE							Service	ATA:71
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
					PROC. REF: AMM 71-00-00			PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/103	PERFORM COMPRESSOR PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
WC#: 71.040	AFL	1424							
PROC. REF: AMM 71-00-00									
71-00/104	PERFORM COMPRESSOR DESALINATION WASH							Service	ATA:71
	MOS/MSC	22-Sep-14	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-00									
71-00/105	PERFORM TURBINE WASH							Service	ATA:71
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
PROC. REF: AMM 71-00-00									
71-00/107 ^S	CLEAN ENGINE TORQUE AND STICK PUSHER TORQUE TRANSDUCERS ELECTRICAL CONNECTORS							Service	ATA:71
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
WC#: 71.030	AFL	1424							
PROC. REF: AMM 71-00-03									
71-00/16	ENGINE (PRE SB 04-009) MOUNTING FRAME							Component	ATA:71
PN:PN	MOS	22-Sep-14		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17406		
WC#: 71.050	AFL	0	27000	TSN 0	27000		25488		
PROC. REF: AMM 71-00-05									
71-00/17	REPLACE ENGINE MOUNTING FRAME BOLTS, WASHERS AND NUTS							Service	ATA:71
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	11000		11000		8406		
WC#: 71.050	AFL	0							
PROC. REF: GENERIC NO REF									
71-00/204 ^S	PERFORM POWER PLANT - POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:71
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
PROC. REF: AMM 71-00-00									
PKG:15 ,16,17,18,19,20,21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/205 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 1 IN (25,4 MM) LONG AND/OR 0.06 IN (1,5 MM) DEEP							Service	ATA:71
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:20	
71-00/209 ^S	ENGINE DRAIN MAST AND TANK - EXAMINE THE DRAIN MAST FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN THE COLLECTOR TANK							Service	ATA:71
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:17	
71-00/287 ^S	PERFORM POWER PLANT - INSPECTION GROUND RUN - NOTE DEFECTS.							Service	ATA:71
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
	PROC. REF: AMM 71-00-00							PKG:15 ,16,17,18,19,20,21	
71-00/301 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY.							Service	ATA:71
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
	PROC. REF: AMM 54-20-02							PKG:20	
71-00/327	ENGINE (POST SB 04-009) MOUNTING FRAME							Component	ATA:71
PN:PN	MOS	22-Sep-14		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22406		
	AFL	0	30000	TSN 0	30000		28488		
	PROC. REF: GENERIC NO REF								
71-00/38	LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:9448121409	MOS	22-Sep-14		TSN 0				OVERHAUL	
SN:7887	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	906 (+350)		
WC#: 71.063	AFL	0		TSN 0					
	PROC. REF: AMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/38	LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:9448121409	MOS	22-Sep-14		TSN 0				OVERHAUL	
SN:7924	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	906 (+350)		
WC#: 71.064	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/38	UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:9448121409	MOS	22-Sep-14		TSN 0				OVERHAUL	
SN:7904	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	906 (+350)		
WC#: 71.061	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/38	UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:9448121409	MOS	22-Sep-14		TSN 0				OVERHAUL	
SN:7893	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	906 (+350)		
WC#: 71.060	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/38	UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:9448121409	MOS	22-Sep-14		TSN 0				OVERHAUL	
SN:7906	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	906 (+350)		
WC#: 71.062	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/401	ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION							Service	ATA:71
	MOS	22-Sep-14						AIRWORTHINESS	
	HRS	0	T:26600		26600		24006		
WC#: 71.130	AFL	0	T:35000		35000		33488		
PROC. REF: AMM 71-00-05									
71-00/432 ^S	EXAMINE POWER PLANT AND ACCESSORIES, REFER TO P&WC EMM CHAPTER 72-00-00 PERIODIC INSPECTION AND DO THE MINOR AND TIME LIMITED INSPECTION ITEMS							Service	ATA:71
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
PROC. REF: GENERIC NO REF									
								PKG:15 ,16,17,18,19,20,21	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/476 ^S	REVIEW AND COMPLY WITH P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS AS NECESSARY							Service	ATA:71
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21	
71-10/207 ^S	OPEN AND EXAMINE, ENGINE COWLINGS ENG 43AL AND ENG 43AR AND EXAMINE, PARTICULARLY FOR CONDITION OF RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF MATERIAL P10-001							Service	ATA:71
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21	
71-10/208 ^S	CLOSE ENGINE COWLINGS ENG 43AL AND ENG 43AR							Service	ATA:71
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	AFL	1424							
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21	
710011	NO. 1 ENGINE - OVERHAUL							Service	ATA:71
	MOS	28-Jun-14						OVERHAUL	
	HRS	0	3500 (+200)		(3500) 3500	3700	906 (+200)		
	ENC	0							
	PROC. REF: GENERIC NO REF								
710019 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE FIRST-STAGE COMPRESSOR ROTOR WITH A MIRROR OR A BORESCOPE							Service	ATA:71
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
	PROC. REF: EMM 72-30-05								PKG:0
710021	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	15-Oct-20							
	HRS	1839.5	1750 (+250)		(3589.5) 3589.5	3839.5	995.5 (+250)		
	ENC								
	PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710031	NO. 1 ENGINE - BORESCOPE HOT SECTION							Service	ATA:71
	MOS	24-Jun-22							
	HRS	2172.4	600 (+10%/-10%)		(2772.4) 2772.4	2832.4	178.4 (+60)		
	ENC	1278							
	PROC. REF: EMM 72-00-00								
710041	NO. 1 ENGINE - INSPECT POWER TURBINE BLADES							Service	ATA:71
	MOS	28-Jun-14							
	HRS	0	T:4000 (+100/-100)		(4000) 4000	4100	1406 (+100)		
	ENC	0							
	PROC. REF: EMM 72-00-00								
710050	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service	ATA:71
	MOS/MSC	28-Jun-14	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 71-00-00								
710051	NO. 1 ENGINE - COMPRESSOR TURBINE DESALINATION WASH							Service	ATA:71
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	ENC	1424							
	PROC. REF: EMM 71-00-00								
710052	NO. 1 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	26-Jun-23	A/R						
	HRS	2444.2							
	ENC	1424							
	PROC. REF: EMM 71-00-00								
710055	(WELDED) ENGINE MOUNT							Component	ATA:71
PN:5712012036	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:1294	HRS	0		TSN 0					
WC#: 71.120	AFL	0		TSN 0					
	PROC. REF: AMM 71-00-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710061	NO. 1 ENGINE - PERFORM ENGINE CONDITION TREND MONITORING (ECTM)							Service	ATA:71
	DAYS	04-Jan-24	28		21-Feb-24 (M)		OVD		
	HRS	2591.6							
	ENC	1510							
	PROC. REF: EMM 72-00-00								
710100	NO. 1 ENGINE - PERFORM CORROSION INHIBITION PROCEDURE							Service	ATA:71
	MOS/MSC	28-Jun-14	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:PT6A-67P	MOS/MSC		E/C						
SN:PCE-RY0524	HRS								
WC#: 71.EN1	AFL								
	PROC. REF: AMM 71-00-00								
ATA 72 - ENGINE									
720010	NO. 1 ENGINE - GAS GENERATOR MODULE							Component	ATA:72
PN:PN	MOS	28-Jun-14		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3500	3700	906 (+200)		
	ENC	0		TSN 0					
	PROC. REF: EMM 72-30-04								
720022	NO. 1 ENGINE - OIL SYSTEM - CHECK OIL LEVEL							Service	ATA:72
	MOS/MSC	28-Jun-14	BF/F						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
720023	NO. 1 ENGINE - CHECK CONDITION AND LOCKING OF OIL FILLER CAP							Service	ATA:72
	MOS/MSC	28-Jun-14	BF/F						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720030 ^S	NO. 1 ENGINE - CHECK ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS FOR ATTACHMENT							Service	ATA:72
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
	PROC. REF: GENERIC NO REF							PKG:0	
720040 ^S	NO. 1 ENGINE - CHECK CLAMPS, BRACKETS, TUBES/LINES, LINKAGES FOR CHAFING, CRACKS AND CORROSION							Service	ATA:72
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
	PROC. REF: GENERIC NO REF							PKG:0	
720050 ^S	NO. 1 ENGINE - CHECK ACCESSORIES ATTACHMENT AND LINKAGES, AIR, OIL AND FUEL LINES							Service	ATA:72
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
	PROC. REF: GENERIC NO REF							PKG:0	
720070 ^S	NO. 1 ENGINE - INSPECT FOR OIL AND FUEL LEAKS AS APPLICABLE							Service	ATA:72
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
	PROC. REF: GENERIC NO REF							PKG:0	
721100	NO. 1 ENGINE - PROPELLER SHAFT SEAL - CHECK FOR OIL LEAKS							Service	ATA:72
	MOS/MSC	28-Jun-14	BF/F						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-11-00							PKG:0	
722010 ^S	NO. 1 ENGINE - INSPECT THE AIR INLET SCREEN FOR CLEANLINESS							Service	ATA:72
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
	PROC. REF: EMM 72-20-00, EMM 72-20-00							PKG:0	
722020 ^S	NO. 1 ENGINE - WITH INLET SCREEN REMOVED OR ALTERNATIVELY WITHBOREScope, INSPECT COMPRESSOR INLET CASE OVERALL SURFACEAREAS AND STRUTS FOR CORROSION							Service	ATA:72
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
	PROC. REF: EMM 72-20-00							PKG:0	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723010	NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3042701	MOS	28-Jun-14		TSN 0				LIFE LIMIT	
SN:TXA1D2195	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22488		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723020	NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT							Component	ATA:72
PN:3043063	MOS	28-Jun-14		TSN 0				LIFE LIMIT	
SN:PKAAA555738	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22488		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723026 ^S	NO. 1 ENGINE - INSPECTION/CHECK GAS GENERATOR CASE EXTERNAL SURFACES, AND FIRESEAL MOUNT RING BRACKETS FOR CRACKS, DISTORTION, AND CORROSION							Service	ATA:72
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
PROC. REF: EMM 72-30-04									
PKG:0									
723030	NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040942	MOS	28-Jun-14		TSN 0				LIFE LIMIT	
SN:EAAD000H888	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22488		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723036 ^S	NO. 1 ENGINE - INSPECTION/CHECK FIRESEAL MOUNT RINGS FOR CRACKS AND ATTACHMENT OF BRACKETS AND SEALS							Service	ATA:72
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
PROC. REF: EMM 72-30-04, EMM 72-30-01, EMM 72-30-02									
PKG:0									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723040	NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040933	MOS	28-Jun-14		TSN 0				LIFE LIMIT	
SN:EAAD000K187	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22488		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723050	NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040944	MOS	28-Jun-14		TSN 0				LIFE LIMIT	
SN:TXA1D2235	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22488		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3036898	MOS	28-Jun-14		TSN 0				LIFE LIMIT	
SN:CRAZAENG084	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22488		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723070	NO. 1 ENGINE - PERFORMANCE DETERIORATION							Service	ATA:72
	MOS/MSC	28-Jun-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00, EMM 72-00-00									
724001	NO. 1 ENGINE - COMBUSTION CHAMBER INNER LINER ASSEMBLY							Component	ATA:72
PN:3116790-01	MOS/MSC	15-Oct-20	O/C						
SN:RWA39E038	HRS	1839.5							
	ENC								
PROC. REF: EMM 72-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724002	NO. 1 ENGINE - COMBUSTION CHAMBER OUTER LINER ASSEMBLY							Component	ATA:72
PN:3055657-01	MOS/MSC	15-Oct-20	O/C						
SN:FTA657A0395	HRS	1839.5							
	ENC								
					PROC. REF: EMM 72-40-01				
724060	NO. 1 ENGINE - HIGH TORQUE INDICATION AT LOW POWER							Service	ATA:72
	MOS/MSC	28-Jun-14	A/R						
	HRS	0							
	ENC	0							
					PROC. REF: EMM 72-00-00				
725010	NO. 1 ENGINE - COMPRESSOR TURBINE DISK							Component	ATA:72
PN:3053740-01	MOS	15-Oct-20		TSR 0				LIFE LIMIT	
SN:YUAA015A983	HRS	1839.5		TSR 0					
	ENC	1091		TSN 1091, TSR 0	(8000) 8000 (M)		6488		
	ACCCYC	0	8000	TSN 1091					
					PROC. REF: GENERIC NO REF				
725015	NO. 1 ENGINE - COMPRESSOR TURBINE STATOR							Component	ATA:72
PN:3040931	MOS/MSC	15-Oct-20	O/C						
SN:PDAKNYTC01	HRS	1839.5							
	ENC								
					PROC. REF: GENERIC NO REF				
725020	NO. 1 ENGINE - REPLACE 2ND STAGE POWER TURBINE (3RD STAGE TURBINE) BLADES							Service	ATA:72
	MOS	28-Jun-14						LIFE LIMIT	
	HRS	0	5000		(5000) 5000		2406		
	ENC	0							
					PROC. REF: GENERIC NO REF				
725026 ^S	NO. 1 ENGINE - INSPECTION/CHECK EXHAUST DUCT FOR CRACKS AND DISTORTION							Service	ATA:72
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
					PROC. REF: EMM 72-50-05			PKG:0	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725030	NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037312	MOS	28-Jun-14		TSN 0				LIFE LIMIT	
SN:A003FD8R	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000) 15000 (M)		13488		
	ACCCYC	0	15000	TSN 0					
PROC. REF: GENERIC NO REF									
725040	NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037313	MOS	28-Jun-14		TSN 0				LIFE LIMIT	
SN:YUAB001A933	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000) 15000 (M)		13488		
	ACCCYC	0	15000	TSN 0					
PROC. REF: GENERIC NO REF									
726020	NO. 1 ENGINE - POWER SECTION MODULE							Component	ATA:72
PN:PN	MOS	28-Jun-14		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3500	3700	906 (+200)		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:3040760	MOS	28-Jun-14		TSN 0				OVERHAUL	
SN:013070	HRS	0	3500	TSN 0	(3500) 3500		906		
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-02									
731015	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service	ATA:73
	MOS	24-Jun-22							
	HRS	2172.4	600 (+10%/-10%)		(2772.4) 2772.4	2832.4	178.4 (+60)		
	ENC	1278							
PROC. REF: EMM 73-11-05, EMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731025	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE NOT ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service	ATA:73
	MOS/MSC	15-Oct-20	N/A						
	HRS	1839.5							
	ENC								
PROC. REF: EMM 73-11-05									
731030	NO. 1 ENGINE - OVERTORQUE LIMITER							Component	ATA:73
PN:3055748-01	MOS	28-Jun-14	TSN 0						
			OVERHAUL						
SN:C51417	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	906 (+500)		
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
731031 ^S	NO. 1 ENGINE - DO A CHECK OF THE FUEL PUMP (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
PROC. REF: EMM 73-10-02									
731035	NO. 1 ENGINE - VISUAL INSPECTION FUEL PUMP TO AGB COVER INTERFACE FOR OIL LEAKAGE AND /OR GASKET MIGRATION							Service	ATA:73
	MOS/MSC	28-Jun-14	N/A						
	HRS	0							
	ENC	0							
PROC. REF: EMM 73-10-02									
731040	NO. 1 ENGINE - CHECK FUEL PUMP FUEL INLET SCREEN FOR FOREIGN MATTER OR DISTORTION, CLEAN AND REINSTALL, OR INSTALL NEW SCREEN							Service	ATA:73
PN:3040760	MOS	26-Jun-23							
SN:013070	HRS	2444.2	600 (+10%/-10%)		(3044.2) 3044.2	3104.2	450.2 (+60)		
	ENC	1424							
PROC. REF: EMM 73-10-02									
731045 ^S	NO. 1 ENGINE - DO A CHECK OF THE OIL-TO-FUEL HEATER (IN-SITU INSPECTION ONLY) FOR INSTALLATION							Service	ATA:73
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
PROC. REF: EMM 73-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731050	NO. 1 ENGINE - CHECK FUEL PUMP COUPLING IN-SITU FOR FRETTING AND CORROSION							Service	ATA:73
PN:3040760	MOS/MSC	28-Jun-14	N/A						
SN:013070	HRS	0							
	ENC	0							
PROC. REF: EMM 73-10-02									
731052	NO. 1 ENGINE - REMOVE FUEL PUMP AND INSPECT THE DRIVE COUPLING AREA AND COVER ACCESSORY GEARBOX SIDE FOR SIGNS OF REDDISH-BROWN (IRON OXIDE) STAINS. IF STAINS ARE OBSERVED RETURN THE FUEL PUMP TO AN APPROVED OVERHAUL FACILITY.							Service	ATA:73
	MOS/MSC	28-Jun-14	N/A						
	HRS	0							
	ENC	0							
PROC. REF: EMM 73-10-02									
731055	NO. 1 ENGINE - REPLACE NO. 1 FUEL PUMP OUTLET FILTER							Service	ATA:73
PN:572744	MOS	26-Jun-23						REPLACE	
SN:UNKNOWN	HRS	2444.2	600 (+10%/-10%)	Adj -4.7	(3039.5) 3039.5	3099.5	445.5 (+60)		
	ENC	1424							
PROC. REF: EMM 73-10-02									
731056 ^S	NO. 1 ENGINE - INSPECT PNEUMATIC TUBES AND LINES FOR CRACKS AND DAMAGES ESPECIALLY AT THE END FITTINGS AND JOINTS							Service	ATA:73
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
PROC. REF: GENERIC NO REF									
PKG:0									
731060	NO. 1 ENGINE - OIL TO FUEL HEATER							Component	ATA:73
PN:3057249-01	MOS	28-Jun-14		TSN 0				OVERHAUL	
SN:WA49401	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	906 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-01									
731065 ^S	NO. 1 ENGINE - EXAMINE FILTER BOWL							Service	ATA:73
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%)						
	ENC	1424							
PROC. REF: GENERIC NO REF									
PKG:0									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731070	NO. 1 ENGINE - FLOW DIVIDER/PURGE VALVE							Component	ATA:73
PN:3038472	MOS	28-Jun-14		TSN 0				OVERHAUL	
SN:U0260	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	906 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-04									
731085 ^S	NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE (IN-SITU INSPECTION ONLY) OF INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
PROC. REF: EMM 73-10-06									
731090	NO. 1 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3119892-09	MOS	28-Jun-14		TSN 0				OVERHAUL	
SN:19327098	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	906 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 73-20-00									
731091 ^S	NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
PROC. REF: EMM 73-10-04									
731095	NO. 1 ENGINE - FUEL CONTROL UNIT (FCU) BELLOWS							Component	ATA:73
PN:PN	MOS	28-Jun-14		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	4000	TSN 0	(4000) 4000		1406		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731100	NO. 1 ENGINE - CLEAN P3 FILTER							Service	ATA:73
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)	Adj 28.2	(2772.4) 2772.4	2802.4	178.4 (+30)		
	ENC	1424							
PROC. REF: EMM 73-10-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731150 ^S	NO. 1 ENGINE - CHECK OUTLET FILTER FOR FOREIGN MATTER OR DISTORTION							Service	ATA:73
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
				PROC. REF: EMM 73-10-02				PKG:0	
731155	NO. 1 ENGINE - FUEL PUMP OUTLET FILTER							Component	ATA:73
PN:572744	MOS/MSC	26-Jun-23	H/T	TSN 0					
SN:UNKNOWN	HRS	2444.2		TSN 0					
	ENC	1424		TSN 0					
				PROC. REF: EMM 73-10-02					
732020 ^S	NO. 1 ENGINE - CHECK FCU FOR INSTALLATION, LINKAGES AND PNEUMATIC LINES							Service	ATA:73
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
				PROC. REF: EMM 73-20-00				PKG:0	
733020	NO. 1 ENGINE - REPLACE P3 FILTER							Service	ATA:73
	MOS	15-Oct-20							
	HRS	1839.5	900 (+10%/-10%)		(2739.5) 2739.5	2829.5	145.5 (+90)		
	ENC								
				PROC. REF: EMM 73-10-07					
733070	NO. 1 ENGINE - CLEAN AND INSPECT P3 FILTER DRAIN VALVE HOUSING ASSEMBLY							Service	ATA:73
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)	Adj 28.2	(2772.4) 2772.4	2802.4	178.4 (+30)		
	ENC	1424							
				PROC. REF: EMM 73-10-07, EMM 73-10-07					
ATA 74 - IGNITION									
74-00/288 ^S	OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
				PROC. REF: AMM 74-00-00				PKG:17	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
740010	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:3035889	MOS	28-Jun-14		TSN 0				OVERHAUL	
SN:NNA13460005	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	906 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 74-10-00									
740015	NO. 1 ENGINE - CHECK IGNITION EXCITER FOR INSTALLATION AND CONDITION							Service	ATA:74
	MOS	26-Jun-23							
	HRS	2444.2	400 (+10%/-10%)		(2844.2) 2844.2	2884.2	250.2 (+40)		
	ENC	1424							
PROC. REF: EMM 74-10-00									
740020	NO. 1 ENGINE - 4 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:CH34055	MOS/MSC	15-Oct-20	O/C	TSN 0					
SN:UNKNOWN	HRS	1839.5		TSN 0					
	ENC			TSN 0					
PROC. REF: GENERIC NO REF									
740025	NO. 1 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINESS AND EROSION. CHECK FUNCTION							Service	ATA:74
	MOS	26-Jun-23							
	HRS	2444.2	400 (+10%/-10%)		(2844.2) 2844.2	2884.2	250.2 (+40)		
	ENC	1424							
PROC. REF: EMM 74-20-00									
740040	NO. 1 ENGINE - 9 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:CH34055	MOS/MSC	15-Oct-20	O/C	TSN 0					
SN:UNKNOWN	HRS	1839.5		TSN 0					
	ENC			TSN 0					
PROC. REF: GENERIC NO REF									
742010	NO. 1 ENGINE - CHECK IGNITION CABLES FOR CHAFING, WEAR AND INSTALLATION							Service	ATA:74
	MOS	26-Jun-23							
	HRS	2444.2	400 (+10%/-10%)		(2844.2) 2844.2	2884.2	250.2 (+40)		
	ENC	1424							
PROC. REF: EMM 74-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
750010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component	ATA:75
PN:3059835-01	MOS	28-Jun-14		TSN 0				OVERHAUL	
SN:AHX1000536	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	906 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 75-30-00									
ATA 76 - ENGINE CONTROLS									
76-00/210 ^S	EXAMINE ENGINE CONTROLS IN ENGINE COMPARTMENT							Service	ATA:76
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:19									
76-00/211 ^S	CHECK BETA SLIP RING CARBON BLOCK - MAKE SURE GAP IS NOT MORE THAN 0.01IN (0.25MM)							Service	ATA:76
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:17									
76-00/212 ^S	OPERATIONAL TEST COCKPIT CONTROL QUADRANT- CAUTION - DO NOT MOVE PCL INTO THE REVERSE RANGE- PCL- MOVE BETWEEN IDLE AND MAX AND MAKE SURE MOVEMENT FULL AND FREE. CONDITION LEVER- DO THE OPERATIONAL TEST. MANUAL OVERRIDE LEVER- MOVE BETWEEN OFF AND MAX AND MAKE SURE MOVEMENT IS FULL AND FREE.							Service	ATA:76
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 76-10-00									
PKG:16									
76-00/303 ^S	OPERATIONAL TEST COCKPIT CONTROL QUADRANT - POWER CONTROL, MANUAL OVERRIDE							Service	ATA:76
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 76-10-00, AMM 76-20-00									
PKG:20									
76-00/304 ^S	EXAMINE COCKPIT CONTROL QUADRANT							Service	ATA:76
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
76-10/117	FUNCTIONAL TEST PROPELLER FEATHERING MICROSWITCHES							Service	ATA:76
	MOS	26-Jun-23	12 (+10%/-10%)	Adj 2d	28-Jun-24	03-Aug-24	60 d (+36)		
	HRS	2444.2	3000 (+10%/-10%)		5444.2	5744.2	2850.2 (+300)		
WC#: 76.010	AFL	1424							
PROC. REF: AMM 76-10-02									
760015	MANUAL OVERRIDE CABLE ASSY.							Component	ATA:76
PN:9419411417	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:20105690	HRS	0		TSN 0					
WC#: 76.020	AFL	0		TSN 0					
PROC. REF: AMM 76-20-00									
760020	CONDITION CABLE ASSY.							Component	ATA:76
PN:9419411418	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:20105681	HRS	0		TSN 0					
WC#: 76.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
760025	POWER CONTROL CABLE ASSY.							Component	ATA:76
PN:9419411419	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:20105704	HRS	0		TSN 0					
WC#: 76.040	AFL	0		TSN 0					
PROC. REF: AMM 76-10-04									
761011 ^S	NO. 1 ENGINE - DEPENDING ON OPERATING CONDITIONS AND ENVIRONMENT, EXAMINE LINKAGES AT REGULAR INTERVALS							Service	ATA:76
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
PROC. REF: EMM 72-00-00									
PKG:0									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
770005	TRQ,IPT-51DFP-1000-70D TRANSDUCER							Component	ATA:77
PN:9752115206	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:7765-12-88	HRS	0		TSN 0					
WC#: 77.010	AFL	0		TSN 0					
PROC. REF: AMM 77-40-03									
770025	DIFFERENTIAL PRESSURE TRANSDUCER							Component	ATA:77
PN:9752115219	MOS/MSC	22-Sep-14	O/C	TSN 0					
SN:3975073	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
771010	NO. 1 ENGINE - T5 THERMOCOUPLE WIRING HARNESS							Component	ATA:77
PN:3043825-01	MOS/MSC	28-Jun-14	O/C	TSN 0					
SN:NRA004576	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EMM 77-20-01									
ATA 78 - EXHAUST									
78-00/214 ^S	EXAMINE EXHAUST STUBS							Service	ATA:78
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	300 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:17									
ATA 79 - OIL									
79-00/422 ^S	OPERATIONAL TEST OIL FILLER CAP / DIPSTICK							Service	ATA:79
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	600 (+10%/-10%)						
	AFL	1424							
PROC. REF: AMM 79-30-06									
PKG:19									
79-20/289 ^S	EXAMINE ENGINE OIL COOLER. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT							Service	ATA:79
	MOS	26-Jun-23	12 (+10%/-10%)						
	HRS	2444.2	1200 (+10%/-10%)						
	AFL	1424							
PROC. REF: GENERIC NO REF									
PKG:20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-20/290 ^S OPERATIONAL TEST OIL SYSTEM CHIP DETECTOR INDICATION SYSTEM Service ATA:79								
	MOS	26-Jun-23	12 (+10%/-10%)					
	HRS	2444.2	300 (+10%/-10%)					
	AFL	1424						
PROC. REF: AMM 79-30-01								PKG:17
79-20/43 OIL COOLER Component ATA:79								
PN:9683214102	MOS	22-Sep-14		TSN 0				OVERHAUL
SN:T1491	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	906 (+350)	
WC#: 79.010	AFL	0		TSN 0				
PROC. REF: AMM 79-20-02								
790005 TEMPERATURE BULB Component ATA:79								
PN:9751120101	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:206887	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
790020 PRESSURE,GAGE SWITCH Component ATA:79								
PN:9738114305	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:1388	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				
PROC. REF: AMM 79-30-04								
790021 NO. 1 ENGINE - SERVICING OF OIL SYSTEM Service ATA:79								
	MOS/MSC	28-Jun-14	A/R					DISCARD
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REF								
790025 THERMAL ACTUATOR Component ATA:79								
PN:9787301002	MOS/MSC	22-Sep-14	O/C	TSN 0				
SN:1601	HRS	0		TSN 0				
WC#: 79.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790031	NO. 1 ENGINE - CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	26-Jun-23	12 (+10%)		26-Jun-24	01-Aug-24	58 d (+36)		
	HRS	2444.2	300 (+10%)		(2744.2) 2744.2	2774.2	150.2 (+30)		
	ENC	1424							
	PROC. REF: EMM 79-20-02								
790040	NO. 1 ENGINE - BRIDGE CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	26-Jun-23	12 (+10%)	Adj -2d	24-Jun-24	30-Jul-24	56 d (+36)		
	HRS	2444.2	600 (+10%)		(3044.2) 3044.2	3104.2	450.2 (+60)		
	ENC	1424							
	PROC. REF: EMM 79-20-02								
790050	NO. 1 ENGINE - REPLACE OIL FILTER ELEMENT							Service	ATA:79
	MOS	15-Oct-20							
	HRS	1839.5	900 (+10%/-10%)		(2739.5) 2739.5	2829.5	145.5 (+90)		
	ENC								
	PROC. REF: EMM 79-20-02								
790060	NO. 1 ENGINE - INSPECT CLEAN OIL FILTER ELEMENT AND SECONDARY SCREEN							Service	ATA:79
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)	Adj 28.2	(2772.4) 2772.4	2802.4	178.4 (+30)		
	ENC	1424							
	PROC. REF: EMM 79-20-02								
790070	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP INLET SCREEN							Service	ATA:79
	MOS	15-Oct-20							
	HRS	1839.5	1000 (+10%/-10%)		(2839.5) 2839.5	2939.5	245.5 (+100)		
	ENC								
	PROC. REF: EMM 72-60-00								
790080	NO. 1 ENGINE - PERFORM AN OIL SAMPLE							Service	ATA:79
	MOS	26-Jun-23							
	HRS	2444.2	300		(2744.2) 2744.2		150.2		
	ENC	1424							
	PROC. REF: EMM 79-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790091 ^S	NO. 1 ENGINE - INSPECT FUEL AND OIL LINES FOR LEAKS							Service	ATA:79
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
	PROC. REF: GENERIC NO REF							PKG:0	
790093 ^S	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service	ATA:79
	MOS	26-Jun-23							
	HRS	2444.2	300 (+10%/-10%)						
	ENC	1424							
	PROC. REF: GENERIC NO REF							PKG:0	
792030	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:9752115214	MOS/MSC	28-Jun-14	O/C	TSN 0					
SN:6688-6-200	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1497 RegNo: N497NG HRS: 2594 AFL: 1512 As Of: 24-Jan-2024

29-Apr-2024 03:42 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 91 - UNKNOWN									
910015	KBT 300 TTP BUS RES, A-157 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:KBT300-3128	HRS	0			TSN 0				
WC#: 90.015	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910020	KBT 300 TTP BUS RES, A-175 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:KBT300-3118	HRS	0			TSN 0				
WC#: 90.025	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910025	KBT 300 TTP BUS RES, A-174 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:KBT300-3123	HRS	0			TSN 0				
WC#: 90.020	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910030	PILOT LEFT HD POWER, FE1549L JUNCTION BOX							Component	ATA:91
PN:9740338144	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:773	HRS	0			TSN 0				
WC#: 90.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910035	CO-PILOT RIGHT HD POWER,FE1549R JUNCTION BOX							Component	ATA:91
PN:9740338145	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:650	HRS	0			TSN 0				
WC#: 90.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910040	KBT 300 TTP BUS RES, A-156 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	22-Sep-14	O/C		TSN 0				
SN:KBT300-3142	HRS	0			TSN 0				
WC#: 90.010	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task