



Status Report

PC-12/47E

S/N 1116 N47NX

OWNER: SEA-NOTE AVIATION LLC
ADDRESS: 1627 N FEDERAL HIGHWAY
DELRAY BEACH FL 33483
OFFICE:
FAX:

OPERATOR: SEA-NOTE AVIATION LLC
ADDRESS: 1627 N FEDERAL HIGHWAY
DELRAY BEACH FL 33483
OFFICE:
FAX:

ANALYST: JOSE BRITO
EMAIL: JBRITO@CAMPSYSTEMS.COM

1-631-619-4578 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (FAX)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 1116/N47NX	MODEL: PC-12/47E	MANUFACTURER: PILATUS AIRCRAFT LTD
	CERTIFICATION DATE: 28-FEB-2009	LAST ACTUALS:	
		2223.5 A/C HRS	as of 20-FEB-2024
		1099 AFL	as of 20-FEB-2024
		552.8 ACH	as of 20-FEB-2024

ENGINE NO. 1	SERIAL/PART: PCE-RY0117/3072955-01	MODEL: PT6A-67P	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
	INSTALLED ON: 28-FEB-2009	LAST ACTUALS:	
	56 ENG. HRS 0 A/C HRS	2223.5 ENG. HRS	as of 20-FEB-2024
	0 ENC	1099 ENC	as of 20-FEB-2024

PROPELLER NO. 1	SERIAL/PART: 150403/MTV-27-1-N-C-F-R(P) /CFR260-65A	MODEL: MTV-27-1-N-C-F-R(P)/CFR260-65A	MANUFACTURER: MT-PROPELLER
	INSTALLED ON: 20-FEB-2024	LAST ACTUALS:	
	959.3 PROP HRS 2223.5 A/C HRS	959.3 PROP HRS	as of 20-FEB-2024
	0 PRC		



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
00-00/121 ^S	AIRCRAFT - AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED							Service	ATA:00
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21	
00-00/122 ^S	AIRCRAFT - CHECK CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DMS REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH							Service	ATA:00
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21	
00-00/481 ^S	AIRCRAFT-CHECK AIRCRAFT FLIGHT MANUAL IS AT THE LATEST REVISION							Service	ATA:00
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21	
E072-160317	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 25							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
	PROC. REF: RCF E072								
E072-160919	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 26							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
	PROC. REF: RCF E072								
E072-170113	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 44.1							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
	PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-180821	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 47.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E072			
E072-230410	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 57.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E072			
P47E-160729	REVIEW PILATUS PC-12/47E REVISION AMM 15							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
P47E-161217	REVIEW PILATUS PC-12/47E REVISION AMM 16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-180213	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 18							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-180524	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 19							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P47E-181129	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-190503	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 21							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-191121	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 22							Service ATA:00
	MOS/MSC	28-Feb-09	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
					PROC. REF: RCF P47E			
P47E-200515	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 23							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-201125	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 24							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-210716	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 25							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P47E-220520	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 28							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-220829	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 29							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-230116	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 30							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P605-150629	NO. 1 PROPELLER - REVIEW MT-PROPELLER, OPERATION AND INSTALLATION MANUAL (E-1083) REVISION 23, DATED MAY 28, 2015-RCF							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-160208	NO. 1 PROPELLER - REVIEW MT PROPELLER, MTV-27-1-N-C-F-R /CFR260-65A (P/N E-1083), OPERATION AND INSTALLATION MANUAL, REVISION NO. 24, DATED FEBRUARY 08' 2016							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605-160208			
P605-160503	NO. 1 PROPELLER - REVIEW MT PROPELLER, MTV-27-1-N-C-F-R /CFR260-65A (P/N E-1083), OPERATION INSTALLATION MANUAL, REV24-RCF							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P605-160812	NO. 1 PROPELLER - REVIEW MT-PROPELLER MTV-27-1-N-C-F-R(P)/CFR260-65A OPERATION AND INSTALLATION MANUAL (E-1083) REVISION 25							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-160901	NO. 1 PROPELLER - REVIEW MT-PROPELLER MTV-27-1-N-C-F-R(P)/CFR260-65A OPERATION AND INSTALLATION MANUAL (E-1083) REVISION 26							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605-160901			
P605-161129	NO. 1 PROPELLER - REVIEW MTV-27-1-N-C-F-R(P)/CFR260-65A SB1 R1 SUPP2							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-161510	NO. 1 PROPELLER - REVIEW MT-PROPELLER, MTV-27-1NCFR(P)-CFR260-65A, SUP 1 TO SB 1R1							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-170119	NO. 1 PROPELLER - REVIEW MTV-27-1-N-C-F-R(P)/CFR260-65A REV 26							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-170317	NO. 1 PROPELLER - REVIEW MT PROPELLERS MTV-27-1-N-C-F-R(P)/CFR260-65A SB1 R2							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-170329	NO. 1 PROPELLER - REVIEW MTV-27-1-N-C-F-R(P)/CFR260-65A OMM REV 27							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605, RCF P605			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P605-180706	NO. 1 PROPELLER - REVIEW SERVICE BULLETIN NO. 1 R3							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605, RCF P605-180706			
P605-181113	NO. 1 PROPELLER - REVIEW MTV-27-1-N-C-F-R(P)/CFR260-65A OMM REV 28							Service ATA:00
	MOS/MSC	12-Dec-18	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-181203	NO. 1 PROPELLER - REVIEW SERVICE BULLETIN NO. 1 R3 SUPP 1							Service ATA:00
	MOS/MSC	08-Jan-19	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-190108	NO. 1 PROPELLER - REVIEW MTV-27-1-N-C-F-R(P)/CFR260-65A SB1 R4							Service ATA:00
	MOS/MSC	14-Feb-19	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-190226	NO. 1 PROPELLER - REVIEW MTV-27-1-N-C-F-R(P)/CFR260-65A OMM REV 29							Service ATA:00
	MOS/MSC	04-Apr-19	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-190411	NO. 1 PROPELLER - REVIEW MTV-27-1-N-C-F-R(P)/CFR260-65A OMM REV 30							Service ATA:00
	MOS/MSC	11-Oct-19	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-191018	NO. 1 PROPELLER - REVIEW MTV-27-1-N-C-F-R(P)/CFR260-65A OMM REV 31							Service ATA:00
	MOS/MSC	20-Nov-19	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P605-200309	NO. 1 PROPELLER - REVIEW MT PROPELLER SERVICE BULLETIN NO. 1 R5							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-200409	NO. 1 PROPELLER - REVIEW MTV-27-1-N-C-F-R(P)/CFR260-65A OMM REV 32							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-201130	NO. 1 PROPELLER - REVIEW MTV-27-1-N-C-F-R(P)/CFR260-65A OMM REV 33							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-210427	NO. 1 PROPELLER - REVIEW MT PROPELLER SERVICE BULLETIN NO. 1 R6							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-220329	NO. 1 PROPELLER - REVIEW MT-PROPELLER SB-1 REVISION 7							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-221005	NO. 1 PROPELLER - REVIEW MT-PROPELLER OPERATION & INSTALLATION MANUAL E-1083, REVISION 36							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF P605			
P605-230306	NO. 1 PROPELLER - MT-PROPELLER OPERATION AND INSTALLATION MANUAL (E-1083), REVISION 37, DATED 6 MAR 2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P605-230530	NO. 1 PROPELLER - REVIEW MT-PROPELLER SERVICE BULLETIN NO. 1, REVISION 8							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
					PROC. REF: RCF P605				
P605-231019	NO. 1 PROPELLER - REVIEW MT-PROPELLER OPERATOR AND INSTALLATION MANUAL (E-1083), REVISION 38							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
					PROC. REF: RCF P605				
ATA 04 - LIMITATIONS									
040001	AIRCRAFT LIMIT OF VALIDITY							Component	ATA:04
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	50000	TSN 0	50000		47776.5		
	AFL	0	60000	TSN 0	60000		58901		
					PROC. REF: GENERIC NO REF				
040005	AIRCRAFT LEFT WING STRUCTURE LIMIT OF VALIDITY							Component	ATA:04
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	35000	TSN 0	35000		32776.5		
	AFL	0	43000	TSN 0	43000		41901		
					PROC. REF: GENERIC NO REF				
040005	AIRCRAFT RIGHT WING STRUCTURE LIMIT OF VALIDITY							Component	ATA:04
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	35000	TSN 0	35000		32776.5		
	AFL	0	43000	TSN 0	43000		41901		
					PROC. REF: GENERIC NO REF				
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-01	UNSCHEDULED INSPECTION - CHECK AFTER A HARD LANDING							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 12-B-05-50-01-00A-282A-A, AMM 05-50-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-02	UNSCHEDULED INSPECTION - CHECK AFTER FLIGHT IN SEVERE TURBULENCE OR AFTER SEVERE MANEUVERS							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-02-00A-282A-A, AMM 05-50-02								
05-50-03	UNSCHEDULED INSPECTION - CHECK AFTER OVERSPEED WITH FLAPS DOWN							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-03-00A-282A-A, AMM 05-50-03								
05-50-04	UNSCHEDULED INSPECTION - CHECK AFTER PROPELLER SUDDEN STOPPAGE OR IMPACT							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-04-00A-282A-A, AMM 05-50-04								
05-50-05	UNSCHEDULED INSPECTION - CHECK AFTER A LIGHTNING STRIKE							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-05-00A-282A-A, AMM 05-50-05								
05-50-06	UNSCHEDULED INSPECTION - CHECK ALIGNMENT AND SYMMETRY							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-06-00A-282A-A, AMM 05-50-06								
05-50-07	GEOMETRY INSPECTION - CHECK FUSELAGE CARRY THRU FRAMES							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-07-00A-282A-A, AMM 05-50-07								
05-50-08	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM OPERATING SPEED (VMO/MMO) EXCEEDANCE							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-08-00A-282A-A, AMM 05-50-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-09	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR OPERATING SPEED (VLO) EXCEEDENCE							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-09-00A-282A-A, AMM 05-50-09								
05-50-10	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR EXTENDED SPEED (VLE) EXCEEDENCE							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-10-00A-282A-A, AMM 05-50-10								
05-50-11	UNSCHEDULED INSPECTION - TAIL DOWN DAMAGE							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-11-00A-282A-A, AMM 05-50-11								
05-50-12	UNSCHEDULED INSPECTION - NOSE LANDING GEAR OVERTURNING							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-12-00A-282A-A								
05-50-15	UNSCHEDULED INSPECTION - AFTER A FLIGHT THROUGH VOLCANIC ASH OR SMOKE							Service	ATA:05
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-B-05-50-15-00A-282A-A, AMM 05-50-15								
050001	SUPPLEMENTAL STRUCTURAL INSPECTION DOCUMENT (SSID)							Service	ATA:05
	MOS	28-Feb-09							
	HRS	0	25000		25000		22776.5		
	AFL	0	30000		30000		28901		
	PROC. REF: AMM 05-10-30								
050005	AIRCRAFT REGISTRATION - FAR 47.40							Service	ATA:05
	MOS		84		31-Mar-30 (M)		2169 d		
	HRS								
	AFL								
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
050010	SUPPLEMENTAL CORROSION PREVENTION AND CONTROL PROGRAM (CPCP) INSPECTION							Service	ATA:05
	MOS	28-Feb-09							
	HRS	0	25000		25000		22776.5		
	AFL	0	30000		30000		28901		
PROC. REF: GENERIC NO REF									
05200A	JOB SET UP / CLOSE UP PACKAGE							Package	ATA:05
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 12-B-05-20-00-00A-913A-A									
05401A	300 HOUR INSPECTION							Package	ATA:05
	MOS	24-Mar-23							
	HRS	2184.9	300 (+30/-30)		2484.9	2514.9	261.4 (+30)		
	AFL	1079							
PROC. REF: AMM 12-B-05-40-01-01A-000B-A									
05402A	300 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	12-Feb-24	12		12-Feb-25		296 d		
	HRS	2222.6	300 (+30/-30)		2522.6	2552.6	299.1 (+30)		
	AFL	1099							
PROC. REF: AMM 12-B-05-40-01-02A-000B-A									
05403A	600 HOUR INSPECTION							Package	ATA:05
	MOS	24-Mar-23							
	HRS	2184.9	600 (+60/-60)		2784.9	2844.9	561.4 (+60)		
	AFL	1079							
PROC. REF: AMM 12-B-05-40-01-03A-000B-A									
05404A	600 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	12-Feb-24	12		12-Feb-25		296 d		
	HRS	2222.6	600 (+60/-60)		2822.6	2882.6	599.1 (+60)		
	AFL	1099							
PROC. REF: AMM 12-B-05-40-01-04A-000B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05405A	1200 HOUR OR 12 MONTH INSPECTION							Package	ATA:05
	MOS	12-Feb-24	12		12-Feb-25		296 d		
	HRS	2222.6	1200 (+120/-120)		3422.6	3542.6	1199.1 (+120)		
	AFL	1099							
PROC. REF: AMM 12-B-05-40-01-05A-000B-A								PKG:20	
05406A	2400 HOUR OR 24 MONTHS INSPECTION							Package	ATA:05
	MOS	12-Feb-24	24 (+1m/-1m)		12-Feb-26	12-Mar-26	661 d (+28)		
	HRS	2222.6	2400 (+60/-60)		4622.6	4682.6	2399.1 (+60)		
	AFL	1099							
PROC. REF: AMM 12-B-05-40-01-06A-000B-A								PKG:21	
057010	NO. 1 ENGINE - MINOR INSPECTION							Package	ATA:05
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)		(2522.6) 2522.6	2552.6	299.1 (+30)		
	ENC	1099							
PROC. REF: EMM 72-00-00, EMM 72-00-00									
ATA 06 - DIMENSIONS AND AREAS									
06-00/578 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 06-20-00								PKG:20	
06-00/579 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - INSTALL							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 06-20-00								PKG:20	
06-00/582 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 06-20-00								PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/583 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - INSTALL							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:19	
06-00/590 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)						
	AFL	1079							
				PROC. REF: AMM 06-20-00				PKG:16	
06-00/591 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - INSTALL							Service	ATA:06
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)						
	AFL	1079							
				PROC. REF: AMM 06-20-00				PKG:16	
06-00/592 ^S	ACCESS PANEL, ENGINE: 42AT - REMOVE AND EXAMINE							Service	ATA:06
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)						
	AFL	1079							
				PROC. REF: AMM 06-20-00				PKG:16	
06-00/593 ^S	ACCESS PANEL, ENGINE: 42AT - INSTALL							Service	ATA:06
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)						
	AFL	1079							
				PROC. REF: AMM 06-20-00				PKG:16	
06-00/594 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/595 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - INSTALL							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:17	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/596 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/597 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - CLOSE OR INSTALL							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/598 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/599 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/602 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	24-Mar-23							
	HRS	2184.9	600 (+10%/-10%)						
	AFL	1079							
				PROC. REF: AMM 06-20-00				PKG:18	
06-00/603 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	24-Mar-23							
	HRS	2184.9	600 (+10%/-10%)						
	AFL	1079							
				PROC. REF: AMM 06-20-00				PKG:18	
06-00/604 ^S	ACCESS PANEL, FUSELAGE: 11AL,12EL,21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/605 ^S	ACCESS PANEL, FUSELAGE: 11AL, 12EL, 21QZ - INSTALL							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
					PROC. REF: AMM 06-20-00			PKG:19	
06-00/606 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
					PROC. REF: AMM 06-20-00			PKG:19	
06-00/607 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - INSTALL							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
					PROC. REF: AMM 06-20-00			PKG:19	
06-00/608 ^S	ACCESS PANEL, FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB, 12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ, 12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21QZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	12-Feb-24	12 (+10m/-10%)						
	HRS	2222.6	1200 (+10/-10%)						
	AFL	1099							
					PROC. REF: AMM 06-20-00			PKG:20	
06-00/609 ^S	ACCESS PANEL, FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB, 12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ, 12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21QZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - CLOSE OR INSTALL							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
					PROC. REF: AMM 06-20-00			PKG:20	
06-00/610 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT, 32DL, 32DR, 32BT, 33DT, 33ET, 34DT - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
					PROC. REF: AMM 06-20-00			PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/611 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - CLOSE OR INSTALL							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:20	
06-00/612 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:20	
06-00/613 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:20	
06-00/614 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/615 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - CLOSE AND INSTALL							Service	ATA:06
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/616 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:21	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/617 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - INSTALL							Service	ATA:06
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/618 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/619 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/620 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/621 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - INSTALL							Service	ATA:06
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 06-20-00				PKG:21	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 07 - LIFTING AND SHORING								
07-10/160^S AIRCRAFT - LOWER TO THE GROUND, REMOVE JACKS AND DISCONNECT FROM GROUND								
	MOS/MSC	12-Feb-24	A/R					Service ATA:07
	HRS	2222.6						
	AFL	1099						
					PROC. REF: AMM 07-10-00			PKG:15 ,16,17,18,19,20,21
07-10/161^S AIRCRAFT - LIFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND								
	MOS/MSC	12-Feb-24	A/R					Service ATA:07
	HRS	2222.6						
	AFL	1099						
					PROC. REF: AMM 07-10-00			PKG:15 ,16,17,18,19,20,21
071005 LIFT MECHANISM ASSY								
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0			Component ATA:07
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
					PROC. REF: GENERIC NO REF			
071010 LIFT CONTROL BOX								
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0			Component ATA:07
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
					PROC. REF: GENERIC NO REF			
071015 LIFT PLATFORM ASSEMBLY								
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0			Component ATA:07
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
					PROC. REF: GENERIC NO REF			
ATA 08 - LEVELING AND WEIGHING								
080000 WEIGHT CHECK AIRCRAFT								
	MOS/MSC	28-Feb-09	A/R					Service ATA:08
	HRS	0						
WC#: 08.005	AFL	0						
					PROC. REF: GENERIC NO REF			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10/428 ^S	EXTERNAL PROTECTIVE COVERS - EXAMINE. REPLACE IF ANY PART OF THE COVER IS MISSING, DAMAGED, TORN OR DOES NOT INSTALL PROPERLY.								Service ATA:10
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:17	
ATA 11 - PLACARDS AND MARKINGS									
11-00/220 ^S	PLACARDS AND MARKINGS - EXAMINE AND ATTACH NEW PLACARDS IF NECESSARY								Service ATA:11
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 11-20-00, AMM 11-20-00, AMM 11-30-00, AMM 11-00-00, AMM 11-00-00								PKG:20	
ATA 12 - SERVICING									
12-20/124 ^S	AIRCRAFT - WASH THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS AS REQUIRED TO PERFORM THE INSPECTION								Service ATA:12
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 12-20-01								PKG:15 ,16,17,18,19,20,21	
12-20/125 ^S	WINDSHIELDS AND WINDOWS - CLEAN								Service ATA:12
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 12-20-02								PKG:15 ,16,17,18,19,20,21	
12-20/126 ^S	COCKPIT AND CABIN - CLEAN								Service ATA:12
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 12-20-03								PKG:15 ,16,17,18,19,20,21	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
00-00/45A	AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (INTERNAL)							Service	ATA:20
	MOS	12-Feb-24	12 (+1m/-1m)		12-Feb-25	12-Mar-25	296 d (+28)		
	HRS	2222.6							
WC#: 20.010	AFL	1099							
PROC. REF: AMM 20-40-00									
00-00/45B	AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (EXTERNAL)							Service	ATA:20
	MOS	12-Feb-24	12 (+1m/-1m)		12-Feb-25	12-Mar-25	296 d (+28)		
	HRS	2222.6							
WC#: 20.011	AFL	1099							
PROC. REF: AMM 20-40-00									
ATA 21 - AIR CONDITIONING									
21-20/221 ^S	ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT - EXAMINE							Service	ATA:21
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
21-20/317	ECS EMERGENCY SHUT-OFF SYSTEM - CHECK							Service	ATA:21
	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)	AIRWORTHINESS	
	HRS	2222.6	3000		5222.6		2999.1		
	AFL	1099							
PROC. REF: GENERIC NO REF									
21-30/314 ^S	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - CHECK FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT. IF CONTAMINATION IS FOUND REMOVE AND CLEAN							Service	ATA:21
PN:PN	MOS	12-Feb-24	24 (+10%/-10%)						
SN:UNKNOWN	HRS	2222.6	2400 (+10%/-10%)						
WC#: 21.030	AFL	1099							
PROC. REF: AMM 21-30-02									
21-30/318	PRESSURIZATION DUMP SWITCH MSN 1001-1719 - OPERATIONAL TEST							Service	ATA:21
	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)	AIRWORTHINESS	
	HRS	2222.6	3000		5222.6		2999.1		
WC#: 21.045	AFL	1099							
PROC. REF: AMM 21-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30/46 CABIN POSITIVE PRESSURE RELIEF 1001-1719 - FUNCTIONAL TEST Service ATA:21								
PN:PN	MOS	17-Feb-21	48 (+10%/-10%)		17-Feb-25	11-Jul-25	301 d (+144)	
SN:UNKNOWN	HRS	1929.2	4800 (+10%/-10%)		6729.2	7209.2	4505.7 (+480)	
WC#: 21.040	AFL	943						
PROC. REF: AMM 21-30-00								
21-40/128^S FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH - OPERATIONAL TEST Service ATA:21								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	1200 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 21-43-00								
21-40/330^S CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH - OPERATIONAL TEST Service ATA:21								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	1200 (+10%/-10%)					
WC#: 21.140	AFL	1099						
PROC. REF: AMM 21-40-01, AMM 21-40-01								
21-40/331^S UNDERFLOOR HEATER THERMAL PROTECTION SWITCH - FUNCTIONAL TEST Service ATA:21								
PN:9696781507	MOS	12-Feb-24	12 (+10%/-10%)					
SN:538814	HRS	2222.6	1200 (+10%/-10%)					
WC#: 21.150	AFL	1099						
PROC. REF: AMM 21-40-01, AMM 21-40-01								
21-40/50^S WATER SEPARATOR CONDENSER - CLEAN Service ATA:21								
PN:5214112047	MOS	12-Feb-24	12 (+10%/-10%)					
SN:2671	HRS	2222.6	1200 (+10%/-10%)					
WC#: 21.080	AFL	1099						
PROC. REF: AMM 21-40-03								
21-40/51 OVERTEMPERATURE SWITCH - FUNCTIONAL TEST Service ATA:21								
PN:9738132216	MOS	12-Feb-24	60 (+10%/-10%)		12-Feb-29	12-Aug-29	1757 d (+181)	
SN:121	HRS	2222.6	4800 (+10%/-10%)		7022.6	7502.6	4799.1 (+480)	
WC#: 21.130	AFL	1099						
PROC. REF: AMM 21-40-06								
21-40/52 DUCT OVERTEMPERATURE SWITCH - FUNCTIONAL TEST Service ATA:21								
PN:9738132214	MOS	12-Feb-24	60 (+10%/-10%)		12-Feb-29	12-Aug-29	1757 d (+181)	
SN:148	HRS	2222.6	4800 (+10%/-10%)		7022.6	7502.6	4799.1 (+480)	
WC#: 21.120	AFL	1099						
PROC. REF: AMM 21-60-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-40/55 ^S	COLD AIR UNIT - ADD OIL							Service	ATA:21
	MOS	24-Mar-23							
	HRS	2184.9	600 (+10%/-10%)						
WC#: 21.060	AFL	1079							
				PROC. REF: AMM 21-40-02				PKG:18	
21-40/56 ^S	HEAT EXCHANGER MATRIX - INSPECT/CHECK							Service	ATA:21
	MOS	24-Mar-23							
	HRS	2184.9	600 (+10%/-10%)						
WC#: 21.070	AFL	1079							
				PROC. REF: AMM 21-40-02				PKG:18	
21-41-00-00A-904A-A	ENGINE BAY DUCTS REPAIR							Service	ATA:21
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 21-41-00					
21-41-00-00A-920A-A	ENGINE BAY DUCTS REMOVAL INSTALLATION							Component	ATA:21
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 21-41-00					
21-50/223 ^S	VAPOR CYCLE COOLING SYSTEM (IF INSTALLED) - EXAMINE							Service	ATA:21
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
				PROC. REF: GENERIC NO REF				PKG:20	
21-50/433	VAPOR CYCLE COMPRESSOR/CONDENSER MODULE (INCLUDIG MOTOR) (IF INSTALLED) - CLEAN							Service	ATA:21
PN:9599022102	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)		
SN:995	HRS	2222.6	300 (+10%/-10%)		2522.6	2552.6	299.1 (+30)		
	AFL	1099							
21-50/461	VAPOR CYCLE COMPRESSOR MOTOR (CCM P/N 959.90.22.140) (IF INSTALLED) - INSPECT/CHECK							Service	ATA:21
	MOS/MSC		N/A						
	HRS								
	AFL								
	ACH								
				PROC. REF: AMM 21-50-03					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-50/462 VAPOR CYCLE COMPRESSOR MOTOR DRIVE BELT (CCM P/N 959.90.22.140) (IF INSTALLED) - CHECK FOR TENSION								
	MOS/MSC		N/A					Service ATA:21
	HRS							
	AFL							
	ACH							
PROC. REF: AMM 21-50-01								
21-50/58 VAPOOR CYCLE COMPRESSOR MOTOR (IF INSTALLED) - INSPECTION/CHECK								
PN:9599022102	MOS	09-Feb-18						Service ATA:21
SN:995	HRS	1469.9						
WC#: 21.110	AFL	675						
	ACH	336	500 (+10%/-10%)		836	886	283.2 (+50)	
PROC. REF: AMM 21-50-03								
21-50/59 VAPOR CYCLE COMPRESSOR MOTOR DRIVE BELT (IF INSTALLED) - CHECK FOR TENSION								
PN:9599022102	MOS	09-Feb-18						Service ATA:21
SN:995	HRS	1469.9						
WC#: 21.100	AFL	675						
	ACH	336	500 (+10%/-10%)		836	886	283.2 (+50)	
PROC. REF: AMM 21-50-01								
210005 OVERPRESSURE SWITCH								
PN:9738115105	MOS/MSC	28-Feb-09	O/C	TSN 0				Component ATA:21
SN:795	HRS	0		TSN 0				
WC#: 21.340	AFL	0		TSN 0				
PROC. REF: AMM 21-40-07								
210010 REFRIGERATION PACK								
PN:9599020111	MOS/MSC	28-Feb-09	O/C	TSN 0				Component ATA:21
SN:1558	HRS	0		TSN 0				
WC#: 21.255	AFL	0		TSN 0				
PROC. REF: AMM 21-40-02								
210015 WATER INJECTOR								
PN:9599020141	MOS/MSC	28-Feb-09	O/C	TSN 0				Component ATA:21
SN:1553	HRS	0		TSN 0				
WC#: 21.370	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210020		DUCT TEMP SENSOR					Component		ATA:21
PN:9599020121	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:2081	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04									
210025		PRIM SHUT OFF VALVE					Component		ATA:21
PN:9599020132	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1528	HRS	0		TSN 0					
WC#: 21.290	AFL	0		TSN 0					
PROC. REF: AMM 21-40-05									
210030		HP SHUT OFF VALVE					Component		ATA:21
PN:9599020131	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1547	HRS	0		TSN 0					
WC#: 21.280	AFL	0		TSN 0					
PROC. REF: AMM 21-40-04									
210035		WATER SEPARATOR ASSY					Component		ATA:21
PN:5214112047	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:2671	HRS	0		TSN 0					
WC#: 21.220	AFL	0		TSN 0					
PROC. REF: AMM 21-40-03									
210040		TEMP CONTROL VALVE					Component		ATA:21
PN:9599020136	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1536	HRS	0		TSN 0					
WC#: 21.310	AFL	0		TSN 0					
PROC. REF: AMM 21-60-02									
210045		AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE					Component		ATA:21
PN:9599022102	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:995	HRS	0		TSN 0					
WC#: 21.380	AFL	0		TSN 0					
PROC. REF: AMM 21-50-01									
210046		VAPOR CYCLE COMPRESSOR MOTOR					Component		ATA:21
PN:1134104-9	MOS/MSC	09-Feb-18	O/C						
SN:4322	HRS	1469.9							
	AFL	675							
PROC. REF: AMM 21-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210050	CENTER EVAPORATOR MODULE ASSY							Component	ATA:21
PN:9599022121	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:430	HRS	0			TSN 0				
WC#: 21.200	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210055	RIGHT SIDE EVAPORATOR MODULE							Component	ATA:21
PN:9599022119	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:445	HRS	0			TSN 0				
WC#: 21.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210060	CABIN PRESSURE OUTFLOW VALVE							Component	ATA:21
PN:9599091122	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:103898-00122	HRS	0			TSN 0				
WC#: 21.250	AFL	0			TSN 0				
PROC. REF: AMM 21-30-03									
210065	CABIN PRESSURE RELIEVE VALVE							Component	ATA:21
PN:9599091132	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:118-F0134	HRS	0			TSN 0				
WC#: 21.270	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210115	UNDERFLOOR (FRONT) ELECTRIC HEATER							Component	ATA:21
PN:9696781507	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:538814	HRS	0			TSN 0				
WC#: 21.240	AFL	0			TSN 0				
PROC. REF: AMM 21-40-01									
210135	LEFT SIDE EVAPORATOR MODULE ASSY							Component	ATA:21
PN:9599022118	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:436	HRS	0			TSN 0				
WC#: 21.200	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210145	CABIN (REAR) ELECTRIC HEATER							Component	ATA:21
PN:9696781507	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:538817	HRS	0			TSN 0				
WC#: 21.230	AFL	0			TSN 0				
PROC. REF: AMM 21-40-15									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210170		OVERPRESSURE SWITCH					Component ATA:21		
PN:9738115106	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:827	HRS	0		TSN 0					
WC#: 21.340	AFL	0		TSN 0					
PROC. REF: AMM 21-40-07									
210175		FLOW CONTROL VALVE ACTUATOR					Component ATA:21		
PN:9599020160	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:603	HRS	0		TSN 0					
WC#: 21.520	AFL	0		TSN 0					
PROC. REF: AMM 21-60-03									
210180		CABIN PRESSURE CONTROL UNIT					Component ATA:21		
PN:2119232-3	MOS/MSC	01-Jun-11	O/C						
SN:2119232-00133	HRS								
WC#: 21.530	AFL								
PROC. REF: AMM 21-30-01									
210185		INTEG. ECS CONTROL UNIT					Component ATA:21		
PN:959.90.20.129	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:0127	HRS	0		TSN 0					
WC#: 21.540	AFL	0		TSN 0					
PROC. REF: AMM 21-60-01									
210190		FLOOR DUCT TEMP SENSOR					Component ATA:21		
PN:9599020121	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:2101	HRS	0		TSN 0					
WC#: 21.550	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04									
210195		MIDDLE CONSOLE DUCT TEMP SENSOR					Component ATA:21		
PN:9599020121	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:2122	HRS	0		TSN 0					
WC#: 21.560	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210200		FIREWALL 1415-3 SHUT OFF VALVE					Component ATA:21		
PN:9633011005	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:181	HRS	0		TSN 0					
WC#: 21.570	AFL	0		TSN 0					
PROC. REF: AMM 21-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210205	OVERTEMP. BLEEDAIR 1173T083-01 SWITCH							Component	ATA:21
PN:9738132216	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:121	HRS	0			TSN 0				
WC#: 21.580	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210210	OVERTEMP. CONDAIR 1173T08 SWITCH							Component	ATA:21
PN:9738132214	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:148	HRS	0			TSN 0				
WC#: 21.590	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210215	DUAL FLAPPER 1.5 IN. CHECK VALVE							Component	ATA:21
PN:9633011105	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:0809B	HRS	0			TSN 0				
WC#: 21.490	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210220	LH DUAL FLAPPER 2.5 IN. CHECK VALVE							Component	ATA:21
PN:9633011106	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:0972B	HRS	0			TSN 0				
WC#: 21.500	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210225	RH DUAL FLAPPER 2.5 IN. CHECK VALVE							Component	ATA:21
PN:9633011106	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:0973B	HRS	0			TSN 0				
WC#: 21.500	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210230	DUAL FLAPPER 2.5 IN. SPANT 15 CHECK VALVE							Component	ATA:21
PN:9633011106	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:971B	HRS	0			TSN 0				
WC#: 21.510	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210235	HEAD LINER DUCT TEMP SENSOR							Component	ATA:21
PN:9599020121	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:2133	HRS	0			TSN 0				
WC#: 21.600	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210240	INSULATED, WATER SEPERATOR ASSY							Component	ATA:21
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-40-03									
21C002 ^U	ECS CONTROLLER,6130C000-002							Component	ATA:21
PN:9599020129	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:127	HRS	0		TSN 0					
	AFL	0		TSN 0					
ATA 22 - AUTO FLIGHT									
22-10/233 ^S	PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES - EXAMINE							Service	ATA:22
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:21									
22-10/60 ^S	SERVO MOUNT (PITCH) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	12-Feb-24	12 (+1m/-1m)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 22-10-00									
PKG:20									
22-10/60 ^S	SERVO MOUNT (ROLL) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	12-Feb-24	12 (+1m/-1m)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 22-10-00									
PKG:20									
22-10/60 ^S	SERVO MOUNT (YAW) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	12-Feb-24	12 (+1m/-1m)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 22-10-00									
PKG:20									
22-20/129 ^S	ANGLE OF ATTACK (AOA) TRANSMITTERS - EXAMINE							Service	ATA:22
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 22-20-02									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
22-20/130 ^S		STICK PUSHER SYSTEM - CHECK							Service ATA:22
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)						
	AFL	1079							
						PROC. REF: AMM 22-20-00		PKG:16	
22-20/226 ^S		STICK PUSHER SYSTEM - FUNCTIONAL TEST							Service ATA:22
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
						PROC. REF: AMM 22-20-00		PKG:20	
220045		STICK PUSHER SERVO							Component ATA:22
PN:9786111103	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:80401	HRS	0			TSN 0				
WC#: 22.220	AFL	0			TSN 0				
						PROC. REF: AMM 22-20-04			
220055		STICK PUSHER CAPSTAN							Component ATA:22
PN:9786111124	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:80394	HRS	0			TSN 0				
WC#: 22.140	AFL	0			TSN 0				
						PROC. REF: AMM 22-20-06			
220060		STICK SHAKER							Component ATA:22
PN:9786111143	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:918	HRS	0			TSN 0				
WC#: 22.230	AFL	0			TSN 0				
						PROC. REF: AMM 22-20-03			
220070		STICK PUSHER							Component ATA:22
PN:9754423104	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:124577	HRS	0			TSN 0				
WC#: 22.170	AFL	0			TSN 0				
						PROC. REF: AMM 22-20-04			
220075		KMC 9200 FLIGHT CONTROLLER							Component ATA:22
PN:071-01597-0401	MOS/MSC	19-Feb-10	O/C						
SN:KMC9200-1156	HRS	159							
WC#: 22.270	AFL	51							
						PROC. REF: GENERIC NO REF			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
220085	ELEVATOR KSM 375 A/P SERVO MOUNT							Component	ATA:22
PN:9859912133	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:KSM375-B1368	HRS	0			TSN 0				
WC#: 22.280	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
220090	RUDDER KSM 375 A/P SERVO MOUNT							Component	ATA:22
PN:9859912133	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:KSM375-B1399	HRS	0			TSN 0				
WC#: 22.280	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
220095	AILERON KSM 375 A/P SERVO MOUNT							Component	ATA:22
PN:9859912133	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:KSM375-B1381	HRS	0			TSN 0				
WC#: 22.280	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
220100	RUDDER KSA 2700 SERVO							Component	ATA:22
PN:065-00190-0101	MOS/MSC	24-Feb-22	O/C		TSR 3				
SN:KSA2700-2200	HRS	2143.1			TSR 0				
WC#: 22.260	AFL	1033			TSR 0				
PROC. REF: GENERIC NO REF									
220105	ELEVATOR KSA 2700 SERVO							Component	ATA:22
PN:9859912131	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:KSA2700-1442	HRS	0			TSN 0				
WC#: 22.250	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
220110	AILERON KSA 2700 SERVO							Component	ATA:22
PN:9859912131	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:KSA2700-1438	HRS	0			TSN 0				
WC#: 22.240	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
220115	KMC 9200 VNAV FLIGHT CONTROLLER							Component	ATA:22
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-10/322^S AUDIO CONTROL PANEL EMERGENCY SWITCH - OPERATIONAL TEST								
	MOS	12-Feb-24	24 (+10%/-10%)					Service ATA:23
	HRS	2222.6	2400 (+10%/-10%)					
	AFL	1099						
				PROC. REF: AMM 23-50-00				PKG:21
23-10/323^S EMERGENCY FREQUENCY COMM TUNING SWITCH - OPERATIONAL TEST								
	MOS	12-Feb-24	24 (+10%/-10%)					Service ATA:23
	HRS	2222.6	2400 (+10%/-10%)					
	AFL	1099						
				PROC. REF: AMM 23-12-00				PKG:21
230005 VHF/NAV SYSTEM I VHF COMM ANTENNA								
PN:S65-8280-10	MOS/MSC	24-Feb-22	O/C					Component ATA:23
SN:310-36724	HRS	2143.1						
WC#: 23.020	AFL	1033						
				PROC. REF: AMM 23-12-02				
230010 VHF/NAV SYSTEM II VHF COMM ANTENNA								
PN:9848110203	MOS/MSC	28-Feb-09	O/C	TSN 0				Component ATA:23
SN:310-18658	HRS	0		TSN 0				
WC#: 23.030	AFL	0		TSN 0				
				PROC. REF: AMM 23-12-03				
230040 IRIDIUM/GPS,S67-1575-109 ANTENNA								
PN:CI 490-490	MOS/MSC	24-Jan-24	O/C	TSN 0				Component ATA:23
SN:746396	HRS	2222.6		TSN 0				
WC#: 23.070	AFL	1099		TSN 0				
				PROC. REF: AMM 34-57-02				
230045 NO. 1 KTR 2280 MULTI-MODE DIGITAL RADIO								
PN:069-01037-00102	MOS/MSC	26-Aug-09	O/C					Component ATA:23
SN:1320	HRS	87.5						
WC#: 23.090	AFL							
				PROC. REF: AMM 23-12-01				
230050 NO. 2 KTR 2280 MULTI-MODE DIGITAL RADIO								
PN:069-01037-0102	MOS/MSC	07-Dec-09	O/C					Component ATA:23
SN:2862	HRS	130.5						
WC#: 23.080	AFL							
				PROC. REF: AMM 23-12-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
230055		PILOT KMA 29 AUDIO/MARKER PANEL						Component	ATA:23
PN:066-01181-0101	MOS/MSC	22-Feb-22	O/C	TSO 4					
SN:Q02370	HRS	2143.1		TSO 0					
WC#: 23.100	AFL	1033		TSO 0					
PROC. REF: AMM 23-50-01									
230060		CO-PILOT KMA 29 AUDIO/MARKER PANEL						Component	ATA:23
PN:9859912108	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:E0378-G	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: AMM 23-50-01									
230061		HF ANTENNA ,KAC1052 COUPLER						Component	ATA:23
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-03									
230063		HF POWER ,KPA1052 AMPLIFIER						Component	ATA:23
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-06									
230065		HF RECEIVER/,KRX1053 EXCITER						Component	ATA:23
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-02									
230075		ATG 5000 UNIT						Component	ATA:23
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
230080		AIRCELL CONIF MODULE						Component	ATA:23
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
230085	NO. 1 COMANT CI-5500 COMDAT ANTENNA							Component	ATA:23
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
230090	NO. 2 COMANT CI-5500 COMDAT ANTENNA							Component	ATA:23
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 24 - ELECTRICAL POWER									
24-30/309 ^S	GENERATOR 1 (P/N 978.91.23.437) - BRUSH CHECK							Service	ATA:24
PN:23085-031	MOS	12-Feb-24							
SN:P1527	HRS	2222.6	300 (+10%/-10%)						
WC#: 24.210	AFL	1099							
PROC. REF: AMM 24-30-01									
24-30/310 ^S	STARTER/GENERATOR 2 (P/N 978.91.23.437) - BRUSH CHECK							Service	ATA:24
PN:23085-031	MOS	24-Mar-23							
SN:P1392	HRS	2184.9	300 (+10%/-10%)						
WC#: 24.026	AFL	1079							
PROC. REF: AMM 24-30-01									
24-30/311	GENERATOR CONTROL UNIT, GCU 1- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION							Service	ATA:24
PN:PN	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)	AIRWORTHINESS	
SN:UNKNOWN	HRS	2222.6	3000		5222.6		2999.1		
WC#: 24.015	AFL	1099							
PROC. REF: AMM 71-00-00									
24-30/311	GENERATOR CONTROL UNIT, GCU 2- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION							Service	ATA:24
PN:PN	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)	AIRWORTHINESS	
SN:UNKNOWN	HRS	2222.6	3000		5222.6		2999.1		
WC#: 24.025	AFL	1099							
PROC. REF: AMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/312^S EMERGENCY POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST								
	MOS	12-Feb-24	24 (+10%/-10%)					Service ATA:24
	HRS	2222.6	2400 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 24-40-00								PKG:21
24-30/313^S DC ELECTRICAL SYSTEM - FUNCTIONAL TEST								
	MOS	12-Feb-24	12 (+10%/-10%)					Service ATA:24
	HRS	2222.6	1200 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 71-00-00								PKG:20
24-30/339 NO.1 NICAD BATTERY - REMOVE AND SERVICE								
PN:PN	MOS/MSC	21-Feb-17	N/A					Service ATA:24
SN:UNKNOWN	HRS	1313.6						
WC#: 24.060	AFL	604						
PROC. REF: AMM 24-30-07, AMM 24-30-07								
24-30/339 NO.2 NICAD BATTERY - REMOVE AND SERVICE								
PN:PN	MOS/MSC	21-Feb-17	N/A					Service ATA:24
SN:UNKNOWN	HRS	1313.6						
WC#: 24.061	AFL	604						
PROC. REF: AMM 24-30-07, AMM 24-30-07								
24-30/340 NO. 1 LEAD ACID BATTERY - REMOVE AND DO A CAPACITY TEST								
PN:RG-380E/44	MOS	12-Feb-24	6 (+10%/-10%)		12-Aug-24	30-Aug-24	112 d (+18)	Service ATA:24
SN:70019658	HRS	2222.6	600 (+10%/-10%)		2822.6	2882.6	599.1 (+60)	
WC#: 24.010	AFL	1099						
PROC. REF: AMM 24-30-07								
24-30/340 NO. 2 LEAD ACID BATTERY - REMOVE AND DO A CAPACITY TEST								
PN:RG-380E/44	MOS	12-Feb-24	3 (+10%/-10%)		01-May-24 (M)	19-May-24	9 d (+18)	Service ATA:24
SN:41238352	HRS	2222.6	300 (+10%/-10%)		2522.6 (M)	2582.6	299.1 (+60)	
WC#: 24.010	AFL	1099						
PROC. REF: AMM 24-30-07								
24-30/473^S GENERATOR 1 (P/N 978.91.23.407) - BRUSH CHECK								
PN:23085-031	MOS	12-Feb-24						Service ATA:24
SN:P1527	HRS	2223.1	600 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 24-30-01								PKG:18

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/474^S STARTER/GENERATOR 2 (P/N 978.91.23.407) - BRUSH CHECK Service ATA:24								
PN:23085-031	MOS/MSC		N/A					
SN:P1392	HRS							
	AFL							
PROC. REF: AMM 24-30-01						PKG:18		
24-30/496 GENERATOR 1 (P/N 978.91.23.437) - OVERHAUL Service ATA:24								
PN:23085-031	MOS	24-Mar-23						OVERHAUL
SN:P1527	HRS	2184.9	1000 (+10%/-10%)	TAC 407.1	2777.8	2877.8	554.3 (+100)	
	AFL	1079						
PROC. REF: AMM 05-10-10								
24-30/497 STARTER/GENERATOR 2 (P/N 978.91.23.437) - OVERHAUL Service ATA:24								
PN:23085-031	MOS	24-Mar-23						OVERHAUL
SN:P1392	HRS	2184.9	1000 (+10%/-10%)		3184.9	3284.9	961.4 (+100)	
	AFL	1079						
PROC. REF: AMM 24-30-01								
24-40/229^S EXTERNAL POWER UNIT (EPU) RECEPTACLE - EXAMINE Service ATA:24								
	MOS	12-Feb-24	24 (+10%/-10%)					
	HRS	2222.6	2400 (+10%/-10%)					
	AFL	1099						
PROC. REF: GENERIC NO REF						PKG:21		
24-50/70 EMERGENCY POWER SUPPLY - REMOVE AND CAP TEST Service ATA:24								
PN:501-1712-02	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)	
SN:81860	HRS	2222.6						
WC#: 24.050	AFL	1099						
PROC. REF: AMM 24-52-51								
24-60/133^S COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS - EXAMINE Service ATA:24								
	MOS	12-Feb-24	24 (+10%/-10%)					
	HRS	2222.6	2400 (+10%/-10%)					
	AFL	1099						
PROC. REF: GENERIC NO REF						PKG:21		
240005 VOLTAGE REGULATOR 1 Component ATA:24								
PN:9882114111	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:P1986	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 24-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
240005-1 ^U		REGULATOR,VOLTAGE,51538-002A					Component	ATA:24	
PN:9882114111	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:P1943	HRS	0		TSN 0					
	AFL	0		TSN 0					
240010		GENERATOR 1 300A CONTACTOR					Component	ATA:24	
PN:9740338113	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:P271	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
240015		GENERATOR 2 300A CONTACTOR					Component	ATA:24	
PN:9740338113	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:P207	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
240101		NO. 1 ROLLER SWITCH					Component	ATA:24	
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
240102		NO. 2 ROLLER SWITCH					Component	ATA:24	
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
240125		BATTERY/ EXIT POWER JUNCTION (BEPJB) BOX					Component	ATA:24	
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-40-01									
240135		NO. 1 LEAD ACID BATTERY					Component	ATA:24	
PN:RG-380E/44	MOS/MSC	12-Feb-24	O/C						
SN:70019658	HRS	2222.6							
WC#: 24.010	AFL	1099							
PROC. REF: AMM 24-30-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
240140	NO. 2 LEAD ACID BATTERY							Component	ATA:24
PN:RG-380E/44	MOS/MSC	12-Feb-24	O/C						
SN:41238352	HRS	2222.6							
WC#: 24.010	AFL	1099							
PROC. REF: AMM 24-30-07									
241005	SWITCH							Component	ATA:24
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
241020	SWITCH GUARD							Component	ATA:24
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243010	NO. 2 STARTER-GENERATOR							Component	ATA:24
PN:23085-031	MOS/MSC	24-Mar-23	O/C	TSO 0					
SN:P1392	HRS	2184.9		TSO 0					
WC#: 24.215	AFL	1079		TSO 0					
PROC. REF: AMM 24-30-01									
243020	NO. 1 (GCU 1) GENERATOR CONTROL UNIT							Component	ATA:24
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.015	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243030	NO. 2 (GCU 2) GENERATOR CONTROL UNIT							Component	ATA:24
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243080	EMERGENCY POWER SUPPLY							Component	ATA:24
PN:501-1712-02	MOS/MSC	06-Feb-19	O/C	TSN 84, TSR 24					
SN:81860	HRS	1609.6		TSN 1105.7, TSR 296					
WC#: 24.050	AFL	759		TSR 155					
PROC. REF: AMM 24-52-51									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243100	NO. 1 NICAD BATTERY							Component	ATA:24
PN:PN	MOS/MSC	21-Feb-17	O/C	TSN 0					
SN:UNKNOWN	HRS	1313.6		TSN 0					
WC#: 24.060	AFL	604		TSN 0					
PROC. REF: AMM 24-30-07, AMM 24-30-07									
243105	NO. 2 NICAD BATTERY							Component	ATA:24
PN:PN	MOS/MSC	21-Feb-17	O/C	TSN 0					
SN:UNKNOWN	HRS	1313.6		TSN 0					
WC#: 24.061	AFL	604		TSN 0					
PROC. REF: AMM 24-30-07, AMM 24-30-07									
243160	NO. 1 STARTER GENERATOR							Component	ATA:24
PN:23085-031	MOS/MSC	24-Mar-23	O/C	TSO 37					
SN:P1527	HRS	2184.9		TSO 407.1					
WC#: 24.205	AFL	1079		TSO 219					
PROC. REF: AMM 24-30-01									
243170	110 VOLT STATIC ,SS50 INVERTER							Component	ATA:24
PN:9750215107	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:4734	HRS	0		TSN 0					
WC#: 24.220	AFL	0		TSN 0					
PROC. REF: AMM 24-60-01									
243175	HALL EFFECT,FE1263 GEN 1 TRANSDUCER							Component	ATA:24
PN:9755085111	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:N0739	HRS	0		TSN 0					
WC#: 24.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243180	HALL EFFECT,FE1263 GEN 2 TRANSDUCER							Component	ATA:24
PN:9755085111	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:N0679	HRS	0		TSN 0					
WC#: 24.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243185	CC0079P-MMR71B RELAY							Component	ATA:24
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243190	VOLTAGE REGULATOR 2							Component	ATA:24
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-30-06									
245085	5 AMP IFE ROUTER CIRCUIT BREAKER							Component	ATA:24
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/134 ^S	EXAMINE CREW SEAT BELTS							Service	ATA:25
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
25-10/135 ^S	EXAMINE CREW SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED							Service	ATA:25
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)						
	AFL	1079							
PROC. REF: GENERIC NO REF									
25-10/294	CO-PILOT SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-10/294	CREW SEAT BELTS							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/294	PILOT SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
25-10/296 ^S	REMOVE CREW SEATS AS NECESSARY TO DO INSPECTION							Service	ATA:25
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 25-10-01									
PKG:15 ,16,17,18,19,20,21									
25-10/297 ^S	INSTALL CREW SEATS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:25
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 25-10-01									
PKG:15 ,16,17,18,19,20,21									
25-10/300 ^S	CREW SEATS - REMOVE CUSHIONS, COVERS AND SHELLS (REF. CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS.							Service	ATA:25
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 25-10-01									
PKG:20									
25-20/136 ^S	EXAMINE PASSENGER SEAT BELTS AND EXTENSIONS							Service	ATA:25
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:17									
25-20/137 ^S	EXAMINE PASSENGER SEATS - FOR EXECUTIVE SEATS ONLY, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service	ATA:25
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:20									
25-20/295	NO. 1 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20/295	NO. 2 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/295	NO. 3 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/295	NO. 4 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/295	NO. 5 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/295	NO. 6 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/295	NO. 7 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/295	NO. 8 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20/295		PASSENGER SEAT BELTS						Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/298 ^S		REMOVE PASSENGER SEATS AS NECESSARY TO DO THE INSPECTION						Service	ATA:25
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 25-21-01, AMM 25-22-01									
25-20/299 ^S		INSTALL PASSENGER SEATS AS NECESSARY TO CLOSE UP INSPECTION						Service	ATA:25
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 25-21-01, AMM 25-22-01									
25-20/302 ^S		EXAMINE PASSENGER SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.						Service	ATA:25
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)						
	AFL	1079							
PROC. REF: GENERIC NO REF									
25-60/231 ^S		OPERATIONAL TEST ELT						Service	ATA:25
PN:S1821502-02	MOS	12-Feb-24	12 (+10%/-10%)						
SN:LX1100817864	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 25-63-00, AMM 25-63-00									
25-60/232 ^S		EXAMINE ELT INSTALLATION						Service	ATA:25
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
25-62/642		EXAMINE NO. 5 LIFE VEST						Service	ATA:25
PN:P01074-101	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)		
SN:23070161546	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 25-62-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62/642	EXAMINE NO. 6 LIFE VEST							Service	ATA:25
PN:P01074-101	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)		
SN:23070161324	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 25-62-00									
25-62/643	DISCARD NO. 5 LIFE VEST							Service	ATA:25
PN:P01074-101	MOS		120		13-Jul-28 (M)		1543 d	DISCARD	
SN:23070161546	HRS								
	AFL								
PROC. REF: AMM 25-62-00									
25-62/643	DISCARD NO. 6 LIFE VEST							Service	ATA:25
PN:P01074-101	MOS		120		31-Jul-28 (M)		1561 d	DISCARD	
SN:23070161324	HRS								
	AFL								
PROC. REF: AMM 25-62-00									
25-63/23	ELT BATTERY							Component	ATA:25
PN:PN	MOS/MSC	06-Feb-19	DUE		01-Apr-25 (M)		344 d	DISCARD	
SN:UNKNOWN	HRS	1609.6							
WC#: 25.020	AFL								
Expiry Date: : 01-Apr-25 PROC. REF: GENERIC NO REF									
25-63/434	DISCARD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD 406 AF NAV INTERFACE UNIT INSTALLED)							Service	ATA:25
	MOS/MSC	28-Feb-09	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
250001	AMSAFE EMA							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
250002	AMSAFE INFLATOR							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
250005	REMOTE CONTROL PANEL							Component	ATA:25
PN:9851380817	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:2620675-0032	HRS	0			TSN 0				
WC#: 25.070	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
250010	EMERGENCY LOCATOR TRANSMITTER							Component	ATA:25
PN:S1821502-02	MOS/MSC	06-Feb-19	O/C		TSN 0				
SN:LX1100817864	HRS	1609.6			TSN 0				
WC#: 25.050	AFL	759			TSN 0				
PROC. REF: AMM 25-63-00									
250021	L/H NO. 1 AFSS PASSENGER SEAT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 25.120	AFL	0			TSN 0				
PROC. REF: AMM 25-21-01									
250022	R/H NO. 2 AFSS PASSENGER SEAT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 25.125	AFL	0			TSN 0				
PROC. REF: AMM 25-21-01									
250023	L/H NO. 3 FFSS PASSENGER SEAT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 25.130	AFL	0			TSN 0				
PROC. REF: AMM 25-21-01									
250024	R/H NO. 4 FFSS PASSENGER SEAT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 25.135	AFL	0			TSN 0				
PROC. REF: AMM 25-21-01									
250025	L/H NO. 5 FFSS PASSENGER SEAT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 25.140	AFL	0			TSN 0				
PROC. REF: AMM 25-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
250026	R/H NO. 6 FFSS PASSENGER SEAT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 25.145	AFL	0			TSN 0				
PROC. REF: AMM 25-21-01									
250027	L/H NO. 7 STANDARD PASSENGER SEAT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 25.150	AFL	0			TSN 0				
PROC. REF: AMM 25-22-01									
250028	R/H NO. 8 STANDARD PASSENGER SEAT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 25.155	AFL	0			TSN 0				
PROC. REF: AMM 25-22-01									
250630	KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY (IF KANNAD ELT NAV INTERFACE IS INSTALLED) MODULE							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 25.060	AFL	0			TSN 0				
PROC. REF: AMM 25-63-03									
256020	LH BLACK PILOT SEAT							Component	ATA:25
PN:9593001145	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:52286	HRS	0			TSN 0				
WC#: 25.090	AFL	0			TSN 0				
PROC. REF: AMM 25-10-01									
256025	RH BLACK CO-PILOT SEAT							Component	ATA:25
PN:9593001146	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:53927	HRS	0			TSN 0				
WC#: 25.100	AFL	0			TSN 0				
PROC. REF: AMM 25-10-01									
256027	COPILOT SEAT BLACK SOFT CUSHION							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256030	PC12/47E ENTERTAINMENT SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
256035	SEAT FRAME,PASS,STD,RH,5PC22900-55 UNIT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
256040	SEAT FRAME,PASSENGER,STD,LH UNIT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
257095	FIRST AID KIT							Component	ATA:25
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
258010	PERFORM EMERGENCY LOCATOR TRANSMITTER (ELT) 12-MONTHS INSPECTION - FAR 91.207 (D)							Service	ATA:25
	MOS	12-Feb-24	12		12-Feb-25		296 d		
	HRS	2222.6							
WC#: 25.110	AFL	1099							
PROC. REF: AMM 25-63-00									
PC12A256CA250	NO. 5 VEST							Component	ATA:25
PN:P01074-101	MOS/MSC	12-Feb-24	H/T		TSN 0				
SN:23070161546	HRS	2222.6			TSN 0				
	AFL	1099			TSN 0				
PROC. REF: AMM 25-62-00									
PC12A256CA260	NO. 6 VEST							Component	ATA:25
PN:P01074-101	MOS/MSC	12-Feb-24	H/T		TSN 0				
SN:23070161324	HRS	2222.6			TSN 0				
	AFL	1099			TSN 0				
PROC. REF: AMM 25-62-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20/2	CABIN FIRE EXTINGUISHER 1.5 KG							Component	ATA:26
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
WC#: 26.030	AFL								
PROC. REF: AMM 26-20-02									
26-20/2	COCKPIT FIRE EXTINGUISHER							Component	ATA:26
PN:BA51015GR-3	MOS	09-Feb-18	120		01-Feb-27		1015 d	LIFE LIMIT	
SN:104215	HRS	1469.9							
WC#: 26.010	AFL	675							
Manufacture Date:: 01-Feb-17 PROC. REF: AMM 26-20-01									
26-20/24	COCKPIT FIRE EXTINGUISHER CONTENTS CHECK (EXCEPT MODEL P3APP003010D - P/N 959.08.06.224)							Service	ATA:26
PN:BA51015GR-3	MOS	12-Feb-24	12 (+1m/-1m)		12-Feb-25	12-Mar-25	296 d (+28)		
SN:104215	HRS	2222.6							
WC#: 26.010	AFL	1099							
PROC. REF: AMM 26-20-00									
260005	FIRE/OVERHEAT DETECTOR							Component	ATA:26
PN:975.12.10.012	MOS/MSC	06-Feb-19	O/C	TSN 0					
SN:216170	HRS	1609.6		TSN 0					
WC#: 26.020	AFL	759		TSN 0					
PROC. REF: AMM 26-10-01									
ATA 27 - FLIGHT CONTROLS									
27-00/138 ^S	AILERON, ELEVATOR AND RUDDER CONTROLS - OPERATE, MAKE SURE FULL AND FREE TRAVEL							Service	ATA:27
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)						
	AFL	1079							
PROC. REF: GENERIC NO REF									
27-00/402	EXAMINE - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES							Service	ATA:27
	MOS	28-Feb-09							
	HRS	0	T:32500 (+500/-500)		32500		30276.5		
WC#: 27.255	AFL	0	T:42000 (+500/-500)		42000		40901		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK							Service	ATA:27
	MOS	12-Feb-24	60 (+10%/-10%)		12-Feb-29	12-Aug-29	1757 d (+181)		
	HRS	2222.6	4800 (+10%/-10%)		7022.6	7502.6	4799.1 (+480)		
WC#: 27.010	AFL	1099							
PROC. REF: AMM 27-00-00									
27-10/139 ^S	AILERON LH AND RH - EXAMINE AND LUBRICATE THE TRIMHINGES WITH MINIMUM QUANTITY OFCPC (MAT. NO. P10-001)							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:17									
27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:20									
27-10/235 ^S	EXAMINE AILERON ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:20									
27-10/236 ^S	AILERON CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 27-10-00									
PKG:20									
27-10/237 ^S	CHECK AILERON CABLE TENSION							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 27-10-00									
PKG:20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/238 ^S	FUNCTIONAL TEST AILERONS							Service	ATA:27
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
					PROC. REF: AMM 27-10-00				
27-10/394	AILERON CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
					PROC. REF: AMM 27-10-00				
27-10/395	EDDY CURRENT INSPECTION AILERON CABLE SEGMENT							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
					PROC. REF: AMM 27-10-09				
27-10/396	EDDY CURRENT INSPECTION - AILERON CONTROL RODS							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
					PROC. REF: AMM 27-00-01				
27-10/397	MAGNETIC PARTICLE INSPECT - AILERON CONTROL RODS							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
					PROC. REF: AMM 27-00-01				
27-10/398	AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
					PROC. REF: AMM 27-10-08, AMM 27-10-08, AMM 27-10-08				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/400	EDDY CURRENT INSPECTION - LEFT WING AILERON HINGE POINTS							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 57-60-06									
27-10/400	EDDY CURRENT INSPECTION - RIGHT WING AILERON HINGE POINTS							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 57-60-06									
27-10/444	FLIGHT CONTROL CABLES, AILERON							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: AMM 27-10-01									
27-10/445	AUTOPILOT CONTROL CABLE, AILERON							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: AMM 27-10-02									
27-10/470 ^S	LUBRICATE AILERON CONTROL SYSTEM BEARINGS							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 27-10-00									
27-15/239 ^S	FUNCTIONAL TEST AILERON TRIM							Service	ATA:27
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 27-15-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/140 ^S	INSPECTION/CHECK RUDDER							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 55-40-00				PKG:17	
27-20/240 ^S	EXAMINE RUDDER STATIC DISCHARGERS							Service	ATA:27
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
				PROC. REF: GENERIC NO REF				PKG:21	
27-20/241 ^S	RUDDER CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 27-20-00				PKG:20	
27-20/243 ^S	CHECK RUDDER CABLE TENSION							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 27-20-00				PKG:20	
27-20/244 ^S	FUNCTIONAL TEST RUDDER							Service	ATA:27
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 27-20-00				PKG:21	
27-20/245 ^S	FUNCTIONAL TEST RUDDER TRIM							Service	ATA:27
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 27-25-00				PKG:21	
27-20/246 ^S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
				PROC. REF: GENERIC NO REF				PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/374	RUDDER CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 27-20-00									
27-20/376	EXAMINE RUDDER CABLE QUADRANT SHEAR SPIGOT							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 27-20-05									
27-20/430	RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED							Service	ATA:27
	MOS/MSC	28-Feb-09	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 27-20-00									
27-20/431	RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER)							Service	ATA:27
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 27-20-00									
27-20/446	FLIGHT CONTROL CABLES, RUDDER							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: AMM 27-20-01									
27-20/447	AUTOPILOT CONTROL CABLES, RUDDER							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: AMM 27-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/575	REPLACE RUDDER BELLCRANK							Service	ATA:27
PN:PN	MOS	28-Feb-09						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		17776.5		
	AFL	0	27000		27000		25901		
PROC. REF: AMM 27-20-04									
27-30/141 ^S	EXAMINE ELEVATORS							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:17									
27-30/247 ^S	EXAMINE ELEVATOR ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:20									
27-30/248 ^S	EXAMINE ELEVATOR STATIC DISCHARGERS							Service	ATA:27
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:21									
27-30/249 ^S	ELEVATOR CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 27-30-00									
PKG:20									
27-30/250 ^S	CHECK ELEVATOR CABLE TENSION							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 27-30-00									
PKG:20									
27-30/251 ^S	FUNCTIONAL TEST ELEVATOR							Service	ATA:27
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 27-30-00									
PKG:21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/333	ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED							Service	ATA:27
	MOS/MSC	15-Feb-12	O/C						
	HRS	503.9							
WC#: 27.150	AFL	220							
PROC. REF: AMM 27-30-00									
27-30/334	CHECK FLIGHT CONTROL CABLES, ELEVATOR ELEVATOR CONTROL CABLES TENSION - AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)							Service	ATA:27
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 27-30-00									
27-30/363	ELEVATOR - CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 27-30-00									
27-30/364	EDDY CURRENT INSPECTION - ELEVATOR CONTROL RODS							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 27-00-01									
27-30/365	MAGNETIC PARTICLE INSPECT - ELEVATOR CONTROL RODS							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 27-00-01									
27-30/366	EDDY CURRENT INSPECTION - ELEVATOR CONTROL LEVER							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 27-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/448	FLIGHT CONTROL CABLES, ELEVATOR							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: AMM 27-30-01									
27-30/449	AUTOPILOT CONTROL CABLES, ELEVATOR							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: AMM 27-30-02									
27-30/450	STICK PUSHER CABLES							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: GENERIC NO REF									
27-30/514 ^S	EXAMINE - ELEVATOR STOPS							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 55-20-01									
27-40/1	HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR)							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)	AIRWORTHINESS	
	HRS	2222.6	3000		5222.6		2999.1		
WC#: 27.021	AFL	1099							
PROC. REF: AMM 27-40-00									
27-40/142 ^S	OPERATIONAL TEST HORIZONTAL STABILIZER TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES							Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 27-40-00									

PKG:20

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-40/252 ^S		INSPECTION / CHECK PITCH TRIM ACTUATOR AND ATTACHMENTS							Service ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 27-40-01								PKG:20	
27-40/26		OVERHAUL PITCH TRIM ACTUATOR							Service ATA:27
PN:978.73.14.203	MOS	09-Feb-18	84		09-Feb-25		293 d	OVERHAUL	
SN:352	HRS	1469.9	3400		4869.9		2646.4		
	AFL	675							
PROC. REF: GENERIC NO REF									
27-40/291 ^S		OPERATIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM							Service ATA:27
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)						
	AFL	1079							
PROC. REF: AMM 27-40-00								PKG:16	
27-40/292 ^S		FUNCTIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM							Service ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 27-40-00								PKG:20	
27-40/3		REPLACE PITCH TRIM ACTUATOR							Service ATA:27
PN:978.73.14.203	MOS	09-Feb-18						LIFE LIMIT	
SN:352	HRS	1469.9	20000		21469.9		19246.4		
	AFL	675	27000		27675		26576		
PROC. REF: GENERIC NO REF									
27-40/307		PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL SAFE PLATES AND THEIR ATTACHMENT PARTS (IPC 12-20-00-7)							Component ATA:27
PN:PN	MOS	28-Feb-09			TSN 0			LIFE LIMIT	
SN:UNKNOWN	HRS	0	10000		TSN 0	10000	7776.5		
WC#: 27.036	AFL	0			TSN 0				
PROC. REF: AMM 27-40-02									
27-40/574		DISCARD MANUAL PITCH TRIM RELAYS (P/N 974.20.01.221) K161D2 K161E2 ON LH RELAY PANEL A161							Service ATA:27
PN:974.20.01.503	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)	DISCARD	
SN:S23226237	HRS	2222.6	1200 (+10%/-10%)		3422.6	3542.6	1199.1 (+120)		
	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/143^S LOWER FLAPS TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION Service ATA:27								
	MOS/MSC	12-Feb-24	A/R					
	HRS	2222.6						
	AFL	1099						
				PROC. REF: GENERIC NO REF				PKG:15 ,16,17,18,19,20,21
27-50/144^S EXAMINE FLAPS AND FLAP SUPPORT MECHANISM Service ATA:27								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	300 (+10%/-10%)					
	AFL	1099						
				PROC. REF: GENERIC NO REF				PKG:17
27-50/253^S EXAMINE FLAPS ELECTRICAL BONDING STRAPS Service ATA:27								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	1200 (+10%/-10%)					
	AFL	1099						
				PROC. REF: GENERIC NO REF				PKG:20
27-50/254^S EXAMINE FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS Service ATA:27								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	1200 (+10%/-10%)					
	AFL	1099						
				PROC. REF: GENERIC NO REF				PKG:20
27-50/255^S FUNCTIONAL TEST FLAPS AND ASYMMETRY MONITOR TEST Service ATA:27								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	1200 (+10%/-10%)					
	AFL	1099						
				PROC. REF: AMM 27-50-00				PKG:20
27-50/28 FLAP POWER DRIVE UNIT Component ATA:27								
PN:978.73.20.003	MOS	09-Jan-19		TSR 0				OVERHAUL
SN:0780	HRS	1603.4	10000 (+500/-500)	TSN 0, TSR 0	11603.4	12103.4	9379.9 (+500)	
WC#: 27.030	AFL	783	13500 (+500/-500)	TSN 0, TSR 0	14283	14783	13184 (+500)	
				PROC. REF: AMM 27-50-01				
27-50/31 LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT Component ATA:27								
PN:9450202205	MOS	28-Feb-09		TSN 0				DISCARD
SN:S6378	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7776.5 (+500)	
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	12401 (+500)	
				PROC. REF: AMM 27-50-02				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/31	LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT							Component	ATA:27
PN:9450202206	MOS	28-Feb-09		TSN 0				DISCARD	
SN:S6393	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7776.5 (+500)		
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	12401 (+500)		
PROC. REF: AMM 27-50-02									
27-50/31	RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT							Component	ATA:27
PN:9450202205	MOS	28-Feb-09		TSN 0				DISCARD	
SN:S6384	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7776.5 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	12401 (+500)		
PROC. REF: AMM 27-50-02									
27-50/31	RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7776.5 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	12401 (+500)		
PROC. REF: AMM 27-50-02									
27-50/386	FLAP MECHANISM - EXAMINE							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
PROC. REF: AMM 27-51-00									
27-50/387	EDDY CURRENT INSPECTION - FLAP DRIVE ARM (NOT REMOVED)							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:25000		25000		22776.5		
	AFL	0	T:30000		30000		28901		
PROC. REF: AMM 27-51-00									
27-50/388	EDDY CURRENT INSPECTION FLAP DRIVE ARM (REMOVED)							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/389	EDDY CURRENT INSPECTION - LEFT WING FLAP SUPPORT ARM							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
	PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03								
27-50/389	EDDY CURRENT INSPECTION - RIGHT WING FLAP SUPPORT ARM							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
	PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03								
27-50/390	EDDY CURRENT INSPECTION - LEFT WING FLAP COVE RIB FITTINGS							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
	PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03								
27-50/390	EDDY CURRENT INSPECTION - RIGHT WING FLAP COVE RIB FITTINGS							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
	PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03								
27-50/391	EDDY CURRENT INSPECTION - FLAP AFT LINKS							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
	PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03								
27-50/392	EDDY CURRENT INSPECTION - FLAP BELLCRANKS							Service	ATA:27
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
	PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/414		LEFT HAND FLAP						Component	ATA:27
PN:5575012003	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:903P	HRS	0	25000	TSN 0	25000		22776.5		
WC#: 57.060	AFL	0	30000	TSN 0	30000		28901		
PROC. REF: GENERIC NO REF									
27-50/414		RIGHT HAND FLAP						Component	ATA:27
PN:5575012004	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:902P	HRS	0	25000	TSN 0	25000		22776.5		
WC#: 57.060	AFL	0	30000	TSN 0	30000		28901		
PROC. REF: GENERIC NO REF									
27-50/437		INBOARD FLAP DRIVE ARMS - IN-SITU INSPECTION/CHECK						Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)	AIRWORTHINESS	
	HRS	2222.6	600 (+10%/-10%)		2822.6	2882.6	599.1 (+60)		
	AFL	1099							
PROC. REF: AMM 27-51-00									
27-50/443 ^S		SERVICE FLAP UP AND DOWN LIMIT SWITCHES						Service	ATA:27
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 12-20-07									
PKG:17									
27-50/451		LEFT INBOARD FLAP TENSION RODS						Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: GENERIC NO REF									
27-50/451		LEFT MID FLAP TENSION ROD						Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/451	LEFT OUTBOARD FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: GENERIC NO REF									
27-50/451	RIGHT INBOARD FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: GENERIC NO REF									
27-50/451	RIGHT MID FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: GENERIC NO REF									
27-50/451	RIGHT OUTBOARD FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5		
	AFL	0	27000	TSN 0	27000		25901		
PROC. REF: GENERIC NO REF									
27-50/475 ^S	RETRACT FLAPS TO 0 DEGREES TO CLOSE THE INSPECTION							Service	ATA:27
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:15 ,16,17,18,19,20,21	
27-50/485	LEFT INBOARD FLAP ACTUATOR							Component	ATA:27
PN:978.73.20.309	MOS	05-Feb-16						DISCARD	
SN:2077	HRS	1119.2	20000	TSN 5965.3, TSO 0	15153.9		12930.4		
WC#: 27.040	AFL	520	27000	TSN 6002, TSO 0	21518		20419		
PROC. REF: AMM 27-50-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/485		LEFT OUTBOARD FLAP ACTUATOR						Component	ATA:27
PN:978.73.20.309	MOS	05-Feb-16						DISCARD	
SN:0662	HRS	1119.2	20000	TSN 10074.9, TSO 0	11044.3		8820.8		
WC#: 27.041	AFL	520	27000	TSN 17949, TSO 0	9571		8472		
PROC. REF: AMM 27-50-03									
27-50/485		RIGHT INBOARD FLAP ACTUATOR						Component	ATA:27
PN:978.73.20.309	MOS	05-Feb-16		TSO 3				DISCARD	
SN:0813	HRS	1119.2	20000	TSN 7133.9, TSO 0	13985.3		11761.8		
WC#: 27.050	AFL	520	27000	TSN 7887, TSO 0	19633		18534		
PROC. REF: AMM 27-50-03									
27-50/485		RIGHT OUTBOARD FLAP ACTUATOR						Component	ATA:27
PN:978.73.20.309	MOS	05-Feb-16		TSO 3				DISCARD	
SN:406	HRS	1119.2	20000	TSN 7156.08, TSO 0	13963.12		11739.6		
WC#: 27.051	AFL	520	27000	TSN 6005, TSO 0	21515		20416		
PROC. REF: AMM 27-50-03									
27-50/495		BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	12-Feb-24	24 (+10%/-10%)		12-Feb-26	24-Apr-26	661 d (+71)		
SN:2077	HRS	2222.6	2400 (+10%/-10%)		4622.6	4862.6	2399.1 (+240)		
WC#: 27.040	AFL	1099	3200 (+10%/-10%)		4299	4619	3200 (+320)		
PROC. REF: AMM 27-50-03									
27-50/495		BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	12-Feb-24	24 (+10%/-10%)		12-Feb-26	24-Apr-26	661 d (+71)		
SN:0662	HRS	2222.6	2400 (+10%/-10%)		4622.6	4862.6	2399.1 (+240)		
WC#: 27.041	AFL	1099	3200 (+10%/-10%)		4299	4619	3200 (+320)		
PROC. REF: AMM 27-50-03									
27-50/495		BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	12-Feb-24	24 (+10%/-10%)		12-Feb-26	24-Apr-26	661 d (+71)		
SN:0813	HRS	2222.6	2400 (+10%/-10%)		4622.6	4862.6	2399.1 (+240)		
WC#: 27.050	AFL	1099	3200 (+10%/-10%)		4299	4619	3200 (+320)		
PROC. REF: AMM 27-50-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/495		BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	12-Feb-24	24 (+10%/-10%)		12-Feb-26	24-Apr-26	661 d (+71)		
SN:406	HRS	2222.6	2400 (+10%/-10%)		4622.6	4862.6	2399.1 (+240)		
WC#: 27.051	AFL	1099	3200 (+10%/-10%)		4299	4619	3200 (+320)		
PROC. REF: AMM 27-50-03									
27-50/506		OVERHAUL LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	05-Feb-16					OVERHAUL		
SN:2077	HRS	1119.2	5000 (+10%/-10%)		6119.2	6619.2	3895.7 (+500)		
WC#: 27.040	AFL	520	7000 (+500/-500)		7520	8020	6421 (+500)		
PROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	05-Feb-16					OVERHAUL		
SN:0662	HRS	1119.2	5000 (+10%/-10%)		6119.2	6619.2	3895.7 (+500)		
WC#: 27.041	AFL	520	7000 (+500/-500)		7520	8020	6421 (+500)		
PROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL RIGHT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	05-Feb-16					OVERHAUL		
SN:0813	HRS	1119.2	5000 (+10%/-10%)		6119.2	6619.2	3895.7 (+500)		
WC#: 27.050	AFL	520	7000 (+500/-500)		7520	8020	6421 (+500)		
PROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	05-Feb-16					OVERHAUL		
SN:406	HRS	1119.2	5000 (+10%/-10%)		6119.2	6619.2	3895.7 (+500)		
WC#: 27.051	AFL	520	7000 (+500/-500)		7520	8020	6421 (+500)		
PROC. REF: GENERIC NO REF									
27-50/576 ^S		LUBRICATE LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	12-Feb-24	12 (+10%/-10%)						
SN:2077	HRS	2222.6	300 (+10%/-10%)						
WC#: 27.040	AFL	1099							
PROC. REF: AMM 27-50-00									

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/576 ^S		LUBRICATE LEFT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:978.73.20.309	MOS	12-Feb-24	12 (+10%/-10%)						
SN:0662	HRS	2222.6	300 (+10%/-10%)						
WC#: 27.041	AFL	1099							
PROC. REF: AMM 27-50-00								PKG:17	
27-50/576 ^S		LUBRICATE RIGHT INBOARD FLAP ACTUATOR							Service ATA:27
PN:978.73.20.309	MOS	12-Feb-24	12 (+1m/-1m)						
SN:0813	HRS	2222.6	300 (+10%/-10%)						
WC#: 27.050	AFL	1099							
PROC. REF: AMM 27-50-00								PKG:17	
27-50/576 ^S		LUBRICATE RIGHT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:978.73.20.309	MOS	12-Feb-24	12 (+1m/-1m)						
SN:406	HRS	2222.6	300 (+10%/-10%)						
WC#: 27.051	AFL	1099							
PROC. REF: AMM 27-50-00								PKG:17	
270003		HORIZONTAL TAIL ASSY							Component ATA:27
PN:5551012037	MOS/MSC	14-Oct-09	O/C	TSN 0					
SN:992	HRS	87.5		TSN 0					
	AFL	44		TSN 0					
PROC. REF: AMM 55-10-01									
270015		ELEVATOR LH ASSY							Component ATA:27
PN:5552012039	MOS/MSC	14-Oct-09	O/C	TSN 0					
SN:930	HRS	87.5		TSN 0					
WC#: 27.015	AFL	44		TSN 0					
PROC. REF: AMM 55-20-01									
270023		ELEVATOR RH ASSY							Component ATA:27
PN:5552012040	MOS/MSC	14-Oct-09	O/C	TSN 0					
SN:982	HRS	87.5		TSN 0					
WC#: 27.023	AFL	44		TSN 0					
PROC. REF: AMM 55-20-01									
270025		RUDDER TRIM LINEAR ACTUATOR							Component ATA:27
PN:9787318138	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:53	HRS	0		TSN 0					
WC#: 27.090	AFL	0		TSN 0					
PROC. REF: AMM 27-25-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270030	FIN ASSY							Component	ATA:27
PN:5553012039	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:903P	HRS	0			TSN 0				
WC#: 27.031	AFL	0			TSN 0				
PROC. REF: AMM 55-30-01									
270033	RUDDER ASSY							Component	ATA:27
PN:5554012039	MOS/MSC	14-Oct-09	O/C		TSN 0				
SN:717A	HRS	87.5			TSN 0				
WC#: 27.033	AFL	44			TSN 0				
PROC. REF: AMM 55-40-01									
270035	FLAP CONTROL AND WARNING UNIT							Component	ATA:27
PN:978.73.20.017	MOS/MSC	09-Jan-19	O/C						
SN:109682	HRS								
WC#: 27.130	AFL								
PROC. REF: AMM 27-50-05									
270040 ^U	FLEXSHAFT,FLAP,OUTB,B70016707.2A							Component	ATA:27
PN:9450202206	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:S6408	HRS	0			TSN 0				
	AFL	0			TSN 0				
270041	RUDDER BELLCRANK							Component	ATA:27
PN:PN	MOS/MSC	28-Feb-09	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 27-20-04									
270045	LH INBOARD TRANSMITTER							Component	ATA:27
PN:9787320021	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:08N047DZ	HRS	0			TSN 0				
WC#: 27.100	AFL	0			TSN 0				
PROC. REF: AMM 27-50-06									
270050	LH ROTATION TRANSMITTER							Component	ATA:27
PN:9787320602	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:1313	HRS	0			TSN 0				
WC#: 27.120	AFL	0			TSN 0				
PROC. REF: AMM 27-50-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270060		LH OUTBOARD TRANSMITTER						Component	ATA:27
PN:9787320021	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:08N060DY	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270070		RH INBOARD TRANSMITTER						Component	ATA:27
PN:9787320021	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:08N057DX	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270075		RH ROTATION,C70016705 TRANSMITTER						Component	ATA:27
PN:9787320602	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1320	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270080		KTA2810,TRIM ADAPTER						Component	ATA:27
PN:527.40.12.424	MOS/MSC	24-Feb-22	O/C						
SN:N/A	HRS	2143.1							
WC#: 22.135	AFL	1033							
PROC. REF: AMM 22-10-07, AMM 22-10-07									
270090		AILERON LINEAR ACTUATOR						Component	ATA:27
PN:9787318138	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:35	HRS	0		TSN 0					
WC#: 27.140	AFL	0		TSN 0					
PROC. REF: AMM 27-15-01									
270095		RH OUTBOARD TRANSMITTER						Component	ATA:27
PN:9787320021	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:08N043DY	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270096		NO. 1 LINEAR ACTUATOR						Component	ATA:27
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270097	NO. 2 LINEAR ACTUATOR							Component	ATA:27
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
274020	PITCH TRIM ACTUATOR							Component	ATA:27
PN:978.73.14.203	MOS/MSC	09-Feb-18	H/T	TSO 1					
SN:352	HRS	1469.9		TSN 6697.5, TSO 0					
	AFL	675		TSN 5459, TSO 0					
PROC. REF: AMM 27-40-01									
274030	MANUAL PITCH TRIM RELAYS							Component	ATA:27
PN:974.20.01.503	MOS/MSC	12-Feb-24	H/T						
SN:S23226237	HRS	2222.6							
	AFL	1099							
PROC. REF: GENERIC NO REF									
ATA 28 - FUEL									
28-10/145 ^S	EXAMINE FUEL TANK FILLER CAPS							Service	ATA:28
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
28-10/146 ^S	SAMPLE FUEL - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER							Service	ATA:28
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 28-10-02									
28-10/306	OPERATIONAL TEST FUEL CROSS VENT AND OUTWARD CHECK VALVE							Service	ATA:28
	MOS	18-Feb-14							
	HRS	848.8	2400 (+10%/-10%)		3248.8	3488.8	1025.3 (+240)		
WC#: 28.029	AFL	394							
PROC. REF: AMM 28-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-20/147^S OPERATIONAL TEST FUEL TANK VENT VALVE AND FLAME ARRESTOR Service ATA:28								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	300 (+10%/-10%)					
	AFL	1099						
				PROC. REF: AMM 28-20-07				PKG:17
28-20/148^S REMOVE/CLEAN FUEL FILTER ELEMENT Service ATA:28								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	300 (+10%/-10%)					
	AFL	1099						
				PROC. REF: AMM 28-20-01, AMM 28-20-01				PKG:17
28-20/149^S OPERATE FIREWALL SHUTOFF VALVE FUEL EMERG SHUTOFF LEVER AND MAKE SURE FIREWALL SHUTOFF VALVE OPENS AND CLOSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT LEVER OUTER END IS BELOW 10 LBF (4-4.5 N) Service ATA:28								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	600 (+10%/-10%)					
	AFL	1099						
				PROC. REF: GENERIC NO REF				PKG:19
28-20/150^S EXAMINE ENGINE DRIVEN PUMP Service ATA:28								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	300 (+10%/-10%)					
	AFL	1099						
				PROC. REF: GENERIC NO REF				PKG:17
28-20/256^S FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED / REMOVED IN THIS INSPECTION PACKAGE Service ATA:28								
	MOS	12-Feb-24	24 (+10%/-10%)					
	HRS	2222.6	2400 (+10%/-10%)					
	AFL	1099						
				PROC. REF: GENERIC NO REF				PKG:21
28-20/32 OVERHAUL ENGINE DRIVEN PUMP Service ATA:28								
PN:9688451108	MOS	28-Feb-09		TSN 0				OVERHAUL
SN:B5157	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1276.5 (+350)	
WC#: 28.010	AFL	0		TSN 0				
				PROC. REF: AMM 28-20-03				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280005	LOW PRESSURE FUEL PUMP							Component	ATA:28
PN:9688451108	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:B5157	HRS	0		TSN 0					
WC#: 28.120	AFL	0		TSN 0					
PROC. REF: AMM 28-20-03									
280010	FUEL FLOW TRANSMITTER							Component	ATA:28
PN:9753512106	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:0839-003	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: AMM 73-30-01									
280012	FUEL CONTROL MONITORING UNIT							Component	ATA:28
PN:975.37.31.336	MOS/MSC	01-Feb-13	O/C						
SN:429	HRS	673.2							
	AFL	312							
PROC. REF: AMM 28-40-04, AMM 73-20-01									
280015	FIREWALL FUEL,SHUT-OFF VALVE							Component	ATA:28
PN:9638722301	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:2347	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-20-08									
280020	MAINTENANCE FUEL SHUT-OFF VALVE							Component	ATA:28
PN:9638722301	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:2350	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-20-12									
280025	FUEL FILTER ASSY							Component	ATA:28
PN:9683521001	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:2008FFT2524	HRS	0		TSN 0					
WC#: 28.025	AFL	0		TSN 0					
PROC. REF: AMM 28-20-01									
280030	FUEL LOW PRESSURE SWITCH							Component	ATA:28
PN:9738114102	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1489	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280035	EJECTOR,TRANSFER LH PUMP							Component	ATA:28
PN:9688471104	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:B3966	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									
280040	EJECTOR,DELIVERY LH PUMP							Component	ATA:28
PN:9688471105	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:B4376	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06									
280045	FUEL QUANTITY OUTER LH SENSOR							Component	ATA:28
PN:9753731220	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:618	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280050	FUEL QUANTITY,CENTRAL LH SENSOR							Component	ATA:28
PN:9753731219	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:501	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280055	FUEL QUANTITY,INNER LH SENSOR							Component	ATA:28
PN:9753731218	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:608	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280060	FUEL QUANTITY,COLLECTOR LH SENSOR							Component	ATA:28
PN:9753731217	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:543	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280065	FUEL,BOOSTER LH PUMP							Component	ATA:28
PN:9688411405	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:B6989	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: AMM 28-20-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280070	EJECTOR,TRANSFER RH PUMP							Component	ATA:28
PN:9688471104	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:B3962	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									
280075	EJECTOR,DELIVERY RH PUMP							Component	ATA:28
PN:9688471105	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:B4370	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06									
280080	FUEL QUANTITY,COLLECTOR RH SENSOR							Component	ATA:28
PN:975.37.31.227	MOS/MSC	21-Feb-17	O/C	TSN 0					
SN:1535	HRS	1313.6		TSN 0					
WC#: 28.080	AFL	604		TSN 0					
PROC. REF: AMM 28-40-01									
280085	FUEL QUANTITY,INNER RH SENSOR							Component	ATA:28
PN:9753731218	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:546	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280090	FUEL QUANTITY,CENTRAL RH SENSOR							Component	ATA:28
PN:9753731219	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:503	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280095	FUEL QUANTITY,OUTER RH SENSOR							Component	ATA:28
PN:9753731220	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:609	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280100	FUEL,BOOSTER RH PUMP							Component	ATA:28
PN:9688411405	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:B6966	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: AMM 28-20-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280105	TOP CHECK VALVE							Component	ATA:28
PN:9630423105	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:2227	HRS	0	TSN 0						
WC#: 28.150	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
280110	BOTTOM CHECK VALVE							Component	ATA:28
PN:9630423105	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:2225	HRS	0	TSN 0						
WC#: 28.150	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
280115	LH FUEL QUANTITY, TANK HARNESS							Component	ATA:28
PN:9753731333	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:349	HRS	0	TSN 0						
WC#: 28.140	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
280120	RH FUEL QUANTITY, TANK HARNESS							Component	ATA:28
PN:9753731333	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:386	HRS	0	TSN 0						
WC#: 28.140	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
ATA 29 - HYDRAULIC POWER									
29-10/151 ^S	RETURN LINE FILTER DIFFERENTIAL PRESSURE INDICATOR (IF INSTALLED) - MAKE SURE THAT IT HAS NOT COME OUT. IF INDICATOR FOUND OUT, DO THE INSPECTION/CHECK PROCEDURE							Service	ATA:29
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 29-10-04									
29-10/153 ^S	RESERVOIR TANK (IF INSTALLED) - MAKE SURE NITROGEN PRESSURE IS CORRECT. PRESSURIZE AS NECESSARY							Service	ATA:29
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 29-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-10/257^S POWER PACK (IF INSTALLED) - EXAMINE SPECIALLY FOR LEAKS AND CRACKS ON THE END PLATES AND WHERE MOTOR IS ATTACHED								
	MOS	12-Feb-24	12 (+10%/-10%)					Service ATA:29
	HRS	2222.6	1200 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 29-00-00								PKG:20
29-10/258^S CHECK NITROGEN ACCUMULATOR PRESSURE AND FILL AS NECESSARY (P/N 960.30.01.291) (IF INSTALLED)								
PN:9603001291	MOS	12-Feb-24	12 (+10%/-10%)					Service ATA:29
SN:0964L	HRS	2222.6	1200 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 29-10-02								PKG:20
29-10/259^S POWER PACK ELECTRIC MOTOR SHAFT SEAL DRAIN FLUID COLLECTOR BOTTLE (IF INSTALLED) - REMOVE, CLEAN AND RE-INSTALL								
	MOS	12-Feb-24	12 (+10%/-10%)					Service ATA:29
	HRS	2222.6	1200 (+10%/-10%)					
	AFL	1099						
PROC. REF: GENERIC NO REF								PKG:20
29-10/316^S HYDRAULIC SYSTEM (IF INSTALLED) - MAKE SURE FLUID LEVEL INDICATOR ON THE RESERVOIR TANK SHOWS FULL. FILL AS NEEDED.								
	MOS	12-Feb-24	12 (+10%/-10%)					Service ATA:29
	HRS	2222.6	300 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 29-00-00								PKG:17
29-10/418 NITROGEN ACCUMULATOR (IF INSTALLED)								
PN:9603001291	MOS	28-Feb-09		TSN 0				Component ATA:29
SN:0964L	HRS	0	25000	TSN 0	25000		22776.5	LIFE LIMIT
WC#: 29.020	AFL	0	30000	TSN 0	30000		28901	
PROC. REF: AMM 29-10-02								
29-10/471^S CHECK NITROGEN ACCUMULATOR PRESSURE AND FILL AS NECESSARY (P/N 960.30.01.292)								
PN:9603001291	MOS	12-Feb-24	24 (+10%/-10%)					Service ATA:29
SN:0964L	HRS	2222.6	2400 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 29-10-02								PKG:21
290015 PRESSURE GAGE SWITCH								
PN:973.81.14.307	MOS/MSC	13-Feb-20	O/C	TSN 0				Component ATA:29
SN:1465	HRS	1777.8		TSN 0				
WC#: 29.050	AFL	860		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
290025	SERVICE SELECTOR VALVE							Component	ATA:29
PN:9603001261	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:G0820072A	HRS	0		TSN 0					
WC#: 29.070	AFL	0		TSN 0					
PROC. REF: AMM 32-30-03									
290030	PRESSURE GAUGE							Component	ATA:29
PN:9656188101	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:08-110596	HRS	0		TSN 0					
WC#: 29.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
290040	HAND PUMP							Component	ATA:29
PN:9688582111	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:936	HRS	0		TSN 0					
WC#: 29.030	AFL	0		TSN 0					
PROC. REF: AMM 29-20-01									
290050	PRESSURE NITROGEN SWITCH							Component	ATA:29
PN:9738114306	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1074	HRS	0		TSN 0					
WC#: 29.100	AFL	0		TSN 0					
PROC. REF: AMM 29-10-07									
291010	HYDRAULIC POWER PACK							Component	ATA:29
PN:9603001154	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:G0840800	HRS	0		TSN 0					
WC#: 29.010	AFL	0		TSN 0					
PROC. REF: AMM 29-10-01									
ATA 30 - ICE AND RAIN PROTECTION									
30-10/154 ^S	INSPECTION/CHECK WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS							Service	ATA:30
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 30-10-00									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-10/155 ^S	OPERATIONAL TEST INERTIAL SEPARATION SYSTEM							Service	ATA:30
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
	PROC. REF: AMM 30-20-00								PKG:19
30-10/260 ^S	FUNCTIONAL TEST AIRFOIL DE-ICE SYSTEM							Service	ATA:30
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
	PROC. REF: AMM 30-10-00, AMM 30-10-00								PKG:20
30-10/79	APPLY TO AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO.1							Service	ATA:30
	MOS	12-Feb-24	6 (+10%/-10%)		12-Aug-24	30-Aug-24	112 d (+18)		
	HRS	2222.6							
WC#: 30.010	AFL	1099							
	PROC. REF: GENERIC NO REF								
30-20/156 ^S	EXAMINE ENGINE AIR INTAKE DE-ICE LIP AND LOOK FOR SIGNS OF GAS LEAKS, NONE ARE PERMITTED							Service	ATA:30
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
	PROC. REF: GENERIC NO REF								PKG:17
30-20/261 ^S	EXAMINE AIR BY-PASS DOOR AND OPERATING MECHANISM AND LUBRICATE WITH MINIMUM QUANTITY OF P10-001							Service	ATA:30
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
	PROC. REF: GENERIC NO REF								PKG:20
30-30/329 ^S	FUNCTIONAL TEST PROBES DE-ICE SYSTEM							Service	ATA:30
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
	PROC. REF: AMM 30-30-20								PKG:19
30-40/262 ^S	OPERATIONAL TEST WINDSHIELD DE-ICE SYSTEM							Service	ATA:30
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
	PROC. REF: AMM 30-40-00								PKG:21

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-60/158^S INSPECTION/CHECK PROPELLER DE-ICE SYSTEM Service ATA:30								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	600 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 30-60-00, AMM 30-60-00								PKG:19
30-60/159^S OPERATIONAL TEST PROPELLER DE-ICE SYSTEM Service ATA:30								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	600 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 30-60-00, AMM 30-60-00, AMM 30-60-00, AMM 30-60-00								PKG:19
300005 PROP DE-ICE CONTROLLER Component ATA:30								
PN:9682913227	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:U0853	HRS	0		TSN 0				
WC#: 30.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
300010 LPMI LINEAR ACTUATOR Component ATA:30								
PN:978.73.15.302	MOS/MSC	24-Feb-22	O/C	TSN 0				
SN:F48744	HRS	2143.1		TSN 0				
WC#: 30.150	AFL	1033		TSN 0				
PROC. REF: GENERIC NO REF								
300015 REGULATOR-RELIEVER ASSY Component ATA:30								
PN:9598901012	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:N085654	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
300020 L606 LOWER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE Component ATA:30								
PN:9598901008	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:N084508	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02								
300025 L605 UPPER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE Component ATA:30								
PN:9598901008	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:N084417	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300035 L601 LOWER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE Component ATA:30								
PN:9598901008	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:N084416	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02								
300040 L600 UPPER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE Component ATA:30								
PN:9598901008	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:N083411	HRS	0		TSN 0				
WC#: 30.130	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02								
300045 EMPENAGE PRESSURE GAGE SWITCH Component ATA:30								
PN:9738114312	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:4879	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
300050 WATER SEPARATOR Component ATA:30								
PN:9598901010	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:N085047	HRS	0		TSN 0				
WC#: 30.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
300055 DE-ICING SYSTEM TIMER Component ATA:30								
PN:9598901014	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:U1625	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-60-01								
300060 LEFT WINDSHIELD DE ICE CONTROLLER Component ATA:30								
PN:9728132202	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:124201	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 30-40-01								
300065 RIGHT WINDSHIELD DE ICE CONTROLLER Component ATA:30								
PN:9728132202	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:124202	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 30-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300090	LH HORIZ STAB DE-ICER BOOT							Component	ATA:30
PN:9598901035	MOS/MSC	14-Oct-09	O/C	TSN 0					
SN:MLV230	HRS	87.5		TSN 0					
WC#: 30.030	AFL	44		TSN 0					
PROC. REF: AMM 30-16-01									
300095	RH HORIZ STAB DE-ICER BOOT							Component	ATA:30
PN:9598901036	MOS/MSC	14-Oct-09	O/C	TSN 0					
SN:MLV380	HRS	87.5		TSN 0					
WC#: 30.030	AFL	44		TSN 0					
PROC. REF: AMM 30-16-01									
300100	RH INBD-WING DE-ICER BOOT							Component	ATA:30
PN:9598901032	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:MAYQ740	HRS	0		TSN 0					
WC#: 30.040	AFL	0		TSN 0					
PROC. REF: AMM 30-14-01									
300105	RH OUTBD-WING DE-ICER BOOT							Component	ATA:30
PN:9598901034	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:MAWV660	HRS	0		TSN 0					
WC#: 30.050	AFL	0		TSN 0					
PROC. REF: AMM 30-14-01									
300110	LH AOA PLATE TEMP CONTROLLER							Component	ATA:30
PN:9754421417	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:U1987	HRS	0		TSN 0					
WC#: 30.170	AFL	0		TSN 0					
PROC. REF: AMM 30-30-21									
300115	LH INBD-WING DE-ICER BOOT							Component	ATA:30
PN:9598901031	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:MAWV360	HRS	0		TSN 0					
WC#: 30.040	AFL	0		TSN 0					
PROC. REF: AMM 30-14-01									
300120	LH OUTBD-WING DE-ICER BOOT							Component	ATA:30
PN:9598901033	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:MBAR270	HRS	0		TSN 0					
WC#: 30.050	AFL	0		TSN 0					
PROC. REF: AMM 30-14-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300125	RH AOA PLATE TEMP CONTROLLER							Component	ATA:30
PN:9754421417	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:U1967	HRS	0		TSN 0					
WC#: 30.170	AFL	0		TSN 0					
PROC. REF: AMM 30-30-21									
300130	S601 LOWER SURF.INBD.WING PRESSURE,GAGE SWITCH							Component	ATA:30
PN:9738114312	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:4823	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300135	S600 UPPER SURF.INBD.WING PRESSURE,GAGE SWITCH							Component	ATA:30
PN:9738114312	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:4831	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300140	S602 LOWER SURF.OUTBD.WING PRESSURE,GAGE SWITCH							Component	ATA:30
PN:9738114312	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:4868	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300145	S603 UPPER SURF.OUTBD.WING PRESSURE,GAGE SWITCH							Component	ATA:30
PN:9738114312	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:4866	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300150	L602 EMPENAGE EJECTOR FLOW CONTROL VALVE							Component	ATA:30
PN:9598901008	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:N083409	HRS	0		TSN 0					
WC#: 30.200	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
300155	R/H WING STALL STRIP							Component	ATA:30
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-00/CFR TEST/INSPECT COPILOT ALTIMETER (14 CFR 91.411) Service ATA:31								
	MOS	12-Feb-24	24		12-Feb-26		661 d	
	HRS	2222.6						
	AFL	1099						
PROC. REF: GENERIC NO REF, CFR CFR 91.411								
31-00/CFR TEST/INSPECT PILOT ALTIMETER (14 CFR 91.411) Service ATA:31								
	MOS	12-Feb-24	24		12-Feb-26		661 d	
	HRS	2222.6						
	AFL	1099						
PROC. REF: GENERIC NO REF, CFR CFR 91.411								
31-30/421^S OPERATIONAL TEST COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT LDR (IF INSTALLED) Service ATA:31								
PN:PN	MOS	12-Feb-24	12 (+10%/-10%)					
SN:UNKNOWN	HRS	2222.6	1200 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 31-30-01								
PKG:20								
310050 DIGITAL CLOCK Component ATA:31								
PN:DVR300I-XT	MOS/MSC	14-Feb-17	O/C					
SN:98076	HRS	1313.6						
WC#: 31.040	AFL	604						
PROC. REF: AMM 31-20-12								
310069 KMC 2210 DISPLAY CONTROLLER Component ATA:31								
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
310070 CO-PILOT KMC 2210 DISPLAY CONTROLLER Component ATA:31								
PN:9859912178	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:KMC2210-1303	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
310075 NO. 1 MAU ADVANCED GRAPHIC MODULE Component ATA:31								
PN:7036410-1902	MOS/MSC	01-Nov-22	O/C	TSR 0				
SN:08061149	HRS			TSR 0				
WC#: 31.240	AFL			TSR 0				
PROC. REF: AMM 31-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310077 NO. 2 MAU ADVANCED GRAPHIC MODULE Component ATA:31								
PN:7036410-1902	MOS/MSC	12-Feb-24	O/C	TSR 0				
SN:09052626	HRS	2222.6		TSR 0				
WC#: 31.270	AFL	1099		TSR 0				
PROC. REF: AMM 31-42-00								
310080 NO. 2 RH MAU SINGLE NETWORK I/F CARD Component ATA:31								
PN:7038231-1801	MOS/MSC	13-Feb-14	O/C	TSN 0				
SN:13116055	HRS	848.8		TSN 0				
WC#: 31.160	AFL	394		TSN 0				
PROC. REF: GENERIC NO REF								
310085 OVERHEAD CONTROL BASIC PANEL Component ATA:31								
PN:9728121153	MOS/MSC	18-Sep-09	O/C	TSO 0				
SN:0182	HRS	87.5		TSO 0				
WC#: 31.260	AFL			TSO 0				
PROC. REF: AMM 31-10-00								
310087 OVHD CTRL PNL PC-12E (R/L/P) UNIT Component ATA:31								
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-10-00								
310090 KMC2220 MF CONTOLLER Component ATA:31								
PN:071-01598-0501	MOS/MSC	30-Apr-09	O/C					
SN:KMC2220-1092	HRS	34.7						
WC#: 31.170	AFL							
PROC. REF: GENERIC NO REF								
310095 PILOT KMC 2210 DISPLAY CONTROLLER Component ATA:31								
PN:9859912178	MOS/MSC	28-Feb-09	O/C	TSN 0				
SN:KMC2210-1073	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
310100 NO. 1 MAU ACTUATOR I/O PROCESSOR MODULE Component ATA:31								
PN:7028432-1902	MOS/MSC	19-Feb-10	O/C	TSN 0				
SN:0912B290	HRS	159		TSN 0				
WC#: 31.230	AFL	51		TSN 0				
PROC. REF: AMM 31-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310102	NO. 2 MAU ACTUATOR I/O PROCESSOR MODULE							Component	ATA:31
PN:7028432-1902	MOS/MSC	19-Feb-10	O/C		TSN 0				
SN:0912B301	HRS	159			TSN 0				
WC#: 31.230	AFL	51			TSN 0				
PROC. REF: AMM 31-42-00									
310105	MODULAR AVIONICS ,12SLOT UNIT							Component	ATA:31
PN:9859912147	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:8122898	HRS	0			TSN 0				
WC#: 31.150	AFL	0			TSN 0				
PROC. REF: AMM 31-41-00									
310110	NO. 1 LH MAU SINGLE NETWORK I/F CARD							Component	ATA:31
PN:7038231-1801	MOS/MSC	13-Feb-14	O/C		TSN 0				
SN:13116049	HRS	848.8			TSN 0				
WC#: 31.160	AFL	394			TSN 0				
PROC. REF: GENERIC NO REF									
310115	NO. 1 LH MAU POWER SUPPLY MODULE							Component	ATA:31
PN:9859912143	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:0812C889	HRS	0			TSN 0				
WC#: 31.220	AFL	0			TSN 0				
PROC. REF: AMM 31-42-00									
310120	NO. 2 RH MAU POWER SUPPLY MODULE							Component	ATA:31
PN:9859912143	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:0812C896	HRS	0			TSN 0				
WC#: 31.220	AFL	0			TSN 0				
PROC. REF: AMM 31-42-00									
310125	MAU DUAL GENERIC I/O MODULE							Component	ATA:31
PN:7038622-1901	MOS/MSC	05-Feb-16	O/C		TSN 0				
SN:15021347	HRS	1119.2			TSN 0				
WC#: 31.250	AFL	520			TSN 0				
PROC. REF: AMM 31-42-00									
310130	MAU CUSTOM I/O MODULE DUAL CH UNIT							Component	ATA:31
PN:7036333-1906	MOS/MSC	05-Feb-16	O/C		TSN 0				
SN:14011251	HRS	1119.2			TSN 0				
WC#: 31.140	AFL	520			TSN 0				
PROC. REF: AMM 31-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310135	CO-PILOT PFD KDU 1080 FLAT PANEL DISPLAY							Component	ATA:31
PN:066-01202-0101	MOS/MSC	22-Apr-10	O/C		TSN 0				
SN:1890129864	HRS	206.9			TSN 0				
WC#: 31.120	AFL	97			TSN 0				
PROC. REF: GENERIC NO REF									
310140	UPPER MFD KDU 1080 FLAT PANEL DISPLAY							Component	ATA:31
PN:066-01202-0101	MOS/MSC	17-Jun-10	O/C						
SN:1890144385	HRS	248.8							
WC#: 31.200	AFL	117							
PROC. REF: GENERIC NO REF									
310145	PILOT PFD KDU 1080 FLAT PANEL DISPLAY							Component	ATA:31
PN:066-01202-0101	MOS/MSC	22-Jul-09	O/C						
SN:18901635351	HRS	64.3							
WC#: 31.190	AFL								
PROC. REF: GENERIC NO REF									
310150	LOWER MFD KDU 1080 FLAT PANEL DISPLAY							Component	ATA:31
PN:066-01202-0101	MOS/MSC	17-Jun-10	O/C						
SN:1890144384	HRS	248.8							
WC#: 31.190	AFL	117							
PROC. REF: GENERIC NO REF									
310155	REV CTL PNL,4-POT DISPLAY							Component	ATA:31
PN:9728121141	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:129	HRS	0			TSN 0				
WC#: 31.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310160	NO. 1 LH AIRCRAFT PERSONALITY MODULE							Component	ATA:31
PN:9858314204	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:8018471	HRS	0			TSN 0				
WC#: 31.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310165	NO. 2 RH AIRCRAFT PERSONALITY MODULE							Component	ATA:31
PN:9858314204	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:8079695	HRS	0			TSN 0				
WC#: 31.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310167	CC-500 CONTROL UNIT							Component	ATA:31
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 31.280	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310170	CCD INTERNAL ELECTRICAL ASSEMBLY							Component	ATA:31
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 31.290	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310175	REAR CENTRE CONS PNL PC-12 47/E							Component	ATA:31
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 31.300	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310177	MIDDLE CENTRE CONS PANEL							Component	ATA:31
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310180	COCKPIT AREA MICROPHONE							Component	ATA:31
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-30-02									
310185	COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT							Component	ATA:31
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-30-01									
310190	PC-12E APX100 APEX SYS SOFTWARE							Component	ATA:31
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310202	VIDEO INTERFACE MODULE							Component	ATA:31
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-60-10									
311210	ON-ONE-ON ROCKER SWITCH							Component	ATA:31
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 32 - LANDING GEAR									
32-10/162 ^S	LUBRICATE MAIN LANDING GEAR							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 12-20-04									
32-10/163 ^S	EXAMINE MAIN LANDING GEAR LEGS							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
32-10/164 ^S	EXAMINE MAIN LANDING GEAR COMPARTMENTS							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
32-10/165 ^S	CHECK MAIN LANDING GEAR SHOCK STRUTS NITROGEN PRESSURE							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/263 ^S	EXAMINE MAIN LANDING GEAR ELECTRICAL BONDING STRAPS							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:20	
32-10/315	MAIN LANDING GEAR HINGE PIN AND BUSHES INSPECTION/CHECK							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)		
	HRS	2222.6	2400 (+10%/-10%)		4622.6	4862.6	2399.1 (+240)		
WC#: 32.010	AFL	1099							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-10/345	LEFT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:5321012051	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:VLG394	HRS	0			TSN 0				
WC#: 32.070	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
32-10/345	RIGHT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:5321012052	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:VLG394	HRS	0			TSN 0				
WC#: 32.070	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
32-10/347	LEFT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:25000		25000		22776.5		
	AFL	0	T:30000		30000		28901		
PROC. REF: GENERIC NO REF									
32-10/347	RIGHT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:25000		25000		22776.5		
	AFL	0	T:30000		30000		28901		
PROC. REF: GENERIC NO REF									
32-10/436	EXAMINE MAIN LANDING GEAR SHOCK STRUTS TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)		
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 32-10-00, AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/438	EXAMINE LEFT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	24-Feb-22	72		24-Feb-28		1403 d		
	HRS	2143.1							
	AFL	1033							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-10/438	EXAMINE RIGHT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	24-Feb-22	72		24-Feb-28		1403 d		
	HRS	2143.1							
	AFL	1033							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-10/441	EXAMINE LEFT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS							Service	ATA:32
	MOS/MSC	28-Feb-09	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00									
32-10/441	EXAMINE RIGHT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS							Service	ATA:32
	MOS/MSC	28-Feb-09	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00									
32-10/644	LEFT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION (HYDRAULIC LANDING GEAR)							Service	ATA:32
	MOS	28-Feb-09					AIRWORTHINESS		
	HRS	0	T:20000		20000		17776.5		
	AFL	0	T:27000		27000		25901		
PROC. REF: AMM NO REF									
32-10/644	RIGHT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION (HYDRAULIC LANDING GEAR)							Service	ATA:32
	MOS	28-Feb-09					AIRWORTHINESS		
	HRS	0	T:20000		20000		17776.5		
	AFL	0	T:27000		27000		25901		
PROC. REF: AMM NO REF									
32-10/80	LUBRICATE LEFT MAIN LANDING GEAR WHEEL BEARINGS							Service	ATA:32
PN:40-424	MOS/MSC	12-Feb-24	12 (+1m/-1m) / T/C		12-Feb-25	12-Mar-25	296 d (+28)		
SN:4296/4313	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 12-20-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/80 LUBRICATE NOSE WHEEL BEARINGS Service ATA:32								
PN:3-1501	MOS/MSC	12-Feb-24	12 (+1m/-1m) / T/C		12-Feb-25	12-Mar-25	296 d (+28)	
SN:1069	HRS	2222.6						
	AFL	1099						
PROC. REF: AMM 12-20-06								
32-10/80 LUBRICATE RIGHT MAIN LANDING GEAR WHEEL BEARINGS Service ATA:32								
PN:40-424	MOS/MSC	12-Feb-24	12 (+1m/-1m) / T/C		12-Feb-25	12-Mar-25	296 d (+28)	
SN:4295/4312	HRS	2222.6						
	AFL	1099						
PROC. REF: AMM 12-20-06								
32-20/166^S CHECK NOSE LANDING GEAR LEG SHOCK STRUT NITROGEN PRESSURE Service ATA:32								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	600 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 32-20-00								
32-20/167^S LUBRICATE NOSE LANDING GEAR Service ATA:32								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	600 (+10%/-10%)					
	AFL	1099						
PROC. REF: AMM 12-20-04								
32-20/168^S EXAMINE NOSE LANDING GEAR LEG AND STEERING MECHANISM IN PARTICULAR THE STEERING ROD END (PART NO. 532.20.12.13-4) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING. Service ATA:32								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	600 (+10%/-10%)					
	AFL	1099						
PROC. REF: GENERIC NO REF								
32-20/169^S EXAMINE NOSE LANDING GEAR COMPARTMENT Service ATA:32								
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	600 (+10%/-10%)					
	AFL	1099						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-20/265 ^S		EXAMINE NOSE LANDING GEAR ELECTRICAL BONDING STRAPS						Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:20	
32-20/335		NOSE LANDING GEAR TORQUE TUBE						Component	ATA:32
PN:532.58.12.064	MOS	06-Feb-19	120	TSN 0	06-Feb-29		1751 d	LIFE LIMIT	
SN:UNKNOWN	HRS	1609.6	11000	TSN 0	12609.6		10386.1		
WC#: 32.190	AFL	759	15000	TSN 0	15759		14660		
PROC. REF: GENERIC NO REF									
32-20/338		INSPECTION/CHECK NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK						Service	ATA:32
PN:PN	MOS	24-Mar-23						AIRWORTHINESS	
SN:UNKNOWN	HRS	2184.9	300		2484.9		261.4		
WC#: 32.195	AFL	1079	400		1479		380		
PROC. REF: AMM 32-20-06									
32-20/403		NOSE LANDING GEAR - OVERHAUL						Component	ATA:32
PN:PN	MOS	28-Feb-09			TSN 0			OVERHAUL	
SN:UNKNOWN	HRS	0	T:25000 (+500/-500)	TSN 0	25000	25500	22776.5 (+500)		
WC#: 32.200	AFL	0	T:30000 (+500/-500)	TSN 0	30000	30500	28901 (+500)		
PROC. REF: GENERIC NO REF									
32-20/416		NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK						Component	ATA:32
PN:PN	MOS	28-Feb-09			TSN 0			LIFE LIMIT	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22776.5		
	AFL	0	30000	TSN 0	30000		28901		
PROC. REF: AMM 32-20-05									
32-30/170 ^S		FUNCTIONAL TEST EXTENSION AND RETRACTION SYSTEM AND EMERGENCY EXTENSION SYSTEM						Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 32-30-00								PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/417		LEFT HAND MAIN LANDING GEAR HYDRAULIC ACTUATOR						Component	ATA:32
PN:9603001105	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:1935H	HRS	0	25000	TSN 0	25000		22776.5		
WC#: 32.040	AFL	0	30000	TSN 0	30000		28901		
PROC. REF: AMM 32-30-01									
32-30/417		RIGHT HAND MAIN LANDING GEAR HYDRAULIC ACTUATOR						Component	ATA:32
PN:9603001105	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:1922H	HRS	0	25000	TSN 0	25000		22776.5		
WC#: 32.040	AFL	0	30000	TSN 0	30000		28901		
PROC. REF: AMM 32-30-01									
32-30/425^S		EXAMINE ELECTRO MECHANICAL LANDING GEAR EXTENSION AND RETRACTION MECHNAISM - EXAMINE ALL COMPONENTS AND THEIR ATTACHMENTS IN THE NOSE AND MAIN LANDING GEAR COMPARTMENTS						Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:19									
32-30/442		EXAMINE LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS						Service	ATA:32
	MOS	24-Feb-22	72		24-Feb-28		1403 d		
	HRS	2143.1							
	AFL	1033							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-30/442		EXAMINE RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS						Service	ATA:32
	MOS	24-Feb-22	72		24-Feb-28		1403 d		
	HRS	2143.1							
	AFL	1033							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-30/518		LEFT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE						Service	ATA:32
	MOS	24-Feb-22	60		24-Feb-27		1038 d	REPLACE	
	HRS	2143.1							
	AFL	1033							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/518	RIGHT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service	ATA:32
	MOS/MSC	24-Feb-22	N/A						
	HRS	2143.1							
	AFL	1033							
	PROC. REF: GENERIC NO REF								
32-40/171 ^S	EXAMINE MAINWHEELS. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
	PROC. REF: GENERIC NO REF								
	PKG:19								
32-40/172 ^S	EXAMINE MAINWHEEL TIRES AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
	PROC. REF: AMM 12-10-04								
	PKG:17								
32-40/173 ^S	EXAMINE NOSEWHEEL. ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
	PROC. REF: GENERIC NO REF								
	PKG:19								
32-40/174 ^S	EXAMINE NOSEWHEEL TIRE AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
	PROC. REF: AMM 12-10-04								
	PKG:17								
32-40/175 ^S	EXAMINE BRAKE SYSTEM - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING.							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
	PROC. REF: GENERIC NO REF								
	PKG:17								
32-40/176 ^S	CHECK FLUID RESERVOIR AND REPLENISH IF NECESSARY							Service	ATA:32
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
	PROC. REF: AMM 12-10-02								
	PKG:17								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-50/404	EXAMINE - NLG STEERING MECHANISM							Service	ATA:32
	MOS	28-Feb-09							
	HRS	0	T:32500 (+500/-500)		32500		30276.5		
WC#: 32.230	AFL	0	T:42000 (+500/-500)		42000		40901		
PROC. REF: AMM 32-50-00									
320005	PILOT LH BRAKE MASTER CYLINDER							Component	ATA:32
PN:9594751132	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:258	HRS	0		TSN 0					
WC#: 32.130	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
320006	STEREER SELECTOR, LANDING GEAR VALVE							Component	ATA:32
PN:9603001272	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:880	HRS	0		TSN 0					
WC#: 29.040	AFL	0		TSN 0					
PROC. REF: AMM 32-30-03									
320010	PILOT RH BRAKE MASTER CYLINDER							Component	ATA:32
PN:9594751132	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:260	HRS	0		TSN 0					
WC#: 32.130	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
320015	PARK BRAKE VALVE							Component	ATA:32
PN:9594751133	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:158	HRS	0		TSN 0					
WC#: 32.140	AFL	0		TSN 0					
PROC. REF: AMM 32-40-05									
320020	NOSE WHEEL							Component	ATA:32
PN:3-1501	MOS/MSC	05-Mar-15	O/C						
SN:1069	HRS	984.5							
WC#: 32.150	AFL	476							
PROC. REF: AMM 32-40-02									
320021	NOSE LANDING GEAR TIRE							Component	ATA:32
PN:021-327-0	MOS/MSC	13-Feb-20	O/C	TSN 0					
SN:8093S00111	HRS	1777.8		TSN 0					
WC#: 32.155	AFL	860		TSN 0					
PROC. REF: AMM 32-40-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320022		LEFT MAIN LANDING GEAR WHEEL						Component	ATA:32
PN:40-424	MOS/MSC	13-Feb-20	O/C						
SN:4296/4313	HRS	1777.8							
WC#: 32.160	AFL	860							
PROC. REF: AMM 32-40-01									
320023		LEFT MAIN LANDING GEAR TIRE						Component	ATA:32
PN:025-350-0	MOS/MSC	13-Feb-20	O/C						
SN:9130S00275	HRS	1777.8							
WC#: 32.160	AFL	860							
PROC. REF: AMM 32-40-01									
320024		RIGHT MAIN LANDING GEAR WHEEL						Component	ATA:32
PN:40-424	MOS/MSC	13-Feb-20	O/C						
SN:4295/4312	HRS	1777.8							
WC#: 32.165	AFL	860							
PROC. REF: AMM 32-40-01									
320025		SHIMMY DAMPER ASSY						Component	ATA:32
PN:5322012215	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:0100	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-50-01									
320026		RIGHT MAIN LANDING GEAR TIRE						Component	ATA:32
PN:025-350-0	MOS/MSC	13-Feb-20	O/C						
SN:S/N-UNKNOWN	HRS	1777.8							
WC#: 32.165	AFL	860							
PROC. REF: AMM 32-40-01									
320030		COPILOT LH BRAKE MASTER CYLINDER						Component	ATA:32
PN:9594751132	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:267	HRS	0		TSN 0					
WC#: 32.120	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
320035		COPILOT RH BRAKE MASTER CYLINDER						Component	ATA:32
PN:PN9594751132	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:278	HRS	0		TSN 0					
WC#: 32.120	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320040 NOSE FOLDING STRUT SPRING PACK ASSY								Component ATA:32
PN:5322012249	MOS/MSC	15-Feb-12	O/C		TSN 36			
SN:0099	HRS	503.9			TSN 503.9			
WC#: 32.080	AFL	220			TSN 220			
PROC. REF: AMM 32-50-02								
320045 NOSE LANDING GEAR STRUT ASSY								Component ATA:32
PN:5322012040	MOS/MSC	28-Feb-09	O/C		TSN 0			
SN:0099	HRS	0			TSN 0			
WC#: 32.090	AFL	0			TSN 0			
PROC. REF: AMM 32-50-02								
320055 RIGHT SHOCK ABSORBER ASSY								Component ATA:32
PN:532.10.12.230	MOS/MSC	24-Mar-23	O/C		TSN 0			
SN:VLG1731	HRS	2184.9			TSN 0			
WC#: 32.060	AFL	1079			TSN 0			
PROC. REF: AMM 32-10-03, AMM 32-10-03								
320060 LH BRAKE ASSY								Component ATA:32
PN:959.56.01.518	MOS/MSC	13-Feb-20	O/C					
SN:4028	HRS	1777.8						
WC#: 32.050	AFL	860						
PROC. REF: AMM 32-40-03, AMM 32-40-03								
320065 INNER LEFT WHEEL & COVER ASSY								Component ATA:32
PN:9595601502	MOS/MSC	28-Feb-09	O/C		TSN 0			
SN:1962	HRS	0			TSN 0			
WC#: 32.110	AFL	0			TSN 0			
PROC. REF: AMM 32-40-01								
320074 NOSE LANDING GEAR HYDRAULIC ACTUATOR								Component ATA:32
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 32-30-02								
320080 LEFT SHOCK ABSORBER ASSY								Component ATA:32
PN:5321012211	MOS/MSC	28-Feb-09	O/C		TSN 0			
SN:VLG799	HRS	0			TSN 0			
WC#: 32.060	AFL	0			TSN 0			
PROC. REF: AMM 32-10-03, AMM 32-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320085	RH BRAKE ASSY							Component	ATA:32
PN:959.56.01.518	MOS/MSC	13-Feb-20	O/C						
SN:4027	HRS	1777.8							
WC#: 32.050	AFL	860							
PROC. REF: AMM 32-40-03, AMM 32-40-03									
320090	INNER RIGHT WHEEL & COVER ASSY							Component	ATA:32
PN:9595601502	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1965	HRS	0		TSN 0					
WC#: 32.110	AFL	0		TSN 0					
PROC. REF: AMM 32-40-01									
320104	NOSE LANDING GEAR 72A74-01 "UP" PROXIMITY SWITCH							Component	ATA:32
PN:973.30.33.113	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1123	HRS	0		TSN 0					
WC#: 32.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320105	MAIN LANDING GEAR 72A74-01 RH "UP" PROXIMITY SWITCH							Component	ATA:32
PN:9733033113	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1038	HRS	0		TSN 0					
WC#: 32.175	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320110	MAIN LANDING GEAR 72A74-01 RH "WOW" PROXIMITY SWITCH							Component	ATA:32
PN:9733033113	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:945	HRS	0		TSN 0					
WC#: 32.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320115	NOSE LANDING GEAR 72A74-01 "DOWN" PROXIMITY SWITCH							Component	ATA:32
PN:9733033113	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1209	HRS	0		TSN 0					
WC#: 32.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320120	MAIN LANDING GEAR 72A74-01 LH "UP" PROXIMITY SWITCH							Component	ATA:32
PN:9733033113	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1109	HRS	0		TSN 0					
WC#: 32.175	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320125	MAIN LANDING GEAR 72A74-01 LH "WOW" PROXIMITY SWITCH							Component	ATA:32
PN:9733033113	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1002	HRS	0		TSN 0					
WC#: 32.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320130	L/H BOLT							Component	ATA:32
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320135	R/H BOLT							Component	ATA:32
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320170	LEFT MLG AXLE TRAILING LINK							Component	ATA:32
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320175	RIGHT MLG AXLE TRAILING LINK							Component	ATA:32
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320190	LEFT MAIN LANDING GEAR YOKE FITTING							Component	ATA:32
PN:PN	MOS/MSC	28-Feb-09	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
320190	RIGHT MAIN LANDING GEAR YOKE FITTING							Component	ATA:32
PN:PN	MOS/MSC	28-Feb-09	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-40/177 ^S	OPERATIONAL TEST EXTERIOR LIGHTING							Service	ATA:33
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 33-40-00				PKG:17	
33-41/178 ^S	EXAMINE LANDING LIGHTS							Service	ATA:33
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 33-41-01				PKG:17	
33-42/179 ^S	EXAMINE TAXI LIGHTS							Service	ATA:33
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 33-42-01				PKG:17	
33-43/180 ^S	EXAMINE NAVIGATION AND STROBE LIGHTS							Service	ATA:33
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: GENERIC NO REF				PKG:17	
33-44/181 ^S	EXAMINE RECOGNITION LIGHTS (IF INSTALLED)							Service	ATA:33
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: AMM 33-44-00				PKG:17	
33-46/182 ^S	EXAMINE BEACON LIGHTS (IF INSTALLED)							Service	ATA:33
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
				PROC. REF: GENERIC NO REF				PKG:17	
330005	DIM UNIT							Component	ATA:33
PN:9750215205	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:123922	HRS	0			TSN 0				
WC#: 33.080	AFL	0			TSN 0				
				PROC. REF: AMM 33-10-04					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
330010	DE-ICE LIGHT ASSY							Component	ATA:33
PN:9728767111	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1457508	HRS	0		TSN 0					
WC#: 33.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
330025	TOP SIDE ANTI COLLISION RED LIGHT ASSY							Component	ATA:33
PN:9728787331	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:19027	HRS	0		TSN 0					
WC#: 33.040	AFL	0		TSN 0					
PROC. REF: AMM 33-46-00									
330030	BOTTOM SIDE ANTI COLLISION RED LIGHT ASSY							Component	ATA:33
PN:9728787332	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:18937	HRS	0		TSN 0					
WC#: 33.040	AFL	0		TSN 0					
PROC. REF: AMM 33-46-00									
330035	LH WING POWER SUPPLY UNIT							Component	ATA:33
PN:9728787164	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:37341	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: AMM 33-43-03									
330040	LEFT HAND WING TIP WARNING LIGHT ASSEMBLY							Component	ATA:33
PN:972.87.87.322	MOS/MSC	09-Feb-18	O/C	TSN 0					
SN:191118-1-8	HRS	1469.9		TSN 0					
WC#: 33.030	AFL	675		TSN 0					
PROC. REF: AMM 33-43-02									
330045	RH WING POWER SUPPLY UNIT							Component	ATA:33
PN:9728787164	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:37322	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: AMM 33-43-03									
330050	RIGHT HAND WING TIP WARNING LIGHT ASSEMBLY							Component	ATA:33
PN:972.87.87.322	MOS/MSC	01-Oct-13	O/C	TSN 0					
SN:25978005	HRS	804.6		TSN 0					
WC#: 33.030	AFL	347		TSN 0					
PROC. REF: AMM 33-43-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
330055	NAVIGATION (FC), LED GREEN LIGHT							Component	ATA:33
PN:9728787158	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:34108	HRS	0	TSN 0						
WC#: 33.050	AFL	0	TSN 0						
PROC. REF: AMM 33-43-01									
330060	NAVIGATION (FC), LED RED LIGHT							Component	ATA:33
PN:9728787157	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:36700	HRS	0	TSN 0						
WC#: 33.050	AFL	0	TSN 0						
PROC. REF: AMM 33-43-01									
330065	NAVIGATION (FC), LED WHITE LIGHT							Component	ATA:33
PN:9728787159	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:37128	HRS	0	TSN 0						
WC#: 33.060	AFL	0	TSN 0						
PROC. REF: AMM 33-43-01									
330070	NOSE LANDING GEAR TAXI LIGHT							Component	ATA:33
PN:01-0771833-25	MOS/MSC	06-Feb-19	O/C						
SN:UNKNOWN	HRS	1609.6							
WC#: 33.090	AFL	759							
PROC. REF: AMM 33-42-01									
330075	L/H 1X0005287-10 LANDING LIGHT							Component	ATA:33
PN:9728769402	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1438079	HRS	0	TSN 0						
WC#: 33.090	AFL	0	TSN 0						
PROC. REF: AMM 33-41-01									
330076	R/H 1X0005287-10 LANDING LIGHT							Component	ATA:33
PN:972.78.55.627	MOS/MSC	17-Feb-21	O/C	TSN 0					
SN:UNKNOWN	HRS	1929.2	TSN 0						
	AFL	943	TSN 0						
PROC. REF: AMM 33-41-01									
330080	3060-S PULSELITE CONTROLLER							Component	ATA:33
PN:9728769419	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:LSS01311	HRS	0	TSN 0						
WC#: 33.100	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
330085	RIGHT HAND RECOGNITION LED LIGHT							Component	ATA:33
PN:Q4591	MOS/MSC	13-Feb-20	O/C	TSN 0					
SN:UNKNOWN	HRS	1777.8		TSN 0					
	AFL	860		TSN 0					
PROC. REF: AMM 33-44-00									
ATA 34 - NAVIGATION									
320180	LEFT WHEEL SPEED TRANSDUCER							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320185	RIGHT WHEEL SPEED TRANSDUCER							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-00/183 ^S	EXAMINE COMMUNICATIONS AND NAVIGATION ANTENNAS							Service	ATA:34
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
34-00/184 ^S	EXAMINE COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT							Service	ATA:34
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
34-11/185 ^S	EXAMINE PITOT TUBE							Service	ATA:34
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									

PKG:21

PKG:17

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-11/186 ^S	EXAMINE STATIC PORTS							Service	ATA:34
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:17	
34-11/268 ^S	DRAIN PITOT AND STATIC SYSTEM							Service	ATA:34
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 34-11-00								PKG:20	
34-11/343	INSPECTION/CHECK STATIC PORTS PLATE HEIGHT							Service	ATA:34
	MOS	12-Feb-24	24		12-Feb-26		661 d		
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 34-11-12									
34-11/82	LEAK CHECK STATIC SYSTEM							Service	ATA:34
	MOS	12-Feb-24	24		12-Feb-26		661 d		
	HRS	2222.6							
WC#: 34.010	AFL	1099							
PROC. REF: AMM 34-11-00									
34-11/CFR	PERFORM LEAK CHECK OF STATIC SYSTEM (14 CFR 91.411)							Service	ATA:34
	MOS	12-Feb-24	24		12-Feb-26		661 d		
	HRS	2222.6							
	AFL	1099							
PROC. REF: GENERIC NO REF, CFR CFR 91.411									
34-21/84	SWING CHECK STANDBY MAGNETIC COMPASS (IF INSTALLED)							Service	ATA:34
	MOS	24-Mar-23	24 (+10%/-10%)		24-Mar-25	05-Jun-25	336 d (+73)		
	HRS	2184.9							
WC#: 34.560	AFL	1079							
PROC. REF: AMM 34-21-00									
34-25/344	FUNCTIONAL TEST ALTITUDE AND VERTICAL SPEED INDICATION (RVSM)							Service	ATA:34
	MOS	12-Feb-24	24 (+10%/-10%)		12-Feb-26	24-Apr-26	661 d (+71)		
	HRS	2223.1							
	AFL	1099							
PROC. REF: AMM 34-14-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-54/86	FUNCTIONAL TEST TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS)							Service	ATA:34
	MOS	12-Feb-24	24		12-Feb-26		661 d		
	HRS	2222.6							
WC#: 34.050	AFL	1099							
PROC. REF: AMM 34-54-00, AMM 34-54-00, AMM 34-54-10, AMM 34-54-10									
34-54/CFR	TEST/INSPECT NO. 1 TRANSPONDER SYSTEM (14 CFR 91.413)							Service	ATA:34
	MOS	12-Feb-24	24		12-Feb-26		661 d		
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 34-54-00, AMM 34-54-00, AMM 34-54-10, AMM 34-54-10									
34-54/CFR	TEST/INSPECT NO. 2 TRANSPONDER SYSTEM (14 CFR 91.413)							Service	ATA:34
	MOS	12-Feb-24	24		12-Feb-26		661 d		
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 34-54-00, AMM 34-54-00, AMM 34-54-10, AMM 34-54-10									
340010	DME/IFF ANTENNA							Component	ATA:34
PN:9848110240	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:261-82160	HRS	0			TSN 0				
WC#: 34.080	AFL	0			TSN 0				
PROC. REF: AMM 34-52-02									
340020	MARKER ANTENNA							Component	ATA:34
PN:9848110260	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:101-6823	HRS	0			TSN 0				
WC#: 34.100	AFL	0			TSN 0				
PROC. REF: AMM 34-32-01									
340055	WITH HARM FILTER,KN63 DME							Component	ATA:34
PN:9859911101	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:32728	HRS	0			TSN 0				
WC#: 34.200	AFL	0			TSN 0				
PROC. REF: AMM 34-52-01									
340065	WX-RADAR RT UNIT							Component	ATA:34
PN:071-01550-0201	MOS/MSC	09-Feb-18	O/C						
SN:ART2100-M15834	HRS	1469.9							
WC#: 34.360	AFL	675							
PROC. REF: AMM 34-41-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340075	WX,VERTICAL ANTENNA							Component	ATA:34
PN:9859911504	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:6247	HRS	0			TSN 0				
WC#: 34.370	AFL	0			TSN 0				
PROC. REF: AMM 34-41-12									
340080	TRANSPONDER DME/IFF ANTENNA							Component	ATA:34
PN:9848110240	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:261-82159	HRS	0			TSN 0				
WC#: 34.080	AFL	0			TSN 0				
PROC. REF: AMM 34-54-03									
340085	ADF,KA44B ANTENNA							Component	ATA:34
PN:9859911167	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:KA44B-A87629	HRS	0			TSN 0				
WC#: 34.070	AFL	0			TSN 0				
PROC. REF: AMM 34-53-02									
340100	FRONT KA92 ANTENNA							Component	ATA:34
PN:9859911200	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:49305493	HRS	0			TSN 0				
WC#: 34.090	AFL	0			TSN 0				
PROC. REF: AMM 34-57-02									
340101	REAR KA92 GPS ANTENNA							Component	ATA:34
PN:9859911200	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:49305379	HRS	0			TSN 0				
WC#: 34.090	AFL	0			TSN 0				
PROC. REF: AMM 34-57-02									
340105	LH NAV/GS ANTENNA							Component	ATA:34
PN:9848110280	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:8084	HRS	0			TSN 0				
WC#: 34.380	AFL	0			TSN 0				
PROC. REF: AMM 34-51-03									
340131	KCM 805 CONFIGURATION MODULE							Component	ATA:34
PN:9859911884	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:14909	HRS	0			TSN 0				
WC#: 34.410	AFL	0			TSN 0				
PROC. REF: AMM 34-25-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340135	STANDBY MAGNETIC COMPASS							Component	ATA:34
PN:9999880103	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:AT-988	HRS	0			TSN 0				
WC#: 34.130	AFL	0			TSN 0				
PROC. REF: AMM 34-21-00									
340140	RADOME							Component	ATA:34
PN:9857900003	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:976	HRS	0			TSN 0				
WC#: 34.420	AFL	0			TSN 0				
PROC. REF: AMM 34-41-02, AMM 34-41-05									
340145	ANTENNA,VHF NAV COUPLER							Component	ATA:34
PN:9848110412	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:5548	HRS	0			TSN 0				
WC#: 34.160	AFL	0			TSN 0				
PROC. REF: AMM 23-11-03									
340155	LEFT SIDE RAD ALT,S67-2002 ANTENNA							Component	ATA:34
PN:9848129101	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:543-47138	HRS	0			TSN 0				
WC#: 34.110	AFL	0			TSN 0				
PROC. REF: AMM 34-42-02									
340160	RIGHT SIDE RAD ALT,S67-2002 ANTENNA							Component	ATA:34
PN:9848129101	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:543-47139	HRS	0			TSN 0				
WC#: 34.110	AFL	0			TSN 0				
PROC. REF: AMM 34-42-02									
340161	BOTTOM DIRECTIONAL KA815 - IHAS ANTENNA							Component	ATA:34
PN:9859911869	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:20445	HRS	0			TSN 0				
WC#: 34.430	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340162	TOP DIRECTIONAL KA815 - IHAS ANTENNA							Component	ATA:34
PN:9859911869	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:20101	HRS	0			TSN 0				
WC#: 34.430	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340170	ALTIMETER,RADAR,KRA405B TRANSMITTER							Component	ATA:34
PN:9859911550	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:KRA405B-8406	HRS	0			TSN 0				
WC#: 34.310	AFL	0			TSN 0				
PROC. REF: AMM 34-42-01									
340207	EGPWS MK VI UNIT							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-45-01									
340220	STORMSCOPE WX-500 PROCESSOR							Component	ATA:34
PN:9859918006	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:94816	HRS	0			TSN 0				
WC#: 34.270	AFL	0			TSN 0				
PROC. REF: AMM 34-41-31									
340225	STORMSCOPE WX-500 ANTENNA							Component	ATA:34
PN:9859918009	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:95297	HRS	0			TSN 0				
WC#: 34.120	AFL	0			TSN 0				
PROC. REF: AMM 34-41-32									
340230	RH NAV/GS ANTENNA							Component	ATA:34
PN:9848110280	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:8085	HRS	0			TSN 0				
WC#: 34.380	AFL	0			TSN 0				
PROC. REF: AMM 34-51-03									
340235	AOA SENSOR RH UNIT							Component	ATA:34
PN:9754421424	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:1026	HRS	0			TSN 0				
WC#: 34.330	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340245	CONFIGURATION MODULE INSTLN,ART2000 KIT							Component	ATA:34
PN:9859911505	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:CM2000-2049	HRS	0			TSN 0				
WC#: 34.490	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340246	ART 2000 RADAR							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
340255	AOA SENSOR LH UNIT							Component	ATA:34
PN:9754421423	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1031	HRS	0		TSN 0					
WC#: 34.330	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
340270	LEFT PITOT STATIC TUBE							Component	ATA:34
PN:9651112302	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1088310	HRS	0		TSN 0					
WC#: 34.535	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
340275	RIGHT PITOT STATIC TUBE							Component	ATA:34
PN:9651112302	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1088309	HRS	0		TSN 0					
WC#: 34.535	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
340280	OUTBOARD KMG 7010 MAGNETOMETER							Component	ATA:34
PN:9859912114	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:KMG7010-1543	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
PROC. REF: AMM 34-25-02, AMM 34-25-02									
340283	KMG 7010 MAGNETOMETER							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-26-45, AMM 34-26-45									
340285	INBOARD KMG 7010 MAGNETOMETER							Component	ATA:34
PN:9859912114	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:KMG7010-1522	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
PROC. REF: AMM 34-25-02, AMM 34-25-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340290	KMH920 TAWS B,TCAS 1 UNIT							Component	ATA:34
PN:066-01178-2102	MOS/MSC	06-Feb-19	O/C		TSN 0				
SN:KMH920-B1450	HRS	1609.6			TSN 0				
WC#: 34.545	AFL	759			TSN 0				
PROC. REF: GENERIC NO REF									
340301	LOWER COAX SWITCH							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340303	UPPER COAX SWITCH							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340305	NO. 1 LH KGS200,GPS SENSOR UNIT							Component	ATA:34
PN:066-01201-0105	MOS/MSC	25-Jan-13	O/C						
SN:KGS200-1348	HRS	673.2							
WC#: 34.550	AFL	312							
PROC. REF: AMM 34-57-01									
340315	NO. 1 KXP 2290 MODE S TRANSPONDER							Component	ATA:34
PN:066-01198-0102	MOS/MSC	05-Feb-16	O/C		TSR 48				
SN:1063	HRS	1119.2			TSR 615.3				
WC#: 34.540	AFL	520			TSR 300				
PROC. REF: AMM 34-54-01									
340320	LH OAT SENSOR							Component	ATA:34
PN:5341312025	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:03117	HRS	0			TSN 0				
WC#: 34.525	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340325	RH OAT SENSOR							Component	ATA:34
PN:5341312025	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:3057	HRS	0			TSN 0				
WC#: 34.525	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340330	KSG 7200 DUAL CHANNEL AD AHRS UNIT							Component	ATA:34
PN:065-00188-5103	MOS/MSC	24-Feb-22	O/C		TSR 0				
SN:KSG7200-B1333	HRS	2143.1			TSR 0				
WC#: 34.505	AFL	1033			TSR 0				
PROC. REF: AMM 34-25-01									
340335	NO. 2 RH KGS200,GPS SENSOR UNIT							Component	ATA:34
PN:066-01201-0105	MOS/MSC	26-Apr-13	O/C						
SN:KGS200-1581	HRS	725.7							
WC#: 34.550	AFL	336							
PROC. REF: AMM 34-57-01									
340340	STANDBY INSTRUMENT PANEL							Component	ATA:34
PN:C16221JA01	MOS/MSC	13-Feb-14	O/C						
SN:C16221C15125	HRS	848.8							
WC#: 34.510	AFL	394							
PROC. REF: AMM 34-26-40									
340345	XM RADIO ANTENNA							Component	ATA:34
PN:9859912167	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:33219067	HRS	0			TSN 0				
WC#: 34.515	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340350	XM RADIO, XMD 157, UNIT							Component	ATA:34
PN:4092743-903	MOS/MSC	14-Feb-17	O/C						
SN:32609555	HRS	1313.6							
WC#: 34.515	AFL	604							
PROC. REF: GENERIC NO REF									
340355	LH NAV/WHITE ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340357	RH NAV/WHITE ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341021	CO-PILOT FRONT KBT 300 TTP BUS RES TERMINAL							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
341023	CO-PILOT REAR KBT 300 TTP BUS RES TERMINAL							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
341025	LH FRAME 18 KBT 300 TTP BUS RES TERMINAL							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
341027	RH FRAME 18 KBT 300 TTP BUS RES TERMINAL							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
341031	NO. 1 KGS200,GPS WAAS RECEIVER							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-57-01									
341033	NO. 2 KGS200,GPS WAAS RECEIVER							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-57-01									
341035	NO. 1 KGS200,SBAS GNSSU UNIT							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-57-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341037	NO. 2 KGS200,SBAS GNSSU UNIT							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-57-01									
341039	MAG-3100 MAGNETOMETER							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-26-45, AMM 34-26-45									
341040	PHASING COUPLER							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
341045	ESI-1000 STANDBY SYSTEM							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 35 - OXYGEN									
35-10/187 ^S	CHECK HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) - MAKE SURE THAT IT IS NOT DAMAGE							Service	ATA:35
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
35-10/188 ^S	CHECK OXYGEN SYSTEM CONTENTS							Service	ATA:35
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)						
	AFL	1079							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-10/269 ^S		EXAMINE OXYGEN PIPELINES AND EQUIPMENT						Service	ATA:35
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:20	
35-10/458 ^S		OPERATIONAL TEST CREW OXYGEN SYSTEM						Service	ATA:35
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 35-00-00, AMM 35-00-00								PKG:20	
35-10/6		OXYGEN BOTTLE						Component	ATA:35
PN:895-06022	MOS	12-Feb-24	180	TSO 0	01-Aug-37 (M)		4849 d	AIRWORTHINESS	
SN:ALT280-9029	HRS	2222.6		TSO 0					
WC#: 35.010	AFL	1099		TSO 0					
PROC. REF: AMM 35-10-01									
35-10/6		REAR FUSELAGE OXYGEN CYLINDER						Component	ATA:35
PN:PN	MOS/MSC		O/C					N/A EQUIPMENT NOT INSTALLED	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 35-10-01									
35-10/7		HYDROSTATIC TEST OXYGEN BOTTLE						Service	ATA:35
PN:895-06022	MOS		60		01-Jan-29 (M)		1715 d	AIRWORTHINESS	
SN:ALT280-9029	HRS								
WC#: 35.010	AFL								
PROC. REF: GENERIC NO REF									
35-20/459		OPERATIONAL TEST OF PASSENGER OXYGEN (PLUG-IN MASK) SYSTEM (IF INSTALLED)						Service	ATA:35
	MOS	24-Mar-23							
	HRS	2184.9	600		2784.9		561.4		
	AFL	1079							
PROC. REF: AMM 35-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-20/87	INSPECTION/CHECK PASSENGER OXYGEN MASKS							Service	ATA:35
	MOS	24-Feb-22	36 (+10%/-10%)		24-Feb-25	11-Jun-25	308 d (+107)		
	HRS	2143.1							
WC#: 35.010	AFL	1033							
PROC. REF: AMM 35-20-00									
350020	PILOT QUICK DONNING MASK-REGULATOR ASSY							Component	ATA:35
PN:9571201210	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:SE22026	HRS	0		TSN 0					
WC#: 35.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
350025	COPILOT QUICK DONNING MASK-REGULATOR ASSY							Component	ATA:35
PN:9571201210	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:SE22377	HRS	0		TSN 0					
WC#: 35.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
350030	PRESSURE,GAGE,OXYGEN SWITCH							Component	ATA:35
PN:9738114401	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:917	HRS	0		TSN 0					
WC#: 35.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
350035	CONTR,3-POSITION,37071-03 VALVE							Component	ATA:35
PN:9633211101	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:2997	HRS	0		TSN 0					
WC#: 35.030	AFL	0		TSN 0					
PROC. REF: AMM 35-20-04									
350072	NO. 2 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:957.12.10.211	MOS/MSC	24-Feb-22	O/C	TSN 0					
SN:UNKNOWN	HRS	2143.1		TSN 0					
	AFL	1033		TSN 0					
PROC. REF: AMM 35-20-03									
350080	NO. 1 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-09	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350081	NO. 2 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-09	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM NO REF								
350082	NO. 3 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-09	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM NO REF								
350083	NO. 4 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-09	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM NO REF								
350084	NO. 5 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-09	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM NO REF								
350085	NO. 6 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-09	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM NO REF								
350086	NO. 7 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-09	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM NO REF								
350087	NO. 8 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-09	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350088	NO. 9 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-09	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
350100	PORTABLE BEATHING EQUIPMENT – PBE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 45 - CENTRAL MAINT SYSTEM									
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS-EXPORT FAULT HISTORY - SEND TO LOCAL STORAGE - DOWNLOAD							Service	ATA:45
	MOS	12-Feb-24		12 (+10%/-10%)					
	HRS	2222.6		1200 (+10%/-10%)					
	AFL	1099							
PROC. REF: AMM 45-45-00									
PKG:20									
ATA 46 - INFORMATION SYSTEMS									
46-26/320 ^S	OPERATIONAL TEST PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES							Service	ATA:46
	MOS	12-Feb-24		12 (+10%/-10%)					
	HRS	2222.6		300 (+10%/-10%)					
	AFL	1099							
PROC. REF: AMM 46-30-05, AMM 46-30-06									
PKG:17									
46-26/321 ^S	OPERATIONAL TEST ADAHRS SENSOR SOURCE SELECT SWITCHES							Service	ATA:46
	MOS	12-Feb-24		12 (+10%/-10%)					
	HRS	2222.6		300 (+10%/-10%)					
	AFL	1099							
PROC. REF: AMM 46-30-02									
PKG:17									
ATA 52 - DOORS									
52-10/189 ^S	EXAMINE PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY P0-9-002 FRENCH CHALK							Service	ATA:52
	MOS	12-Feb-24		12 (+10%/-10%)					
	HRS	2222.6		600 (+10%/-10%)					
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/190 ^S	EXAMINE PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS							Service	ATA:52
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:19	
52-10/191 ^S	PASSENGER/CREW DOOR HANDLE LOCK PIN - MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH P10-001 AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS							Service	ATA:52
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:19	
52-10/192 ^S	EXAMINE PASSENGER/CREW DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:19	
52-10/271 ^S	EXAMINE PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS							Service	ATA:52
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:20	
52-10/348	EXAMINE ALL STRUCTURAL ELEMENTS - PASSENGER/CREW DOOR							Service	ATA:52
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 52-10-00									
52-10/405	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR PIANO HINGE							Service	ATA:52
	MOS	28-Feb-09							
	HRS	0	T:32500 (+500/-500)		32500		30276.5		
WC#: 52.100	AFL	0	T:42000 (+500/-500)		42000		40901		
PROC. REF: AMM 52-00-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/406	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR SKIN							Service	ATA:52
	MOS	28-Feb-09							
	HRS	0	T:25000 (+500/-500)		25000		22776.5		
WC#: 52.110	AFL	0	T:30000 (+500/-500)		30000		28901		
PROC. REF: AMM 52-10-01									
52-10/88	EXAMINE PASSENGER/CREW DOOR WITH TRIM REMOVED							Service	ATA:52
	MOS	24-Mar-23	48 (+10%/-10%)		24-Mar-27	17-Aug-27	1066 d (+146)	MODERATE CORROSION ZONE	
	HRS	2184.9	4000 (+10%/-10%)		6184.9	6584.9	3961.4 (+400)		
WC#: 52.010	AFL	1079							
PROC. REF: AMM 25-21-03, AMM 25-22-03, AMM 52-10-00									
52-20/272 ^S	EXAMINE EMERGENCY DOOR (DOOR REMOVED)							Service	ATA:52
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:20									
52-20/273 ^S	EXAMINE EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY P09-002 FRENCH CHALK							Service	ATA:52
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:20									
52-20/349	EXAMINE ALL STRUCTURAL ELEMENTS - EMERGENCY DOOR							Service	ATA:52
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 52-20-00									
52-30/193 ^S	EXAMINE CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, AND APPLY P0-9-002 FRENCH CHALK							Service	ATA:52
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:19									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/194 ^S	EXAMINE CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM.							Service	ATA:52
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
	PROC. REF: AMM 52-30-00							PKG:19	
52-30/195 ^S	EXAMINE CARGO DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
	PROC. REF: GENERIC NO REF							PKG:19	
52-30/274 ^S	EXAMINE CARGO DOOR							Service	ATA:52
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
	PROC. REF: GENERIC NO REF							PKG:20	
52-30/350	EXAMINE ALL STRUCTURAL ELEMENTS - CARGO DOOR							Service	ATA:52
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
	PROC. REF: AMM 52-30-00								
52-30/407	EDDY CURRENT INSPECTION - CARGO DOOR PIANO HINGE							Service	ATA:52
	MOS	28-Feb-09							
	HRS	0	T:32500 (+500/-500)		32500		30276.5		
WC#: 52.120	AFL	0	T:42000 (+500/-500)		42000		40901		
	PROC. REF: AMM 52-30-00								
52-30/408	EDDY CURRENT INSPECTION - CARGO DOOR SKIN							Service	ATA:52
	MOS	28-Feb-09							
	HRS	0	T:25000 (+500/-500)		25000		22776.5		
WC#: 52.130	AFL	0	T:30000 (+500/-500)		30000		28901		
	PROC. REF: AMM 52-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/8		CARGO DOOR LOWER LUG (QTY 3) FITTINGS						Component	ATA:52
PN:PN	MOS	28-Feb-09		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	13000	TSN 0	13000		10776.5		
WC#: 52.020	AFL	0	17000	TSN 0	17000		15901		
PROC. REF: AMM 52-30-07									
52-30/89		EXAMINE CARGO DOOR WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM						Service	ATA:52
	MOS	24-Mar-23	48 (+10%/-10%)		24-Mar-27	17-Aug-27	1066 d (+146)	MODERATE CORROSION ZONE	
	HRS	2184.9	4000 (+10%/-10%)		6184.9	6584.9	3961.4 (+400)		
WC#: 52.030	AFL	1079							
PROC. REF: AMM 52-30-00, AMM 25-21-03, AMM 25-22-03									
52-70/275 ^S		OPERATIONAL TEST DOOR WARNING SYSTEM						Service	ATA:52
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 52-70-00									
520005		PASSENGER DOOR						Component	ATA:52
PN:5520512007	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:903P	HRS	0		TSN 0					
WC#: 52.050	AFL	0		TSN 0					
PROC. REF: AMM 52-10-01, AMM 52-10-01									
520010		FREIGHT OF 10SERIE DOOR ASSY						Component	ATA:52
PN:5520512010	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:903P	HRS	0		TSN 0					
WC#: 52.040	AFL	0		TSN 0					
PROC. REF: AMM 52-30-01									
520015		EMERGENCY 6 SERIE EXIT						Component	ATA:52
PN:5520512009	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:903P	HRS	0		TSN 0					
WC#: 52.060	AFL	0		TSN 0					
PROC. REF: AMM 52-20-01									
ATA 53 - FUSELAGE									
53-00/196 ^S		EXAMINE FUSELAGE EXTERNAL SURFACE. FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS.						Service	ATA:53
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:17	
53-00/276 ^S	EXAMINE REAR PRESSURE BULKHEAD							Service	ATA:53
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:20	
53-00/277 ^S	EXAMINE FLOOR TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED							Service	ATA:53
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:20	
53-00/278 ^S	EXAMINE BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE FOR CORROSION							Service	ATA:53
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:21	
53-00/279 ^S	EXAMINE BAGGAGE COMPARTMENT							Service	ATA:53
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:21	
53-00/280 ^S	EXAMINE REAR FUSELAGE INTERNAL STRUCTURE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service	ATA:53
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:20	
53-00/324	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE (POST SB 04-009)							Service	ATA:53
	MOS/MS	28-Feb-09	N/A					AIRWORTHINESS	
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/337 ^S	INSPECTION/CHECK CARRY THROUGH FRAMES 21 AND 24							Service	ATA:53
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
	PROC. REF: AMM 53-20-02							PKG:20	
53-00/351	UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
	PROC. REF: AMM 53-10-06								
53-00/352	FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
	PROC. REF: AMM 53-10-00								
53-00/353	FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
	PROC. REF: AMM 53-20-00								
53-00/354	EXAMINE ALL STRUCTURAL ELEMENTS - FUSELAGE FRAMES 36 TO 43							Service	ATA:53
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
	PROC. REF: AMM 53-30-00								
53-00/355	EXAMINE - ANTENNA STRUCTURE							Service	ATA:53
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
	PROC. REF: AMM 53-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/356	EDDY CURRENT INSPECTION - ANTENNA - BOTTOM FUSELAGE SKIN							Service	ATA:53
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:28300		28300		26076.5		
	AFL	0	T:37000		37000		35901		
PROC. REF: AMM 53-00-00									
53-00/357	EDDY CURRENT INSPECTION - ANTENNA - UPPER FUSELAGE SKIN							Service	ATA:53
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 53-00-00									
53-00/359	FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
PROC. REF: AMM 57-00-03									
53-00/360	FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
PROC. REF: AMM 53-20-02									
53-00/361	FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-30-03, AMM 53-30-02									
53-00/419	EDDY CURRENT INSPECTION - FRAME 40							Service	ATA:53
	MOS	28-Feb-09							
	HRS	0	T:32500 (+500/-500)		32500		30276.5		
WC#: 53.210	AFL	0	T:42000 (+500/-500)		42000		40901		
PROC. REF: AMM 55-30-03, AMM 53-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/9	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE							Service	ATA:53
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	20000		20000		17776.5		
WC#: 53.010	AFL	0	27000		27000		25901		
PROC. REF: GENERIC NO REF									
53-00/90	EXAMINE FRONT PRESSURE BULKHEAD (WITH INSULATION ON ENGINE AND COCKPIT SIDES REMOVED)							Service	ATA:53
	MOS	24-Mar-23	48 (+10%/-10%)		24-Mar-27	17-Aug-27	1066 d (+146)	MODERATE CORROSION ZONE	
	HRS	2184.9	4000 (+10%/-10%)		6184.9	6584.9	3961.4 (+400)		
WC#: 53.030	AFL	1079							
PROC. REF: GENERIC NO REF									
53-00/91	EXAMINE FUSELAGE INTERNAL BOTTOM SURFACE (FRAMES 10,21,24,36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT,WITH INSULATION REMOVED)							Service	ATA:53
	MOS	24-Mar-23	48 (+10%/-10%)		24-Mar-27	17-Aug-27	1066 d (+146)	MODERATE CORROSION ZONE	
	HRS	2184.9	4000 (+10%/-10%)		6184.9	6584.9	3961.4 (+400)		
WC#: 53.040	AFL	1079							
PROC. REF: GENERIC NO REF									
53-00/92	EXAMINE REAR PRESSURE BULKHEAD WITH TRIM REMOVED							Service	ATA:53
	MOS	24-Mar-23	48 (+10%/-10%)		24-Mar-27	17-Aug-27	1066 d (+146)	MODERATE CORROSION ZONE	
	HRS	2184.9	4000 (+10%/-10%)		6184.9	6584.9	3961.4 (+400)		
WC#: 53.070	AFL	1079							
PROC. REF: GENERIC NO REF									
53-00/93	EXAMINE STRUCTURE AROUND WINDOWS							Service	ATA:53
	MOS	24-Mar-23	48 (+10%/-10%)		24-Mar-27	17-Aug-27	1066 d (+146)	MODERATE CORROSION ZONE	
	HRS	2184.9	4000 (+10%/-10%)		6184.9	6584.9	3961.4 (+400)		
WC#: 53.050	AFL	1079							
PROC. REF: GENERIC NO REF									
53-00/94	EXAMINE DOOR FRAMES AND EMERGENCY EXIT FRAMES							Service	ATA:53
	MOS	24-Mar-23	48 (+10%/-10%)		24-Mar-27	17-Aug-27	1066 d (+146)	MODERATE CORROSION ZONE	
	HRS	2184.9	4000 (+10%/-10%)		6184.9	6584.9	3961.4 (+400)		
WC#: 53.060	AFL	1079							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30/342	INSPECTION/CHECK STATIC PORTS CRITICAL AREA							Service	ATA:53
	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)		
	HRS	2222.6							
	AFL	1099							
PROC. REF: AMM 53-30-01									
530070	FUSELAGE AB 1003 TEIL1							Component	ATA:53
PN:5530512114	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:903P	HRS	0		TSN 0					
WC#: 53.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
530075	FUSELAGE PART 1/2 PACK							Component	ATA:53
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 55 - STABILIZERS									
55-00/10	STRUCTURAL LIMITATION TAIL STRUCTURE							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	20000		20000		17776.5		
	AFL	0	27000		27000		25901		
PROC. REF: GENERIC NO REF									
55-00/325	STRUCTURAL LIMITATION TAIL STRUCTURE (POST SB 04-009)							Service	ATA:55
	MOS/MSC	28-Feb-09	N/A					AIRWORTHINESS	
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
55-10/197 ^S	EXAMINE HORIZONTAL STABILIZER EXTERNAL SURFACE							Service	ATA:55
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10/319 ^S	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT							Service	ATA:55
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
	PROC. REF: AMM 55-00-00								PKG:20
55-10/415	HORIZONTAL STABILIZER							Component	ATA:55
PN:PN	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22776.5		
	AFL	0	30000	TSN 0	30000		28901		
	PROC. REF: AMM 55-10-01								
55-10/638	HORIZONTAL STABILIZER - EXAMINE WITH BORESCOPE							Service	ATA:55
	MOS	28-Feb-09	T:240		28-Feb-29		1773 d		
	HRS	0	T:10000		10000		7776.5		
	AFL	0							
	PROC. REF: AMM 55-10-01								
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service	ATA:55
	MOS	24-Mar-23	72		24-Mar-29		1797 d		
	HRS	2184.9							
	AFL	1079							
	PROC. REF: AMM 55-00-00								
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND .178)							Service	ATA:55
	MOS	24-Mar-23	120		24-Mar-33		3258 d		
	HRS	2184.9							
	AFL	1079							
	PROC. REF: AMM 55-00-00								
55-10/96	EXAMINE VERTICAL STABILIZER INTERNAL SURFACES (AS FAR AS POSSIBLE WITH PANELS REMOVED)							Service	ATA:55
	MOS	24-Mar-23	48 (+10%/-10%)		24-Mar-27	17-Aug-27	1066 d (+146)	MODERATE CORROSION ZONE	
	HRS	2184.9	4000 (+10%/-10%)		6184.9	6584.9	3961.4 (+400)		
	AFL	1079							
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20/362	EXAMINE LEFT WING ELEVATOR							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-20-00									
55-20/362	EXAMINE RIGHT WING ELEVATOR							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-20-00									
55-20/367	EDDY CURRENT INSPECTION - ELEVATOR DRIVE LEVER							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-20-01									
55-20/368	EDDY CURRENT INSPECTION - LEFT WING ELEVATOR HINGES							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-20-01									
55-20/368	EDDY CURRENT INSPECTION - RIGHT WING ELEVATOR HINGES							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-20-01									
55-30/198 ^S	EXAMINE VERTICAL STABILIZER EXTERNAL SURFACE SPECIALLY AROUND REAR SPAR TOP RIVETS.							Service	ATA:55
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 55-00-01									

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30/281 ^S	EXAMINE VERTICAL STABILIZER ELECTRICAL BONDING STRAPS							Service	ATA:55
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:20	
55-30/369	EXAMINE - VERTICAL STABILIZER							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-30-00									
55-30/370	EDDY CURRENT INSPECTION - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-30-03, AMM 53-30-02									
55-30/371	EDDY CURRENT INSPECTION VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-00-00									
55-30/372	EDDY CURRENT INSPECTION VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-30-02									
55-30/420	EDDY CURRENT INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40							Service	ATA:55
	MOS	28-Feb-09							
	HRS	0	T:32500 (+500/-500)		32500		30276.5		
WC#: 55.190	AFL	0	T:42000 (+500/-500)		42000		40901		
PROC. REF: AMM 55-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-40/373	EXAMINE - RUDDER							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-40-00									
55-40/377	EDDY CURRENT INSPECTION - RUDDER HINGES							Service	ATA:55
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 55-40-05									
55-40/410	EXAMINE - RUDDER TRIM TAB							Service	ATA:55
	MOS	28-Feb-09							
	HRS	0	T:32500 (+500/-500)		32500		30276.5		
WC#: 55.200	AFL	0	T:42000 (+500/-500)		42000		40901		
PROC. REF: AMM 55-40-04									
ATA 56 - WINDOWS									
56-11/12	COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE IF CRACKED							Service	ATA:56
PN:PN	MOS/MSC	28-Feb-09	A/R					AIRWORTHINESS	
SN:UNKNOWN	HRS	0							
WC#: 56.020	AFL	0							
PROC. REF: GENERIC NO REF									
56-11/13	COCKPIT INNER AND OUTER SIDE, DV WINDOWS AND CABIN WINDOWS- REPLACE IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS), CRAZING, SCRATCHED, BUBBLES OR DELAMINATED							Service	ATA:56
PN:PN	MOS/MSC	28-Feb-09	A/R						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 56-00-00									
56-11/14	REPLACE LEFT HAND WINDSHIELD ASSY, (LH) (INNER LAMINATION CRACKED)							Service	ATA:56
PN:9598110109	MOS/MSC	28-Feb-09	A/R						
SN:08116H3803	HRS	0							
	AFL	0							
PROC. REF: AMM 56-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11/14		REPLACE RIGHT HAND WINDSHIELD ASSY, (RH) (INNER LAMINATION CRACKED)							Service ATA:56
PN:9598110110	MOS/MSC	28-Feb-09	A/R						
SN:08126H4864	HRS	0							
	AFL	0							
PROC. REF: AMM 56-11-01									
56-11/15		LEFT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service ATA:56
PN:9598110109	MOS/MSC	28-Feb-09	A/R						
SN:08116H3803	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
56-11/15		RIGHT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service ATA:56
PN:9598110110	MOS/MSC	28-Feb-09	A/R						
SN:08126H4864	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
56-11/200 ^S		EXAMINE WINDSHIELD LH AND RH							Service ATA:56
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 56-00-00									
56-11/332		INSPECTION/CHECK COCKPIT SIDE WINDOWS							Service ATA:56
	MOS	06-Feb-19	120 (+6m/-6m)		06-Feb-29	06-Aug-29	1751 d (+181)		
	HRS	1609.6	11000 (+500/-500)		12609.6	13109.6	10386.1 (+500)		
WC#: 56.100	AFL	759							
PROC. REF: AMM 56-11-02									
56-11/378		WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WIND-SHIELD AND SIDE WINDOWS REMOVED							Service ATA:56
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 53-10-16, AMM 56-11-01, AMM 56-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-11/517^S COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND								
	MOS	12-Feb-24	12					Service ATA:56
	HRS	2222.6	1200					
	AFL	1099						
					PROC. REF: GENERIC NO REF, AMM NO REF			PKG:20
56-20/201^S EXAMINE COCKPIT AND CABIN WINDOWS								
	MOS	12-Feb-24	12 (+10%/-10%)					Service ATA:56
	HRS	2222.6	300 (+10%/-10%)					
	AFL	1099						
					PROC. REF: AMM 56-00-00			PKG:17
560015 SIDE,LH WINDOW								
PN:9598110111	MOS/MSC	28-Feb-09	O/C	TSN 0				Component ATA:56
SN:08123H4570	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
					PROC. REF: AMM 56-11-02			
560020 SIDE,RH WINDOW								
PN:9598110112	MOS/MSC	28-Feb-09	O/C	TSN 0				Component ATA:56
SN:08084H8856	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
					PROC. REF: AMM 56-11-02			
560025 RH NO 1 CABIN WINDOW								
PN:5562012029	MOS/MSC	28-Feb-09	O/C	TSN 0				Component ATA:56
SN:9352	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
					PROC. REF: AMM 56-20-01			
560030 RH NO 2 CABIN WINDOW								
PN:5562012029	MOS/MSC	28-Feb-09	O/C	TSN 0				Component ATA:56
SN:9368	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
					PROC. REF: AMM 56-20-01			
560035 RH NO 3 CABIN WINDOW								
PN:5562012029	MOS/MSC	28-Feb-09	O/C	TSN 0				Component ATA:56
SN:9378	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
					PROC. REF: AMM 56-20-01			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
560040	RH NO 4 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:9377	HRS	0			TSN 0				
WC#: 56.070	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560045	RH NO 5 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:9372	HRS	0			TSN 0				
WC#: 56.080	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560050	LH NO 1 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:9305	HRS	0			TSN 0				
WC#: 56.040	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560055	LH NO 2 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:9334	HRS	0			TSN 0				
WC#: 56.040	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560060	LH NO 3 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:9350	HRS	0			TSN 0				
WC#: 56.050	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560065	LH NO 4 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:9325	HRS	0			TSN 0				
WC#: 56.050	AFL	0			TSN 0				
PROC. REF: AMM 56-20-01									
560070	DV-WINDOW ASSY							Component	ATA:56
PN:5561412099	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:08253H1409	HRS	0			TSN 0				
WC#: 56.030	AFL	0			TSN 0				
PROC. REF: AMM 56-14-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561010	LEFT HAND WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:9598110109	MOS/MSC	28-Feb-09	O/C	TSN 0				AIRWORTHINESS	
SN:08116H3803	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 56-11-01									
561011	RIGHT HAND WINDSHIELD ASSY, (RH)							Component	ATA:56
PN:9598110110	MOS/MSC	28-Feb-09	O/C	TSN 0				AIRWORTHINESS	
SN:08126H4864	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 56-11-01									
ATA 57 - WINGS									
57-00/11	STRUCTURAL LIMITATION LEFT WING STRUCTURE							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	20000		20000		17776.5		
WC#: 57.010	AFL	0	27000		27000		25901		
PROC. REF: AMM 57-00-00									
57-00/11	STRUCTURAL LIMITATION RIGHT WING STRUCTURE							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	20000		20000		17776.5		
WC#: 57.010	AFL	0	27000		27000		25901		
PROC. REF: AMM 57-00-00									
57-00/202 ^S	EXAMINE WING EXTERNAL SURFACES							Service	ATA:57
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:17									
57-00/282 ^S	EXAMINE WING TIP STATIC DISCHARGERS							Service	ATA:57
	MOS	12-Feb-24	24 (+10%/-10%)						
	HRS	2222.6	2400 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH PANELS REMOVED							Service	ATA:57
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
	PROC. REF: GENERIC NO REF							PKG:20	
57-00/284 ^S	EXAMINE WING TO FUSELAGE ATTACHMENTS AS FAR AS POSSIBLE							Service	ATA:57
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
	PROC. REF: GENERIC NO REF							PKG:20	
57-00/326	STRUCTURAL LIMITATION LEFT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS/MSC	28-Feb-09	N/A					AIRWORTHINESS	
	HRS	0							
	AFL	0							
	PROC. REF: GENERIC NO REF								
57-00/326	STRUCTURAL LIMITATION RIGHT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS/MSC	28-Feb-09	N/A					AIRWORTHINESS	
	HRS	0							
	AFL	0							
	PROC. REF: GENERIC NO REF								
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - LEFT WING							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
	PROC. REF: AMM 57-00-00								
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - RIGHT WING							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
	PROC. REF: AMM 57-00-00								
57-00/380	WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:30000		30000		27776.5		
	AFL	0	T:39000		39000		37901		
	PROC. REF: AMM 57-00-03, AMM 57-00-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/382	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:25000		25000		22776.5		
	AFL	0	T:30000		30000		28901		
PROC. REF: AMM 57-20-10									
57-00/382	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:25000		25000		22776.5		
	AFL	0	T:30000		30000		28901		
PROC. REF: AMM 57-20-10									
57-00/383	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:25000		25000		22776.5		
	AFL	0	T:30000		30000		28901		
PROC. REF: AMM 57-20-10									
57-00/383	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:25000		25000		22776.5		
	AFL	0	T:30000		30000		28901		
PROC. REF: AMM 57-20-10									
57-00/384	EDDY CURRENT INSPECTION - LEFT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:25000		25000		22776.5		
	AFL	0	T:30000		30000		28901		
PROC. REF: AMM 57-20-05									
57-00/384	EDDY CURRENT INSPECTION - RIGHT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:25000		25000		22776.5		
	AFL	0	T:30000		30000		28901		
PROC. REF: AMM 57-20-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/385	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:25000		25000		22776.5		
	AFL	0	T:30000		30000		28901		
PROC. REF: AMM 57-20-10									
57-00/385	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:25000		25000		22776.5		
	AFL	0	T:30000		30000		28901		
PROC. REF: AMM 57-20-10									
57-00/412	EXAMINE - WING TIPS							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500 (+500/-500)		32500		30276.5		
WC#: 57.170	AFL	0	T:42000 (+500/-500)		42000		40901		
PROC. REF: AMM 57-33-00									
57-00/413	EDDY CURRENT INSPECTION - LEFT WING SKIN AROUND DRAIN HOLES							Service	ATA:57
	MOS	28-Feb-09							
	HRS	0	T:25000 (+500/-500)		25000	25500	22776.5 (+500)		
WC#: 57.180	AFL	0	T:30000 (+500/-500)		30000	30500	28901 (+500)		
PROC. REF: AMM 57-20-01									
57-00/413	EDDY CURRENT INSPECTION - RIGHT WING SKIN AROUND DRAIN HOLES							Service	ATA:57
	MOS	28-Feb-09							
	HRS	0	T:25000 (+500/-500)		25000	25500	22776.5 (+500)		
	AFL	0	T:30000 (+500/-500)		30000	30500	28901 (+500)		
PROC. REF: AMM 57-20-01									
57-00/427	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	16000		16000		13776.5		
	AFL	0	22500		22500		21401		
PROC. REF: AMM 57-20-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/427	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	16000		16000		13776.5		
	AFL	0	22500		22500		21401		
PROC. REF: AMM 57-20-10									
57-00/97	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT (AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED)							Service	ATA:57
	MOS	24-Mar-23	48 (+10%/-10%)		24-Mar-27	17-Aug-27	1066 d (+146)	MODERATE CORROSION ZONE	
	HRS	2184.9	4000 (+10%/-10%)		6184.9	6584.9	3961.4 (+400)		
WC#: 57.020	AFL	1079							
PROC. REF: GENERIC NO REF									
57-00/98	EXAMINE LANDING GEAR COMPARTMENTS (ESPECIALLY MAIN AND REAR SPAR PARTS)							Service	ATA:57
	MOS	24-Mar-23	48 (+10%/-10%)		24-Mar-27	17-Aug-27	1066 d (+146)	MODERATE CORROSION ZONE	
	HRS	2184.9	4000 (+10%/-10%)		6184.9	6584.9	3961.4 (+400)		
WC#: 57.030	AFL	1079							
PROC. REF: GENERIC NO REF									
57-00/99	EXAMINE WING TO FUSELAGE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service	ATA:57
	MOS	06-Feb-19	120 (+6m/-6m)		06-Feb-29	06-Aug-29	1751 d (+181)		
	HRS	1609.6	11000 (+500/-500)		12609.6	13109.6	10386.1 (+500)		
WC#: 57.040	AFL	759							
PROC. REF: AMM 57-00-00									
57-60/393	EXAMINE - RIGHT WING AILERON							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 57-60-00									
57-60/393	EXAMINE -LEFT WING AILERON							Service	ATA:57
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:32500		32500		30276.5		
	AFL	0	T:42000		42000		40901		
PROC. REF: AMM 57-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-60/411	EXAMINE - AILERON TRIM TAB							Service	ATA:57
	MOS	28-Feb-09							
	HRS	0	T:32500 (+500/-500)		32500		30276.5		
WC#: 57.190	AFL	0	T:42000 (+500/-500)		42000		40901		
PROC. REF: AMM 57-60-04									
570005	AILERON LH 10A SERIE ASSY							Component	ATA:57
PN:5570512017	MOS/MSC	14-Oct-09	O/C	TSN 0					
SN:2899P	HRS	87.5		TSN 0					
WC#: 57.050	AFL	44		TSN 0					
PROC. REF: AMM 57-60-02									
570010	AILERON RH 10A SERIE ASSY							Component	ATA:57
PN:5570512018	MOS/MSC	14-Oct-09	O/C	TSN 0					
SN:5002	HRS	87.5		TSN 0					
WC#: 57.050	AFL	44		TSN 0					
PROC. REF: AMM 57-60-02									
570050	L/H WING							Component	ATA:57
PN:5570512135	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:902P	HRS	0		TSN 0					
WC#: 57.080	AFL	0		TSN 0					
PROC. REF: AMM 57-00-00, AMM 57-00-00									
570055	R/H WING							Component	ATA:57
PN:5570512136	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:905P	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 57-00-00, AMM 57-00-00									
ATA 61 - PROPELLERS/PROPULSORS									
61-20-01-00A-920A-A	GOVERNOR							Component	ATA:61
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 61-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
61-20-03-00A-920A-A	OVERSPEED GOVERNOR							Component	ATA:61
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 61-20-03									
61-20/286 ^S	EXAMINE PROPELLER GOVERNOR, OVERSPEED GOVERNOR AND BETA CONTROLS							Service	ATA:61
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:20									
610010	NO. 1 PROPELLER - OVERHAUL							Service	ATA:61
	MOS	02-May-22	72		02-May-28		1471 d	OVERHAUL	
	HRS	959.3	4500		(5459.3) 6723.5		4500		
PROC. REF: GENERIC NO REF									
610100	NO. 1 PROPELLER - ACCOMPLISH INSPECTION							Service	ATA:61
	MOS	20-Feb-24	12		20-Feb-25		304 d		
	HRS	959.3	300		(1259.3) 2523.5		300		
PROC. REF: OIM 61-00-83									
610400	NO. 1 PROPELLER - PERFORM PROPELLER BALANCE							Service	ATA:61
	MOS/MSC		A/R						
	HRS								
PROC. REF: OIM 61-00-83									
611501	NO. 1 PROPELLER - NO. 1 BLADE							Component	ATA:61
PN:CFR260-65A	MOS/MSC	20-Feb-24	O/C	TSO 0					
SN:AFI-55059	HRS	959.3		TSO 0					
PROC. REF: OIM 61-00-83, OIM 61-00-83									
611502	NO. 1 PROPELLER - NO. 2 BLADE							Component	ATA:61
PN:CFR260-65A	MOS/MSC	20-Feb-24	O/C	TSO 0					
SN:AGA-59096	HRS	959.3		TSO 0					
PROC. REF: OIM 61-00-83, OIM 61-00-83									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
611503	NO. 1 PROPELLER - NO. 3 BLADE							Component	ATA:61
PN:CFR260-65A	MOS/MSC	20-Feb-24	O/C	TSO 0					
SN:AGA-56097	HRS	959.3		TSO 0					
PROC. REF: OIM 61-00-83, OIM 61-00-83									
611504	NO. 1 PROPELLER - NO. 4 BLADE							Component	ATA:61
PN:CFR260-65A	MOS/MSC	20-Feb-24	O/C	TSO 0					
SN:AGA-56098	HRS	959.3		TSO 0					
PROC. REF: OIM 61-00-83, OIM 61-00-83									
611505	NO. 1 PROPELLER - NO. 5 BLADE							Component	ATA:61
PN:CFR260-65A	MOS/MSC	20-Feb-24	O/C	TSO 0					
SN:AGA-56099	HRS	959.3		TSO 0					
PROC. REF: OIM 61-00-83, OIM 61-00-83									
612010	NO. 1 ENGINE - PROPELLER GOVERNOR							Component	ATA:61
PN:3049558-01	MOS	28-Feb-09		TSN 0				OVERHAUL	
SN:16393148	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1276.5 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 61-20-00									
612020	NO. 1 ENGINE - OVERSPEED GOVERNOR							Component	ATA:61
PN:3037685	MOS	28-Feb-09		TSN 0				OVERHAUL	
SN:16391717	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1276.5 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 61-20-00									
616010	NO. 1 PROPELLER - PROPELLER STORAGE							Service	ATA:61
	MOS/MSC	13-May-15	A/R						
	HRS	0							
PROC. REF: GENERIC NO REF									
616020	NO. 1 PROPELLER - VISUALLY INSPECT PROPELLERS (IF STORED)							Service	ATA:61
	DAYS/MS		N/A						
	HRS								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
617010	NO. 1 PROPELLER - REPLACE SEALS (IF STORED FOR LONGER THAN 24 MONTHS)							Component	ATA:61
PN:PN	MOS/MSC		A/R						
SN:UNKNOWN	HRS								
PROC. REF: GENERIC NO REF									
618010	NO. 1 PROPELLER - INSPECTION TEAR-DOWN							Service	ATA:61
	MOS/MSC		N/A						
	HRS								
PROC. REF: GENERIC NO REF									
619010	NO. 1 PROPELLER - BETA/OIL TRANSFER TUBE							Component	ATA:61
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
PROC. REF: GENERIC NO REF									
61PR1	NO. 1 PROPELLER							Component	ATA:61
PN:MTV-27-1-N-C-F-R(P) /CFR260-65A	MOS/MSC	20-Feb-24	PP/C						
SN:150403	HRS	2223.5							
WC#: 61.PR1	AFL								
PROC. REF: AMM 61-10-01, AMM 61-10-01									
ATA 71 - POWER PLANT									
71-00-00-00A-903A-A	POWERPLANT (PT6A-67P) ADJUSTMENT/TEST							Service	ATA:71
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-00									
71-00-00-00A-903H-A	POWERPLANT TEST 7 ENGINE PERFORMANCE ADJUSTMENT TEST							Service	ATA:71
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-00									
71-00-00-00A-903I-A	POWER PLANT TEST 8 TORQUEMETER FUNCTION ADJUSTMENT TEST							Service	ATA:71
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-00A-903M-A	POWERPLANT TEST	12-FCU DEAD BAND ADJUSTMENT TEST						Service ATA:71
	MOS/MSC	28-Feb-09	A/R					
	HRS	0						
	AFL	0						
					PROC. REF: AMM 71-00-00			
71-00-00-00A-903P-A	POWERPLANT TEST	15-FLIGHT IDLE ADJUSTMENT						Service ATA:71
	MOS/MSC	28-Feb-09	A/R					
	HRS	0						
	AFL	0						
					PROC. REF: AMM 71-00-00			
71-00/101 ^S	OPERATIONAL TEST	POWER PLANT TORQUE LIMITER						Service ATA:71
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	600 (+10%/-10%)					
WC#: 71.010	AFL	1099						
					PROC. REF: AMM 71-00-00			PKG:19
71-00/102 ^S	OPERATIONAL TEST	POWER PLANT PERFORMANCE						Service ATA:71
	MOS	12-Feb-24	12 (+10%/-10%)					
	HRS	2222.6	600 (+10%/-10%)					
	AFL	1099						
					PROC. REF: AMM 71-00-00			PKG:19
71-00/103	PERFORM COMPRESSOR	PERFORMANCE RECOVERY WASH						Service ATA:71
	MOS/MSC	24-Mar-23	A/R					
	HRS	2184.9						
WC#: 71.040	AFL	1079						
					PROC. REF: AMM 71-00-00			
71-00/104	PERFORM COMPRESSOR	DESALINATION WASH						Service ATA:71
	MOS/MSC	24-Mar-23	A/R					
	HRS	2184.9						
	AFL	1079						
					PROC. REF: AMM 71-00-00			
71-00/105	PERFORM TURBINE	WASH						Service ATA:71
	MOS/MSC	09-Feb-18	A/R					
	HRS	1469.9						
	AFL	675						
					PROC. REF: AMM 71-00-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/107^S CLEAN ENGINE TORQUE AND STICK PUSHER TORQUE TRANSDUCERS ELECTRICAL CONNECTORS								
	MOS	12-Feb-24	12 (+10%/-10%)					Service ATA:71
	HRS	2222.6	600 (+10%/-10%)					
WC#: 71.030	AFL	1099						
PROC. REF: AMM 71-00-03								PKG:19
71-00/16 ENGINE (PRE SB 04-009) MOUNTING FRAME								
PN:PN	MOS	28-Feb-09		TSN 0				Component ATA:71
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17776.5	AIRWORTHINESS
WC#: 71.050	AFL	0	27000	TSN 0	27000		25901	
PROC. REF: AMM 71-00-05								
71-00/17 REPLACE ENGINE MOUNTING FRAME BOLTS, WASHERS AND NUTS								
PN:PN	MOS	28-Feb-09						Service ATA:71
SN:UNKNOWN	HRS	0	11000		11000		8776.5	AIRWORTHINESS
WC#: 71.050	AFL	0						
PROC. REF: GENERIC NO REF								
71-00/204^S PERFORM POWER PLANT - POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION								
	MOS/MSC	12-Feb-24	A/R					Service ATA:71
	HRS	2222.6						
	AFL	1099						
PROC. REF: AMM 71-00-00								PKG:15 ,16,17,18,19,20,21
71-00/205^S EXAMINE ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 1 IN (25,4 MM) LONG AND/OR 0.06 IN (1,5 MM) DEEP								
	MOS	12-Feb-24	12 (+10%/-10%)					Service ATA:71
	HRS	2222.6	1200 (+10%/-10%)					
	AFL	1099						
PROC. REF: GENERIC NO REF								PKG:20
71-00/209^S ENGINE DRAIN MAST AND TANK - EXAMINE THE DRAIN MAST FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN THE COLLECTOR TANK								
	MOS	12-Feb-24	12 (+10%/-10%)					Service ATA:71
	HRS	2222.6	300 (+10%/-10%)					
	AFL	1099						
PROC. REF: GENERIC NO REF								PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/287^S PERFORM POWER PLANT - INSPECTION GROUND RUN - NOTE DEFECTS.								
	MOS/MSC	12-Feb-24	A/R					Service ATA:71
	HRS	2222.6						
	AFL	1099						
				PROC. REF: AMM 71-00-00				PKG:15 ,16,17,18,19,20,21
71-00/301^S EXAMINE ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY.								
	MOS	12-Feb-24	12 (+10%/-10%)					Service ATA:71
	HRS	2222.6	1200 (+10%/-10%)					
	AFL	1099						
				PROC. REF: AMM 54-20-02				PKG:20
71-00/38 LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY								
PN:944.81.21.409	MOS	28-Feb-09		TSN 0				Component ATA:71 OVERHAUL
SN:4208	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1276.5 (+350)	
WC#: 71.063	AFL	0		TSN 0				
				PROC. REF: AMM 71-00-00				
71-00/38 LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY								
PN:944.81.21.409	MOS	28-Feb-09		TSN 0				Component ATA:71 OVERHAUL
SN:4245	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1276.5 (+350)	
WC#: 71.064	AFL	0		TSN 0				
				PROC. REF: AMM 71-00-00				
71-00/38 UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY								
PN:944.81.21.409	MOS	28-Feb-09		TSN 0				Component ATA:71 OVERHAUL
SN:4232	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1276.5 (+350)	
WC#: 71.061	AFL	0		TSN 0				
				PROC. REF: AMM 71-00-00				
71-00/38 UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY								
PN:9448121409	MOS	28-Feb-09		TSN 0				Component ATA:71 OVERHAUL
SN:4226	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1276.5 (+350)	
WC#: 71.060	AFL	0		TSN 0				
				PROC. REF: AMM 71-00-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/38		UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY						Component	ATA:71
PN:944.81.21.409	MOS	28-Feb-09		TSN 0				OVERHAUL	
SN:4243	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1276.5 (+350)		
WC#: 71.062	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/401		ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION						Service	ATA:71
	MOS	28-Feb-09						AIRWORTHINESS	
	HRS	0	T:26600		26600		24376.5		
	AFL	0	T:35000		35000		33901		
PROC. REF: AMM 71-00-05									
71-00/432 ^S		EXAMINE POWER PLANT AND ACCESSORIES, REFER TO P&WC EMM CHAPTER 72-00-00 PERIODIC INSPECTION AND DO THE MINOR AND TIME LIMITED INSPECTION ITEMS						Service	ATA:71
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:15 ,16,17,18,19,20,21									
71-00/476 ^S		REVIEW AND COMPLY WITH P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS AS NECESSARY						Service	ATA:71
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:15 ,16,17,18,19,20,21									
71-10/207 ^S		OPEN AND EXAMINE, ENGINE COWLINGS ENG 43AL AND ENG 43AR AND EXAMINE, PARTICULARLY FOR CONDITION OF RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF MATERIAL P10-001						Service	ATA:71
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:15 ,16,17,18,19,20,21									
71-10/208 ^S		CLOSE ENGINE COWLINGS ENG 43AL AND ENG 43AR						Service	ATA:71
	MOS/MSC	12-Feb-24	A/R						
	HRS	2222.6							
	AFL	1099							
PROC. REF: GENERIC NO REF									
PKG:15 ,16,17,18,19,20,21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710011	NO. 1 ENGINE - OVERHAUL							
	MOS	28-Feb-09						Service ATA:71 OVERHAUL
	HRS	0	3500 (+200)		(3500) 3500	3700	1276.5 (+200)	
	ENC	0						
	PROC. REF: GENERIC NO REF							
710019 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE FIRST-STAGE COMPRESSOR ROTOR WITH A MIRROR OR A BORESCOPE							
	MOS	12-Feb-24						Service ATA:71
	HRS	2222.6	300 (+10%/-10%)					
	ENC	1099						
	PROC. REF: EMM 72-30-05							
	PKG:0							
710021	NO. 1 ENGINE - HOT SECTION INSPECTION							
	MOS	12-Feb-24						Service ATA:71
	HRS	2222.6	1750 (+250)		(3972.6) 3972.6	4222.6	1749.1 (+250)	
	ENC	1099						
	PROC. REF: EMM 72-00-00							
710031	NO. 1 ENGINE - BORESCOPE HOT SECTION							
	MOS	12-Feb-24						Service ATA:71
	HRS	2222.6	400 (+10%/-10%)		(2622.6) 2622.6	2662.6	399.1 (+40)	
	ENC	1099						
	PROC. REF: EMM 72-00-00							
710041	NO. 1 ENGINE - INSPECT POWER TURBINE BLADES							
	MOS/MSC	13-Feb-20	N/A					Service ATA:71
	HRS	1777.8						
	ENC	860						
	PROC. REF: EMM 72-00-00							
710050	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							
	DAYS/MS	24-Mar-23	A/R					Service ATA:71
	HRS	2184.9						
	ENC	1079						
	PROC. REF: EMM 71-00-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710051	NO. 1 ENGINE - COMPRESSOR TURBINE DESALINATION WASH							Service	ATA:71
	MOS/MSC	26-Aug-22	A/R						
	HRS								
	ENC								
					PROC. REF: EMM 71-00-00				
710052	NO. 1 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	24-Mar-23	A/R						
	HRS	2184.9							
	ENC	1079							
					PROC. REF: EMM 71-00-00				
710055	(WELDED) ENGINE MOUNT							Component	ATA:71
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 71.120	AFL	0			TSN 0				
					PROC. REF: AMM 71-00-05				
710061	NO. 1 ENGINE - PERFORM ENGINE CONDITION TREND MONITORING (ECTM)							Service	ATA:71
	MOS/MSC	15-May-14	A/R						
	HRS	894.4							
	ENC	423							
					PROC. REF: EMM 72-00-00				
710070 ^S	NO. 1 ENGINE - CHECK FCU MANUAL OVERRIDE SYSTEM FOR STATIC OPERATION							Service	ATA:71
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
					PROC. REF: EMM 71-00-00			PKG:0	
710100	NO. 1 ENGINE - PERFORM CORROSION INHIBITION PROCEDURE							Service	ATA:71
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
					PROC. REF: EMM 72-00-00				
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:PT6A-67P	MOS/MSC		E/C						
SN:PCE-RY0117	HRS								
WC#: 71.EN1	AFL								
					PROC. REF: AMM 71-00-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-10-00-01A-920A-A	POWER SECTION							Component	ATA:72
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 72-10-00									
720010	NO. 1 ENGINE - GAS GENERATOR MODULE							Component	ATA:72
PN:PN	MOS	28-Feb-09		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3500	3700	1276.5 (+200)		
	ENC	0		TSN 0					
PROC. REF: EMM 72-30-04									
720012	NO. 1 ENGINE - CHIP DETECTOR CIRCUIT COMPLETION AND/OR DEBRIS IN OIL FILTER							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									
720022	NO. 1 ENGINE - OIL SYSTEM - CHECK OIL LEVEL							Service	ATA:72
	MOS/MSC	28-Feb-09	BF/F						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									
720023	NO. 1 ENGINE - CHECK CONDITION AND LOCKING OF OIL FILLER CAP							Service	ATA:72
	MOS/MSC	28-Feb-09	BF/F						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-60-00									
720025	NO. 1 ENGINE - OVERTEMPERATURE							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									
720030 ^S	NO. 1 ENGINE - CHECK ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS FOR ATTACHMENT							Service	ATA:72
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
PROC. REF: GENERIC NO REF									

PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720035	NO. 1 ENGINE - OVERTORQUE							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
720040 ^S	NO. 1 ENGINE - CHECK CLAMPS, BRACKETS, TUBES/LINES, LINKAGES FOR CHAFING, CRACKS AND CORROSION							Service	ATA:72
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
	PROC. REF: GENERIC NO REF								
	PKG:0								
720045	NO. 1 ENGINE - HEAVY/HARD LANDING							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
720050 ^S	NO. 1 ENGINE - CHECK ACCESSORIES ATTACHMENT AND LINKAGES, AIR, OIL AND FUEL LINES							Service	ATA:72
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
	PROC. REF: GENERIC NO REF								
	PKG:0								
720055	NO. 1 ENGINE - AUDIBLE RUBBING, BINDING OR SCRAPING							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
720070 ^S	NO. 1 ENGINE - INSPECT FOR OIL AND FUEL LEAKS AS APPLICABLE							Service	ATA:72
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
	PROC. REF: GENERIC NO REF								
	PKG:0								
720080	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINES INACTIVE 0 TO 7 DAYS							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720081	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINES INACTIVE 8 TO 28 DAYS							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
720082	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINES INACTIVE 29 TO 90 DAYS							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
720083	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINES INACTIVE FOR PERIODS EXCEEDING 90 DAYS							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
720084	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINES INACTIVE FOR PERIODS EXCEEDING ONE YEAR							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
720085	NO. 1 ENGINE - ENGINE DEPRESERVATION PROCEDURE							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
720086	NO. 1 ENGINE - ENGINE UNPRESERVED PROCEDURE							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
721015	NO. 1 ENGINE - INADVERTENT CUT-OFF AND RELIGHT DURING TAXI							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721020	NO. 1 ENGINE - CONTAMINATION OF OIL WITH NON-METALLIC FOREIGN MATERIAL							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
721060	NO. 1 ENGINE - STARTER-GENERATOR REPLACEMENT							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
721100	NO. 1 ENGINE - PROPELLER SHAFT SEAL - CHECK FOR OIL LEAKS							Service	ATA:72
	MOS/MSC	28-Feb-09	BF/F						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-11-00								
721121	NO. 1 ENGINE - NO. 2 FIRST-STAGE REDUCTION PLANET GEAR							Component	ATA:72
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
721122	NO. 1 ENGINE - NO. 3 FIRST-STAGE REDUCTION PLANET GEAR							Component	ATA:72
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
722010 ^S	NO. 1 ENGINE - INSPECT THE AIR INLET SCREEN FOR CLEANLINESS							Service	ATA:72
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
	PROC. REF: EMM 72-20-00, EMM 72-20-00								
	PKG:0								
722011	NO. 1 ENGINE - NO. 1 SECOND STAGE REDUCTION PLANET GEAR							Component	ATA:72
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
722020 ^S	NO. 1 ENGINE - WITH INLET SCREEN REMOVED OR ALTERNATIVELY WITHBORESCOPE, INSPECT COMPRESSOR INLET CASE OVERALL SURFACEAREAS AND STRUTS FOR CORROSION							Service	ATA:72
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
	PROC. REF: EMM 72-20-00							PKG:0	
722030	NO. 1 ENGINE - IMMERSION IN WATER							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
723010	NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3042701	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:TXA1B8127	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22901		
	ACCCYC	0	24000	TSN 0					
	PROC. REF: GENERIC NO REF								
723020	NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT							Component	ATA:72
PN:3043063	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:PKAAA221040	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22901		
	ACCCYC	0	24000	TSN 0					
	PROC. REF: GENERIC NO REF								
723026 ^S	NO. 1 ENGINE - INSPECTION/CHECK GAS GENERATOR CASE EXTERNAL SURFACES, AND FIRESEAL MOUNT RING BRACKETS FOR CRACKS, DISTORTION, AND CORROSION							Service	ATA:72
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
	PROC. REF: EMM 72-30-04							PKG:0	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723030	NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040942	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:EAB000M821	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22901		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723035	NO. 1 ENGINE - AIRCRAFT FLOWN THROUGH VOLCANIC ASH OR SMOKE							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									
723036 ^S	NO. 1 ENGINE - INSPECTION/CHECK FIRESEAL MOUNT RINGS FOR CRACKS AND ATTACHMENT OF BRACKETS AND SEALS							Service	ATA:72
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
PROC. REF: EMM 72-30-04, EMM 72-30-01, EMM 72-30-02									
723040	NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040933	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:EAB000N229	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22901		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723050	NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040944	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:TXA1B7638	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22901		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3036898	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:EAB000P724	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24000 (M)		22901		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723070	NO. 1 ENGINE - PERFORMANCE DETERIORATION							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00, EMM 72-00-00									
724010	NO. 1 ENGINE - SUSTAINED RUNNING AT OIL TEMPERATURE OUTSIDE LIMITS							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									
724015	NO. 1 ENGINE - LOSS OF OIL/OIL PRESSURE OR LOW OIL PRESSURE							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									
724020	NO. 1 ENGINE - HIGH OIL PRESSURE							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									
724025	NO. 1 ENGINE - CONTAMINATION BY FIRE EXTINGUISHING AGENTS							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724030	NO. 1 ENGINE - DROPPED ENGINE OR COMPONENT							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
724055	NO. 1 ENGINE - TEAR OR OPENING FOUND ON MAIN OIL FILTER SECONDARY SCREEN							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
724060	NO. 1 ENGINE - HIGH TORQUE INDICATION AT LOW POWER							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
725003	NO. 1 ENGINE - OVERSPEED							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
725010	NO. 1 ENGINE - COMPRESSOR TURBINE DISK							Component	ATA:72
PN:3053740-01	MOS	12-Feb-24		TSN 180, TSR 0				LIFE LIMIT	
SN:A002FLK4	HRS	2222.6		TSN 2222.6, TSR 0					
	ENC	1099		TSN 1099, TSR 0	(8000)		6901		
	ACCCYC	0	8000	TSN 1099, TSR 0	8000 (M)				
	PROC. REF: GENERIC NO REF								
725013	NO. 1 ENGINE - POWER TURBINE INTERSTAGE VANE RING							Component	ATA:72
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725020	NO. 1 ENGINE - REPLACE 2ND STAGE POWER TURBINE (3RD STAGE TURBINE) BLADES							Service	ATA:72
	MOS	28-Feb-09						LIFE LIMIT	
	HRS	0	5000		(5000) 5000		2776.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
725026 ^S	NO. 1 ENGINE - INSPECTION/CHECK EXHAUST DUCT FOR CRACKS AND DISTORTION							Service	ATA:72
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
PROC. REF: EMM 72-50-05									
725030	NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037312	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:A002FYAW	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000) 15000 (M)		13901		
	ACCCYC	0	15000	TSN 0					
PROC. REF: GENERIC NO REF									
725040	NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037313	MOS	28-Feb-09		TSN 0				LIFE LIMIT	
SN:A002HODP	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000) 15000 (M)		13901		
	ACCCYC	0	15000	TSN 0					
PROC. REF: GENERIC NO REF									
726020	NO. 1 ENGINE - POWER SECTION MODULE							Component	ATA:72
PN:PN	MOS	28-Feb-09		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3500	3700	1276.5 (+200)		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726030	NO. 1 ENGINE - ELECTRICAL FILLER CAP AND INDICATOR, OIL-LEVEL							Component	ATA:72
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726100	NO. 1 ENGINE - PROPELLER SUDDEN STOPPAGE OR STRIKE							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
726104	NO. 1 ENGINE - GEARSHAFT ASSEMBLY, ACCESSORY DRIVE - IDLER GEARSHAFT SPUR - 43T							Component	ATA:72
PN:3058582-01	MOS/MSC	12-Feb-24	O/C						
SN:PKAAA223512	HRS	2222.6							
	ENC	1099							
	PROC. REF: GENERIC NO REF								
726120	NO. 1 ENGINE - PROPELLER LIGHTNING STRIKE							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
726130	NO. 1 ENGINE - PROPELLER ELECTRICAL LEADS SHORTING							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
726160	NO. 1 ENGINE - PROPELLER WINDMILLING AFTER IN-FLIGHT SHUTDOWN							Service	ATA:72
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:3040760	MOS	28-Feb-09		TSN 0				OVERHAUL	
SN:009469	HRS	0	3500	TSN 0	(3500) 3500		1276.5		
	ENC	0		TSN 0					
	PROC. REF: EMM 73-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731015	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service	ATA:73
	MOS/MSC	25-Feb-11	N/A						
	HRS	348.7							
	ENC	140							
PROC. REF: EMM 73-11-05, EMM 71-00-00									
731025	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE NOT ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service	ATA:73
	MOS	12-Feb-24							
	HRS	2222.6	400 (+10%/-10%)		(2622.6) 2622.6	2662.6	399.1 (+40)		
	ENC	1099							
PROC. REF: EMM 73-11-05									
731030	NO. 1 ENGINE - OVERTORQUE LIMITER							Component	ATA:73
PN:3244882-2	MOS	09-Feb-18		TSO 1				OVERHAUL	
SN:C51063	HRS	1469.9	3500 (+500)	TSO 0	(4969.9) 4969.9	5469.9	2746.4 (+500)		
	ENC	675		TSO 0					
PROC. REF: GENERIC NO REF									
731031 ^S	NO. 1 ENGINE - DO A CHECK OF THE FUEL PUMP (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
PROC. REF: EMM 73-10-02									
731035	NO. 1 ENGINE - VISUAL INSPECTION FUEL PUMP TO AGB COVER INTERFACE FOR OIL LEAKAGE AND /OR GASKET MIGRATION							Service	ATA:73
	MOS/MSC	28-Feb-09	N/A						
	HRS	0							
	ENC	0							
PROC. REF: EMM 73-10-02									
731040	NO. 1 ENGINE - CHECK FUEL PUMP FUEL INLET SCREEN FOR FOREIGN MATTER OR DISTORTION, CLEAN AND REINSTALL, OR INSTALL NEW SCREEN							Service	ATA:73
PN:3040760	MOS	24-Mar-23							
SN:009469	HRS	2184.9	600 (+10%/-10%)		(2784.9) 2784.9	2844.9	561.4 (+60)		
	ENC	1079							
PROC. REF: EMM 73-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731045 ^S	NO. 1 ENGINE - DO A CHECK OF THE OIL-TO-FUEL HEATER (IN-SITU INSPECTION ONLY) FOR INSTALLATION							Service	ATA:73
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
	PROC. REF: EMM 73-10-01							PKG:0	
731050	NO. 1 ENGINE - CHECK FUEL PUMP COUPLING IN-SITU FOR FRETTING AND CORROSION							Service	ATA:73
PN:3040760	MOS/MSC	28-Feb-09	N/A						
SN:009469	HRS	0							
	ENC	0							
	PROC. REF: EMM 73-10-02								
731052	NO. 1 ENGINE - REMOVE FUEL PUMP AND INSPECT THE DRIVE COUPLING AREA AND COVER ACCESSORY GEARBOX SIDE FOR SIGNS OF REDDISH-BROWN (IRON OXIDE) STAINS. IF STAINS ARE OBSERVED RETURN THE FUEL PUMP TO AN APPROVED OVERHAUL FACILITY.							Service	ATA:73
	MOS/MSC	28-Feb-09	N/A						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 73-10-02								
731055	NO. 1 ENGINE - REPLACE NO. 1 FUEL PUMP OUTLET FILTER							Service	ATA:73
PN:3059778-01	MOS	24-Mar-23						REPLACE	
SN:UNKNOWN	HRS	2184.9	600 (+10%/-10%)		(2784.9) 2784.9	2844.9	561.4 (+60)		
	ENC	1079							
	PROC. REF: EMM 73-10-02								
731056 ^S	NO. 1 ENGINE - INSPECT PNEUMATIC TUBES AND LINES FOR CRACKS AND DAMAGES ESPECIALLY AT THE END FITTINGS AND JOINTS							Service	ATA:73
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
	PROC. REF: GENERIC NO REF							PKG:0	
731060	NO. 1 ENGINE - OIL TO FUEL HEATER							Component	ATA:73
PN:3057249-01	MOS	28-Feb-09		TSN 0				OVERHAUL	
SN:WA35182	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1276.5 (+500)		
	ENC	0		TSN 0					
	PROC. REF: EMM 73-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731065 ^S	NO. 1 ENGINE - EXAMINE FILTER BOWL							Service	ATA:73
	MOS		12-Feb-24						
	HRS		2222.6	300 (+10%)					
	ENC		1099						
	PROC. REF: GENERIC NO REF							PKG:0	
731070	NO. 1 ENGINE - FLOW DIVIDER/PURGE VALVE							Component	ATA:73
PN:3038472	MOS		28-Feb-09	TSN 0				OVERHAUL	
SN:9959524937	HRS		0	3500 (+500)	(3500) 3500	4000	1276.5 (+500)		
	ENC		0	TSN 0					
	PROC. REF: EMM 73-10-04								
731085 ^S	NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE (IN-SITU INSPECTION ONLY) OF INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS		12-Feb-24						
	HRS		2222.6	300 (+10%/-10%)					
	ENC		1099						
	PROC. REF: EMM 73-10-06							PKG:0	
731090	NO. 1 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:8063-044	MOS		11-Sep-09	TSR 0				OVERHAUL	
SN:16374470	HRS		87.5	3500 (+500)	(3500) 3500	4000	1276.5 (+500)		
	ENC			TSR 0					
	PROC. REF: EMM 73-20-00								
731091 ^S	NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS		12-Feb-24						
	HRS		2222.6	300 (+10%/-10%)					
	ENC		1099						
	PROC. REF: EMM 73-10-04							PKG:0	
731095	NO. 1 ENGINE - FUEL CONTROL UNIT (FCU) BELLOWS							Component	ATA:73
PN:PN	MOS		28-Feb-09	TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS		0	4000	(4000) 4000		1776.5		
	ENC		0	TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731100	NO. 1 ENGINE - CLEAN P3 FILTER							Service	ATA:73
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)		(2484.9) 2484.9	2514.9	261.4 (+30)		
	ENC	1079							
PROC. REF: EMM 73-10-07									
731150 ^S	NO. 1 ENGINE - CHECK OUTLET FILTER FOR FOREIGN MATTER OR DISTORTION							Service	ATA:73
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
PROC. REF: EMM 73-10-02									
731155	NO. 1 ENGINE - FUEL PUMP OUTLET FILTER							Component	ATA:73
PN:3059778-01	MOS/MSC	24-Mar-23	H/T	TSN 0					
SN:UNKNOWN	HRS	2184.9		TSN 0					
	ENC	1079		TSN 0					
PROC. REF: EMM 73-10-02									
732010	NO. 1 ENGINE - FUEL FLOW TRANSMITTER							Component	ATA:73
PN:TFF1573-15/975.35.12.106	MOS/MSC	01-Oct-13	O/C	TSO 2					
SN:AAD8570	HRS	804.6		TSO 0					
	ENC	347		TSO 0					
PROC. REF: GENERIC NO REF									
732020 ^S	NO. 1 ENGINE - CHECK FCU FOR INSTALLATION, LINKAGES AND PNEUMATIC LINES							Service	ATA:73
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
PROC. REF: EMM 73-20-00									
733020	NO. 1 ENGINE - REPLACE P3 FILTER							Service	ATA:73
	MOS	24-Mar-23							
	HRS	2184.9	900 (+10%/-10%)		(3084.9) 3084.9	3174.9	861.4 (+90)		
	ENC	1079							
PROC. REF: EMM 73-10-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
733070	NO. 1 ENGINE - CLEAN AND INSPECT P3 FILTER DRAIN VALVE HOUSING ASSEMBLY							Service	ATA:73
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)		(2484.9) 2484.9	2514.9	261.4 (+30)		
	ENC	1079							
PROC. REF: EMM 73-10-07, EMM 73-10-07									
ATA 74 - IGNITION									
74-00/288 ^S	OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 74-00-00									
PKG:17									
740010	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:3035889	MOS	28-Feb-09		TSN 0				OVERHAUL	
SN:NNA08444807	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1276.5 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 74-10-00									
740015	NO. 1 ENGINE - CHECK IGNITION EXCITER FOR INSTALLATION AND CONDITION							Service	ATA:74
	MOS	24-Mar-23							
	HRS	2184.9	400 (+10%/-10%)		(2584.9) 2584.9	2624.9	361.4 (+40)		
	ENC	1079							
PROC. REF: EMM 74-10-00									
740020	NO. 1 ENGINE - 4 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:CH34055	MOS/MSC	06-Feb-19	O/C	TSN 0					
SN:UNKNOWN	HRS	1609.6		TSN 0					
	ENC	759		TSN 0					
PROC. REF: GENERIC NO REF									
740025	NO. 1 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINESS AND EROSION. CHECK FUNCTION							Service	ATA:74
	MOS	24-Mar-23							
	HRS	2184.9	400 (+10%/-10%)		(2584.9) 2584.9	2624.9	361.4 (+40)		
	ENC	1079							
PROC. REF: EMM 74-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
740040	NO. 1 ENGINE - 9 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:CH34055	MOS/MSC	06-Feb-19	O/C	TSN 0					
SN:UNKNOWN	HRS	1609.6		TSN 0					
	ENC	759		TSN 0					
PROC. REF: GENERIC NO REF									
742010	NO. 1 ENGINE - CHECK IGNITION CABLES FOR CHAFING, WEAR AND INSTALLATION							Service	ATA:74
	MOS	24-Mar-23							
	HRS	2184.9	400 (+10%/-10%)		(2584.9) 2584.9	2624.9	361.4 (+40)		
	ENC	1079							
PROC. REF: EMM 74-20-00									
ATA 75 - AIR									
750010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component	ATA:75
PN:3059835-01	MOS	28-Feb-09		TSN 0				OVERHAUL	
SN:AHX013165	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1276.5 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 75-30-00									
ATA 76 - ENGINE CONTROLS									
76-00/210 ^S	EXAMINE ENGINE CONTROLS IN ENGINE COMPARTMENT							Service	ATA:76
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
76-00/211 ^S	CHECK BETA SLIP RING CARBON BLOCK - MAKE SURE GAP IS NOT MORE THAN 0.01IN (0.25MM)							Service	ATA:76
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF									
76-00/212 ^S	OPERATIONAL TEST COCKPIT CONTROL QUADRANT- CAUTION - DO NOT MOVE PCL INTO THE REVERSE RANGE- PCL- MOVE BETWEEN IDLE AND MAX AND MAKE SURE MOVEMENT FULL AND FREE. CONDITION LEVER- DO THE OPERATIONAL TEST. MANUAL OVERRIDE LEVER- MOVE BETWEEN OFF AND MAX AND MAKE SURE MOVEMENT IS FULL AND FREE.							Service	ATA:76
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)						
	AFL	1079							
PROC. REF: AMM 76-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
76-00/303 ^S		OPERATIONAL TEST COCKPIT CONTROL QUADRANT - POWER CONTROL, MANUAL OVERRIDE					Service	ATA:76	
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 76-10-00, AMM 76-20-00								PKG:20	
76-00/304 ^S		EXAMINE COCKPIT CONTROL QUADRANT					Service	ATA:76	
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:17	
76-10/117		FUNCTIONAL TEST PROPELLER FEATHERING MICROSWITCHES					Service	ATA:76	
	MOS	12-Feb-24	12 (+10%/-10%)		12-Feb-25	18-Mar-25	296 d (+34)		
	HRS	2222.6	3000 (+10%/-10%)		5222.6	5522.6	2999.1 (+300)		
WC#: 76.010	AFL	1099							
PROC. REF: AMM 76-10-02									
760015		MANUAL OVERRIDE CABLE ASSY.					Component	ATA:76	
PN:9419411417	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:20080084	HRS	0			TSN 0				
WC#: 76.020	AFL	0			TSN 0				
PROC. REF: AMM 76-20-00									
760020		CONDITION CABLE ASSY.					Component	ATA:76	
PN:9419411418	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:20080075	HRS	0			TSN 0				
WC#: 76.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
760025		POWER CONTROL CABLE ASSY.					Component	ATA:76	
PN:9419411419	MOS/MSC	10-Dec-09	O/C						
SN:20080008	HRS	130.5							
WC#: 76.040	AFL								
PROC. REF: AMM 76-10-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
761011	NO. 1 ENGINE - DEPENDING ON OPERATING CONDITIONS AND ENVIRONMENT, EXAMINE LINKAGES AT REGULAR INTERVALS							Service	ATA:76
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)		(2484.9) 2484.9	2514.9	261.4 (+30)		
	ENC	1079							
PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
77-40-03-00A-903A-A		TORQUE TRANSDUCER ADJUSTMENT TEST							Service ATA:77
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 77-40-03									
77-40-03-00A-920A-A		TORQUE TRANSDUCER							Component ATA:77
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 77-40-03									
770005		TRQ,IPT-51DFP-1000-70D TRANSDUCER							Component ATA:77
PN:IPT-51DFP-1000-70D	MOS/MSC	06-Feb-19	O/C		TSN 0				
SN:8475-4-145	HRS	1609.6			TSN 0				
WC#: 77.010	AFL	759			TSN 0				
PROC. REF: AMM 77-40-03									
770010		DIFFERENTIAL PRESSURE,PDCR130/35WL/C TRANSDUCER							Component ATA:77
PN:9752115212	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:2888544	HRS	0			TSN 0				
WC#: 77.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
770025		DIFFERENTIAL PRESSURE TRANSDUCER							Component ATA:77
PN:PN	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
771010		NO. 1 ENGINE - T5 THERMOCOUPLE WIRING HARNESS							Component ATA:77
PN:3043825-01	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:NR04306	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: EMM 77-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-00/214 ^S	EXAMINE EXHAUST STUBS							Service	ATA:78
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:17	
ATA 79 - OIL									
701020	NO. 1 ENGINE - CONTAMINATION OF OIL WITH NON-METALLIC FOREIGN MATERIAL							Service	ATA:79
	MOS/MSC	28-Feb-09	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
79-00/422 ^S	OPERATIONAL TEST OIL FILLER CAP / DIPSTICK							Service	ATA:79
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	600 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 79-30-06								PKG:19	
79-20/289 ^S	EXAMINE ENGINE OIL COOLER. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT							Service	ATA:79
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	1200 (+10%/-10%)						
	AFL	1099							
PROC. REF: GENERIC NO REF								PKG:20	
79-20/290 ^S	OPERATIONAL TEST OIL SYSTEM CHIP DETECTOR INDICATION SYSTEM							Service	ATA:79
	MOS	12-Feb-24	12 (+10%/-10%)						
	HRS	2222.6	300 (+10%/-10%)						
	AFL	1099							
PROC. REF: AMM 79-30-01								PKG:17	
79-20/43	OIL COOLER							Component	ATA:79
PN:9683214102	MOS	09-Feb-18		TSN 108				OVERHAUL	
SN:T0985	HRS	1469.9	3500 (+10%/-10%)	TSN 1469.9	3500	3850	1276.5 (+350)		
WC#: 79.010	AFL	675		TSN 675					
PROC. REF: AMM 79-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790005	TEMPERATURE BULB							Component	ATA:79
PN:9751120101	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:156941	HRS	0		TSN 0					
WC#: 79.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
790020	PRESSURE,GAGE SWITCH							Component	ATA:79
PN:973.81.14.305	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:0943	HRS	0		TSN 0					
WC#: 79.030	AFL	0		TSN 0					
PROC. REF: AMM 79-30-04									
790021	NO. 1 ENGINE - SERVICING OF OIL SYSTEM							Service	ATA:79
	MOS/MSC	28-Feb-09	A/R					DISCARD	
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
790025	THERMAL ACTUATOR							Component	ATA:79
PN:9787301002	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:1134	HRS	0		TSN 0					
WC#: 79.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
790031	NO. 1 ENGINE - CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	12-Feb-24	12 (+10%)		12-Feb-25	18-Mar-25	296 d (+34)		
	HRS	2222.6	300 (+10%)		(2522.6) 2522.6	2552.6	299.1 (+30)		
	ENC	1099							
PROC. REF: EMM 79-20-02									
790040	NO. 1 ENGINE - BRIDGE CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	12-Feb-24	12 (+10%)		12-Feb-25	18-Mar-25	296 d (+34)		
	HRS	2222.6	600 (+10%)		(2822.6) 2822.6	2882.6	599.1 (+60)		
	ENC	1099							
PROC. REF: EMM 79-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790050	NO. 1 ENGINE - REPLACE OIL FILTER ELEMENT							Service	ATA:79
	MOS	24-Mar-23							
	HRS	2184.9	900 (+10%/-10%)		(3084.9) 3084.9	3174.9	861.4 (+90)		
	ENC	1079							
	PROC. REF: EMM 79-20-02								
790060	NO. 1 ENGINE - INSPECT CLEAN OIL FILTER ELEMENT AND SECONDARY SCREEN							Service	ATA:79
	MOS	24-Mar-23							
	HRS	2184.9	300 (+10%/-10%)		(2484.9) 2484.9	2514.9	261.4 (+30)		
	ENC	1079							
	PROC. REF: EMM 79-20-02								
790070	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP INLET SCREEN							Service	ATA:79
	MOS	12-Feb-24	6 (+10%/-10%)		12-Aug-24	30-Aug-24	112 d (+18)		
	HRS	2222.6	300 (+10%/-10%)		(2522.6) 2522.6	2552.6	299.1 (+30)		
	ENC	1099							
	PROC. REF: EMM 72-60-00								
790080	NO. 1 ENGINE - PERFORM AN OIL SAMPLE							Service	ATA:79
	MOS/MSC	24-Mar-23	N/A						
	HRS	2184.9							
	ENC	1079							
	PROC. REF: EMM 79-20-02								
790081	NO. 1 ENGINE - PERFORM OIL ANALYSIS TECHNOLOGY SAMPLING							Service	ATA:79
	MOS/MSC	06-Feb-19	N/A						
	HRS	1609.6							
	ENC	759							
	PROC. REF: EMM 72-00-00								
790091 ^S	NO. 1 ENGINE - INSPECT FUEL AND OIL LINES FOR LEAKS							Service	ATA:79
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
	PROC. REF: GENERIC NO REF								

PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790093 ^S	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service	ATA:79
	MOS	12-Feb-24							
	HRS	2222.6	300 (+10%/-10%)						
	ENC	1099							
				PROC. REF: GENERIC NO REF				PKG:0	
792030	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:975.21.15.214	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:7520-5-292	HRS	0		TSN 0					
	ENC	0		TSN 0					
				PROC. REF: GENERIC NO REF					
ATA 80 - STARTING									
801010	NO. 1 GENERATOR							Component	ATA:80
PN:9789123437	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:P1229	HRS	0		TSN 0					
WC#: 80.005	AFL	0		TSN 0					
				PROC. REF: AMM 24-30-01					
801015	NO. 2 STARTER GENERATOR							Component	ATA:80
PN:9789123437	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:P1243	HRS	0		TSN 0					
WC#: 80.010	AFL	0		TSN 0					
				PROC. REF: AMM 24-30-01					
ATA 91 - UNKNOWN									
240120	BATTERY EXTERNAL POWER JUNCTION BOX							Component	ATA:91
PN:9740338142	MOS/MSC	19-Feb-10	O/C						
SN:232	HRS	159							
WC#: 90.005	AFL	51							
				PROC. REF: GENERIC NO REF					
910010	LEFT HD POWER JCT BOX							Component	ATA:91
PN:PN	MOS/MSC	28-Feb-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1116 RegNo: N47NX HRS: 2223.5 AFL: 1099 As Of: 20-Feb-2024

22-Apr-2024 11:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 91 - UNKNOWN									
910015	KBT 300 TTP BUS RES, A-157 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:KBT300-1535	HRS	0			TSN 0				
WC#: 90.015	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910020	KBT 300 TTP BUS RES, A-175 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:KBT300-1469	HRS	0			TSN 0				
WC#: 90.025	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910025	KBT 300 TTP BUS RES, A-174 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:KBT300-1485	HRS	0			TSN 0				
WC#: 90.020	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910030	PILOT LEFT HD POWER, FE1549L JUNCTION BOX							Component	ATA:91
PN:9740338136	MOS/MSC	11-Apr-10	O/C		TSR 0				
SN:155	HRS				TSR 0				
WC#: 90.030	AFL				TSR 0				
PROC. REF: GENERIC NO REF									
910035	CO-PILOT RIGHT HD POWER,FE1549R JUNCTION BOX							Component	ATA:91
PN:974.03.38.143/FE1549R-02	MOS/MSC	25-Feb-11	O/C						
SN:187	HRS	348.7							
WC#: 90.030	AFL	140							
PROC. REF: GENERIC NO REF									
910040	KBT 300 TTP BUS RES, A-156 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	28-Feb-09	O/C		TSN 0				
SN:KBT300-1538	HRS	0			TSN 0				
WC#: 90.010	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task