



Status Report

560XL - CITATION XL
(MSG)

S/N 560XL-5370 N421LT

OWNER: LAKIN TIRE WEST INC.
ADDRESS: 15305 SPRING AVENUE
SANTA FE SPRINGS CA 90670
OFFICE: 562-802-2752
FAX: 562-802-7584

OPERATOR: SUN AIR JETS, LLC
ADDRESS: 855 AVIATION DRIVE
CAMARILLO CA 93010-8569
OFFICE: 8053899308
FAX: 8059874720

OPERATOR: LAKIN TIRE WEST INC.
ADDRESS: C/O ATLANTIC AVIATION
SANTA MONICA CA 90405
OFFICE:
FAX:

ANALYST: DAMOND POLLOCK
EMAIL: DPOLLOCK@CAMPSYSTEMS.COM

+1-316-462-2470 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL / REGNO: 560XL-5370/N421LT	MODEL: 560XL - CITATION XL (MSG)	MANUFACTURER: TEXTRON AVIATION INC.
CERTIFICATION DATE: 01-JUN-2004		LAST ACTUALS: 2782.7 A/C HRS as of 05-MAY-2024 1839 AFL as of 05-MAY-2024 829.5 APH as of 12-APR-2024 1398 APS as of 30-MAR-2024	
APU	SERIAL / PART: P-435/3800722-1	MODEL: RE100 (XL)	MANUFACTURER: HONEYWELL
INSTALLED ON: 01-JUN-2004 0 APU HRS 9 A/C HRS 0 APUS		LAST ACTUALS: 829.5 APU HRS as of 12-APR-2024 1398 APUS as of 30-MAR-2024	
ENGINE NO. 1	SERIAL / PART: PCE-DB0763/31J1900-01	MODEL: PW545A	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 01-JUN-2004 9 ENG. HRS 9 A/C HRS ENC		LAST ACTUALS: 2782.7 ENG. HRS as of 05-MAY-2024 1839 ENC as of 05-MAY-2024	
ENGINE NO. 2	SERIAL / PART: PCE-DB0760/31J1900-01	MODEL: PW545A	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 01-JUN-2004 9 ENG. HRS 9 A/C HRS ENC		LAST ACTUALS: 2782.7 ENG. HRS as of 05-MAY-2024 1839 ENC as of 05-MAY-2024	



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
052560 ^U	ELT - REGISTRATION RENEWAL							Service ATA:00
	MOS	28-Jun-23	24		28-Jun-25 (M)		395 d	
	HRS	2678.4						
	AFL	1780						
ATA 01 - LIMITATIONS								
010000 ^U	AIRCRAFT REGISTRATION RENEWAL							Service ATA:01
	MOS/MSC	05-Oct-21	DUE		31-Oct-24 (M)		155 d	
	HRS							
	AFL							
ATA 04 - LIMITATIONS								
4-12-MD	INSPECTION DOCUMENT MD							Package ATA:04
	MOS	30-Mar-24	120		31-Mar-34		3593 d	
	HRS	2765.1	2400		5165.1		2382.4	
	AFL	1829						
PROC. REF: AMM GENERIC 1, ALS 4-12-MD								PKG:163
4-12-ME	INSPECTION DOCUMENT ME							Package ATA:04
	MOS	01-Jun-04						AIRWORTHINESS
	HRS	0	15000		15000		12217.3	
	AFL	0						
PROC. REF: AMM GENERIC 1, ALS 4-12-ME								PKG:164
4-12-MF	INSPECTION DOCUMENT MF							Package ATA:04
	MOS	01-Jun-04						AIRWORTHINESS
	HRS	0	T:7500		7500		4717.3	
	AFL	0						
PROC. REF: AMM GENERIC 1, ALS 4-12-MF								PKG:165
4-12-MJ	INSPECTION DOCUMENT MJ							Package ATA:04
	MOS	01-Jun-04						AIRWORTHINESS
	HRS	0	13000		13000		10217.3	
	AFL	0						
PROC. REF: AMM GENERIC 1, ALS 4-12-MJ								PKG:169

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
4-12-ML	INSPECTION DOCUMENT ML							Package ATA:04
	MOS	01-Jun-04						AIRWORTHINESS
	HRS	0	T:11500		11500		8717.3	
	AFL	0						
	PROC. REF: AMM GENERIC 1, ALS 4-12-ML							PKG:171
4-12-MM	INSPECTION DOCUMENT MM							Package ATA:04
	MOS	01-Jun-04						AIRWORTHINESS
	HRS	0	T:11000		11000		8217.3	
	AFL	0						
	PROC. REF: AMM GENERIC 1, ALS 4-12-MM							PKG:172
4-12-MN	INSPECTION DOCUMENT MN							Package ATA:04
	MOS	01-Jun-04						AIRWORTHINESS
	HRS	0	T:9000		9000		6217.3	
	AFL	0						
	PROC. REF: AMM GENERIC 1, ALS 4-12-MN							PKG:173
4-12-MO	INSPECTION DOCUMENT MO							Package ATA:04
	MOS	01-Jun-04						AIRWORTHINESS
	HRS	0	T:12500		12500		9717.3	
	AFL	0						
	PROC. REF: AMM GENERIC 1, ALS 4-12-MO							PKG:174
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052034A ^U	GPS ANTENNA, CONNECTOR HOLE							Service ATA:05
	MOS	01-Nov-19						
	HRS	2260.5						
	AFL	1544	10271		11815		9976	
052034B ^U	GPS ANTENNA, FASTENER HOLE							Service ATA:05
	MOS	01-Nov-19						
	HRS	2260.5						
	AFL	1544	4835		6379		4540	
052034C ^U	UAT ANTENNA, CONNECTOR HOLE							Service ATA:05
	MOS	01-Nov-19						
	HRS	2260.5						
	AFL	1544	13016		14560		12721	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052034D ^U	UAT ANTENNA, FASTENER HOLE							Service ATA:05
	MOS	01-Nov-19						
	HRS	2260.5						
	AFL	1544	7466		9010		7171	
053410 ^U	FLIGHTSTREAM 110							Component ATA:05
PN:010-01194-01	MOS/MSC	01-Nov-19	O/C	TSN 0				
SN:3G0001893	HRS	2260.5		TSN 0				
	AFL	1544		TSN 0				
053418 ^U	PERFORM NAV DATABASE UPDATE							Service ATA:05
	MOS/MSC	21-Mar-24	DUE		18-Apr-24 (M)		OVD	
	HRS	2759.8						
	AFL	1825						
055000	NO. 1 ENGINE - FOD							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055000	NO. 2 ENGINE - FOD							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055005	NO. 1 ENGINE - BIRD STRIKE							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: TLMC 5-50-00, EMM 05-50-00							
055005	NO. 2 ENGINE - BIRD STRIKE							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: TLMC 5-50-00, EMM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055010	NO. 1 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: TLMC 5-50-00, EMM 05-50-00, EMM 05-50-00							
055010	NO. 2 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: TLMC 5-50-00, EMM 05-50-00, EMM 05-50-00							
055015	NO. 1 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055015	NO. 2 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055020	NO. 1 ENGINE - FUEL FILTER IMPENDING BYPASS							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055020	NO. 2 ENGINE - FUEL FILTER IMPENDING BYPASS							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055025	NO. 1 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055025	NO. 2 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055030	NO. 1 ENGINE - INCORRECT ENGINE SHUTDOWN ON THE GROUND							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055030	NO. 2 ENGINE - INCORRECT ENGINE SHUTDOWN ON THE GROUND							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055035	NO. 1 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055035	NO. 2 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055040	NO. 1 ENGINE - SUSTAINED RUNNING AT AN OIL TEMPERATURE OUTSIDE OF LIMITS							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055040	NO. 2 ENGINE - SUSTAINED RUNNING AT AN OIL TEMPERATURE OUTSIDE OF LIMITS							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055045	NO. 1 ENGINE - ITT SPIKE ON ENGINE START DUE TO A FROZEN FAN							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055045	NO. 2 ENGINE - ITT SPIKE ON ENGINE START DUE TO A FROZEN FAN							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055050	NO. 1 ENGINE - LOOSE HIGH PRESSURE COMPRESSOR CASE BOLTS							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055050	NO. 2 ENGINE - LOOSE HIGH PRESSURE COMPRESSOR CASE BOLTS							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055055	NO. 1 ENGINE - DATA COLLECTION UNIT (DCU) INOPERATIVE							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055055	NO. 2 ENGINE - DATA COLLECTION UNIT (DCU) INOPERATIVE							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055060	NO. 1 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055060	NO. 2 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055065	NO. 1 ENGINE - STARTER GENERATOR FAIL INDICATION							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055065	NO. 2 ENGINE - STARTER GENERATOR FAIL INDICATION							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055070	NO. 1 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055070	NO. 2 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055075	NO. 1 ENGINE - FUEL CONTAMINATION							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055075	NO. 2 ENGINE - FUEL CONTAMINATION							Service ATA:05
	MOS/MSC	01-Jun-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: EMM 05-50-00							
055601 ^U	INSPECT WINDSHIELD SURFACE RE-SEAL							Service ATA:05
	MOS/MSC	01-Jun-04	O/C					
	HRS	0		TAC 9				
	AFL	0						
055602 ^U	INSPECT HUMP SEAL REPAIR							Service ATA:05
	MOS/MSC	01-Jun-04	O/C					
	HRS	0		TAC 9				
	AFL	0						
057120	NO. 1 ENGINE - INSPECTION LOW UTILIZATION							Service ATA:05
	MOS	30-Mar-24	24 (+1m)		31-Mar-26	30-Apr-26	671 d (+30)	
	HRS	2765.1						
	ENC	1829						
	PROC. REF: EMM 05-20-00							
057120	NO. 2 ENGINE - INSPECTION LOW UTILIZATION							Service ATA:05
	MOS	30-Mar-24	24 (+1m)		31-Mar-26	30-Apr-26	671 d (+30)	
	HRS	2765.1						
	ENC	1829						
	PROC. REF: EMM 05-20-00							
5-12-01	INSPECTION DOCUMENT 1							Package ATA:05
	MOS	29-Sep-23	12 (+1m/-1m)		29-Sep-24	29-Oct-24	123 d (+30)	
	HRS	2704.6						
	AFL	1798						
	PROC. REF: TLMC 5-12-01							
	PKG:509							
5-12-03	INSPECTION DOCUMENT 3							Package ATA:05
	MOS	08-Nov-22	24 (+1m/-1m)	Adj -8d	31-Oct-24	30-Nov-24	155 d (+30)	
	HRS	2593.2						
	AFL	1742						
	PROC. REF: TLMC 5-12-03							
	PKG:511							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-06	INSPECTION DOCUMENT 6							Package ATA:05
	MOS	22-May-23	48 (+1m/-1m)	Adj -34d	18-Apr-27	18-May-27	1054 d (+30)	
	HRS	2665.2						
	AFL	1775						
			PROC. REF: TLMC 5-12-06					PKG:513
5-12-07	INSPECTION DOCUMENT 7							Package ATA:05
	MOS	31-Oct-18						
	HRS	2162.2	1600 (+25/-25)		3762.2	3787.2	979.5 (+25)	
	AFL	1479						
			PROC. REF: TLMC 5-12-07					PKG:514
5-12-08	INSPECTION DOCUMENT 8							Package ATA:05
	MOS	EFF						
	HRS	EFF	2400 (+25/-25)		4562.2 *	4587.2	1779.5 (+25)	
	AFL	EFF						
			PROC. REF: TLMC 5-12-08					PKG:515
5-12-11	INSPECTION DOCUMENT 11							Package ATA:05
	MOS	08-Nov-22	24 (+1m/-1m)		08-Nov-24	08-Dec-24	163 d (+30)	
	HRS	2593.2						
	AFL	1742						
			PROC. REF: TLMC 5-12-11					PKG:516
5-12-12	INSPECTION DOCUMENT 12							Package ATA:05
	MOS	29-Sep-23	60 (+1m/-1m)		29-Sep-28	29-Oct-28	1584 d (+30)	
	HRS	2704.6						
	AFL	1798						
			PROC. REF: TLMC 5-12-12					PKG:517
5-12-13	INSPECTION DOCUMENT 13							Package ATA:05
	MOS	03-Nov-21	72 (+1m/-1m)	Adj 20d	23-Nov-27	23-Dec-27	1273 d (+30)	
	HRS	2472.9						
	AFL	1674						
			PROC. REF: TLMC 5-12-13					PKG:518

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-16	INSPECTION DOCUMENT 16							Package ATA:05
	MOS	29-Sep-23	96 (+1m/-1m)		29-Sep-31	29-Oct-31	2679 d (+30)	
	HRS	2704.6						
	AFL	1798						
	PROC. REF: TLMC 5-12-16							PKG:519
5-12-17	INSPECTION DOCUMENT 17							Package ATA:05
	MOS							
	HRS	EFF	T:6000 (+25/-25)		6000 *	6025	3217.3 (+25)	
	AFL							
	PROC. REF: TLMC 5-12-17							PKG:520
5-12-19	INSPECTION DOCUMENT 19							Package ATA:05
	MOS	16-Jun-22						
	HRS	2541.5	300 (+25/-25)		2841.5	2866.5	58.8 (+25)	
	AFL	1715						
	PROC. REF: TLMC 5-12-19							PKG:522
5-12-21 ^S	INSPECTION DOCUMENT 21							Package ATA:05
	MOS	30-Mar-24	6					
	HRS	2765.1	200					
	AFL	1829						
	PROC. REF: TLMC 5-12-21							PKG:524
5-12-22	INSPECTION DOCUMENT 22							Package ATA:05
	MOS	EFF						
	HRS	EFF	6600 (+25/-25)		7697 *	7722	4914.3 (+25)	
	AFL	EFF						
	PROC. REF: TLMC 5-12-22							PKG:525
5-12-25	INSPECTION DOCUMENT 25							Package ATA:05
	MOS	EFF						
	HRS	EFF	7200 (+25/-25)		9117.1 *	9142.1	6334.4 (+25)	
	AFL	EFF						
	PROC. REF: TLMC 5-12-25							PKG:526

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-92-MA ^S	INSPECTION DOCUMENT MA (NOT CURRENTLY USED)							Package ATA:05
	MOS	01-Jun-04						
	HRS	0	500					
	AFL	0						
PROC. REF: AMM GENERIC 1							PKG:160	
5-92-MC ^S	INSPECTION DOCUMENT MC (NOT CURRENTLY USED)							Package ATA:05
	MOS	01-Jun-04						
	HRS	0	T:180					
	AFL	0						
PROC. REF: AMM GENERIC 1							PKG:162	
ATA 12 - SERVICING								
12-20-21-1600 ^S	WATER SEPARATOR (CLEANING) RESTORATION							Service ATA:12
	MOS	01-Jun-04		TAC 0				
	HRS	0	1600 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 12-20-21							PKG:514	
12-20-21-1601 ^S	OZONE CONVERTERS (CLEANING) RESTORATION							Service ATA:12
	MOS	01-Jun-04		TAC 0				
	HRS	0	6600 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 12-20-21							PKG:525	
12-20-27-6400 ^S	FLAP ROLLER LUBRICATION							Service ATA:12
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 12-20-27							PKG:509	
12-20-27-6401 ^S	TRIM ACTUATORS LUBRICATION							Service ATA:12
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 12-20-27							PKG:509	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-20-27-6403 ^S	HORIZONTAL STABILIZER SCISSOR FITTING BOLTS AND AFT PIVOT BOLTS LUBRICATION							Service ATA:12
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
PROC. REF: AMM 12-20-27								PKG:511
12-20-32-6100 ^S	SHIMMY DAMPER SERVICING							Service ATA:12
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 12-20-32								PKG:509
12-20-32-6400 ^S	LANDING GEAR AND LANDING GEAR DOORS LUBRICATION							Service ATA:12
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 12-20-32								PKG:509
12-20-52-6400 ^S	CABIN DOOR HINGE LUBRICATION							Service ATA:12
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 12-20-52								PKG:513
12-20-52-6401 ^S	DOOR KEYED CAM LOCK LUBRICATION							Service ATA:12
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 12-20-52								PKG:509
12-20-78-6400 ^S	THRUST REVERSER GUIDE ROD (D-5100NS AEROSOL SPRAY METHOD) LUBRICATION							Service ATA:12
	MOS	16-Jun-22		TAC 0				
	HRS	2541.5	300 (+25/-25)	TAC 0				
	AFL	1715		TAC 0				
PROC. REF: AMM 12-20-78								PKG:522
12-20-78-6401 ^S	THRUST REVERSER PIVOT POINT (WC-393 METHOD) LUBRICATION (AIRPLANES -5001 AND ON)							Service ATA:12
	MOS	16-Jun-22						
	HRS	2541.5	300 (+25/-25)					
	AFL	1715						
PROC. REF: AMM 12-20-78								PKG:522

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-26-00-6001	15 DAY HIGH EXPOSURE AREA WASH							Service	ATA:12
	DAYS/MSC	26-Sep-17	A/R						
	HRS	2063.5							
	AFL	1405							
	APH	478.2							
	APS	776							
	PROC. REF: AMM 12-26-00								
12-26-00-6002	45 DAY MEDIUM EXPOSURE AREA WASH							Service	ATA:12
	DAYS/MSC	26-Sep-17	A/R						
	HRS	2063.5							
	AFL	1405							
	APH	478.2							
	APS	776							
	PROC. REF: AMM 12-26-00								
12-26-00-6003	90 DAY LOW EXPOSURE AREA WASH							Service	ATA:12
	DAYS/MSC	26-Sep-17	A/R						
	HRS	2063.5							
	AFL	1405							
	APH	478.2							
	APS	776							
	PROC. REF: AMM 12-26-00								
ATA 21 - AIR CONDITIONING									
21-22-00-2900 ^S	CABIN AIR DISTRIBUTION CHECK VALVES (BORESCOPE) SPECIAL DETAILED INSPECTION							Service	ATA:21
	MOS	29-Sep-23	96 (+1m/-1m)						
	HRS	2704.6							
	AFL	1798							
	PROC. REF: AMM 21-22-00								
	PKG:519								
21-22-00-9600	COCKPIT SIDE WINDOW DEFOG FILTER DISCARD							Service	ATA:21
	MOS/MSC	01-Jun-04	A/R	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 21-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30-00-7200 ^S	PRESSURIZATION SYSTEM OPERATIONAL AND FUNCTIONAL CHECK							Service ATA:21
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
				PROC. REF: AMM 21-30-00				PKG:511
21-31-05-7200 ^S	CABIN ALTITUDE PRESSURE SWITCH FUNCTIONAL CHECK							Service ATA:21
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 21-31-05, AMM 21-31-05				PKG:513
21-52-00-2200 ^S	VAPOR CYCLE COOLING SYSTEM 12 MONTH MAINTENANCE (AIRPLANES INCORPORATING VAPOR CYCLE COOLING SYSTEM)							Service ATA:21
	MOS	29-Sep-23	12					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 21-52-00				PKG:509
211002	EMERGENCY PRESSURIZATION FLOW (UY005) VALVE							Component ATA:21
PN:4713-19	MOS/MSC	01-Jun-04	O/C					
SN:0371	HRS	0		TSN 0				
WC#: 21.010	AFL	0		TSN 0				
				PROC. REF: AMM 21-12-00				
211120	LEFT BI LEVEL VALVE							Component ATA:21
PN:1988-00-3	MOS/MSC	01-Jun-04	O/C					
SN:2016	HRS	0		TSN 0				
WC#: 21.230	AFL	0		TSN 0				
				PROC. REF: GENERIC NO REF				
211120	RIGHT BI LEVEL VALVE							Component ATA:21
PN:1988-00-3	MOS/MSC	01-Jun-04	O/C					
SN:2019	HRS	0		TSN 0				
WC#: 21.230	AFL	0		TSN 0				
				PROC. REF: GENERIC NO REF				
212200	MOTOR AND BLOWER ASSEMBLY							Component ATA:21
PN:7003-400	MOS/MSC	01-Jun-04	O/C					
SN:1313	HRS	0		TSN 0				
WC#: 21.240	AFL	0		TSN 0				
				PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213005	MANUAL TOGGLE VALVE							Component ATA:21
PN:52773-114	MOS/MSC	01-Jun-04	O/C					
SN:1120	HRS	0		TSN 0				
WC#: 21.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
213006	CABIN ALTITUDE (U1005) CONTROLLER							Component ATA:21
PN:52770-114	MOS/MSC	01-Jun-04	O/C					
SN:1872	HRS	0		TSN 0				
WC#: 21.050	AFL	0		TSN 0				
PROC. REF: AMM 21-30-00								
213007	PRIMARY OUTFLOW VALVE							Component ATA:21
PN:52771-314	MOS/MSC	01-Jun-04	O/C					
SN:915A	HRS	0		TSN 0				
WC#: 21.080	AFL	0		TSN 0				
PROC. REF: AMM 21-30-00								
213007	SECONDARY OUTFLOW VALVE							Component ATA:21
PN:52772-114	MOS/MSC	14-Sep-12	O/C	TSO 0				
SN:1002	HRS	1367.5		TSO 0				
WC#: 21.080	AFL	923		TSO 0				
PROC. REF: AMM 21-30-00								
213101	ALT PRESSURE SWITCH							Component ATA:21
PN:GB300NA161	MOS/MSC	01-Jun-04	O/C					
SN:0347704	HRS	0		TSN 0				
WC#: 21.260	AFL	0		TSN 0				
PROC. REF: AMM 21-31-05								
215001	ENVIRONMENTAL CONTROL UNIT							Component ATA:21
PN:2215460-2	MOS/MSC	01-Jun-04	O/C					
SN:502	HRS	0		TSN 0				
WC#: 21.270	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
215004	PAC OVERHEAT SWITCH							Component ATA:21
PN:927223-2-1	MOS/MSC	01-Apr-09	O/C					
SN:1720	HRS	959		TSN 0				
WC#: 21.270	AFL							
PROC. REF: AMM 21-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
215005	ACM COOLING TURBINE							Component ATA:21
PN:2206610-1	MOS/MSC	01-Jun-04	O/C					
SN:508	HRS	0		TSN 0				
WC#: 21.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
215006	HEAT EXCHANGER							Component ATA:21
PN:2340594-6	MOS/MSC	01-Jun-04	O/C					
SN:563	HRS	0		TSN 0				
WC#: 21.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
215100	WATER SPRAY ECU ASPIRATOR							Component ATA:21
PN:2215605-1	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
215101	WATER SEPARATOR TEMP 1 SENSOR							Component ATA:21
PN:1E62-1	MOS/MSC	01-Jun-04	O/C					
SN:LAY21	HRS	0		TSN 0				
WC#: 21.290	AFL	0		TSN 0				
PROC. REF: AMM 21-51-00								
215204	CONDENSER HOURMETER							Component ATA:21
PN:1250703-3	MOS/MSC	01-Jun-04	O/C					
SN:349	HRS	0		TSN 0				
WC#: 21.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
216002	ENVIRONMENTAL TEMP CONTROLLER							Component ATA:21
PN:1E45-11	MOS/MSC	01-Jun-04	O/C					
SN:4AV29	HRS	0		TSN 0				
WC#: 21.310	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00								
216003	NO. 1 CABIN TEMP SENSOR							Component ATA:21
PN:1E47-1	MOS/MSC	01-Jun-04	O/C					
SN:1AY 9	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216003	NO. 2 CABIN TEMP SENSOR							Component ATA:21
PN:1E47-1	MOS/MSC	01-Jun-04	O/C					
SN:1AY 4	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00								
216009	CABIN ZONE TEMPERATURE (UC021) SENSOR							Component ATA:21
PN:1E46-1	MOS/MSC	01-Jun-04	O/C					
SN:11AW121	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00								
216009	COCKPIT ZONE TEMPERATURE (UF029) SENSOR							Component ATA:21
PN:1E46-1	MOS/MSC	01-Jun-04	O/C					
SN:2AY39	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00								
216099	ECU TEMP CONTROL VALVE							Component ATA:21
PN:27241287-14	MOS/MSC	01-Jun-04	O/C					
SN:1AY 4A	HRS	0		TSN 0				
WC#: 21.330	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
216100	LEFT CABIN TEMPERATURE CONTROL (VT029) VALVE							Component ATA:21
PN:27241287-14	MOS/MSC	01-Jun-04	O/C					
SN:1AY3A	HRS	0		TSN 0				
WC#: 21.040	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00								
216100	RIGHT COCKPIT TEMPERATURE CONTROL (VT030) VALVE							Component ATA:21
PN:27241287-14	MOS/MSC	01-Jun-04	O/C					
SN:2AY15A	HRS	0		TSN 0				
WC#: 21.040	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00								
216101	LEFT CABIN DUCT OVERHEAT (SC013) SWITCH							Component ATA:21
PN:1173T42	MOS/MSC	01-Jun-04	O/C					
SN:2587	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216101	RIGHT COCKPIT DUCT OVERHEAT (SF034) SWITCH							Component ATA:21
PN:1173T42	MOS/MSC	01-Jun-04	O/C					
SN:2541	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00								
217001	WATER SEPARATOR							Component ATA:21
PN:2341316-2	MOS/MSC	01-Jun-04	O/C					
SN:515	HRS	0		TSN 0				
WC#: 21.210	AFL	0		TSN 0				
PROC. REF: AMM 21-51-00, AMM 21-51-00								
217101	LEFT OZONE CONVERTER							Component ATA:21
PN:31A437-1	MOS/MSC	01-Jun-04	O/C					
SN:0752/1299	HRS	0		TSN 0				
WC#: 21.220	AFL	0		TSN 0				
PROC. REF: AMM 21-71-00								
217101	RIGHT OZONE CONVERTER							Component ATA:21
PN:31A437-1	MOS/MSC	01-Jun-04	O/C					
SN:0749/1296	HRS	0		TSN 0				
WC#: 21.220	AFL	0		TSN 0				
PROC. REF: AMM 21-71-00								
21FO-04XL	REMOTE CABIN TEMP CONTROL FACTORY OPTION							Component ATA:21
PN:16	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221009	AUTOPILOT (PC400) CONTROLLER							Component ATA:22
PN:7003897-923	MOS/MSC	07-Mar-20	O/C					
SN:06053498	HRS	2310.1						
WC#: 22.040	AFL	1572						
PROC. REF: AMM 22-11-03								
221010	AILERON DRIVE SERVO							Component ATA:22
PN:4006719-906	MOS/MSC	01-Jun-04	O/C					
SN:04038369	HRS	0		TSN 0				
WC#: 22.010	AFL	0		TSN 0				
PROC. REF: AMM 22-11-01								
221010	ELEVATOR DRIVE SERVO							Component ATA:22
PN:4006719-906	MOS/MSC	01-Jun-04	O/C					
SN:4028315	HRS	0		TSN 0				
WC#: 22.020	AFL	0		TSN 0				
PROC. REF: AMM 22-11-01								
221010	RUDDER DRIVE SERVO							Component ATA:22
PN:4006719-910	MOS/MSC	01-Jun-04	O/C					
SN:3108287	HRS	0		TSN 0				
WC#: 22.030	AFL	0		TSN 0				
PROC. REF: AMM 22-11-01								
ATA 23 - COMMUNICATIONS								
23-10-00-7100 ^S	CREW OXYGEN MASK MICROPHONE AND SWITCH OPERATIONAL CHECK							Service ATA:23
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 23-10-00								PKG:509
23-50-00-7100 ^S	AUDIO AMPLIFIER EMERGENCY SWITCH OPERATIONAL CHECK (AIRPLANES -5001 THRU -6000)							Service ATA:23
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 23-50-00								PKG:509

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-60-00-7200 ^S		STATIC DISCHARGING SYSTEM FUNCTIONAL CHECK						Service ATA:23
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
				PROC. REF: AMM 23-60-00			PKG:516	
23-70-00-9600		COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD						Component ATA:23
PN:DK120	MOS/MSC	17-Feb-21	DUE		31-Dec-26 (M)		946 d	DISCARD
SN:DU18754	HRS	2377.4						
WC#: 23.210	AFL	1616						
		Expiry Date: : 31-Dec-26	PROC. REF: AMM 23-70-00					
23-90-20-7200		NO. 1 GTX 3000 TRANSPONDER 2 YEAR						Service ATA:23
PN:011-01997-00	MOS	30-Mar-24	24		31-Mar-26		671 d	
SN:20S011146	HRS	2765.1						
WC#: 23.610	AFL	1829						
				PROC. REF: AMM 23-90-20				
23-90-20-7200		NO. 2 GTX 3000 TRANSPONDER 2 YEAR						Service ATA:23
PN:011-01997-00	MOS	30-Mar-24	24		31-Mar-26		671 d	
SN:20S011188	HRS	2765.1						
WC#: 23.610	AFL	1829						
				PROC. REF: AMM 23-90-20				
231003		HIGH FREQUENCY RECEIVER/EXCITER						Component ATA:23
PN:064-01015-0001	MOS/MSC	01-Jun-04	O/C					
SN:33680	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
				PROC. REF: AMM 23-11-00				
231004		HF POWER AMP						Component ATA:23
PN:064-01017-0001	MOS/MSC	01-Jun-04	O/C					
SN:18141	HRS	0		TSN 0				
WC#: 23.280	AFL	0		TSN 0				
				PROC. REF: AMM 23-11-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231007	KHF950 HIGH FREQUENCY (KA594) ADAPTER							Component ATA:23
PN:071-01268-0001	MOS/MSC	01-Jun-04	O/C					
SN:4918	HRS	0		TSN 0				
WC#: 23.030	AFL	0		TSN 0				
PROC. REF: AMM 23-11-00								
231011	KHF950 HIGH FREQUENCY (KFS594) CONTROLLER							Component ATA:23
PN:071-01274-0002	MOS/MSC	01-Jun-04	O/C					
SN:5431	HRS	0		TSN 0				
WC#: 23.010	AFL	0		TSN 0				
PROC. REF: AMM 23-11-00								
231050	AXXESS CONFIGURATION MODULE (ACM)							Component ATA:23
PN:P14126	MOS/MSC	21-Jul-20	O/C	TSN 0				
SN:1412625169	HRS	2312.2		TSN 0				
	AFL	1573		TSN 0				
PROC. REF: AMM 23-15-07								
231501	FLITEPHONE VI ASSEMBLY ANTENNA							Component ATA:23
PN:S67-1575-109	MOS/MSC	01-Jun-04	O/C					
SN:1969	HRS	0		TSN 0				
WC#: 23.080	AFL	0		TSN 0				
PROC. REF: AMM 23-15-00								
232003	NO. 1 COMM ANTENNA							Component ATA:23
PN:S65-8282-1	MOS/MSC	01-Jun-04	O/C					
SN:1301	HRS	0		TSN 0				
WC#: 23.270	AFL	0		TSN 0				
PROC. REF: AMM 23-80-01, AMM 23-20-01								
232003	NO. 2 COMM ANTENNA							Component ATA:23
PN:21-38-1RF/36	MOS/MSC	01-Jun-04	O/C					
SN:9215	HRS	0		TSN 0				
WC#: 23.270	AFL	0		TSN 0				
PROC. REF: AMM 23-80-01, AMM 23-20-01								
232004	FLITEPHONE 800 RADIOTELEPHONE (RT800) TRANCEIVER							Component ATA:23
PN:400-10640-001	MOS/MSC	01-Jun-04	O/C					
SN:1064010021	HRS	0		TSN 0				
WC#: 23.150	AFL	0		TSN 0				
PROC. REF: AMM 23-15-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
232007	FLITEPHONE 800 RADIOTELEPHONE ANTENNA							Component ATA:23
PN:CI5000-1	MOS/MSC	01-Jun-04	O/C					
SN:3104725	HRS	0		TSN 0				
WC#: 23.140	AFL	0		TSN 0				
PROC. REF: AMM 23-15-02								
232008	NO. 1 HONEYWELL PRIMUS II SRZ850 INTEGRATED (RCZ851) COMMUNICATION UNIT							Component ATA:23
PN:7510700-766	MOS/MSC	01-Jun-04	O/C					
SN:03028089	HRS	0		TSN 0				
WC#: 23.230	AFL	0		TSN 0				
PROC. REF: AMM 23-80-01								
232008	NO. 2 HONEYWELL PRIMUS II SRZ850 INTEGRATED (RCZ851) COMMUNICATION UNIT							Component ATA:23
PN:7510700-766	MOS/MSC	23-Nov-15	O/C					
SN:01117173	HRS	1810.9						
WC#: 23.230	AFL	1235						
PROC. REF: AMM 23-80-01								
232010	NO. 1 COMM TRANSCEIVER							Component ATA:23
PN:7510763-901	MOS/MSC	01-Jun-04	O/C					
SN:03015519	HRS	0		TSN 0				
WC#: 23.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
232010	NO. 2 COMM TRANSCEIVER							Component ATA:23
PN:7510763-901	MOS/MSC	23-Nov-15	O/C					
SN:01114558	HRS	1810.9						
WC#: 23.290	AFL	1235						
PROC. REF: GENERIC NO REF								
232013	NO. 1 CLUSTER COMM MODULE							Component ATA:23
PN:7510784-835	MOS/MSC	01-Jun-04	O/C					
SN:03018646	HRS	0		TSN 0				
WC#: 23.310	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
232013	NO. 2 CLUSTER COMM MODULE							Component ATA:23
PN:7510784-835	MOS/MSC	23-Nov-15	O/C					
SN:01107586	HRS	1810.9						
WC#: 23.310	AFL	1235						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
232025 ^U	#1 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	21-Jul-20	O/C	TSN 0				
SN:1691700110435	HRS	2312.2		TSN 0				
	AFL	1573		TSN 0				
232025 ^U	#2 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	21-Jul-20	O/C	TSN 0				
SN:1691700110507	HRS	2312.2		TSN 0				
	AFL	1573		TSN 0				
232025 ^U	#3 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	21-Jul-20	O/C	TSN 0				
SN:1691700110509	HRS	2312.2		TSN 0				
	AFL	1573		TSN 0				
232025 ^U	#4 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	21-Jul-20	O/C	TSN 0				
SN:1691700110524	HRS	2312.2		TSN 0				
	AFL	1573		TSN 0				
232025 ^U	#5 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	21-Jul-20	O/C					
SN:1691700110541	HRS	2312.2						
	AFL	1573						
232025 ^U	#6 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	21-Jul-20	O/C	TSN 0				
SN:1691700110553	HRS	2312.2		TSN 0				
	AFL	1573		TSN 0				
232026	NO. 1 TERRESTRIAL MODEM (TM) ANTENNA							Component ATA:23
PN:P18350-001	MOS/MSC	21-Jul-20	O/C	TSN 0				
SN:1835004478	HRS	2312.2		TSN 0				
	AFL	1573		TSN 0				
PROC. REF: AMM 23-15-03								
232026	NO. 2 TERRESTRIAL MODEM (TM) ANTENNA							Component ATA:23
PN:P18350-001	MOS/MSC	21-Jul-20	O/C	TSN 0				
SN:1835004516	HRS	2312.2		TSN 0				
	AFL	1573		TSN 0				
PROC. REF: AMM 23-15-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
235001	NO. 1 AUDIO CONTROL PANEL AMPLIFIER							Component ATA:23
PN:7511001-915	MOS/MSC	01-Jun-04	O/C					
SN:04039216	HRS	0		TSN 0				
WC#: 23.320	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01								
235001	NO. 2 AUDIO CONTROL PANEL AMPLIFIER							Component ATA:23
PN:7511001-915	MOS/MSC	29-Sep-23	O/C	TSO 0				
SN:03078937	HRS	2704.6		TSO 0				
WC#: 23.320	AFL	1798						
PROC. REF: AMM 23-30-01								
237001	COCKPIT VOICE RECORDER							Component ATA:23
PN:2100-1020-02	MOS/MSC	27-Jul-18	O/C					
SN:000535850	HRS	2155.9						
WC#: 23.200	AFL	1472						
PROC. REF: AMM 23-70-00								
237002	CVR GRAVITY SWITCH							Component ATA:23
PN:6895D1-X-5-5	MOS/MSC	01-Jun-04	O/C					
SN:4722	HRS	0		TSN 0				
WC#: 23.330	AFL	0		TSN 0				
PROC. REF: AMM 23-70-00								
237004	CVR CONTROL UNIT							Component ATA:23
PN:S251-1120-00	MOS/MSC	01-Jun-04	O/C					
SN:000258711	HRS	0		TSN 0				
WC#: 23.190	AFL	0		TSN 0				
PROC. REF: AMM 23-70-00								
237006	CVR UNDERWATER LOCATOR BEACON							Component ATA:23
PN:DK120	MOS/MSC	27-Jul-18	O/C					
SN:DU18754	HRS	2155.9						
WC#: 23.210	AFL	1472						
PROC. REF: AMM 23-70-00								
238001	STDBY CONTROL UNIT							Component ATA:23
PN:7513000-835	MOS/MSC	01-Jun-04	O/C					
SN:04022604	HRS	0		TSN 0				
WC#: 23.340	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23FO-04XL/T	HF COMM: KHF-950 SM CONTROL HEAD FACTORY OPTION							Component ATA:23
PN:631T	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
ATA 24 - ELECTRICAL POWER								
24-32-00-7202	42 AMP-HOUR CONCORDE LEAD ACID MAIN BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service ATA:24
PN:RG-380E/44LA5	MOS	30-Mar-24	6 (+1m/-1m)		30-Sep-24	31-Oct-24	124 d (+31)	
SN:41183076	HRS	2765.1	200 (+25/-25)		2965.1	2990.1	182.4 (+25)	
	AFL	1829						
PROC. REF: AMM 24-32-00								PKG:524
24-32-00-7203 ^S	NO. 1 L3 COM PS-835D STANDBY BATTERY PACK (CAPACITY CHECK) FUNCTIONAL CHECK							Service ATA:24
PN:501-1228-04	MOS	29-Sep-23	12 (+1m/-1m)					
SN:14009	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 24-32-00								PKG:509
24-32-00-7203 ^S	NO. 2 L3 COM PS-835D STANDBY BATTERY PACK (CAPACITY CHECK) FUNCTIONAL CHECK							Service ATA:24
PN:501-1228-04	MOS	29-Sep-23	12 (+1m/-1m)					
SN:86443	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 24-32-00								PKG:509
24-41-02-7200 ^S	EXTERNAL POWER OVERVOLTAGE SYSTEM FUNCTIONAL CHECK							Service ATA:24
	MOS	03-Nov-21	72 (+1m/-1m)					
	HRS	2472.9						
	AFL	1674						
PROC. REF: AMM 24-41-02								PKG:518
240001	LEFT POWER CONTROL (UD015) UNIT							Component ATA:24
PN:91479-1	MOS/MSC	01-Jun-04	O/C					
SN:897	HRS	0		TSN 0				
WC#: 24.030	AFL	0		TSN 0				
PROC. REF: AMM 24-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
240001	RIGHT POWER CONTROL (UE016) UNIT							Component ATA:24
PN:91479-1	MOS/MSC	30-Mar-24	O/C	TSO 0				
SN:1389	HRS	2765.1		TSO 0				
WC#: 24.030	AFL	1829		TSO 0				
PROC. REF: AMM 24-20-01								
242050	LEFT AC (UD017) GENERATOR							Component ATA:24
PN:91372-3	MOS/MSC	01-Jun-04	O/C					
SN:767	HRS	0		TSN 0				
WC#: 24.020	AFL	0		TSN 0				
PROC. REF: AMM 24-20-01								
242050	RIGHT AC (UE018) GENERATOR							Component ATA:24
PN:91372-3	MOS/MSC	01-Jun-04	O/C					
SN:667	HRS	0		TSN 0				
WC#: 24.020	AFL	0		TSN 0				
PROC. REF: AMM 24-20-01								
242100	STORMSCOPE INVERTER							Component ATA:24
PN:SPC5	MOS/MSC	01-Apr-14	O/C	TSN 0				
SN:5338	HRS	1587.2		TSN 0				
WC#: 24.160	AFL	1093		TSN 0				
PROC. REF: GENERIC NO REF								
243003	APU GENERATOR (UT032) CONTROL UNIT							Component ATA:24
PN:51525-001F	MOS/MSC	01-Jun-04	O/C					
SN:Y3159	HRS	0						
WC#: 24.080	AFL	0						
	APH	0		TSN 0				
	APS	0		TSN 0				
PROC. REF: AMM 24-31-02								
243003	LEFT GENERATOR (UT007) CONTROL UNIT							Component ATA:24
PN:51525-001F	MOS/MSC	01-Jun-04	O/C					
SN:Y3494	HRS	0		TSN 0				
WC#: 24.070	AFL	0		TSN 0				
PROC. REF: AMM 24-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243003	RIGHT GENERATOR (UT008) CONTROL UNIT							Component ATA:24
PN:51525-001F	MOS/MSC	01-Jun-04	O/C					
SN:3442	HRS	0		TSN 0				
WC#: 24.070	AFL	0		TSN 0				
PROC. REF: AMM 24-31-01								
243004	LEFT DC (EI011) AMMETER							Component ATA:24
PN:MD144-1	MOS/MSC	01-Jun-04	O/C					
SN:M23586	HRS	0		TSN 0				
WC#: 24.150	AFL	0		TSN 0				
PROC. REF: AMM 24-32-00								
243004	RIGHT DC (EI010) AMMETER							Component ATA:24
PN:MD144-1	MOS/MSC	01-Jun-04	O/C					
SN:M23588	HRS	0		TSN 0				
WC#: 24.150	AFL	0		TSN 0				
PROC. REF: AMM 24-32-00								
243005	DC (EI009) VOLTMETER							Component ATA:24
PN:C662502-0101	MOS/MSC	01-Jun-04	O/C					
SN:L23774	HRS	0		TSN 0				
WC#: 24.140	AFL	0		TSN 0				
PROC. REF: AMM 24-32-00								
243007	MAIN SHIP BATTERY							Component ATA:24
PN:RG-380E/44LA5	MOS/MSC	23-Sep-23	O/C					
SN:41183076	HRS	2704.6						
WC#: 24.040	AFL	1798						
PROC. REF: AMM 24-32-00								
243008	OVERHEAT MONITOR-							Component ATA:24
PN:1529-1	MOS/MSC	01-Jun-04	O/C					
SN:4074	HRS	0		TSN 0				
WC#: 24.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
243009	BATTERY TEMP INDICATOR							Component ATA:24
PN:1229-1	MOS/MSC	01-Jun-04	O/C					
SN:2991	HRS	0		TSN 0				
WC#: 24.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243010	BATTERY TEMP SENSOR							Component ATA:24
PN:TS-C1A3	MOS/MSC	22-Apr-11	O/C	TSN 0				
SN:UNKNOWN	HRS	1174		TSN 0				
WC#: 24.180	AFL	772		TSN 0				
PROC. REF: AMM 24-32-02								
243015	BATTERY DISCONNECT (KY001) RELAY							Component ATA:24
PN:A876K	MOS/MSC	01-Jun-04	O/C					
SN:CN48653	HRS	0		TSN 0				
WC#: 24.060	AFL	0		TSN 0				
PROC. REF: AMM 24-41-02								
243016	OVERVOLTAGE (UZ003) MONITOR-							Component ATA:24
PN:1645-1-3	MOS/MSC	01-Jun-04	O/C					
SN:3346	HRS	0		TSN 0				
WC#: 24.050	AFL	0		TSN 0				
PROC. REF: AMM 24-41-02								
245079	LEFT START CNTL NZ013 PCB							Component ATA:24
PN:6318324-5	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245079	RIGHT START CNTL NZ012 PCB							Component ATA:24
PN:6318324-5	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245080	TRIM NZ001 PCB							Component ATA:24
PN:6518351-7	MOS/MSC	01-Jun-04	O/C					
SN:0739	HRS	0		TSN 0				
WC#: 24.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245081	PRESS NZ002 PCB							Component ATA:24
PN:6518352-5	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245082	DIMMING NZ023 PCB							Component ATA:24
PN:6518366-3	MOS/MSC	01-Jun-04	O/C					
SN:0195	HRS	0		TSN 0				
WC#: 24.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245083	LEFT EEC INTERFACE NZ021 PCB							Component ATA:24
PN:6618002-3	MOS/MSC	01-Jun-04	O/C					
SN:0879	HRS	9		TSN 555				
WC#: 24.210	AFL	0						
PROC. REF: GENERIC NO REF								
245083	RIGHT EEC INTERFACE NZ020 PCB							Component ATA:24
PN:6618002-3	MOS/MSC	01-Jun-04	O/C					
SN:0877	HRS	9		TSN 555				
WC#: 24.210	AFL	0						
PROC. REF: GENERIC NO REF								
245084	LANDING GEAR NZ004 PCB							Component ATA:24
PN:6618704-6	MOS/MSC	01-Jun-04	O/C					
SN:0505	HRS	0		TSN 0				
WC#: 24.220	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245085	TAIL DEICE NZ005 PCB							Component ATA:24
PN:6618705-6	MOS/MSC	01-Jun-04	O/C					
SN:0490	HRS	0		TSN 0				
WC#: 24.220	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245086	SQUAT SW NZ006 PCB							Component ATA:24
PN:6618706-1	MOS/MSC	01-Jun-04	O/C					
SN:0481	HRS	0		TSN 0				
WC#: 24.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245087	CABIN DOOR NZ007 PCB							Component ATA:24
PN:6618707-21	MOS/MSC	01-Jun-04	O/C					
SN:0232	HRS	0		TSN 0				
WC#: 24.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245091	NO TAKE-OFF NZ008 PCB							Component ATA:24
PN:6618708-1	MOS/MSC	01-Jun-04	O/C					
SN:0394	HRS	0		TSN 0				
WC#: 24.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245092	LEFT FUEL NZ015 PCB							Component ATA:24
PN:6618714-11	MOS/MSC	01-Jun-04	O/C					
SN:0857	HRS	0		TSN 0				
WC#: 24.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245092	RIGHT FUEL NZ014 PCB							Component ATA:24
PN:6618714-11	MOS/MSC	01-Jun-04	O/C					
SN:0856	HRS	0		TSN 0				
WC#: 24.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245094	HYD NZ016 PCB							Component ATA:24
PN:6618723-5	MOS/MSC	05-Sep-07	O/C					
SN:0345	HRS	753		TSN 0				
WC#: 24.260	AFL							
PROC. REF: GENERIC NO REF								
245095	POS TAIL NZ017 PCB							Component ATA:24
PN:6618721-1	MOS/MSC	01-Jun-04	O/C					
SN:0112	HRS	0		TSN 0				
WC#: 24.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245096	LEFT ANTI ICE NZ019 PCB							Component ATA:24
PN:6618718-1	MOS/MSC	19-Feb-06	O/C					
SN:816	HRS	445		TSO 445				
WC#: 24.270	AFL							
PROC. REF: GENERIC NO REF								
245096	RIGHT ANTI-ICE NZ018 PCB							Component ATA:24
PN:6618718-1	MOS/MSC	19-Feb-06	O/C					
SN:0823	HRS	445		TSO 445				
WC#: 24.270	AFL							
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245097	FAN CONTROL NZ022 PCB							Component ATA:24
PN:6618722-1	MOS/MSC	01-Jun-04	O/C					
SN:0463	HRS	0		TSN 0				
WC#: 24.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245098	RUDDER BIAS NZ029 PCB							Component ATA:24
PN:6618812-1	MOS/MSC	01-Jun-04	O/C					
SN:0504	HRS	0		TSN 0				
WC#: 24.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245103	APU NZ025 PCB							Component ATA:24
PN:6618808-26	MOS/MSC	01-Jun-04	O/C					
SN:0136	HRS	0		TSN 0				
WC#: 24.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
245104	APU NZ026 PCB							Component ATA:24
PN:6618809-1	MOS/MSC	01-Jun-04	O/C					
SN:0387	HRS	0		TSN 0				
WC#: 24.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
24FO-01XL	BATTERY: SAFT 43AMP FACTORY OPTION							Component ATA:24
PN:186L	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-11-01-2200 ^S	CREW SEATS DETAILED INSPECTION							Service ATA:25
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 25-11-01								PKG:515

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-01-2200 ^S	PASSENGER SEATS AND FORWARD AND AFT SIDE-FACING SEATS DETAILED INSPECTION							Service	ATA:25
	MOS	22-May-23	48 (+1m/-1m)						
	HRS	2665.2							
	AFL	1775							
			PROC. REF: AMM 25-21-01					PKG:513	
25-60-00-2200 ^S	FIRST AID KIT DETAILED INSPECTION							Service	ATA:25
PN:PN	MOS	29-Sep-23	12 (+1m/-1m)						
SN:UNKNOWN	HRS	2704.6							
	AFL	1798							
			PROC. REF: AMM 25-60-00					PKG:509	
25-60-00-2201 ^S	SMOKE GOGGLES DETAILED INSPECTION							Service	ATA:25
	MOS	29-Sep-23	12 (+1m/-1m)						
	HRS	2704.6							
	AFL	1798							
			PROC. REF: AMM 25-60-00					PKG:509	
25-60-00-2202 ^S	LIFE VEST POUCH DETAILED INSPECTION							Service	ATA:25
	MOS	29-Sep-23	60 (+1m/-1m)						
	HRS	2704.6							
	AFL	1798							
			PROC. REF: AMM 25-60-00					PKG:517	
25-60-00-9601	P01074-103, P0723E105PA, GA12 LIFE VEST (ACCOMPLISH SUPPLIER 60 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 1							Component	ATA:25
PN:P01074-103	MOS	21-Oct-20	60		08-Jun-25		375 d	RESTORE	
SN:20060100241	HRS			TSN 0					
	AFL			TSN 0					
		Manufacture Date:: 08-Jun-20	PROC. REF: AMM 25-60-00						
25-60-00-9601	P01074-103, P0723E105PA, GA12 LIFE VEST (ACCOMPLISH SUPPLIER 60 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 10							Component	ATA:25
PN:P01074-103	MOS	21-Oct-20	60		08-Jun-25		375 d	RESTORE	
SN:20060100250	HRS			TSN 0					
	AFL			TSN 0					
		Manufacture Date:: 08-Jun-20	PROC. REF: AMM 25-60-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60-00-9601	P01074-103, P0723E105PA, GA12 LIFE VEST (ACCOMPLISH SUPPLIER 60 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 11							Component ATA:25
PN:P01074-103	MOS	21-Oct-20	60		08-Jun-25		375 d	RESTORE
SN:20060100251	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 08-Jun-20	PROC. REF: AMM 25-60-00					
25-60-00-9601	P01074-103, P0723E105PA, GA12 LIFE VEST (ACCOMPLISH SUPPLIER 60 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 2							Component ATA:25
PN:P01074-103	MOS	21-Oct-20	60		08-Jun-25		375 d	RESTORE
SN:20060100242	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 08-Jun-20	PROC. REF: AMM 25-60-00					
25-60-00-9601	P01074-103, P0723E105PA, GA12 LIFE VEST (ACCOMPLISH SUPPLIER 60 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 3							Component ATA:25
PN:P01074-103	MOS	21-Oct-20	60		08-Jun-25		375 d	RESTORE
SN:20060100243	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 08-Jun-20	PROC. REF: AMM 25-60-00					
25-60-00-9601	P01074-103, P0723E105PA, GA12 LIFE VEST (ACCOMPLISH SUPPLIER 60 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 4							Component ATA:25
PN:P01074-103	MOS	21-Oct-20	60		08-Jun-25		375 d	RESTORE
SN:20060100244	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 08-Jun-20	PROC. REF: AMM 25-60-00					
25-60-00-9601	P01074-103, P0723E105PA, GA12 LIFE VEST (ACCOMPLISH SUPPLIER 60 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 5							Component ATA:25
PN:P01074-103	MOS	21-Oct-20	60		08-Jun-25		375 d	RESTORE
SN:20060100245	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 08-Jun-20	PROC. REF: AMM 25-60-00					
25-60-00-9601	P01074-103, P0723E105PA, GA12 LIFE VEST (ACCOMPLISH SUPPLIER 60 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 6							Component ATA:25
PN:P01074-103	MOS	21-Oct-20	60		08-Jun-25		375 d	RESTORE
SN:20060100247	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 08-Jun-20	PROC. REF: AMM 25-60-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60-00-9601	P01074-103, P0723E105PA, GA12 LIFE VEST (ACCOMPLISH SUPPLIER 60 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 7							Component ATA:25
PN:P01074-103	MOS	21-Oct-20	60		08-Jun-25		375 d	RESTORE
SN:20060100248	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 08-Jun-20	PROC. REF: AMM 25-60-00					
25-60-00-9601	P01074-103, P0723E105PA, GA12 LIFE VEST (ACCOMPLISH SUPPLIER 60 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 8							Component ATA:25
PN:P01074-103	MOS	21-Oct-20	60		08-Jun-25		375 d	RESTORE
SN:20060100249	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 08-Jun-20	PROC. REF: AMM 25-60-00					
25-60-00-9601	P01074-103, P0723E105PA, GA12 LIFE VEST (ACCOMPLISH SUPPLIER 60 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 9							Component ATA:25
PN:P01074-103	MOS	21-Oct-20	60		08-Jun-25		375 d	RESTORE
SN:20060100252	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 08-Jun-20	PROC. REF: AMM 25-60-00					
25-60-00-9602 ^S	CREW FLASHLIGHT D-CELL BATTERY DISCARD							Service ATA:25
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
			PROC. REF: AMM 25-60-00					PKG:509
25-60-10-7202	ARTEX C406-2 EMERGENCY LOCATOR TRANSMITTER SYSTEM DETAILED INSPECTION AND FUNCTIONAL TEST (AIRPLANES -5501 THRU - 5564 AND AIRPLANES -5002 THRU -5372 INCORPORATING SB560XL-25-11)							Service ATA:25
PN:453-5000-999	MOS	30-Mar-24	12		30-Mar-25		305 d	
SN:06145	HRS	2765.1						
WC#: 25.220	AFL	1829						
			PROC. REF: AMM 25-60-10					
25-60-10-9600	ARTEX EMERGENCY LOCATOR TRANSMITTER BATTERY DISCARD							Component ATA:25
PN:452-0133	MOS/MSC	23-Sep-23	DUE	TSN 0	30-Sep-28 (M)		1585 d	DISCARD
SN:1002304-19	HRS	2704.6						
WC#: 25.020	AFL	1798						
		Expiry Date: : 30-Sep-28	PROC. REF: AMM 25-60-10					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250002	AV VISOR PLUS PROCESSOR							Component ATA:25
PN:90008-0031	MOS/MSC	24-Nov-09	O/C					
SN:43B00157	HRS	1032.8		TSO 0				
WC#: 25.050	AFL	693						
PROC. REF: GENERIC NO REF								
252003	TEMPERATURE PROBE							Component ATA:25
PN:102DB1AG	MOS/MSC	01-Jun-04	O/C					
SN:A51359	HRS	0		TSN 0				
WC#: 25.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
252525	EXTERNALLY SERVICABLE TOILET							Component ATA:25
PN:6619103-1	MOS/MSC	01-Jun-04	O/C					
SN:098	HRS	0		TSN 0				
WC#: 25.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
256002	EMERGENCY LOCATOR TRANSMITTER							Component ATA:25
PN:453-5000-999	MOS/MSC	08-Mar-24	O/C					
SN:06145	HRS	2754.2						
WC#: 25.020	AFL	1823						
PROC. REF: AMM 25-61-04, AMM 25-61-05, AMM 25-61-06								
256004	ELT ANTENNA							Component ATA:25
PN:110-328-01	MOS/MSC	01-Jun-04	O/C					
SN:3939	HRS	0		TSN 0				
WC#: 25.030	AFL	0		TSN 0				
PROC. REF: AMM 25-61-04, AMM 25-61-05, AMM 25-61-06								
256063	FIRST AID KIT							Component ATA:25
PN:PN	MOS/MSC	01-Jun-04	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
25FO-03XL	PLUMBING: EXTERNAL SERV TOILET FACTORY OPTION							Component ATA:25
PN:130	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25FO-04XL	COCKPIT SPEAKER MUTE FACTORY OPTION							Component ATA:25
PN:674B	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
25FO-07XL	ELT: ARTEX 110-406 FACTORY OPTION							Component ATA:25
PN:175D	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
25FO-12XL/A	PEDESTAL: DOUBLE-WIDE FACTORY OPTION							Component ATA:25
PN:649A	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
ATA 26 - FIRE PROTECTION								
26-21-00-7100 ^S	ENGINE FIRE EXTINGUISHING SYSTEM FUNCTIONAL CHECK							Service ATA:26
	MOS	22-May-23	48					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 26-21-00, AMM 26-21-00								PKG:513
26-21-01-7100	AFT ENGINE FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH OPERATIONAL CHECK							Service ATA:26
PN:30400037-1	MOS	25-Sep-23	60		25-Sep-28		1580 d	
SN:55422B1	HRS							
	AFL							
PROC. REF: AMM 26-21-01								
26-21-01-7100	FWD ENGINE FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH OPERATIONAL CHECK							Service ATA:26
PN:30400037-1	MOS	25-Sep-23	60		25-Sep-28		1580 d	
SN:55849B1	HRS							
	AFL							
PROC. REF: AMM 26-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-01-7101	AUXILIARY POWER UNIT FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH OPERATIONAL CHECK							Service ATA:26
PN:30100033-7	MOS	08-Nov-22	60		30-Nov-27		1280 d	
SN:11919A1	HRS	2593.2						
	AFL	1742						
PROC. REF: AMM 26-23-00								
26-21-01-7800	AFT ENGINE FIRE EXTINGUISHER BOTTLE (HYDROSTATIC TEST) RESTORATION							Service ATA:26
PN:30400037-1	MOS	25-Sep-23	60		30-Sep-28		1585 d	
SN:55422B1	HRS							
WC#: 26.320	AFL							
PROC. REF: AMM 26-21-01								
26-21-01-7800	FORWARD ENGINE FIRE EXTINGUISHER BOTTLE (HYDROSTATIC TEST) RESTORATION							Service ATA:26
PN:30400037-1	MOS	25-Sep-23	60		30-Sep-28		1585 d	
SN:55849B1	HRS							
WC#: 26.320	AFL							
PROC. REF: AMM 26-21-01								
26-21-01-9600	13083-5 AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	29-Sep-23	108	TAC 21	31-Dec-30		2407 d	LIFE LIMIT
SN:NSN	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 26-21-01								
26-21-01-9600	13083-5 AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	29-Sep-23	108	TAC 21	31-Dec-30		2407 d	LIFE LIMIT
SN:NSN	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 26-21-01								
26-21-01-9600	13083-5 FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	29-Sep-23	108	TAC 8	31-Jan-32		2803 d	LIFE LIMIT
SN:NSN	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 26-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-01-9600	13083-5 FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	29-Sep-23	108	TAC 21	31-Dec-30		2407 d	LIFE LIMIT
SN:NSN	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 26-21-01								
26-21-01-9600.1	13083-5 AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	29-Sep-23	72		30-Sep-29		1950 d	SERVICE LIFE LIMIT
SN:NSN	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 26-21-01								
26-21-01-9600.1	13083-5 AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB CARTRIDGE - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	29-Sep-23	72		30-Sep-29		1950 d	SERVICE LIFE LIMIT
SN:NSN	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 26-21-01								
26-21-01-9600.1	13083-5 FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	29-Sep-23	72		30-Sep-29		1950 d	SERVICE LIFE LIMIT
SN:NSN	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 26-21-01								
26-21-01-9600.1	13083-5 FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	29-Sep-23	72		30-Sep-29		1950 d	SERVICE LIFE LIMIT
SN:NSN	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 26-21-01								
26-21-01-9601	13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	06-May-23	108		31-May-32		2924 d	LIFE LIMIT
SN:NSN	HRS							
	AFL							
PROC. REF: AMM 26-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-01-9601.1	13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	16-May-23	72		16-May-29		1813 d	SERVICE LIFE LIMIT
SN:NSN	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 26-21-01								
26-22-00-2200	CABIN PORTABLE FIRE EXTINGUISHER DETAILED AND (WEIGHT) FUNCTIONAL CHECK							Service ATA:26
PN:C352TS	MOS	29-Sep-23	12		30-Sep-24		124 d	
SN:F-60590060	HRS	2704.6						
WC#: 26.080	AFL	1798						
PROC. REF: AMM 26-22-00								
26-22-00-2200	COCKPIT PORTABLE FIRE EXTINGUISHER DETAILED AND (WEIGHT) FUNCTIONAL CHECK							Service ATA:26
PN:C352TS	MOS	29-Sep-23	12		30-Sep-24		124 d	
SN:F-60590059	HRS	2704.6						
WC#: 26.080	AFL	1798						
PROC. REF: AMM 26-22-00								
26-22-00-2201	CABIN PORTABLE FIRE EXTINGUISHER RESTORATION (INTERNAL INSPECTION)							Service ATA:26
PN:C352TS	MOS	01-Nov-19	72		01-Nov-25		521 d	
SN:F-60590060	HRS	2260.5						
	AFL	1544						
PROC. REF: AMM 26-22-00								
26-22-00-2201	COCKPIT PORTABLE FIRE EXTINGUISHER RESTORATION (INTERNAL INSPECTION)							Service ATA:26
PN:C352TS	MOS	01-Nov-19	72		01-Nov-25		521 d	
SN:F-60590059	HRS	2260.5						
	AFL	1544						
PROC. REF: AMM 26-22-00								
26-22-00-7800	CABIN PORTABLE FIRE EXTINGUISHER (HYDROSTATIC TEST) FUNCTIONAL CHECK							Service ATA:26
PN:C352TS	MOS	19-Jun-19	144		30-Jun-31		2588 d	
SN:F-60590060	HRS							
WC#: 26.290	AFL							
PROC. REF: AMM 26-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-22-00-7800	COCKPIT PORTABLE FIRE EXTINGUISHER (HYDROSTATIC TEST) FUNCTIONAL CHECK							Service ATA:26
PN:C352TS	MOS	19-Jun-19	144		30-Jun-31		2588 d	
SN:F-60590059	HRS							
WC#: 26.290	AFL							
PROC. REF: AMM 26-22-00								
26-23-00-7100 ^S	AUXILIARY POWER UNIT FIRE EXTINGUISHING SYSTEM OPERATIONAL AND FUNCTIONAL CHECK							Service ATA:26
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 26-23-00								
PKG:513								
26-23-00-7800	APU FIRE EXTINGUISHER BOTTLE (HYDROSTATIC TEST) RESTORATION							Service ATA:26
PN:30100033-7	MOS	08-Nov-22	60		30-Nov-27		1280 d	
SN:11919A1	HRS							
WC#: 26.300	AFL							
PROC. REF: AMM 26-23-00								
261002	LEFT ENGINE FIRE DETECT (UT021) CONTROL UNIT							Component ATA:26
PN:377-02838	MOS/MSC	01-Jun-04	O/C					
SN:0348714	HRS	0		TSN 0				
WC#: 26.020	AFL	0		TSN 0				
PROC. REF: AMM 26-11-02								
261002	RIGHT ENGINE FIRE DETECT (UT020) CONTROL UNIT							Component ATA:26
PN:377-02838	MOS/MSC	01-Jun-04	O/C					
SN:0348702	HRS	0		TSN 0				
WC#: 26.020	AFL	0		TSN 0				
PROC. REF: AMM 26-11-02								
262001	AFT ENGINE FIRE BOTTLE							Component ATA:26
PN:30400037-1	MOS/MSC	29-Sep-23	O/C	TSN 206, TSO 0				
SN:55422B1	HRS	2704.6		TSO 0				
WC#: 26.040	AFL	1798		TSO 0				
PROC. REF: AMM 26-21-01								
262001	APU FIRE BOTTLE							Component ATA:26
PN:30100033-7	MOS/MSC	08-Nov-22	O/C	TSO 0				
SN:11919A1	HRS	2593.2		TSO 0				
WC#: 26.050	AFL	1742		TSO 0				
PROC. REF: AMM 26-23-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262001		FORWARD ENGINE FIRE BOTTLE						Component	ATA:26
PN:30400037-1	MOS/MSC	29-Sep-23	O/C	TSN 204, TSO 0					
SN:55849B1	HRS	2704.6	TSO 0						
WC#: 26.030	AFL	1798	TSO 0						
PROC. REF: AMM 26-21-01									
262002		CABIN PORTABLE HALON FIRE EXTINGUISHER						Component	ATA:26
PN:C352TS	MOS/MSC	01-Nov-19	O/C						
SN:F-60590060	HRS	2260.5							
WC#: 26.070	AFL	1544							
PROC. REF: GENERIC NO REF									
262002		COCKPIT PORTABLE HALON FIRE EXTINGUISHER						Component	ATA:26
PN:C352TS	MOS/MSC	01-Nov-19	O/C						
SN:F-60590059	HRS	2260.5							
WC#: 26.060	AFL	1544							
PROC. REF: GENERIC NO REF									
263004		AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB						Component	ATA:26
PN:13083-5	MOS/MSC	16-May-23	O/C						
SN:NSN	HRS	2665.2	TSN 0						
WC#: 26.050	AFL	1775							
		Manufacture Date:: 06-May-23	PROC. REF: AMM 26-23-00						
263006		FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB						Component	ATA:26
PN:13083-5	MOS/MSC	29-Sep-23	O/C	TSN 21					
SN:NSN	HRS	2704.6	TSN 0						
WC#: 26.030	AFL	1798	TSN 0						
		Manufacture Date:: 01-Dec-21	PROC. REF: GENERIC NO REF						
263008		FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB						Component	ATA:26
PN:13083-5	MOS/MSC	29-Sep-23	O/C	TSN 8					
SN:NSN	HRS	2704.6	TSN 0						
WC#: 26.030	AFL	1798	TSN 0						
		Manufacture Date:: 01-Jan-23	PROC. REF: AMM 26-21-01						
263010		AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB						Component	ATA:26
PN:13083-5	MOS/MSC	29-Sep-23	O/C	TSN 21					
SN:NSN	HRS	2704.6	TSN 0						
WC#: 26.040	AFL	1798	TSN 0						
		Manufacture Date:: 01-Dec-21	PROC. REF: GENERIC NO REF						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
263012	AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB							Component	ATA:26
PN:13083-5	MOS/MSC	29-Sep-23	O/C	TSN 21					
SN:NSN	HRS	2704.6		TSN 0					
WC#: 26.040	AFL	1798		TSN 0					
		Manufacture Date:: 01-Dec-21	PROC. REF: AMM 26-21-01						
ATA 27 - FLIGHT CONTROLS									
27-10-00-2201 ^S	AILERON WING CABLE DETAILED INSPECTION (AIRPLANES -5556 AND ON, AND AIRPLANES -5002 THRU -5555 INCORPORATING SB560XL-27-22)							Service	ATA:27
	MOS	01-Jun-04		TAC 0					
	HRS	0	2400 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
			PROC. REF: AMM 27-10-00					PKG:515	
27-10-00-2202 ^S	AILERON TRIM ACTUATOR DETAILED INSPECTION							Service	ATA:27
	MOS	29-Sep-23	12 (+1m/-1m)						
	HRS	2704.6							
	AFL	1798							
			PROC. REF: AMM 27-10-00					PKG:509	
27-10-00-2203 ^S	AILERON AND AILERON TRIM DETAILED INSPECTION AND FUNCTIONAL CHECK							Service	ATA:27
	MOS	01-Jun-04		TAC 0					
	HRS	0	2400 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
			PROC. REF: AMM 27-10-00					PKG:515	
27-10-00-7201 ^S	AILERON TRIM TAB AND PUSHROD (FREE PLAY) FUNCTIONAL CHECK							Service	ATA:27
	MOS	01-Jun-04		TAC 0					
	HRS	0	1600 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
			PROC. REF: AMM 27-10-00					PKG:514	
27-20-00-2200 ^S	RUDDER BIAS CABLE ASSEMBLY DETAILED INSPECTION							Service	ATA:27
	MOS	01-Jun-04		TAC 0					
	HRS	0	2400 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
			PROC. REF: AMM 27-20-00, AMM 27-20-00					PKG:515	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20-00-2201 ^S	RUDDER TRIM ACTUATOR DETAILED INSPECTION							Service ATA:27
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 27-20-00							PKG:509	
27-20-00-2202 ^S	RUDDER AND RUDDER TRIM DETAILED INSPECTION AND FUNCTIONAL CHECK							Service ATA:27
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 27-20-00, AMM 27-20-00							PKG:515	
27-20-00-7201 ^S	RUDDER TRIM ACTUATOR AND PUSHROD (FREE PLAY)FUNCTIONAL CHECK							Service ATA:27
	MOS	01-Jun-04		TAC 0				
	HRS	0	1600 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 27-20-00							PKG:514	
27-31-00-2200 ^S	ELEVATOR AND TRIM TAB SYSTEM DETAILED INSPECTION							Service ATA:27
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 27-31-00							PKG:513	
27-31-00-2201 ^S	ELEVATOR AND ELEVATOR TRIM DETAILED INSPECTION AND FUNCTIONAL CHECK							Service ATA:27
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 27-31-00							PKG:515	
27-31-00-7201 ^S	ELEVATOR TRIM TAB AND PUSHROD (FREE PLAY)FUNCTIONAL CHECK							Service ATA:27
	MOS	01-Jun-04		TAC 0				
	HRS	0	1600 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 27-31-00							PKG:514	
27-40-00-7200 ^S	TWO-POSITION HORIZONTAL STABILIZER FUNCTIONAL CHECK							Service ATA:27
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 27-40-00							PKG:515	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-00-2200 ^S	FLAP CABLES DETAILED INSPECTION AND FUNCTIONAL CHECK							Service ATA:27
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
				PROC. REF: AMM 27-51-00				PKG:515
27-71-00-7100 ^S	CONTROL (GUST) LOCK SYSTEM OPERATIONAL CHECK							Service ATA:27
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 27-71-00				PKG:509
272001	RUDDER BIAS SHUTOFF VALVE							Component ATA:27
PN:5307-1	MOS/MSC	01-Jun-04	O/C					
SN:0639C	HRS	0		TSN 0				
WC#: 27.020	AFL	0		TSN 0				
				PROC. REF: GENERIC NO REF				
272002	LEFT STICK SHAKER (MC001) UNIT							Component ATA:27
PN:201	MOS/MSC	01-Jun-04	O/C					
SN:6079	HRS	0		TSN 0				
WC#: 27.050	AFL	0		TSN 0				
				PROC. REF: AMM 27-33-00				
272002	RIGHT STICK SHAKER (MF004) UNIT							Component ATA:27
PN:201	MOS/MSC	01-Jun-04	O/C					
SN:6085	HRS	0		TSN 0				
WC#: 27.050	AFL	0		TSN 0				
				PROC. REF: AMM 27-33-00				
272003	RUDDER BIAS ACTUATOR							Component ATA:27
PN:6660613-12	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.240	AFL	0		TSN 0				
				PROC. REF: AMM 27-20-05				
273004	SERVO ACTUATOR							Component ATA:27
PN:44430-3739	MOS/MSC	27-Jun-18	O/C					
SN:T486	HRS	2136.9						
WC#: 27.250	AFL	1456						
				PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273020	AFT ELEVATOR TRIM CABLE ASSEMBLY							Component ATA:27
PN:6660003-1	MOS/MSC	14-Sep-12	O/C	TSN 0				
SN:NSN	HRS	1367.5		TSN 0				
	AFL	923		TSN 0				
PROC. REF: AMM 27-32-02								
273201	ELEV TRIM SWITCH							Component ATA:27
PN:8-405-04	MOS/MSC	01-Jun-04	O/C					
SN:B55171	HRS	0		TSN 0				
WC#: 27.250	AFL	0		TSN 0				
PROC. REF: AMM 27-32-01, AMM 27-32-01								
274000	HORIZONTAL STABILIZER ACTUATOR							Component ATA:27
PN:41011680-107	MOS/MSC	01-Jun-04	O/C					
SN:0390	HRS	0		TSN 0				
WC#: 27.060	AFL	0		TSN 0				
PROC. REF: AMM 27-40-00								
274013	HORIZONTAL STABILIZER ISOLATION (UY015) VALVE							Component ATA:27
PN:13027-4	MOS/MSC	01-Jun-04	O/C					
SN:5222	HRS	0						
WC#: 27.090	AFL	0		TSN 0				
PROC. REF: AMM 27-40-00, AMM 27-40-00								
274044	HORIZONTAL STAB VALVE ASSY							Component ATA:27
PN:65680	MOS/MSC	01-Jun-04	O/C					
SN:3996	HRS	0		TSN 0				
WC#: 27.270	AFL	0		TSN 0				
PROC. REF: AMM 27-40-00, AMM 27-40-00								
275001	FLAP CONTROL (UY024) VALVE							Component ATA:27
PN:66720	MOS/MSC	01-Jun-04	O/C					
SN:2932	HRS	0		TSN 0				
WC#: 27.110	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04								
275003	LEFT FLAP ACTUATOR							Component ATA:27
PN:1535000-1	MOS/MSC	01-Jun-04	O/C					
SN:1879	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275003	RIGHT FLAP ACTUATOR							Component ATA:27
PN:1535000-1	MOS/MSC	01-Jun-04	O/C					
SN:1876	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04								
276001	LEFT SPEED BRAKE ACTUATOR							Component ATA:27
PN:1535500-1	MOS/MSC	01-Jun-04	O/C					
SN:2525	HRS	0		TSN 0				
WC#: 27.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
276001	RIGHT SPEED BRAKE ACTUATOR							Component ATA:27
PN:1535500-1	MOS/MSC	01-Jun-04	O/C					
SN:2428	HRS	0		TSN 0				
WC#: 27.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
276002	SPEED BRAKE CONTROL VALVE							Component ATA:27
PN:66720	MOS/MSC	01-Jun-04	O/C					
SN:2936	HRS	0		TSN 0				
WC#: 27.180	AFL	0		TSN 0				
PROC. REF: AMM 27-61-05								
276003	SPEED BRAKE SAFETY VALVE							Component ATA:27
PN:68930	MOS/MSC	01-Jun-04	O/C					
SN:1471	HRS	0		TSN 0				
WC#: 27.320	AFL	0		TSN 0				
PROC. REF: AMM 27-61-05								
ATA 28 - FUEL								
28-00-02-2200	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service ATA:28
	MOS	30-Mar-24	3		30-Jun-24		32 d	DISCRETIONARY
	HRS	2765.1						
	AFL	1829						
PROC. REF: AMM 28-00-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-00-02-2201	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service ATA:28
	MOS/MSC	01-Jun-04	A/R	TAC 0				DISCRETIONARY
	HRS	0		TAC 0				
	AFL	0		TAC 0				
	PROC. REF: AMM 28-00-02							
28-11-04-2200 ^S	FUEL FILLER CAP DETAILED INSPECTION							Service ATA:28
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
	PROC. REF: AMM 28-11-04							PKG:509
28-42-00-7100 ^S	FUEL LOW LEVEL FLOAT SWITCH OPERATIONAL CHECK							Service ATA:28
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
	PROC. REF: AMM 28-42-00							PKG:513
280003	LEFT FUEL RELIEF VALVE ASSY							Component ATA:28
PN:840203-105	MOS/MSC	01-Jun-04	O/C					
SN:3212XP	HRS	0		TSN 0				
WC#: 28.460	AFL	0		TSN 0				
	PROC. REF: AMM 28-11-08							
280003	RIGHT FUEL RELIEF VALVE ASSY							Component ATA:28
PN:840203-105	MOS/MSC	01-Jun-04	O/C					
SN:3228XP	HRS	0		TSN 0				
WC#: 28.460	AFL	0		TSN 0				
	PROC. REF: AMM 28-11-08							
280004	LEFT HIGH LVL FUEL VALVE							Component ATA:28
PN:61087	MOS/MSC	01-Jun-04	O/C					
SN:3436	HRS	0		TSN 0				
WC#: 28.470	AFL	0		TSN 0				
	PROC. REF: AMM 28-22-00							
280004	RIGHT HIGH LVL FUEL VALVE							Component ATA:28
PN:61087	MOS/MSC	01-Jun-04	O/C					
SN:3508	HRS	0		TSN 0				
WC#: 28.470	AFL	0		TSN 0				
	PROC. REF: AMM 28-22-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281101	LEFT FUEL VENT FLOAT VALVE							Component ATA:28
PN:60221-4	MOS/MSC	01-Jun-04	O/C					
SN:1029	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-11-03								
281101	RIGHT FUEL VENT FLOAT VALVE							Component ATA:28
PN:60221-4	MOS/MSC	01-Jun-04	O/C					
SN:1030	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-11-03								
282011	LEFT AFT SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	01-Jun-04	O/C					
SN:2404	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03								
282011	LEFT FORWARD SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	01-Jun-04	O/C					
SN:2396	HRS	0		TSN 0				
WC#: 28.240	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03								
282011	LEFT MID SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	01-Jun-04	O/C					
SN:2390	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03								
282011	RIGHT AFT SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	01-Jun-04	O/C					
SN:2367	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03								
282011	RIGHT FORWARD SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	01-Jun-04	O/C					
SN:2399	HRS	0		TSN 0				
WC#: 28.240	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282011	RIGHT MID SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	01-Jun-04	O/C					
SN:2385	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03								
282012	LEFT FUEL BOOST CARTRIDGE							Component ATA:28
PN:LR55505-2	MOS/MSC	09-Sep-14	O/C	TSO 0				
SN:C-915	HRS	1651.7		TSO 0				
WC#: 28.480	AFL	1134		TSO 0				
PROC. REF: GENERIC NO REF								
282012	LEFT WING BOOST FUEL ELECTRIC PUMP							Component ATA:28
PN:LR55540A	MOS/MSC	01-Jun-04	O/C					
SN:B869	HRS	0		TSN 0				
WC#: 28.230	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01								
282012	RIGHT FUEL BOOST CARTRIDGE							Component ATA:28
PN:LR55505	MOS/MSC	01-Jun-04	O/C					
SN:C892	HRS	0		TSN 0				
WC#: 28.480	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
282012	RIGHT WING BOOST FUEL ELECTRIC PUMP							Component ATA:28
PN:LR55540A	MOS/MSC	26-May-05	O/C					
SN:C-911	HRS	311		TSO 0				
WC#: 28.230	AFL							
PROC. REF: AMM 28-21-01								
282013	LEFT WING PRIMARY MOTIVE FLOW EJECTOR PUMP							Component ATA:28
PN:2950023-101	MOS/MSC	01-Jun-04	O/C					
SN:0783	HRS	0		TSN 0				
WC#: 28.220	AFL	0		TSN 0				
PROC. REF: AMM 28-21-02								
282013	RIGHT WING PRIMARY MOTIVE FLOW EJECTOR PUMP							Component ATA:28
PN:2950023-101	MOS/MSC	01-Jun-04	O/C					
SN:0784	HRS	0		TSN 0				
WC#: 28.220	AFL	0		TSN 0				
PROC. REF: AMM 28-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282014	FUEL CROSSFEED ACTUATOR							Component ATA:28
PN:MA20A1029-1	MOS/MSC	01-Jun-04	O/C					
SN:AA8329	HRS	0		TSN 0				
WC#: 28.490	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
282100	LEFT WING SINGLE PT REFUEL/DEFUEL SHUTOFF VALVE							Component ATA:28
PN:80002-101	MOS/MSC	01-Jun-04	O/C					
SN:1516	HRS	0		TSN 0				
WC#: 28.350	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00								
282100	RIGHT WING SINGLE PT REFUEL/DEFUEL SHUTOFF VALVE							Component ATA:28
PN:80002-101	MOS/MSC	01-Jun-04	O/C					
SN:1495	HRS	0		TSN 0				
WC#: 28.350	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00								
282106	FUEL CROSSFEED VALVE							Component ATA:28
PN:125838AW	MOS/MSC	01-Jun-04	O/C					
SN:U45185	HRS	0		TSN 0				
WC#: 28.300	AFL	0		TSN 0				
PROC. REF: AMM 28-21-06								
282108	LEFT MOTIVE FLOW SHUTOFF (UY009) VALVE							Component ATA:28
PN:4151	MOS/MSC	01-Jun-04	O/C					
SN:817	HRS	0		TSN 0				
WC#: 28.310	AFL	0		TSN 0				
PROC. REF: AMM 28-21-06								
282108	RIGHT MOTIVE FLOW SHUTOFF (UY008) VALVE							Component ATA:28
PN:4151	MOS/MSC	01-Jun-04	O/C					
SN:790	HRS	0		TSN 0				
WC#: 28.310	AFL	0		TSN 0				
PROC. REF: AMM 28-21-06								
282118	LEFT FUEL SHUT-OFF VALVE							Component ATA:28
PN:71498	MOS/MSC	01-Jun-04	O/C					
SN:U31659	HRS	0		TSN 0				
WC#: 28.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282118	RIGHT FUEL SHUT-OFF VALVE							Component ATA:28
PN:71498	MOS/MSC	01-Jun-04	O/C					
SN:U31664	HRS	0		TSN 0				
WC#: 28.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
282200	LEFT LOW LEVEL VALVE ASSY							Component ATA:28
PN:726400-1	MOS/MSC	01-Jun-04	O/C					
SN:0751	HRS	0		TSN 0				
WC#: 28.510	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00								
282200	RIGHT LOW LEVEL VALVE ASSY							Component ATA:28
PN:726400-1	MOS/MSC	01-Jun-04	O/C					
SN:0750	HRS	0		TSN 0				
WC#: 28.510	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00								
282201	VALVE-REFUEL/DEFUEL							Component ATA:28
PN:9036-351-2	MOS/MSC	01-Jun-04	O/C					
SN:847	HRS	0		TSN 0				
WC#: 28.520	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00								
282202	LEFT FUEL VALVE ASSY							Component ATA:28
PN:750800-2	MOS/MSC	01-Jun-04	O/C					
SN:0882E	HRS	0		TSN 0				
WC#: 28.530	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
282202	RIGHT FUEL VALVE ASSY							Component ATA:28
PN:750800-2	MOS/MSC	01-Jun-04	O/C					
SN:0873E	HRS	0		TSN 0				
WC#: 28.530	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
284012	LEFT LOW FUEL LEVEL SENSOR							Component ATA:28
PN:GIF5400-43	MOS/MSC	01-Jun-04	O/C					
SN:1601	HRS	0		TSN 0				
WC#: 28.540	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284012	RIGHT LOW FUEL LEVEL SENSOR							Component ATA:28
PN:GIF5400-43	MOS/MSC	05-Sep-07	O/C					
SN:2487	HRS	753		TSN 0				
WC#: 28.540	AFL							
PROC. REF: GENERIC NO REF								
284013	LEFT WING FUEL QTY W0 PROBE							Component ATA:28
PN:10634T07Y00	MOS/MSC	01-Jun-04	O/C					
SN:1255	HRS	0		TSN 0				
WC#: 28.360	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284013	RIGHT WING FUEL QTY W0 PROBE							Component ATA:28
PN:10634T07Y00	MOS/MSC	01-Jun-04	O/C					
SN:1253	HRS	0		TSN 0				
WC#: 28.360	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284014	LEFT WING FUEL QTY W1 PROBE							Component ATA:28
PN:10634T02Y00	MOS/MSC	01-Jun-04	O/C					
SN:1279	HRS	0		TSN 0				
WC#: 28.370	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284014	RIGHT WING FUEL QTY W1 PROBE							Component ATA:28
PN:10634T02Y00	MOS/MSC	01-Jun-04	O/C					
SN:1281	HRS	0		TSN 0				
WC#: 28.370	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284015	LEFT WING FUEL QTY W2 PROBE							Component ATA:28
PN:10634T03Y00	MOS/MSC	01-Jun-04	O/C					
SN:1245	HRS	0		TSN 0				
WC#: 28.380	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284015	RIGHT WING FUEL QTY W2 PROBE							Component ATA:28
PN:10634T03Y00	MOS/MSC	01-Jun-04	O/C					
SN:1247	HRS	0		TSN 0				
WC#: 28.380	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284016	LEFT WING FUEL QTY W3 PROBE							Component ATA:28
PN:10634T04Y00	MOS/MSC	01-Jun-04	O/C					
SN:1508	HRS	0		TSN 0				
WC#: 28.390	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284016	RIGHT WING FUEL QTY W3 PROBE							Component ATA:28
PN:10634T04Y00	MOS/MSC	01-Jun-04	O/C					
SN:1492	HRS	0		TSN 0				
WC#: 28.390	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284017	LEFT WING FUEL QTY W4 PROBE							Component ATA:28
PN:10634T05Y00	MOS/MSC	01-Jun-04	O/C					
SN:1465	HRS	0		TSN 0				
WC#: 28.400	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284017	RIGHT WING FUEL QTY W4 PROBE							Component ATA:28
PN:10634T05Y00	MOS/MSC	01-Jun-04	O/C					
SN:1499	HRS	0		TSN 0				
WC#: 28.400	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284018	LEFT WING FUEL QTY W5 PROBE							Component ATA:28
PN:10634T01Y00	MOS/MSC	01-Jun-04	O/C					
SN:1498	HRS	0		TSN 0				
WC#: 28.410	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284018	RIGHT WING FUEL QTY W5 PROBE							Component ATA:28
PN:10634T01Y00	MOS/MSC	01-Jun-04	O/C					
SN:1496	HRS	0		TSN 0				
WC#: 28.410	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284019	LEFT WING FUEL QTY W6 PROBE							Component ATA:28
PN:10634T06Y00	MOS/MSC	01-Jun-04	O/C					
SN:1520	HRS	0		TSN 0				
WC#: 28.420	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284019	RIGHT WING FUEL QTY W6 PROBE							Component ATA:28
PN:10634T06Y00	MOS/MSC	01-Jun-04	O/C					
SN:1510	HRS	0		TSN 0				
WC#: 28.420	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
284196	FUEL QUANTITY SIGNAL CONDITIONER							Component ATA:28
PN:10635B01Y01	MOS/MSC	01-Jun-04	O/C					
SN:03121004	HRS	0		TSN 0				
WC#: 28.440	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00								
ATA 29 - HYDRAULIC POWER								
29-11-04-9600 ^S	HYDRAULIC SYSTEM FILTERS DISCARD							Service ATA:29
	MOS	03-Nov-21	72 (+1m/-1m)					
	HRS	2472.9						
	AFL	1674						
PROC. REF: AMM 29-11-04								
PKG:518								
291001	HYDRAULIC RESERVOIR							Component ATA:29
PN:7470	MOS/MSC	01-Jun-04	O/C					
SN:486	HRS	0		TSN 0				
WC#: 29.010	AFL	0		TSN 0				
PROC. REF: AMM 29-11-01								
291002	LEFT HYDRAULIC PUMP							Component ATA:29
PN:24195-LAA	MOS/MSC	01-Jun-04	O/C					
SN:4168	HRS	0		TSN 0				
WC#: 29.050	AFL	0		TSN 0				
PROC. REF: AMM 29-11-03								
291002	RIGHT HYDRAULIC PUMP							Component ATA:29
PN:24195-LAA	MOS/MSC	01-Jun-04	O/C					
SN:4187	HRS	0		TSN 0				
WC#: 29.050	AFL	0		TSN 0				
PROC. REF: AMM 29-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291005	LEFT HYDRAULIC FLOW SWITCH							Component ATA:29
PN:3520020100-4	MOS/MSC	01-Jun-04	O/C					
SN:06049	HRS	0		TSN 0				
WC#: 29.070	AFL	0		TSN 0				
PROC. REF: AMM 29-11-04								
291005	RIGHT HYDRAULIC FLOW SWITCH							Component ATA:29
PN:3520020100-4	MOS/MSC	01-Jun-04	O/C					
SN:06045	HRS	0		TSN 0				
WC#: 29.070	AFL	0		TSN 0				
PROC. REF: AMM 29-11-04								
291008	SPEED BRAKE THERMAL RELIEF VALVE							Component ATA:29
PN:OAS5322-3-1700	MOS/MSC	01-Jun-04	O/C					
SN:1378	HRS	0		TSN 0				
WC#: 29.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
291009	HYD RELIEF VALVE							Component ATA:29
PN:4614	MOS/MSC	01-Jun-04	O/C					
SN:2435A	HRS	0		TSN 0				
WC#: 29.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
291010	HYD PRESS SWITCH							Component ATA:29
PN:1106P59	MOS/MSC	01-Jun-04	O/C					
SN:4239	HRS	0		TSN 0				
WC#: 29.190	AFL	0		TSN 0				
PROC. REF: AMM 29-11-06								
291012	HYD BYPASS VALVE							Component ATA:29
PN:61510-1	MOS/MSC	01-Jun-04	O/C					
SN:2207A	HRS	0		TSN 0				
WC#: 29.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
291013	LEFT FIREWALL HYD SHUTOFF VALVE							Component ATA:29
PN:AV24B1325C5	MOS/MSC	01-Jun-04	O/C					
SN:AA5614	HRS	0		TSN 0				
WC#: 29.060	AFL	0		TSN 0				
PROC. REF: AMM 29-11-02, AMM 29-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291013	RIGHT FIREWALL HYD SHUTOFF VALVE							Component ATA:29
PN:AV24B1325C5	MOS/MSC	01-Jun-04	O/C					
SN:AA5610	HRS	0		TSN 0				
WC#: 29.060	AFL	0		TSN 0				
PROC. REF: AMM 29-11-02, AMM 29-11-02								
ATA 30 - ICE AND RAIN PROTECTION								
30-11-00-7100 ^S	BLEED AIR ANTI-ICE SYSTEMS OPERATIONAL CHECK							Service ATA:30
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 30-11-00								PKG:509
30-12-00-7100 ^S	HORIZONTAL STABILIZER DEICE SYSTEM OPERATIONAL CHECK							Service ATA:30
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 30-12-00								PKG:509
301001	LEFT WING ANTI-ICE BLEED AIR UNDER TEMP SL013 SWITCH							Component ATA:30
PN:1173T42-4	MOS/MSC	01-Jun-04	O/C					
SN:2418	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00								
301001	RIGHT WING ANTI-ICE BLEED AIR UNDER TEMP SR016 SWITCH							Component ATA:30
PN:1173T42-4	MOS/MSC	01-Jun-04	O/C					
SN:2414	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00								
301002	ISOLATION VALVE							Component ATA:30
PN:2602-36	MOS/MSC	01-Jun-04	O/C					
SN:1055	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301008	LEFT DEICE TAIL VALVE							Component ATA:30
PN:3D2353-06	MOS/MSC	01-Jun-04	O/C					
SN:N04052	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301008	RIGHT DEICE TAIL VALVE							Component ATA:30
PN:3D2353-06	MOS/MSC	01-Jun-04	O/C					
SN:N04051	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301020	WINDSHIELD RAIN REMOVAL MN001 FAN							Component ATA:30
PN:011598-501	MOS/MSC	01-Jun-04	O/C					
SN:C03490342	HRS	0		TSN 0				
WC#: 30.140	AFL	0		TSN 0				
PROC. REF: AMM 30-40-00								
301137	LEFT WING INLET ANTI-ICE PRESSURE REG SHUTOFF VD001 VALVE							Component ATA:30
PN:1962-00-7	MOS/MSC	01-Jun-04	O/C					
SN:2118	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00								
301137	RIGHT WING INLET ANTI-ICE PRESSURE REG SHUTOFF VE002 VALVE							Component ATA:30
PN:1962-00-7	MOS/MSC	01-Jun-04	O/C					
SN:2117	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00								
301201	LEFT TAIL DEICE PRESSURE SV005 SWITCH							Component ATA:30
PN:1106P55-1	MOS/MSC	19-Jan-06	O/C					
SN:3257A	HRS	416		TSN 0				
WC#: 30.090	AFL							
PROC. REF: AMM 30-12-02								
301201	RIGHT TAIL DEICE PRESSURE SV004 SWITCH							Component ATA:30
PN:1106P55-1	MOS/MSC	01-Jun-04	O/C					
SN:2654A	HRS	0		TSN 0				
WC#: 30.090	AFL	0		TSN 0				
PROC. REF: AMM 30-12-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301202	LEFT HORIZ STAB DEICE BOOT							Component ATA:30
PN:29S4D5280-01	MOS/MSC	01-Jun-04	O/C					
SN:MYB8CMO	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301202	RIGHT HORIZ STAB DEICE BOOT							Component ATA:30
PN:29S4D5280-02	MOS/MSC	01-Jun-04	O/C					
SN:MYCP120	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302005	NO. 1 ENGINE - ANTI-ICING VALVE							Component ATA:30
PN:540-0406-4	MOS/MSC	21-Nov-12	O/C	TSO 0				
SN:2601	HRS	1399.6		TSO 0				
	ENC	944		TSO 0				
PROC. REF: EMM 75-10-01								
302005	NO. 2 ENGINE - ANTI-ICING VALVE							Component ATA:30
PN:540-0406-4	MOS/MSC	13-Nov-12	O/C					
SN:3317	HRS	1397.1		TSN 1397.1				
	ENC	942		TSN 942				
PROC. REF: EMM 75-10-01								
302101	LEFT PRESSURE REG VALVE							Component ATA:30
PN:1946-00-19	MOS/MSC	01-Jun-04	O/C					
SN:3299	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: AMM 30-21-00								
302101	RIGHT PRESSURE REG VALVE							Component ATA:30
PN:1946-00-19	MOS/MSC	01-Jun-04	O/C					
SN:3320	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: AMM 30-21-00								
302104	LEFT NACELLE INLET SWITCH							Component ATA:30
PN:1173T0759	MOS/MSC	01-Jun-04	O/C					
SN:2306	HRS	0		TSN 0				
WC#: 30.105	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
302104	RIGHT NACELLE INLET SWITCH							Component ATA:30
PN:1173T0759	MOS/MSC	01-Jun-04	O/C					
SN:2292	HRS	0		TSN 0				
WC#: 30.105	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
303001	LEFT PITOT TUBE							Component ATA:30
PN:PH1100-1-VCW	MOS/MSC	01-Jun-04	O/C					
SN:B9724	HRS	0		TSN 0				
WC#: 30.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
303001	RIGHT PITOT TUBE							Component ATA:30
PN:PH1100-1-VCW	MOS/MSC	01-Jun-04	O/C					
SN:B9656	HRS	0		TSN 0				
WC#: 30.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
303001	STANDBY PITOT TUBE							Component ATA:30
PN:PH1100-1-RCDW	MOS/MSC	16-Jun-22	O/C	TSN 0				
SN:AS03209622	HRS	2541.5		TSN 0				
WC#: 30.220	AFL	1715		TSN 0				
PROC. REF: GENERIC NO REF								
304100	LEFT WINDSHIELD CONTROLLER							Component ATA:30
PN:856-1-1	MOS/MSC	01-Jun-04	O/C					
SN:0405093	HRS	0		TSN 0				
WC#: 30.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
304100	RIGHT WINDSHIELD CONTROLLER							Component ATA:30
PN:856-1-1	MOS/MSC	01-Jun-04	O/C					
SN:0405091	HRS	0		TSN 0				
WC#: 30.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-20-01-9600 ^S	DIGITAL CLOCK AA LONG LIFE BATTERY DISCARD							Service ATA:31
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
				PROC. REF: AMM 31-20-01				PKG:509	
312001	LEFT HAND DIGITAL CLOCK							Component	ATA:31
PN:M877A5V	MOS/MSC	01-Jun-04	O/C						
SN:14900	HRS	0		TSN 0					
WC#: 31.010	AFL	0		TSN 0					
				PROC. REF: AMM 31-20-01					
312001	RIGHT HAND DIGITAL CLOCK							Component	ATA:31
PN:M877A5V	MOS/MSC	12-Sep-20	O/C	TSN 0					
SN:25179	HRS	2323.7		TSN 0					
WC#: 31.010	AFL	1583		TSN 0					
				PROC. REF: AMM 31-20-01					
313003	LEFT ENGINE ACCELEROMETER							Component	ATA:31
PN:6222SM15	MOS/MSC	01-Jun-04	O/C						
SN:19157	HRS	0		TSN 0					
WC#: 31.090	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
313003	RIGHT ENGINE ACCELEROMETER							Component	ATA:31
PN:6222SM15	MOS/MSC	01-Jun-04	O/C						
SN:19365	HRS	0		TSN 0					
WC#: 31.090	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
315001	FDR FAIL ANNUNCIATOR							Component	ATA:31
PN:1304-1-11	MOS/MSC	01-Jun-04	O/C						
SN:0241003	HRS	0		TSN 0					
WC#: 31.070	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
315101	LEFT WARNING GEN/MIXER UNIT							Component	ATA:31
PN:1287-1-2	MOS/MSC	01-Jun-04	O/C						
SN:0313010	HRS	0		TSN 0					
WC#: 31.110	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
315101	RIGHT WARNING GEN/MIXER UNIT							Component ATA:31
PN:1287-1-2	MOS/MSC	01-Jun-04	O/C					
SN:0335025	HRS	0		TSN 0				
WC#: 31.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
316001	TILT INDICATOR							Component ATA:31
PN:3001J72	MOS/MSC	01-Jun-04	O/C					
SN:22674	HRS	0		TSN 0				
WC#: 31.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
ATA 32 - LANDING GEAR								
32-00-00-2101 ^S	LANDING GEAR DOORS GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 32-00-00								PKG:513
32-00-00-7100 ^S	LANDING GEAR SYSTEM GENERAL VISUAL INSPECTION, OPERATIONAL CHECK AND FUNCTIONAL CHECK							Service ATA:32
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 32-00-00								PKG:513
32-10-00-2200 ^S	MAIN LANDING GEAR DETAILED INSPECTION							Service ATA:32
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 32-10-00								PKG:515
32-10-00-9600 ^S	MAIN LANDING GEAR OLEO BREATHER VENT DISCARD							Service ATA:32
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 32-10-00								PKG:509

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-00-9601	LEFT MAIN LANDING GEAR TRUNNION SUBASSEMBLY DISCARD							Component ATA:32
PN:6641630-27	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 32.030	AFL	0	33300	TSN 0	33300		31461	
PROC. REF: AMM 32-10-00								
32-10-00-9601	RIGHT MAIN LANDING GEAR TRUNNION SUBASSEMBLY DISCARD							Component ATA:32
PN:6641630-28	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 32.030	AFL	0	33300	TSN 0	33300		31461	
PROC. REF: AMM 32-10-00								
32-10-00-9602	LEFT MAIN LANDING GEARTRAILING LINK ASSEMBLY DISCARD							Component ATA:32
PN:6641648-15	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 32.120	AFL	0	40300	TSN 0	40300		38461	
PROC. REF: AMM 32-10-00								
32-10-00-9602	RIGHT MAIN LANDING GEARTRAILING LINK ASSEMBLY DISCARD							Component ATA:32
PN:6641648-14	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 32.120	AFL	0	40300	TSN 0	40300		38461	
PROC. REF: AMM 32-10-00								
32-10-00-9603	LEFT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Component ATA:32
PN:6641533-1	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 32.050	AFL	0	33300	TSN 0	33300		31461	
PROC. REF: AMM 32-10-00								
32-10-00-9603	RIGHT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Component ATA:32
PN:6641533-1	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 32.050	AFL	0	33300	TSN 0	33300		31461	
PROC. REF: AMM 32-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-00-9604	LEFT (EXCEPT UPPER CAP) MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641615-5	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.040	AFL	0	38000	TSN 0, Adj 1	38001		36162	
PROC. REF: AMM 32-10-00								
32-10-00-9604	RIGHT (EXCEPT UPPER CAP) MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641615-5	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.040	AFL	0	38000	TSN 0, Adj 1	38001		36162	
PROC. REF: AMM 32-10-00								
32-10-00-9604.1	LEFT UPPER CAP MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641616-4	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 32.060	AFL	0	14900	TSN 0	14900		13061	
PROC. REF: AMM 32-10-00								
32-10-00-9604.1	RIGHT UPPER CAP MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641616-4	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 32.060	AFL	0	14900	TSN 0	14900		13061	
PROC. REF: AMM 32-10-00								
32-10-00-9605	LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD							Component ATA:32
PN:1550000-3	MOS	01-Jun-04						LIFE LIMIT
SN:0792	HRS	0						
WC#: 32.180	AFL	0	70200	TSN 0	70200		68361	
PROC. REF: AMM 32-10-00								
32-10-00-9605	RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD							Component ATA:32
PN:1550000-4	MOS	01-Jun-04						LIFE LIMIT
SN:0786	HRS	0						
WC#: 32.180	AFL	0	70200	TSN 0	70200		68361	
PROC. REF: AMM 32-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20-00-2200 ^S	NOSE LANDING GEAR DETAILED INSPECTION							Service ATA:32
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 32-20-00							PKG:515	
32-20-00-9600	NOSE LANDING GEAR ASSEMBLY DISCARD							Component ATA:32
PN:6642614-1	MOS	01-Jun-04						LIFE LIMIT
SN:27	HRS	0						
WC#: 32.130	AFL	0	33300	TSN 0	33300		31461	
PROC. REF: AMM 32-20-00								
32-20-00-9601	NOSE LANDING GEAR ACTUATOR DISCARD							Component ATA:32
PN:1549300-9	MOS	01-Jun-04						LIFE LIMIT
SN:0390	HRS	0						
WC#: 32.190	AFL	0	33300	TSN 0	33300		31461	
PROC. REF: AMM 32-20-00								
32-30-09-7800	EMERGENCY GEAR EXTENSION/BRAKE PNEUMATIC STORAGE BOTTLE(HYDROSTATIC TEST) RESTORATION							Service ATA:32
PN:40005347-3	MOS	25-Sep-23	36		30-Sep-26		854 d	
SN:2258	HRS							
WC#: 32.780	AFL							
PROC. REF: AMM 32-30-09								
32-30-09-9600	EMERGENCY GEAR EXTENSION / BRAKE PNEUMATIC STORAGE BOTTLE ASSEMBLY DISCARD							Component ATA:32
PN:40005347-3	MOS	29-Sep-23	288		31-Mar-44		7246 d	LIFE LIMIT
SN:2258	HRS	2704.6						
WC#: 32.230	AFL	1798						
Manufacture Date:: 01-Mar-20 PROC. REF: AMM 32-30-09								
32-40-00-2200	LEFT LANDING GEAR BRAKES DETAILED INSPECTION, MAIN LANDING GEAR AXLE GENERAL VISUAL INSPECTION, AND FUNCTIONAL (WEAR PIN) CHECK							Service ATA:32
PN:3-1571-6	MOS/MSC		WHL/C					
SN:1084	HRS							
	AFL							
PROC. REF: AMM 32-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40-00-2200	RIGHT LANDING GEAR BRAKES DETAILED INSPECTION, MAIN LANDING GEAR AXLE GENERAL VISUAL INSPECTION, AND FUNCTIONAL (WEAR PIN) CHECK							Service ATA:32
PN:3-1571-6	MOS/MSC	10-Sep-21	WHL/C					
SN:0941	HRS	2449.6						
WC#: 32.760	AFL	1662						
PROC. REF: AMM 32-40-00								
32-40-00-2201 ^S	MAIN LANDING GEAR BRAKE MASTER CYLINDER DETAILED INSPECTION (AIRPLANES -5001 THRU -5500)							Service ATA:32
	MOS	01-Jun-04		TAC 0				
	HRS	0	1600 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 32-40-00								PKG:514
32-40-00-2202 ^S	EMERGENCY BRAKE SYSTEM DETAILED INSPECTION							Service ATA:32
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 32-40-00								PKG:515
32-40-00-2203	NOSE LANDING GEAR AXLE GENERAL VISUAL INSPECTION							Service ATA:32
	MOS/MSC	01-Jun-04	WHL/C	TAC 0				
	HRS	0		TAC 0				
	AFL	0		TAC 0				
32-40-00-7100 ^S	EMERGENCY BRAKE SYSTEM OPERATIONAL CHECK							Service ATA:32
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 32-40-00								PKG:515
32-40-00-9600 ^S	BRAKE SYSTEM FILTERS DISCARD (AIRPLANES -5001 THRU -5500)							Service ATA:32
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 32-40-00								PKG:515
32-41-00-2101	OPTIONAL NOSE WHEEL SPIN UP GENERAL INSPECTION							Service ATA:32
PN:3-1418	MOS/MSC		WHL/C					
SN:6372	HRS							
	AFL							
PROC. REF: AMM 32-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-00-2200	LEFT MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION							Service ATA:32
PN:3-1571-6	MOS/MSC	30-Mar-24	24 / WHL/C		31-Mar-26		671 d	
SN:1084	HRS	2765.1						
	AFL	1829						
32-41-00-2200	RIGHT MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION							Service ATA:32
PN:3-1571-6	MOS/MSC	30-Mar-24	24 / WHL/C		31-Mar-26		671 d	
SN:0941	HRS	2765.1						
	AFL	1829						
32-41-00-2800	NOSE LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:32
PN:3-1418	MOS/MSC	08-Nov-22	A/R					
SN:6372	HRS	2593.2						
WC#: 32.840	AFL	1742						
PROC. REF: AMM 32-41-00								
32-41-00-2801	LEFT MAIN LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:32
PN:3-1571-6	MOS/MSC	08-Nov-22	A/R					
SN:1084	HRS	2593.2						
WC#: 32.840	AFL	1742						
PROC. REF: AMM 32-41-00								
32-41-00-2801	RIGHT MAIN LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:32
PN:3-1571-6	MOS/MSC	10-Sep-21	A/R					
SN:0941	HRS	2449.6						
WC#: 32.840	AFL	1662						
PROC. REF: AMM 32-41-00								
32-41-00-7200	OPTIONAL NOSE WHEEL SPIN UP FUNCTIONAL CHECK							Service ATA:32
PN:3-1418	MOS/MSC		WHL/C					
SN:6372	HRS							
	AFL							
PROC. REF: AMM 32-41-00								
32-50-00-2200 ^S	STEERING SYSTEM DETAILED INSPECTION							Service ATA:32
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 32-50-00								PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-50-00-7200 ^S	STEERING CABLE SYSTEM FUNCTIONAL CHECK							Service	ATA:32
	MOS	22-May-23	48 (+1m/-1m)						
	HRS	2665.2							
	AFL	1775							
				PROC. REF: AMM 32-50-00				PKG:513	
321020	LEFT MAIN LANDING GEAR BREATHER VENT							Component	ATA:32
PN:QSB-5-SS	MOS	29-Sep-23	12	TSN 0	30-Sep-24		124 d		
SN:N/A	HRS	2704.6	600	TSN 0	3304.6		521.9		
WC#: 32.740	AFL	1798		TSN 0					
				PROC. REF: GENERIC NO REF					
321020	RIGHT MAIN LANDING GEAR BREATHER VENT							Component	ATA:32
PN:QSB-5-SS	MOS	29-Sep-23	12	TSN 0	30-Sep-24		124 d		
SN:N/A	HRS	2704.6	600	TSN 0	3304.6		521.9		
WC#: 32.740	AFL	1798		TSN 0					
				PROC. REF: GENERIC NO REF					
322002	NOSE GEAR SHIMMY DAMPER							Component	ATA:32
PN:5543001-12	MOS/MSC	09-Sep-10	O/C	TSO 0					
SN:1539-12X	HRS	1097.9		TSO 0					
WC#: 32.140	AFL	734							
				PROC. REF: AMM 32-20-01					
322007	NOSE GEAR TRUNNION							Component	ATA:32
PN:6642611-9	MOS/MSC	01-Jun-04	O/C						
SN:UNKNOWN	HRS	0							
WC#: 32.480	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
323004	LEFT UPLOCK ACTUATOR							Component	ATA:32
PN:5527504-3	MOS/MSC	01-Jun-04	O/C						
SN:2940	HRS	0							
WC#: 32.150	AFL	0		TSN 0					
				PROC. REF: AMM 32-30-05					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323004	NOSE UPLOCK ACTUATOR							Component ATA:32
PN:5527504-3	MOS/MSC	01-Jun-04	O/C					
SN:2942	HRS	0						
WC#: 32.160	AFL	0			TSN 0			
PROC. REF: AMM 32-30-05								
323004	RIGHT UPLOCK ACTUATOR							Component ATA:32
PN:5527504-3	MOS/MSC	01-Jun-04	O/C					
SN:2945	HRS	0						
WC#: 32.150	AFL	0			TSN 0			
PROC. REF: AMM 32-30-05								
323005	PRESSURE EMER GEAR GAUGE							Component ATA:32
PN:19940929-1	MOS/MSC	07-Aug-12	O/C		TSN 0			
SN:039083	HRS	1357.4			TSN 0			
WC#: 32.490	AFL	916			TSN 0			
PROC. REF: GENERIC NO REF								
323007	LANDING GEAR CONTROL (VY047) VALVE							Component ATA:32
PN:71839-1	MOS/MSC	01-Jun-04	O/C					
SN:0519	HRS	0						
WC#: 32.240	AFL	0			TSN 0			
PROC. REF: AMM 32-30-02								
323008	DUMP VALVE							Component ATA:32
PN:OAS5319-1	MOS/MSC	01-Jun-04	O/C					
SN:1450	HRS	0			TSN 0			
WC#: 32.170	AFL	0			TSN 0			
PROC. REF: AMM 32-30-06								
323009	LANDING GEAR CONTROL							Component ATA:32
PN:049801-001	MOS/MSC	01-Jun-04	O/C					
SN:0327	HRS	0						
WC#: 32.500	AFL	0			TSN 0			
PROC. REF: AMM 32-30-01								
324001	LEFT MAIN WHEEL ASSEMBLY							Component ATA:32
PN:3-1571-6	MOS/MSC	18-Apr-19	O/C		TSO 0			
SN:1084	HRS	2225.8			TSO 0			
WC#: 32.390	AFL	1513						
PROC. REF: AMM 32-41-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324001	RIGHT MAIN WHEEL ASSEMBLY							Component ATA:32
PN:3-1571-6	MOS/MSC	10-Sep-21	O/C	TSO 0				
SN:0941	HRS	2449.6		TSO 0				
WC#: 32.400	AFL	1662		TSO 0				
PROC. REF: AMM 32-41-02								
324002	NOSE WHEEL ASSEMBLY							Component ATA:32
PN:3-1418	MOS/MSC	18-Apr-19	O/C	TSO 0				
SN:6372	HRS	2225.8		TSO 0				
WC#: 32.410	AFL	1513						
PROC. REF: AMM 32-41-01								
324003	LEFT MAIN BRAKE ASSEMBLY							Component ATA:32
PN:2-1601-1	MOS/MSC	29-Mar-18	O/C	TSO 0				
SN:0414	HRS	2115.8		TSO 0				
WC#: 32.260	AFL	1441						
PROC. REF: AMM 32-42-01								
324004	RIGHT MAIN BRAKE ASSEMBLY							Component ATA:32
PN:2-1601-1	MOS/MSC	29-Mar-18	O/C	TSO 0				
SN:2386P	HRS	2115.8		TSO 0				
WC#: 32.260	AFL	1441						
PROC. REF: AMM 32-42-01								
324005	LEFT MAIN TIRE							Component ATA:32
PN:M13702	MOS/MSC	08-Nov-22	O/C	TSN 0				
SN:2129T191	HRS	2593.2		TSN 0				
WC#: 32.390	AFL	1742		TSN 0				
PROC. REF: AMM 32-41-02								
324005	RIGHT MAIN TIRE							Component ATA:32
PN:M13702	MOS/MSC	10-Sep-21	O/C	TSN 6				
SN:1062T155	HRS	2449.6		TSN 0				
WC#: 32.400	AFL	1662		TSN 0				
PROC. REF: AMM 32-41-02								
324006	NOSE TIRE							Component ATA:32
PN:031-613-8	MOS/MSC	08-Nov-22	O/C	TSN 0				
SN:2170T00282	HRS	2593.2		TSN 0				
WC#: 32.410	AFL	1742		TSN 0				
PROC. REF: AMM 32-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324009	POWER BRAKE VALVE							Component ATA:32
PN:32-077-1	MOS/MSC	01-Jun-04	O/C					
SN:495	HRS	0						
WC#: 32.270	AFL	0			TSN 0			
				PROC. REF: AMM 32-44-20				
324010	LEFT EXTEND/RETRACT VALVE							Component ATA:32
PN:98120	MOS/MSC	01-Jun-04	O/C					
SN:2724	HRS	0						
WC#: 32.510	AFL	0			TSN 0			
				PROC. REF: GENERIC NO REF				
324010	NOSE EXTEND/RETRACT VALVE							Component ATA:32
PN:98120	MOS/MSC	01-Jun-04	O/C					
SN:2764	HRS	0						
WC#: 32.520	AFL	0			TSN 0			
				PROC. REF: GENERIC NO REF				
324010	RIGHT EXTEND/RETRACT VALVE							Component ATA:32
PN:98120	MOS/MSC	01-Jun-04	O/C					
SN:2725	HRS	0						
WC#: 32.510	AFL	0			TSN 0			
				PROC. REF: GENERIC NO REF				
324011	LEFT (PILOT SIDE) MASTER BRAKE CYLINDER							Component ATA:32
PN:98281-3	MOS/MSC	01-Jun-04	O/C					
SN:0952	HRS	0						
WC#: 32.320	AFL	0			TSN 0			
				PROC. REF: AMM 32-42-02				
324011	RIGHT (PILOT SIDE) MASTER BRAKE CYLINDER							Component ATA:32
PN:98281-4	MOS/MSC	01-Jun-04	O/C					
SN:0947	HRS	0						
WC#: 32.320	AFL	0			TSN 0			
				PROC. REF: AMM 32-42-02				
324012	LEFT (COPILOT SIDE) MASTER BRAKE CYLINDER							Component ATA:32
PN:98281-3	MOS/MSC	09-Sep-14	O/C		TSO 0			
SN:1309	HRS	1651.7			TSO 0			
WC#: 32.330	AFL	1134			TSO 0			
				PROC. REF: AMM 32-42-02				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324012	RIGHT (COPILOT SIDE) MASTER BRAKE CYLINDER							Component ATA:32
PN:98281-4	MOS/MSC	01-Jun-04	O/C					
SN:0962	HRS	0						
WC#: 32.330	AFL	0			TSN 0			
PROC. REF: AMM 32-42-02								
324014	EMERGENCY AIR BRAKE CONTROL VALVE							Component ATA:32
PN:65830-4	MOS/MSC	01-Jun-04	O/C					
SN:764	HRS	0			TSN 0			
WC#: 32.370	AFL	0			TSN 0			
PROC. REF: AMM 32-42-09								
324015	LEFT BRAKE SHUTTLE VALVE							Component ATA:32
PN:211-114	MOS/MSC	05-Apr-15	O/C		TSN 0			
SN:2249	HRS	1721			TSN 0			
WC#: 32.530	AFL	1183			TSN 0			
PROC. REF: GENERIC NO REF								
324015	RIGHT BRAKE SHUTTLE VALVE							Component ATA:32
PN:211-114	MOS/MSC	05-Apr-15	O/C		TSN 0			
SN:2244	HRS	1721			TSN 0			
WC#: 32.530	AFL	1183			TSN 0			
PROC. REF: GENERIC NO REF								
324019	BRAKE PRESS PUMP ASSEMBLY							Component ATA:32
PN:640931	MOS/MSC	01-Jun-04	O/C					
SN:6084	HRS	0			TSN 0			
WC#: 32.350	AFL	0			TSN 0			
PROC. REF: AMM 32-44-20								
324020	ANTISKID CONTROL (UY009) VALVE							Component ATA:32
PN:39-837	MOS/MSC	01-Jun-04	O/C					
SN:612	HRS	0						
WC#: 32.280	AFL	0			TSN 0			
PROC. REF: AMM 32-44-20								
324022	ANTISKID DIGITAL CONTROL							Component ATA:32
PN:42-985-2	MOS/MSC	01-Jun-04	O/C					
SN:496	HRS	0			TSN 0			
WC#: 32.540	AFL	0			TSN 0			
PROC. REF: AMM 32-42-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324023	POWER BRAKE ACCUMULATOR							Component ATA:32
PN:57C57652	MOS/MSC	05-Apr-15	O/C	TSO 0				
SN:0512	HRS	1721		TSO 0				
WC#: 32.290	AFL	1183		TSO 0				
PROC. REF: AMM 32-44-20								
324024	LEFT WHEEL TRANSDUCER							Component ATA:32
PN:40-955	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: AMM 32-42-07								
324024	RIGHT WHEEL TRANSDUCER							Component ATA:32
PN:40-955	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: AMM 32-42-07								
324025	PRESSURE (SN011) SWITCH							Component ATA:32
PN:GPP1250-52	MOS/MSC	01-Jun-04	O/C					
SN:0351565	HRS	0						
WC#: 32.360	AFL	0		TSN 0				
PROC. REF: AMM 32-42-06								
324026	POWER PACK MOTOR							Component ATA:32
PN:MP50B1	MOS/MSC	01-Jun-04	O/C					
SN:2702	HRS	0		TSN 0				
WC#: 32.550	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
324027	ANTISKID FAULT DISPLAY							Component ATA:32
PN:42-92750	MOS/MSC	01-Jun-04	O/C					
SN:1405A	HRS	0		TSN 0				
WC#: 32.550	AFL	0		TSN 0				
PROC. REF: AMM 32-42-00								
324101	PARKING BRAKE VALVE							Component ATA:32
PN:95905	MOS/MSC	31-Mar-07	O/C					
SN:1568A	HRS	689		TSO 0				
WC#: 32.380	AFL							
PROC. REF: AMM 32-42-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324153	PRESS ANTISKID BRK SWITCH							Component ATA:32
PN:GPP1250-73	MOS/MSC	01-Jun-04	O/C					
SN:0316434	HRS	0						
WC#: 32.580	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
324200	ANTISKID PRESSURE GAUGE							Component ATA:32
PN:19940929-1	MOS/MSC	01-Jun-04	O/C					
SN:013727	HRS	0			TSN 0			
WC#: 32.560	AFL	0			TSN 0			
PROC. REF: AMM 32-42-06								
324206	ANTISKID HYD RELIEF VALVE							Component ATA:32
PN:1785-2	MOS/MSC	01-Jun-04	O/C					
SN:545	HRS	0			TSN 0			
WC#: 32.580	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
326005	LEFT MAIN GEAR UP & LOCKED (S3) SWITCH							Component ATA:32
PN:65-430087	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0						
WC#: 32.450	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
326005	NOSE GEAR UP & LOCKED (SN001) SWITCH							Component ATA:32
PN:65-430087	MOS/MSC	16-Jun-18	O/C		TSN 0			
SN:NSN	HRS	2127.3			TSN 0			
WC#: 32.460	AFL	1451						
PROC. REF: GENERIC NO REF								
326005	RIGHT MAIN GEAR UP & LOCKED (S3) SWITCH							Component ATA:32
PN:65-430087	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0						
WC#: 32.450	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
32FO-03XL/B	CONTROL: LND GEAR RH PANEL FACTORY OPTION							Component ATA:32
PN:33B	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-40-00-7200 ^S		TAIL LIGHT NAVIGATION ASSEMBLY (NAV-LED 72 SEGMENT) FUNCTIONAL CHECK						Service ATA:33
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
				PROC. REF: AMM 33-40-00				PKG:511
33-50-00-7100 ^S		EMERGENCY LIGHTING SYSTEM OPERATIONAL CHECK						Service ATA:33
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
				PROC. REF: AMM 33-50-00				PKG:511
33-50-00-7200 ^S		EMERGENCY LIGHTING BATTERY PACK(S) (CAPACITY CHECK) FUNCTIONAL CHECK						Service ATA:33
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 33-50-00				PKG:509
33-50-00-9600		AFT EMERGENCY LIGHTING BATTERY PACK RESTORATION						Service ATA:33
PN:9913-1	MOS	29-Sep-23	48 (+1m/-1m)		29-Sep-27	29-Oct-27	1218 d (+30)	
SN:136	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 33-50-00				
33-50-00-9600		FORWARD EMERGENCY LIGHTING BATTERY PACK RESTORATION						Service ATA:33
PN:9913-1	MOS	12-Dec-23	48 (+1m/-1m)		12-Dec-27	12-Jan-28	1292 d (+31)	
SN:1553	HRS	2721.3						
	AFL	1809						
				PROC. REF: AMM 33-50-00				
331001		CENTER 5 VDC UN004 DIMMER POWER SUPPLY						Component ATA:33
PN:273-1	MOS/MSC	01-Jun-04	O/C					
SN:0346148	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				
				PROC. REF: AMM 33-10-01				
331001		LEFT 5 VDC UN002 DIMMER POWER SUPPLY						Component ATA:33
PN:273-1	MOS/MSC	01-Jun-04	O/C					
SN:0346129	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				
				PROC. REF: AMM 33-10-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
331001	RIGHT 5 VDC UN006 DIMMER POWER SUPPLY							Component ATA:33
PN:273-1	MOS/MSC	01-Jun-04	O/C					
SN:0346131	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				
PROC. REF: AMM 33-10-01								
331011	EL PANEL INVERTER							Component ATA:33
PN:EM2044-1	MOS/MSC	01-Jun-04	O/C					
SN:4129A	HRS	0		TSN 0				
WC#: 33.180	AFL	0		TSN 0				
PROC. REF: AMM 33-10-01								
332002	GLARESHIELD INVERTER							Component ATA:33
PN:6900173	MOS/MSC	01-Jun-04	O/C					
SN:3783	HRS	0		TSN 0				
WC#: 33.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
334001	PULSE LITE CONTROL							Component ATA:33
PN:2401C	MOS/MSC	01-Jun-04	O/C					
SN:00306	HRS	0		TSN 0				
WC#: 33.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
334002	EMPENNAGE LIGHT ASSY							Component ATA:33
PN:01-0790044-37	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.310	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
334003	TAIL LIGHT ASSY							Component ATA:33
PN:01-0770966-00	MOS/MSC	05-Sep-07	O/C					
SN:02332A	HRS	753		TSN 0				
WC#: 33.310	AFL							
PROC. REF: GENERIC NO REF								
334006	LEFT STROBE POWER SUPPLY							Component ATA:33
PN:01-0790101-05	MOS/MSC	01-Jun-04	O/C					
SN:00957	HRS	0		TSN 0				
WC#: 33.320	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334006	RIGHT STROBE POWER SUPPLY							Component ATA:33
PN:01-0790101-05	MOS/MSC	03-Nov-21	O/C	TSR 0				
SN:00453	HRS	2472.9		TSR 0				
WC#: 33.320	AFL	1674		TSR 0				
PROC. REF: GENERIC NO REF								
335001	AFT EMERGENCY LIGHTING UC020 BATTERY PACK							Component ATA:33
PN:9913-1	MOS/MSC	29-Sep-23	O/C					
SN:136	HRS	2704.6						
WC#: 33.170	AFL	1798						
PROC. REF: AMM 33-50-01								
335001	FORWARD EMERGENCY LIGHTING UC019 BATTERY PACK							Component ATA:33
PN:9913-1	MOS/MSC	12-Dec-23	O/C	TSO 0				
SN:1553	HRS	2721.3						
WC#: 33.170	AFL	1809						
PROC. REF: AMM 33-50-01								
33FO-02XL/D	PULSE LITE: GND OPERATION FACTORY OPTION							Component ATA:33
PN:56D	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
ATA 34 - NAVIGATION								
053450 ^U	#1 MANCHESTER CONVERTER							Component ATA:34
PN:833520-01	MOS/MSC	01-Nov-19	O/C	TSN 0				
SN:0585	HRS	2260.5		TSN 0				
	AFL	1544		TSN 0				
053450 ^U	#2 MANCHESTER CONVERTER							Component ATA:34
PN:833520-01	MOS/MSC	01-Nov-19	O/C	TSN 0				
SN:0586	HRS	2260.5		TSN 0				
	AFL	1544		TSN 0				
34-90-10-7200	NO. 2 (CO-PILOT) PITOT-STATIC SYSTEM FUNCTIONAL CHECK(AIRPLANES -5001 THRU -6000)							Service ATA:34
PN:7014700-914	MOS	30-Mar-24	24		31-Mar-26		671 d	
SN:02086505	HRS	2765.1						
WC#: 34.585	AFL	1829						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-90-10-7200	NO.1 (PILOT) PITOT-STATIC SYSTEM FUNCTIONAL CHECK(AIRPLANES -5001 THRU -6000)							Service ATA:34
PN:7014700-914	MOS	30-Mar-24	24		31-Mar-26		671 d	
SN:98122320	HRS	2765.1						
WC#: 34.585	AFL	1829						
340037	MAGNETOMETER							Component ATA:34
PN:501-1826-01	MOS/MSC	12-Oct-06	O/C					
SN:0318	HRS	588		TSO 1365				
WC#: 34.010	AFL							
PROC. REF: AMM 34-22-02								
341003 ^U	GDL-88							Component ATA:34
PN:011-02370-00	MOS/MSC	01-Nov-19	O/C	TSN 0				
SN:22U000907	HRS	2260.5		TSN 0				
	AFL	1544		TSN 0				
341009	SAFE FLIGHT AOA UF004 SENSOR							Component ATA:34
PN:C-12717-1	MOS/MSC	01-Jun-04	O/C					
SN:1223	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 34-14-01								
341010	SAFE FLIGHT AOA EI001 INDICATOR							Component ATA:34
PN:C12705-1	MOS/MSC	01-Jun-04	O/C					
SN:83036	HRS	0		TSN 0				
WC#: 34.090	AFL	0		TSN 0				
PROC. REF: AMM 34-14-01								
341011	SAFE FLIGHT AOA UC009 COMPUTER							Component ATA:34
PN:C13006-2	MOS/MSC	01-Jun-04	O/C					
SN:891	HRS	0		TSN 0				
WC#: 34.100	AFL	0		TSN 0				
PROC. REF: AMM 34-14-01								
341014	SAFE FLIGHT AOA FI003 INDEXER							Component ATA:34
PN:C12763-1	MOS/MSC	01-Jun-04	O/C					
SN:812	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 34-14-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341016	SECONDARY ADU							Component ATA:34
PN:501-1890-02	MOS/MSC	02-May-11	O/C					
SN:2724	HRS	1174.5						
WC#: 34.205	AFL	774						
PROC. REF: AMM GENERIC 1								
341017	MEGGITT SECONDARY FLIGHT (EI016) DISPLAY							Component ATA:34
PN:501-1741-2103	MOS/MSC	02-Oct-13	O/C	TSR 0				
SN:0987	HRS	1524.1		TSR 0				
WC#: 34.180	AFL	1042		TSR 0				
PROC. REF: AMM 34-22-01								
341101	DIFFERENTIAL PRESSURE SWITCH							Component ATA:34
PN:D45C-24	MOS/MSC	01-Jun-04	O/C					
SN:481	HRS	0		TSN 0				
WC#: 34.225	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
341107	NO. 1 (PILOT) AIR DATA COMPUTER							Component ATA:34
PN:7014700-914	MOS/MSC	15-Feb-17	O/C					
SN:98122320	HRS	1982.2						
WC#: 34.070	AFL	1341						
	APH	444.7						
	APS	726						
PROC. REF: AMM 34-11-05								
341107	NO. 2 (COPILOT) AIR DATA COMPUTER							Component ATA:34
PN:7014700-914	MOS/MSC	14-Jun-05	O/C					
SN:02086505	HRS	322		TSO 14				
WC#: 34.070	AFL							
PROC. REF: AMM 34-11-05								
342001	STANDBY MAGNETIC COMPASS							Component ATA:34
PN:C660501-0301	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.150	AFL	0		TSN 0				
PROC. REF: AMM 34-24-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342023	RADAR CONTROLLER							Component ATA:34
PN:7008471-407	MOS/MSC	01-Jun-04	O/C					
SN:04017550	HRS	0		TSN 0				
WC#: 34.235	AFL	0		TSN 0				
PROC. REF: AMM 34-41-01								
342050	LEFT FLUX DETECTOR							Component ATA:34
PN:2594484	MOS/MSC	01-Jun-04	O/C					
SN:04016149	HRS	0		TSN 0				
WC#: 34.245	AFL	0		TSN 0				
PROC. REF: AMM 34-21-05								
342050	RIGHT FLUX DETECTOR							Component ATA:34
PN:2594484	MOS/MSC	01-Jun-04	O/C					
SN:04016153	HRS	0		TSN 0				
WC#: 34.245	AFL	0		TSN 0				
PROC. REF: AMM 34-21-05								
342053	AERONETICS HSI-15 STANDBY HORIZONTAL SITUATION INDICATOR							Component ATA:34
PN:520-3151-003	MOS/MSC	01-Jun-04	O/C					
SN:22533	HRS	0		TSN 0				
WC#: 34.220	AFL	0		TSN 0				
PROC. REF: AMM 34-23-01								
342064	NO. 1 STANDBY BATTERY PACK							Component ATA:34
PN:501-1228-04	MOS/MSC	29-Sep-23	O/C					
SN:14009	HRS	2704.6						
WC#: 34.590	AFL	1798						
PROC. REF: AMM GENERIC 1								
342065	NO. 2 STANDBY BATTERY PACK							Component ATA:34
PN:501-1228-04	MOS/MSC	29-Sep-23	O/C					
SN:86443	HRS	2704.6						
WC#: 34.255	AFL	1798						
PROC. REF: AMM GENERIC 1								
342069	HONEYWELL PRIMUS 1000 EFIS MC800 MULTIFUNCTION DISPLAY CONTROLLER							Component ATA:34
PN:7007062-941	MOS/MSC	21-Jul-20	O/C					
SN:06013199	HRS	2312.2						
WC#: 34.280	AFL	1573						
PROC. REF: AMM 34-25-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342072	MEGGITT STATIC CONVERTER							Component ATA:34
PN:501-1318-01	MOS/MSC	01-Jun-04	O/C					
SN:5329	HRS	0		TSN 0				
WC#: 34.190	AFL	0		TSN 0				
PROC. REF: AMM 34-22-01								
342082	LEFT LITEF LCR-93 AHRS TRAY							Component ATA:34
PN:140691	MOS/MSC	01-Jun-04	O/C					
SN:2415	HRS	0		TSN 0				
WC#: 34.275	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01								
342082	RIGHT LITEF LCR-93 AHRS TRAY							Component ATA:34
PN:140691	MOS/MSC	01-Jun-04	O/C					
SN:2416	HRS	0		TSN 0				
WC#: 34.275	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01								
342083	LEFT AHRS COMPUTER							Component ATA:34
PN:142185-1100	MOS/MSC	18-Apr-19	O/C					
SN:1438	HRS	2225.8						
WC#: 34.285	AFL	1513						
PROC. REF: AMM 34-21-01, AMM 34-21-05								
342083	RIGHT AHRS COMPUTER							Component ATA:34
PN:142185-3100	MOS/MSC	12-Oct-12	O/C					
SN:9059	HRS	1374						
WC#: 34.285	AFL	928						
PROC. REF: AMM 34-21-01, AMM 34-21-05								
342104	LEFT MSU CALIBRATION PROM UNIT							Component ATA:34
PN:124282	MOS/MSC	01-Jun-04	O/C					
SN:4112	HRS	0		TSN 0				
WC#: 34.295	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
342104	RIGHT MSU CALIBRATION PROM UNIT							Component ATA:34
PN:124282	MOS/MSC	01-Jun-04	O/C					
SN:4151	HRS	0		TSN 0				
WC#: 34.295	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342500	HONEYWELL PRIMUS 1000 EFIS RI553 REMOTE INSTRUMENT CONTROLLER							Component ATA:34
PN:7016954-907	MOS/MSC	01-Jun-04	O/C					
SN:03071700	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01, AMM 34-26-00								
342502	HONEYWELL PRIMUS 1000 EFIS BL871 BEZEL CONTROLLER							Component ATA:34
PN:7014332-841	MOS/MSC	01-Jun-04	O/C					
SN:03126914	HRS	0		TSN 0				
WC#: 34.300	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01								
342503	COPILOT FLT DISPLAY CONTROLLER							Component ATA:34
PN:7014331-925	MOS/MSC	01-Jun-04	O/C					
SN:04015351	HRS	0		TSN 0				
WC#: 34.305	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01								
342503	PILOT HONEYWELL PRIMUS 1000 EFIS BL870 BEZEL CONTROLLER							Component ATA:34
PN:7014331-925	MOS/MSC	06-Dec-16	O/C					
SN:03045117	HRS	1946.2						
WC#: 34.300	AFL	1326						
	APH	399.4						
	APS	654						
PROC. REF: AMM 34-25-01								
342504	COPILOT HONEYWELL PRIMUS 1000 EFIS DC550 DISPLAY CONTROLLER							Component ATA:34
PN:7016986-751	MOS/MSC	01-Jun-04	O/C					
SN:04015251	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: AMM 34-26-00								
342504	PILOT HONEYWELL PRIMUS 1000 EFIS DC550 DISPLAY CONTROLLER							Component ATA:34
PN:7016986-751	MOS/MSC	01-Jun-04	O/C					
SN:04015250	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: AMM 34-26-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342505	NO.1 HONEYWELL PRIMUS 1000 EFIS IC600/IC615 INTEGRATED AVIONICS COMPUTER							Component ATA:34
PN:7017000-96804	MOS/MSC	21-Jul-08	O/C					
SN:04026373	HRS	880		TSO 0				
WC#: 34.230	AFL							
PROC. REF: AMM 34-26-00								
342505	NO.2 HONEYWELL PRIMUS 1000 EFIS IC600/IC615 INTEGRATED AVIONICS COMPUTER							Component ATA:34
PN:7017000-97804	MOS/MSC	21-Jul-08	O/C					
SN:03086210	HRS	880		TSO 0				
WC#: 34.230	AFL							
PROC. REF: AMM 34-26-00								
342506	HONEYWELL PRIMUS 1000 EFIS MS560 MODE SELECTOR UNIT							Component ATA:34
PN:7018341-803	MOS/MSC	21-Jul-12	O/C	TSR 0				
SN:04102550	HRS	1339.2		TSR 0				
WC#: 34.260	AFL	905		TSR 0				
PROC. REF: AMM 34-25-01, AMM 34-26-00								
342509	COPILOT HONEYWELL PRIMUS 1000 EFIS DU870 MULTIFUNCTION DISPLAY UNIT							Component ATA:34
PN:7014300-901	MOS/MSC	27-Mar-13	O/C	TSR 0				
SN:0608F701	HRS	1444.1		TSR 0				
WC#: 34.290	AFL	977		TSR 0				
PROC. REF: AMM 34-25-01								
342509	PILOT HONEYWELL PRIMUS 1000 EFIS DU870 MULTIFUNCTION DISPLAY UNIT							Component ATA:34
PN:7014300-901	MOS/MSC	18-Sep-12	O/C	TSR 0				
SN:0311D015	HRS	1369.5		TSR 0				
WC#: 34.290	AFL	925		TSR 0				
PROC. REF: AMM 34-25-01								
342510	CENTER ELECTRONIC DISPLAY UNIT							Component ATA:34
PN:7014300-901	MOS/MSC	14-Jul-18	O/C					
SN:98113953	HRS	2149						
WC#: 34.325	AFL	1468						
PROC. REF: AMM 34-26-00								
343001	GLIDESLOPE ANTENNA COUPLER							Component ATA:34
PN:C1503	MOS/MSC	01-Jun-04	O/C					
SN:3112175	HRS	0		TSN 0				
WC#: 34.370	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
343001	NAVIGATION ANTENNA COUPLER							Component ATA:34
PN:CI-120-5	MOS/MSC	01-Jun-04	O/C					
SN:3120301	HRS	0		TSN 0				
WC#: 34.335	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01								
343002	MARKER BEACON ANTENNA COUPLER							Component ATA:34
PN:CI509	MOS/MSC	01-Jun-04	O/C					
SN:3092595	HRS	0		TSN 0				
WC#: 34.380	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01, AMM 34-31-01								
344005	RADAR TRANSCEIVER							Component ATA:34
PN:7021450-801	MOS/MSC	24-Nov-09	O/C					
SN:06076519	HRS	1032.8		TSO 2528				
WC#: 34.345	AFL	693						
PROC. REF: AMM 34-41-01								
344022	RADIO ALTIMETER ALT-55B TRANSCEIVER							Component ATA:34
PN:7001840-936	MOS/MSC	01-Jun-04	O/C					
SN:0403B154	HRS	0		TSN 0				
WC#: 34.020	AFL	0		TSN 0				
PROC. REF: AMM 34-12-01, AMM 34-12-02								
344023	AFT RADIO ALT RECEIVER ANTENNA							Component ATA:34
PN:S67-2002	MOS/MSC	01-Jun-04	O/C					
SN:28847	HRS	0		TSN 0				
WC#: 34.060	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
344023	FORWARD RADIO ALT TRANSMITTER ANTENNA							Component ATA:34
PN:S67-2002	MOS/MSC	01-Jun-04	O/C					
SN:28850	HRS	0		TSN 0				
WC#: 34.060	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
344024	EGPWS COMPUTER							Component ATA:34
PN:965-1206-004	MOS/MSC	14-Sep-12	O/C	TSR 0				
SN:0598	HRS	1367.5		TSR 0				
WC#: 34.355	AFL	923		TSR 0				
PROC. REF: AMM 34-41-02, AMM 34-41-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345004	LEFT NO. 1 XPNDR BOTTOM ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	01-Jun-04	O/C					
SN:89546	HRS	0		TSN 0				
WC#: 34.365	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
345004	RIGHT NO. 2 XPNDR BOTTOM ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	01-Jun-04	O/C					
SN:89550	HRS	0		TSN 0				
WC#: 34.365	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
345005	LEFT NO. 1 TOP TRANSPONDER DIVERSITY ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	01-Jun-04	O/C					
SN:89682	HRS	0		TSN 0				
WC#: 34.490	AFL	0		TSN 0				
PROC. REF: AMM 34-53-07								
345005	RIGHT NO. 2 TOP TRANSPONDER DIVERSITY ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	01-Jun-04	O/C					
SN:89175	HRS	0		TSN 0				
WC#: 34.490	AFL	0		TSN 0				
PROC. REF: AMM 34-53-07								
345007	NO.1 DISTANCE MEASURING EQUIPMENT (DME) ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	01-Jun-04	O/C					
SN:87028	HRS	0		TSN 0				
WC#: 34.470	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01, AMM 34-53-01								
345007	NO.2 DISTANCE MEASURING EQUIPMENT (DME) ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	01-Jun-04	O/C					
SN:89527	HRS	0		TSN 0				
WC#: 34.470	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01, AMM 34-53-01								
345011	NO. 1 ADF RECEIVER MODULE							Component ATA:34
PN:7510114-901	MOS/MSC	01-Jun-04	O/C					
SN:03046008	HRS	0		TSN 0				
WC#: 34.375	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345011	NO. 2 ADF RECEIVER MODULE							Component ATA:34
PN:7510112-901	MOS/MSC	01-Jun-04	O/C					
SN:03120806	HRS	0		TSN 0				
WC#: 34.375	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
345014	NO. 1 ADF ANTENNA							Component ATA:34
PN:7510300-901	MOS/MSC	01-Jun-04	O/C					
SN:03127841	HRS	0		TSN 0				
WC#: 34.385	AFL	0		TSN 0				
PROC. REF: AMM 34-51-01								
345017	MARKER BEACON ANTENNA							Component ATA:34
PN:31-10-01	MOS/MSC	01-Jun-04	O/C					
SN:4755	HRS	0		TSN 0				
WC#: 34.380	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01, AMM 34-31-01								
345018	GLIDESLOPE ANTENNA							Component ATA:34
PN:RGS10-48	MOS/MSC	01-Jun-04	O/C					
SN:9376	HRS	0		TSN 0				
WC#: 34.370	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01								
345029	NO. 1 NAV CLUSTER MODULE							Component ATA:34
PN:7510164-921	MOS/MSC	01-Jun-04	O/C					
SN:03037263	HRS	0		TSN 0				
WC#: 34.395	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
345029	NO. 2 NAV CLUSTER MODULE							Component ATA:34
PN:7510164-921	MOS/MSC	01-Jun-04	O/C					
SN:03127505	HRS	0		TSN 0				
WC#: 34.395	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
345032	NO. 1 VHF NAV RECEIVER							Component ATA:34
PN:7510134-731	MOS/MSC	01-Jun-04	O/C					
SN:03047442	HRS	0		TSN 0				
WC#: 34.405	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345032	NO. 2 VHF NAV RECEIVER							Component ATA:34
PN:7510134-731	MOS/MSC	01-Jun-04	O/C					
SN:04017822	HRS	0		TSN 0				
WC#: 34.405	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
345034 ^U	AVANCE L3 RACK							Component ATA:34
PN:P34110-003	MOS/MSC	03-Nov-21	O/C	TSR 0				
SN:3411000300708	HRS	2472.9		TSR 0				
	AFL	1674		TSR 0				
345034	NO. 1 ATC TRANSPONDER							Component ATA:34
PN:011-01997-00	MOS/MSC	25-Mar-22	O/C					
SN:20S011146	HRS	2523						
WC#: 34.440	AFL							
PROC. REF: AMM GENERIC 1								
345034	NO. 2 ATC TRANSPONDER							Component ATA:34
PN:011-01997-00	MOS/MSC	25-Mar-22	O/C					
SN:20S011188	HRS	2523						
WC#: 34.440	AFL							
PROC. REF: AMM GENERIC 1								
345035 ^U	#1 GTX 3000 TRANSPONDER							Component ATA:34
PN:011-01997-00	MOS/MSC	01-Nov-19	O/C	TSN 0				
SN:20S011146	HRS	2260.5		TSN 0				
	AFL	1544		TSN 0				
345035 ^U	#2 GTX 3000 TRANSPONDER							Component ATA:34
PN:011-01997-00	MOS/MSC	01-Nov-19	O/C	TSN 0				
SN:20S011188	HRS	2260.5		TSN 0				
	AFL	1544		TSN 0				
345036	NO. 1 DME INTERROGATOR							Component ATA:34
PN:7510184-902	MOS/MSC	01-Jun-04	O/C					
SN:03047099	HRS	0		TSN 0				
WC#: 34.415	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345036	NO. 2 DME INTERROGATOR							Component ATA:34
PN:7510184-902	MOS/MSC	01-Jun-04	O/C					
SN:04017530	HRS	0		TSN 0				
WC#: 34.415	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
345038	NO. 1 INTEGRATED NAV UNIT							Component ATA:34
PN:7510100-733	MOS/MSC	21-Feb-24	O/C					
SN:04017293	HRS	2747.9						
WC#: 34.425	AFL	1819						
PROC. REF: AMM 34-52-01								
345038	NO. 2 INTEGRATED NAV UNIT							Component ATA:34
PN:7510100-731	MOS/MSC	21-Feb-24	O/C					
SN:03047048	HRS	2747.9						
WC#: 34.425	AFL	1819						
PROC. REF: AMM 34-52-01								
345077	DATA TRANSFER UNIT							Component ATA:34
PN:1408-00-1	MOS/MSC	24-May-19	O/C	TSN 0				
SN:4401	HRS	2228.2		TSN 0				
WC#: 34.435	AFL	1519		TSN 0				
PROC. REF: AMM 34-60-01, AMM 34-60-02								
345079	NO. 1 GPS FLT MGMT COMPUTER							Component ATA:34
PN:2019-41-201	MOS/MSC	04-Jan-24	O/C					
SN:817	HRS	2737.5						
WC#: 34.445	AFL	1815						
PROC. REF: AMM GENERIC 1								
345083	FMS DATA BASE UNIT							Component ATA:34
PN:PN	MOS/MSC	01-Jun-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.980	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
345088	NO. 1 RADIO MANAGEMENT UNIT							Component ATA:34
PN:7012100-825	MOS/MSC	03-Oct-08	O/C					
SN:00012688	HRS	892		TSO 2154				
WC#: 34.455	AFL							
PROC. REF: AMM 23-80-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345088	NO. 2 RADIO MANAGEMENT UNIT							Component ATA:34
PN:7012100-825	MOS/MSC	14-May-06	O/C					
SN:00012698	HRS	518		TSO 2826				
WC#: 34.455	AFL							
PROC. REF: AMM 23-80-01								
345093	GPS ANTENNA							Component ATA:34
PN:013-00244-00	MOS/MSC	01-Nov-19	O/C	TSN 0				
SN:20901	HRS	2260.5		TSN 0				
WC#: 34.535	AFL	1544		TSN 0				
PROC. REF: AMM 34-60-02								
345093	NO.1 GPS ANTENNA							Component ATA:34
PN:10706	MOS/MSC	01-Jun-04	O/C					
SN:8516	HRS	0		TSN 0				
WC#: 34.500	AFL	0		TSN 0				
PROC. REF: AMM 34-54-01, AMM 34-60-02								
345093	NO.2 GPS ANTENNA							Component ATA:34
PN:10706	MOS/MSC	01-Jun-04	O/C					
SN:8520	HRS	0		TSN 0				
WC#: 34.500	AFL	0		TSN 0				
PROC. REF: AMM 34-54-01, AMM 34-60-02								
345101	FWD OMNIDIRECTIONAL ANTENNA							Component ATA:34
PN:P12949	MOS/MSC	21-Jul-20	O/C	TSN 0				
SN:627588	HRS	2312.2		TSN 0				
WC#: 34.430	AFL	1573		TSN 0				
PROC. REF: AMM 34-51-01								
345102	AFT OMNIDIRECTIONAL ANTENNA							Component ATA:34
PN:P12949	MOS/MSC	21-Jul-20	O/C	TSN 0				
SN:627406	HRS	2312.2		TSN 0				
WC#: 34.430	AFL	1573		TSN 0				
PROC. REF: AMM 34-51-01								
345201	LEFT NAV ANTENNA							Component ATA:34
PN:DMN4-17-1N	MOS/MSC	01-Jun-04	O/C					
SN:3121165	HRS	0		TSN 0				
WC#: 34.475	AFL	0		TSN 0				
PROC. REF: AMM 34-52-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345201	RIGHT NAV ANTENNA							Component ATA:34
PN:DMN4-17-1N	MOS/MSC	01-Jun-04	O/C					
SN:3121164	HRS	0		TSN 0				
WC#: 34.475	AFL	0		TSN 0				
PROC. REF: AMM 34-52-04								
345301	LEFT DME INDICATOR							Component ATA:34
PN:7513006-911	MOS/MSC	01-Jun-04	O/C					
SN:04012648	HRS	0		TSN 0				
WC#: 34.485	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
345301	RIGHT DME INDICATOR							Component ATA:34
PN:7513006-911	MOS/MSC	01-Jun-04	O/C					
SN:04022652	HRS	0		TSN 0				
WC#: 34.485	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
345311	UAT ANTENNA							Component ATA:34
PN:CI 110-40-30	MOS/MSC	01-Nov-19	O/C	TSN 0				
SN:604723	HRS	2260.5		TSN 0				
WC#: 34.480	AFL	1544		TSN 0				
PROC. REF: AMM 34-53-04								
346001	TCAS PROCESSOR							Component ATA:34
PN:066-01146-1211	MOS/MSC	21-Jul-08	O/C					
SN:41855	HRS	880		TSO 0				
WC#: 34.495	AFL							
PROC. REF: AMM 34-44-00, AMM 34-44-01, AMM 34-44-01, AMM 34-44-06								
346002	BOTTOM TCAS ANTENNA							Component ATA:34
PN:071-01548-0100	MOS/MSC	01-Jun-04	O/C					
SN:11981	HRS	0		TSN 0				
WC#: 34.505	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01, AMM 34-44-00, AMM 34-44-06								
346002	TOP TCAS ANTENNA							Component ATA:34
PN:071-01548-0200	MOS/MSC	01-Jun-04	O/C					
SN:9549	HRS	0		TSN 0				
WC#: 34.505	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01, AMM 34-44-00, AMM 34-44-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
346012	TCAS II MODULE							Component ATA:34
PN:071-00097-1000	MOS/MSC	01-Jun-04	O/C					
SN:11947	HRS	0		TSN 0				
WC#: 34.495	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01, AMM 34-44-01								
346020 ^U	AVANCE L3 MODULE							Component ATA:34
PN:P41234	MOS/MSC	21-Jul-20	O/C	TSN 0				
SN:L0007490	HRS	2312.2		TSN 0				
	AFL	1573		TSN 0				
34FO-06XL/P	DTU: PERMANENT UNS-1CSP FACTORY OPTION							Component ATA:34
PN:696P	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 1								
34FO-08XL/B	TCAS II: TPU-67A FACTORY OPTION							Component ATA:34
PN:635B	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 1								
ATA 35 - OXYGEN								
35-10-00-2200 ^S	CREW MASKS AND STOWAGE BOXES DETAILED INSPECTION							Service ATA:35
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 35-10-00								PKG:513
35-10-00-9600	MC10-16-150, MC10-16-100, OR MLD20-505 COPILOT CREW MASK (ACCOMPLISH SUPPLIER TESTING AND FAULT ISOLATION TASK) RESTORATION							Component ATA:35
PN:MC10-16-100	MOS	17-Feb-21	72	TSO 4	31-Oct-26		885 d	OVERHAUL
SN:95618	HRS	2377.4						
WC#: 35.020	AFL	1616						
PROC. REF: AMM 35-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-00-9600	MC10-16-150, MC10-16-100, OR MLD20-505 PILOT CREW MASK (ACCOMPLISH SUPPLIER TESTING AND FAULT ISOLATION TASK) RESTORATION							Component ATA:35
PN:MC10-16-100	MOS	17-Feb-21	72	TSO 4	31-Oct-26		885 d	OVERHAUL
SN:88004	HRS	2377.4						
WC#: 35.020	AFL	1616						
PROC. REF: AMM 35-10-00								
35-20-00-2200 ^S	PASSENGER DROP BOXES AND MASK ASSEMBLY DETAILED INSPECTION							Service ATA:35
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 35-20-00								
PKG:513								
35-20-00-7100 ^S	PASSENGER OXYGEN SYSTEM OPERATIONAL CHECK							Service ATA:35
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
PROC. REF: AMM 35-20-00								
PKG:511								
35-20-00-7200 ^S	PASSENGER OXYGEN SYSTEM FUNCTIONAL CHECK							Service ATA:35
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 35-20-00								
PKG:513								
35-90-00-7800	OXYGEN BOTTLE ASSEMBLY (HYDROSTATIC TEST) RESTORATION(DOT-SP 8162)							Service ATA:35
PN:804882-14	MOS	03-Nov-22	60		30-Nov-27		1280 d	
SN:C18030649	HRS							
WC#: 35.140	AFL							
35-90-00-9600	OXYGEN BOTTLE ASSEMBLY (DISCARD)							Component ATA:35
PN:804882-14	MOS	31-Oct-18	180		31-Mar-33		3228 d	LIFE LIMIT
SN:C18030649	HRS	2162.2						
WC#: 35.010	AFL	1479						
Manufacture Date:: 20-Mar-18 PROC. REF: AMM 35-90-00								
351001	OXYGEN PRESSURE (EI002) GAGE							Component ATA:35
PN:C668512-0101	MOS/MSC	01-Jun-04	O/C					
SN:L23415	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: AMM 35-01-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351007	OXYGEN REGULATOR							Component ATA:35
PN:804881-01	MOS/MSC	31-Oct-18	O/C	TSN 8				
SN:C18020590	HRS	2162.2		TSN 0				
WC#: 35.070	AFL	1479						
PROC. REF: AMM 35-01-01								
351008	PASSENGER OXYGEN CONTROL VALVE							Component ATA:35
PN:P21006	MOS/MSC	01-Jun-04	O/C					
SN:1870	HRS	0		TSN 0				
WC#: 35.050	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01								
352001	PASSENGER OXYGEN ALTITUDE PRESSURE SWITCH							Component ATA:35
PN:P24032	MOS/MSC	01-Jun-04	O/C					
SN:0802	HRS	0		TSN 0				
WC#: 35.060	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01								
ATA 36 - PNEUMATIC								
36-11-03-2100 ^S	PRECOOLER HEAT EXCHANGER GENERAL VISUAL INSPECTION							Service ATA:36
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 36-11-03								PKG:509
36-12-00-2200 ^S	AUXILIARY POWER UNIT BLEED AIR CHECK VALVE DETAILED INSPECTION							Service ATA:36
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 36-12-00								PKG:513
36-15-00-1700 ^S	PARTICULATE TRAP (CLEANING) RESTORATION							Service ATA:36
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 36-15-00								PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361010	DOOR SOLENOID VALVE							Component ATA:36
PN:6711335-1	MOS/MSC	06-Jul-23	O/C	TSN 0				
SN:NSN	HRS	2682.6		TSN 0				
WC#: 36.070	AFL	1782		TSN 0				
PROC. REF: AMM GENERIC 1								
361011	LEFT HEAT EXCHANGER ACTUATOR							Component ATA:36
PN:1E50-2	MOS/MSC	24-Jan-06	O/C					
SN:4AW49	HRS	425		TSO 0				
WC#: 36.080	AFL							
PROC. REF: AMM GENERIC 1								
361011	RIGHT HEAT EXCHANGER ACTUATOR							Component ATA:36
PN:1E50-2	MOS/MSC	01-Jun-04	O/C					
SN:12AW94	HRS	0		TSN 0				
WC#: 36.080	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
361100	LEFT BLEED AIR TEMPERATURE (ST021) SWITCH							Component ATA:36
PN:1173T0635	MOS/MSC	01-Jun-04	O/C					
SN:1880	HRS	0		TSN 0				
WC#: 36.030	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00								
361100	RIGHT BLEED AIR TEMPERATURE (ST020) SWITCH							Component ATA:36
PN:1173T0635	MOS/MSC	01-Jun-04	O/C					
SN:1897	HRS	0		TSN 0				
WC#: 36.030	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00								
361101	LEFT BLEED AIR OVERTEMP (ST017) SWITCH							Component ATA:36
PN:1173T181-2	MOS/MSC	01-Jun-04	O/C					
SN:4148	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00								
361101	RIGHT BLEED AIR OVERTEMP (ST014) SWITCH							Component ATA:36
PN:1173T181-2	MOS/MSC	01-Jun-04	O/C					
SN:4146	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361102	LEFT BLEED AIR MANIFOLD TEMPERATURE (TT001) SENSOR							Component ATA:36
PN:1E51-1	MOS/MSC	01-Oct-09	O/C					
SN:6BD413	HRS	1006		TSN 0				
WC#: 36.020	AFL							
PROC. REF: AMM 36-11-00								
361102	RIGHT BLEED AIR MANIFOLD TEMPERATURE (TT002) SENSOR							Component ATA:36
PN:1E51-1	MOS/MSC	01-Jun-04	O/C					
SN:12AW287	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00								
361103	LEFT HEAT B/A EXCHANGER							Component ATA:36
PN:8230-2	MOS/MSC	01-Jun-04	O/C					
SN:S4883T0765	HRS	0		TSN 0				
WC#: 36.100	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01								
361103	RIGHT HEAT B/A EXCHANGER							Component ATA:36
PN:8230-2	MOS/MSC	01-Jun-04	O/C					
SN:S4883T0764	HRS	0		TSN 0				
WC#: 36.100	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01								
361104	LEFT PRECOOLER VD003 VALVE							Component ATA:36
PN:1407-10	MOS/MSC	01-Jun-04	O/C					
SN:0745A	HRS	0		TSN 0				
WC#: 36.110	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01								
361104	RIGHT PRECOOLER VD003 VALVE							Component ATA:36
PN:1407-10	MOS/MSC	01-Jun-04	O/C					
SN:0746A	HRS	0		TSN 0				
WC#: 36.110	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01								
361208	APU-CHECK VALVE							Component ATA:36
PN:8C210	MOS/MSC	01-Jun-04	O/C					
SN:4103	HRS	0		TSN 0				
WC#: 36.160	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361208	RUDDER BIAS CHECK VALVE							Component ATA:36
PN:8C210	MOS/MSC	01-Jun-04	O/C					
SN:4123	HRS	0		TSN 0				
WC#: 36.120	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
361500	NO. 1 B/A CHECK VALVE							Component ATA:36
PN:8C210	MOS/MSC	01-Jun-04	O/C					
SN:4063	HRS	0		TSN 0				
WC#: 36.130	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
361500	NO. 2 B/A CHECK VALVE							Component ATA:36
PN:8C210	MOS/MSC	01-Jun-04	O/C					
SN:4085	HRS	0		TSN 0				
WC#: 36.130	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
361534	SERVICE AIR REGULATOR							Component ATA:36
PN:1H75-18	MOS/MSC	01-Jun-04	O/C					
SN:12AW 88	HRS	0		TSN 0				
WC#: 36.140	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
ATA 38 - WATER/WASTE								
38-30-02-2200 ^S	EXTERNALLY SERVICEABLE TOILET SYSTEM DETAILED INSPECTION							Service ATA:38
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
PROC. REF: AMM 38-30-02								PKG:511
ATA 49 - AIRBORNE AUXILIARY POWER								
49-00-00-2100 ^S	AUXILIARY POWER UNIT GENERAL VISUAL INSPECTION AND OPERATIONAL CHECK							Service ATA:49
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 49-00-00, AMM 49-00-00								PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C / W	Interval	TSX/Adj.	Next Due (ENG/APU) A / C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-00-00-2103 ^S		AUXILIARY POWER UNIT CONTAINMENT BOX ASSEMBLY GENERAL VISUAL INSPECTION						Service ATA:49
	MOS	03-Nov-21	72 (+1m/-1m)					
	HRS	2472.9						
	AFL	1674						
				PROC. REF: AMM 49-00-00		PKG:518		
49-00-00-9600		APU - COMPRESSOR ROTOR						Component ATA:49
PN:3822523-003	MOS	01-Jun-04						LIFE LIMIT
SN:030350103407	HRS	0						
WC#: 49.040	APUS	0	12000	TSN 0	12000		10602	
				PROC. REF: GENERIC NO REF, AMM 49-00-00				
49-00-00-9601		APU - TURBINE ROTOR						Component ATA:49
PN:3842340-2	MOS	01-Jun-04						LIFE LIMIT
SN:030134511485	HRS	0						
WC#: 49.050	APUS	0	4000	TSN 0	4000		2602	
				PROC. REF: GENERIC NO REF, AMM 49-00-00				
49-30-00-9600		APU - FUEL FILTER ELEMENT						Component ATA:49
PN:3882440-1	MOS	30-Mar-24	24 (+1m)	TSN 0	31-Mar-26	30-Apr-26	671 d (+30)	
SN:NSN	HRS	825.8	900 (+45)	TSN 0	1725.8	1770.8	896.3 (+45)	
WC#: 49.230	APUS	1398						
				PROC. REF: AMM 49-30-00				
49-40-00-2200		APU - REMOVE IGNITER PLUG , CLEAN, EXAMINE, AND INSTALL						Service ATA:49
PN:304634-2	MOS	23-Sep-23	24 (+1m)		30-Sep-25	31-Oct-25	489 d (+31)	
SN:UNKNOWN	HRS	796.4	900 (+45)		1696.4	1741.4	866.9 (+45)	
WC#: 49.210	APUS	1318						
				PROC. REF: AMM 49-40-00, MM 49-40-02				
49-70-01-2200		APU - REMOVE CHIP DETECTOR , CLEAN, EXAMINE AND INSTALL						Service ATA:49
	MOS	23-Sep-23	12 (+1m)		30-Sep-24	31-Oct-24	124 d (+31)	
	HRS	796.4	450 (+45)		1246.4	1291.4	416.9 (+45)	
WC#: 49.190	APUS	1318						
				PROC. REF: AMM 49-70-01, MM 49-90-02				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-90-00-9600	APU - CHANGE OIL							Service ATA:49
	MOS/MSC	17-Jun-22	O/C					
	HRS	726.1						
WC#: 49.030	APUS	1264						
PROC. REF: AMM 49-90-00								
49-90-00-9600	APU - REMOVE AND REPLACE OIL FILTER ELEMENT							Service ATA:49
	MOS	30-Mar-24	24 (+1m)		31-Mar-26	30-Apr-26	671 d (+30)	
	HRS	825.8	900 (+45)		1725.8	1770.8	896.3 (+45)	
WC#: 49.060	APUS	1398						
PROC. REF: AMM 49-90-00								
490001	APU - APU ELECTRONIC CONTROL							Component ATA:49
PN:2119552-3	MOS/MSC	01-Jun-04	O/C					
SN:113J0005	HRS	9		TSN 9				
WC#: 49.020	APUS	0						
PROC. REF: GENERIC NO REF								
490003	APU - BLEED AIR SHUTOFF VALVE							Component ATA:49
PN:50230-8	MOS/MSC	01-Jun-04	O/C					
SN:0566D	HRS	0		TSN 0				
WC#: 49.080	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF								
490004	APU - DC AMMETER							Component ATA:49
PN:MD144-3	MOS/MSC	01-Jun-04	O/C					
SN:J23568	HRS	0		TSN 0				
WC#: 49.090	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF								
490005	APU - OVERHEAT DETECTOR							Component ATA:49
PN:3001-212-1004/455-9	MOS/MSC	01-Jun-04	O/C					
SN:205294	HRS	0		TSN 0				
WC#: 49.100	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF								
490006	APU - HOURMETER							Component ATA:49
PN:C664503-0104	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.110	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
493000	APU - FUEL CONTROL ASSEMBLY							Component ATA:49
PN:3883900-1	MOS/MSC	01-Jun-04	O/C					
SN:0400526	HRS	0		TSN 0				
WC#: 49.130	APUS	0		TSN 0				
493001	APU - TEE-FLOW DIVIDER VALVE							Component ATA:49
PN:3883921-2	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.200	APUS	0		TSN 0				
PROC. REF: AMM 49-30-00								
493002	APU - FUEL SHUT-OFF VALVE							Component ATA:49
PN:PN	MOS/MSC	01-Jun-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.010	APUS	0		TSN 0				
494000	APU - ELECTRICAL IGNITER LEAD							Component ATA:49
PN:3888302-20	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.160	APUS	0		TSN 0				
494001	APU - IGNITER PLUG							Component ATA:49
PN:304634-2	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.150	APUS	0		TSN 0				
PROC. REF: AMM 49-40-00								
494002	APU - IGNITION UNIT							Component ATA:49
PN:3888000-7	MOS/MSC	01-Jun-04	O/C					
SN:030218043899	HRS	0		TSN 0				
WC#: 49.140	APUS	0		TSN 0				
497006	APU - RPM/MAX INDICATOR							Component ATA:49
PN:M453	MOS/MSC	01-Jun-04	O/C					
SN:23801	HRS	0		TSN 0				
WC#: 49.220	APUS	0		TSN 0				
499000	APU - LOW OIL PRESSURE SWITCH							Component ATA:49
PN:3876351-1	MOS/MSC	01-Jun-04	O/C					
SN:030922700963	HRS	0		TSN 0				
WC#: 49.260	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
499001	APU - LUBE PUMP ASSEMBLY							Component ATA:49
PN:3881825-1	MOS/MSC	01-Jun-04	O/C					
SN:P597	HRS	0		TSN 0				
WC#: 49.240	APUS	0		TSN 0				
499002	APU - OIL LEVEL SWITCH							Component ATA:49
PN:3876318-1	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.280	APUS	0		TSN 0				
49APU1	APU							Component ATA:49
PN:3800722-1	MOS/MSC	01-Jun-04	E/C					
SN:P-435	HRS							
WC#: 49.APU1	AFL							
	APH	0		TSN 0				
	APS	0		TSN 0				
49FO-01XL/G	AUXILIARY POWER UNIT FACTORY OPTION							Component ATA:49
PN:46G	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 1								
49FO-02XL	HOURMETER: APU FACTORY OPTION							Component ATA:49
PN:47	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 1								
ATA 52 - DOORS								
52-10-00-2100 ^S	CABIN DOOR SEALS GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 52-10-00								PKG:509

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-00-2200 ^S	CABIN DOOR ASSEMBLY INTERNAL DETAILED INSPECTION							Service ATA:52
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 52-10-00				PKG:513
52-10-00-2200-ME ^S	CABIN DOOR ASSEMBLY DETAILED INSPECTION							Service ATA:52
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	15000	TAC 0				
WC#: 53.070	AFL	0		TAC 0				
				PROC. REF: AMM 52-10-00				PKG:164
52-20-00-2200 ^S	EMERGENCY EXIT DOOR ASSEMBLY DETAILED INSPECTION							Service ATA:52
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
				PROC. REF: AMM 52-20-00				PKG:511
52-20-00-2200-ME ^S	EMERGENCY EXIT DOOR ASSEMBLY DETAILED INSPECTION							Service ATA:52
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	15000	TAC 0				
WC#: 53.080	AFL	0		TAC 0				
				PROC. REF: AMM 52-20-00				PKG:164
52-20-00-2201 ^S	EMERGENCY EXIT DOOR INTERNAL DETAILED INSPECTION							Service ATA:52
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 52-20-00				PKG:519
52-30-00-2200 ^S	BAGGAGE DOOR ASSEMBLY DETAILED INSPECTION							Service ATA:52
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 52-30-00				PKG:513
521001	CABIN DOOR PRIMARY INFLATABLE PRESSURE SEAL							Component ATA:52
PN:9914195-4	MOS/MSC	25-May-23	O/C	TSN 0				
SN:UNKNOWN	HRS	2665.2		TSN 0				
WC#: 52.010	AFL	1775		TSN 0				
				PROC. REF: AMM 52-10-04				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
521003	ACOUSTIC LOWER FWD SEAL							Component ATA:52
PN:9522-13	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.120	AFL	0		TSN 0				
PROC. REF: AMM 52-10-04								
521004	ACOUSTIC UPPER SEAL							Component ATA:52
PN:9522-11	MOS/MSC	30-Mar-24	O/C	TSN 0				
SN:1685	HRS	2765.1		TSN 0				
WC#: 52.120	AFL	1829		TSN 0				
PROC. REF: AMM 52-10-04								
521005	ACOUSTIC LOWER AFT SEAL							Component ATA:52
PN:9522-15	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.120	AFL	0		TSN 0				
PROC. REF: AMM 52-10-04								
527000	EMERGENCY EXIT SWITCH							Component ATA:52
PN:8-405-04	MOS/MSC	01-Jun-04	O/C					
SN:B54869	HRS	0		TSN 0				
WC#: 52.130	AFL	0		TSN 0				
PROC. REF: AMM 52-20-00								
ATA 53 - FUSELAGE								
53-00-00-2100 ^S	FUSELAGE FAIRING INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 53-00-00								PKG:513
53-00-00-2101 ^S	FUSELAGE AND FAIRING EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 53-00-00								PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00-00-2102 ^S	COMMUNICATION AND NAVIGATION ANTENNA MOUNTING CORROSION GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: GENERIC NO REF, TLMC 5-12-06							PKG:513	
53-00-00-2201 ^S	FORWARD AND AFT LOWER FAIRING EXTERNAL L/HIRF DETAILED INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 53-00-00							PKG:513	
53-00-00-9600	LEFT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY DISCARD							Component ATA:53
PN:6613020-55	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.090	AFL	0	25500	TSN 0	25500		23661	
PROC. REF: AMM 53-00-00								
53-00-00-9600	RIGHT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY DISCARD							Component ATA:53
PN:6613020-56	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.090	AFL	0	25500	TSN 0	25500		23661	
PROC. REF: AMM 53-00-00								
53-00-00-9601	NOSE LANDING GEAR ACTUATOR FITTING ASSEMBLY DISCARD							Component ATA:53
PN:6211190-42	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.100	AFL	0	25500	TSN 0	25500		23661	
PROC. REF: AMM 53-00-00								
53-10-00-2100 ^S	NOSE LANDING GEAR WHEEL WELL AND DOOR INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 53-10-00							PKG:513	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-2101 ^S	NOSE SECTION INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	03-Nov-21	72 (+1m/-1m)					
	HRS	2472.9						
	AFL	1674						
PROC. REF: AMM 53-10-00								PKG:518
53-10-00-2102 ^S	NOSE AVIONICS COMPONENTS WIRING AND BULKHEAD CONNECTORS STANDALONE EZAPGENERAL VISUAL INSPECTION							Service ATA:53
	MOS	03-Nov-21	72 (+1m/-1m)					
	HRS	2472.9						
	AFL	1674						
PROC. REF: AMM 53-10-00								PKG:518
53-10-00-2103 ^S	NOSE AVIONICS L/HIRF STANDALONE GENERAL VISUAL INSPECTION (AIRPLANES -5001THRU -6000)							Service ATA:53
	MOS	03-Nov-21	72 (+1m/-1m)					
	HRS	2472.9						
	AFL	1674						
PROC. REF: AMM 53-10-00								PKG:518
53-10-00-2200 ^S	NOSE LANDING GEAR AND WHEEL WELL STRUCTURE AND CORROSION GENERAL VISUAL AND DETAILED INSPECTION							Service ATA:53
	MOS	29-Sep-23	12 (+1m/-1m)					CPCP
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 53-10-00								PKG:509
53-10-00-2201 ^S	NOSE STRUCTURE INTERNAL DETAILED INSPECTION							Service ATA:53
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 53-10-00								PKG:519
53-10-00-2202 ^S	NOSE NON-METALLIC STRUCTURE (RADOME, DOOR DRIP CAPS) INTERNAL DETAILEDINSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 53-10-00								PKG:513
53-10-00-2203 ^S	RADOME DIVERter STRIPS L/HIRF DETAILED INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 53-10-00								PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-11-2200 ^S	LOWER AFT CABIN INTERNAL (BELOW EXTERNALLY SERVICED TOILET) STRUCTURAL AND CORROSION (BORESCOPE) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	08-Nov-22	24 (+1m/-1m)					CPCP
	HRS	2593.2						
	AFL	1742						
PROC. REF: AMM 53-10-11								PKG:511
53-10-11-2201 ^S	AFT CABIN LOWER SKIN (BELOW DROP AISLE) INTERNAL STRUCTURAL AND CORROSIONDETAILED INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					CPCP
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 53-10-11								PKG:513
53-10-11-2202 ^S	LOWER AFT CABIN INTERNAL (BELOW CARRY-OUT TOILET) STRUCTURAL AND CORROSION DETAILED INSPECTION							Service ATA:53
	MOS	08-Nov-22	24 (+1m/-1m)					CPCP
	HRS	2593.2						
	AFL	1742						
PROC. REF: AMM 53-10-11								PKG:511
53-10-11-2501 ^S	INSPECT FORWARD PRESSURE BULKHEAD (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	30-Mar-24	120					
	HRS	2765.1	2400					
WC#: 53.350	AFL	1829						
PROC. REF: AMM 53-10-11								PKG:163
53-10-11-2502 ^S	AFT PRESSURE BULKHEAD GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	15000	TAC 0				
WC#: 53.340	AFL	0		TAC 0				
PROC. REF: AMM 53-10-11								PKG:164
53-10-12-2100 ^S	BAGGAGE DOOR AND FORWARD TAILCONE INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 53-10-12								PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-12-2101 ^S	TAILCONE EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 53-10-12				PKG:513
53-10-12-2102 ^S	AUXILIARY POWER UNIT ENCLOSURE AND STINGER INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 53-10-12				PKG:513
53-10-12-2103 ^S	FORWARD TAILCONE AVIONICS COMPONENTS, WIRE BUNDLES AND CONNECTORS STANDALONE EZAP GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 53-10-12				PKG:513
53-10-12-2104 ^S	AUXILIARY POWER UNIT GENERATOR POWER FEEDER CABLES STANDALONE EZAP GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 53-10-12				PKG:513
53-10-12-2200 ^S	AUXILIARY POWER UNIT GENERATOR, AUXILIARY POWER UNIT GENERATOR CONTROL UNIT, AND LEFT / RIGHT ENGINE GENERATOR CONTROL UNIT L/HIRF DETAILED INSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 53-10-12				PKG:513
53-20-00-2100 ^S	COCKPIT INTERNAL (BELOW FLOORLINE) ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	03-Nov-21	72 (+1m/-1m)					
	HRS	2472.9						
	AFL	1674						
				PROC. REF: AMM 53-20-00				PKG:518

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-00-2101 ^S	COCKPIT INTERNAL (ABOVE FLOORLINE) ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 53-20-00				PKG:519
53-20-00-2102 ^S	COCKPIT WIRE BUNDLES STANDALONE EZAP GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	03-Nov-21	72 (+1m/-1m)					
	HRS	2472.9						
	AFL	1674						
				PROC. REF: AMM 53-20-00				PKG:518
53-20-00-2103 ^S	COCKPIT AVIONICS COMPONENTS AND WIRE BUNDLES STANDALONE EZAP GENERALVISUAL INSPECTION							Service ATA:53
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 53-20-00				PKG:519
53-20-00-2104 ^S	COCKPIT AVIONICS CONTROL HEAD L/HIRF STANDALONE GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 53-20-00				PKG:519
53-30-00-2100 ^S	CABIN INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 53-30-00				PKG:519
53-30-00-2101 ^S	FORWARD CABIN (BELOW FLOORLINE) INTERNAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 53-30-00				PKG:519
53-30-00-2200 ^S	ELEVATOR AND ELEVATOR TRIM CONTROL SYSTEM SUPPORT STRUCTURAL DETAILEDINSPECTION							Service ATA:53
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 53-30-00				PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-01-2100 ^S	UPPER FUSELAGE SKIN FROM RIGHT STRINGER 13 TO LEFT STRINGER 13 GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	13000	TAC 0				
WC#: 53.010	AFL	0		TAC 0				
PROC. REF: AMM 53-30-01								PKG:169
53-30-01-2101 ^S	LOWER FUSELAGE SKIN FROM RIGHT STRINGER 13 TO LEFT STRINGER 13 GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	15000	TAC 0				
WC#: 53.020	AFL	0		TAC 0				
PROC. REF: AMM 53-30-01								PKG:164
53-30-01-2500 ^S	FUSELAGE EXTERNAL SURFACE (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	01-Jun-04		TAC 0				
	HRS	0	7200 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 53-30-01								PKG:526
53-30-01-2501 ^S	UPPER FUSELAGE SKIN SPLICE AT BL 0.00 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	15000	TAC 0				
WC#: 53.030	AFL	0		TAC 0				
PROC. REF: AMM 53-30-01								PKG:164
53-30-01-2502 ^S	LOWER FUSELAGE SKIN SPLICES AT STRINGERS 13R AND 13L (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	15000	TAC 0				
WC#: 53.040	AFL	0		TAC 0				
PROC. REF: AMM 53-30-01								PKG:164
53-31-00-2200 ^S	COMPOSITE VENTRAL STRAKE (COIN TAP) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 53-31-00								PKG:519

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-01-2100 ^S	ENGINES COWLINGS AND PYLONS INTERNAL AND EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:54
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
PROC. REF: AMM 54-50-01								PKG:511
54-50-01-2101 ^S	ENGINE COWLING, ENGINE PYLON FIREWALL GENERAL VISUAL INSPECTION							Service ATA:54
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 54-50-01								PKG:513
ATA 55 - STABILIZERS								
55-00-00-2200 ^S	EMPENNAGE COVE STRUCTURE AND CORROSION DETAILED INSPECTION							Service ATA:55
	MOS	29-Sep-23	12 (+1m/-1m)					CPCP
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 55-00-00								PKG:509
55-10-00-2100 ^S	EMPENNAGE EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:55
	MOS	03-Nov-21	72 (+1m/-1m)					
	HRS	2472.9						
	AFL	1674						
PROC. REF: AMM 55-10-00								PKG:518
55-10-00-2101 ^S	HORIZONTAL STABILIZER SURFACES INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:55
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 55-10-00								PKG:519
55-10-00-2200 ^S	HORIZONTAL STABILIZER POSITION SWITCHES L/HIRF DETAILED INSPECTION							Service ATA:55
	MOS	03-Nov-21	72 (+1m/-1m)					
	HRS	2472.9						
	AFL	1674						
PROC. REF: AMM 55-10-00								PKG:518

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-00-2201 ^S	FLUX DETECTORS L/HIRF DETAILED INSPECTION							Service ATA:55
	MOS	03-Nov-21	72 (+1m/-1m)					
	HRS	2472.9						
	AFL	1674						
				PROC. REF: AMM 55-10-00				PKG:518
55-10-00-2900 ^S	INTERNAL HORIZONTAL STABILIZER (BORESCOPE) SPECIAL DETAILED INSPECTION							Service ATA:55
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 55-10-00				PKG:519
55-20-00-2200 ^S	ELEVATOR ASSEMBLY DETAILED INSPECTION							Service ATA:55
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 55-20-00				PKG:513
55-30-00-2102 ^S	VERTICAL STABILIZER INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:55
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 55-30-00				PKG:519
55-30-00-2200 ^S	RUDDER AND RUDDER TRIM CONTROL SYSTEM STRUCTURAL SUPPORT DETAILED INSPECTION							Service ATA:55
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 55-30-00				PKG:513
55-30-00-2201 ^S	VERTICAL STABILIZER PIVOT FITTING DETAILED INSPECTION							Service ATA:55
	MOS	01-Jun-04		TAC 0				
	HRS	0	T:6000 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
				PROC. REF: AMM 55-30-00				PKG:520
55-30-00-2900 ^S	VERTICAL (STABILIZER AREAS WITH LIMITED ACCESS) (BORESCOPE) INTERNAL SPECIALDETAILED INSPECTION							Service ATA:55
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 55-30-00				PKG:519

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40-00-2200 ^S	RUDDER AND RUDDER TRIM TAB DETAILED INSPECTION							Service ATA:55
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
	PROC. REF: AMM 55-40-00							PKG:513
551001	HORIZONTAL STABILIZER ASSEMBLY							Component ATA:55
PN:PN	MOS/MSC	01-Jun-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	PROC. REF: AMM GENERIC 1							
ATA 56 - WINDOWS								
56-11-00-2200 ^S	HEATED WINDSHIELD ASSEMBLY HUMP SEAL DETAILED INSPECTION							Service ATA:56
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
	PROC. REF: AMM 56-11-00							PKG:509
56-11-00-2201 ^S	COCKPIT OPENABLE AFT SIDE WINDOW HINGE AND LATCH DETAILED INSPECTION							Service ATA:56
	MOS	01-Jun-04		TAC 0				
	HRS	0	1600 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
	PROC. REF: AMM 56-11-00							PKG:514
56-11-00-2202 ^S	WINDSHIELD DETAILED INSPECTION							Service ATA:56
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
	PROC. REF: AMM 56-11-00							PKG:511
56-11-00-2203 ^S	WINDSHIELD RETAINER DETAILED INSPECTION							Service ATA:56
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
	PROC. REF: AMM 56-11-00							PKG:519

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-11-00-2204 ^S COCKPIT AND OPENABLE SIDE WINDOW INTERNAL STRUCTURE DETAILED INSPECTION Service ATA:56								
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 56-11-00								PKG:519
56-11-00-2207 ^S OPENABLE SIDE COCKPIT WINDOWS (TRANSPARENCY) DETAILED INSPECTION Service ATA:56								
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 56-11-00								PKG:513
56-11-00-7200 ^S HEATED WINDSHIELD ASSEMBLY FASTENER TORQUE FUNCTIONAL CHECK Service ATA:56								
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 56-11-00								PKG:515
56-11-00-7201 ^S WINDSHIELD SURFACE SEAL (MIST SPRAY) FUNCTIONAL CHECK Service ATA:56								
	MOS	29-Sep-23	12 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 56-11-00								PKG:509
561001 LEFT MAIN WINDSHIELD ASSY, (LH) Component ATA:56								
PN:9914380-13	MOS/MSC	08-Sep-11	O/C	TSN 0				
SN:10362H2960	HRS	1223.6		TSN 0				
WC#: 56.010	AFL	810		TSN 0				
PROC. REF: AMM 56-11-00								
561001 RIGHT MAIN WINDSHIELD ASSEMBLY, (RH) Component ATA:56								
PN:9914380-14	MOS/MSC	13-Jul-11	O/C	TSN 0				
SN:11061H9641	HRS	1211		TSN 0				
WC#: 56.010	AFL	795		TSN 0				
PROC. REF: AMM 56-11-00								
561004 LEFT ELECTRICALLY HEATED COCKPIT FORWARD SIDE WINDOW Component ATA:56								
PN:NP139722-5	MOS/MSC	01-Jun-04	O/C					
SN:03300H7420	HRS	0		TSN 0				
WC#: 56.020	AFL	0		TSN 0				
PROC. REF: AMM 56-12-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
561004	RIGHT ELECTRICALLY HEATED COCKPIT FORWARD SIDE WINDOW							Component ATA:56
PN:NP139722-6	MOS/MSC	01-Jun-04	O/C					
SN:03349H1670	HRS	0		TSN 0				
WC#: 56.020	AFL	0		TSN 0				
PROC. REF: AMM 56-12-00								
561005	LEFT OPENABLE COCKPIT AFT SIDE WINDOW							Component ATA:56
PN:NP139703-3	MOS/MSC	01-Jun-04	O/C					
SN:1083	HRS	0		TSN 0				
WC#: 56.030	AFL	0		TSN 0				
PROC. REF: AMM 56-13-00								
561005	RIGHT OPENABLE COCKPIT AFT SIDE WINDOW							Component ATA:56
PN:NP139703-4	MOS/MSC	01-Jun-04	O/C					
SN:1236	HRS	0		TSN 0				
WC#: 56.030	AFL	0		TSN 0				
PROC. REF: AMM 56-13-00								
562001	LEFT NO. 2 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								
562001	LEFT NO. 3 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								
562001	LEFT NO. 4 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.080	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								
562001	LEFT NO. 5 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562001	LEFT NO. 6 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.100	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								
562001	LEFT NO. 7 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.110	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								
562001	RIGHT NO. 1 EMERGENCY DOOR WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								
562001	RIGHT NO. 2 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								
562001	RIGHT NO. 3 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								
562001	RIGHT NO. 4 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.080	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								
562001	RIGHT NO. 5 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562001	RIGHT NO. 6 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.100	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								
562001	RIGHT NO. 7 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 56.110	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00								
ATA 57 - WINGS								
57-00-00-2100 ^S	WING EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 57-00-00								PKG:513
57-00-00-2101 ^S	WING INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 57-00-00								PKG:513
57-00-00-2102 ^S	WING FUEL PROBE WIRING HARNESS STANDALONE EZAP GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 57-00-00								PKG:513
57-00-00-2200 ^S	WING COVE AND REAR SPAR STRUCTURE AND CORROSION DETAILED INSPECTION							Service ATA:57
	MOS	29-Sep-23	12 (+1m/-1m)				CPCP	
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 57-00-00								PKG:509

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-00-2100 ^S	LEFT AND RIGHT MAIN LANDING GEAR WHEEL WELL AND DOOR INTERNAL ZONAL GENERALVISUAL INSPECTION							Service ATA:57
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 57-10-00				PKG:513
57-10-00-2101 ^S	LEFT AND RIGHT WING FORWARD SPAR (FORWARD SIDE) AND WING TIP INTERNALSTANDALONE GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 57-10-00				PKG:519
57-10-00-2200 ^S	MAIN LANDING GEAR AND WHEEL WELL STRUCTURE AND CORROSION DETAILED GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	29-Sep-23	12 (+1m/-1m)					CPCP
	HRS	2704.6						
	AFL	1798						
				PROC. REF: AMM 57-10-00				PKG:509
57-10-00-2500 ^S	LOWER WING MAIN SPAR LOWER SKIN SPLICE AT WS 22.50 (EDDY CURRENT AND ULTRASONIC) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	T:7500	TAC 0				
	AFL	0		TAC 0				
				PROC. REF: AMM 57-10-00				PKG:165
57-10-00-2501 ^S	LOWER WING MAIN SPAR SKIN SPLICE FLANGE AT WS 11.50 (EDDY CURRENT AND ULTRASONIC) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	T:11500	TAC 0				
	AFL	0		TAC 0				
				PROC. REF: AMM 57-10-00				PKG:171
57-10-00-2502 ^S	LOWER WING MAIN SPAR AT WS 114.57 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	T:11000	TAC 0				
WC#: 57.030	AFL	0		TAC 0				
				PROC. REF: AMM 57-10-00				PKG:172
57-10-00-2503 ^S	LOWER WING MAIN SPAR AT WS 131.07 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	T:9000	TAC 0				
WC#: 57.040	AFL	0		TAC 0				
				PROC. REF: AMM 57-10-00				PKG:173

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-00-2504 ^S	LOWER WING MAIN SPAR AT WS 149.57 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	01-Jun-04		TAC 0				AIRWORTHINESS
	HRS	0	T:12500	TAC 0				
WC#: 57.050	AFL	0		TAC 0				
PROC. REF: AMM 57-10-00							PKG:174	
57-10-00-9600	LEFT MAIN LANDING GEAR FORWARD TRUNNION FITTING DISCARD							Component ATA:57
PN:6622123-1	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 57.070	AFL	0	23800	TSN 0	23800		21961	
PROC. REF: AMM 57-10-00								
57-10-00-9600	RIGHT MAIN LANDING GEAR FORWARD TRUNNION FITTING DISCARD							Component ATA:57
PN:6622123-2	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 57.070	AFL	0	23800	TSN 0	23800		21961	
PROC. REF: AMM 57-10-00								
57-10-00-9601	LEFT MAIN LANDING GEAR AFT TRUNNION FITTING DISCARD							Component ATA:57
PN:6622124-1	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 57.060	AFL	0	23800	TSN 0	23800		21961	
PROC. REF: AMM 57-10-00								
57-10-00-9601	RIGHT MAIN LANDING GEAR AFT TRUNNION FITTING DISCARD							Component ATA:57
PN:6622124-2	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 57.060	AFL	0	23800	TSN 0	23800		21961	
PROC. REF: AMM 57-10-00								
57-10-00-9602	LEFT MAIN LANDING GEAR ACTUATOR FITTING DISCARD							Component ATA:57
PN:6621125-5	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 57.120	AFL	0	23800	TSN 0	23800		21961	
PROC. REF: AMM 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-00-9602	RIGHT MAIN LANDING GEAR ACTUATOR FITTING DISCARD							Component ATA:57
PN:6621125-6	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 57.120	AFL	0	23800	TSN 0	23800		21961	
PROC. REF: AMM 57-10-00								
57-30-01-2100 ^S	WING TIP INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	29-Sep-23	96 (+1m/-1m)					
	HRS	2704.6						
	AFL	1798						
PROC. REF: AMM 57-30-01								PKG:519
57-50-00-2200 ^S	SPEED BRAKE PANELS AND ATTACHMENT FITTINGS DETAILED INSPECTION							Service ATA:57
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 57-50-00								PKG:513
57-50-03-2200 ^S	AILERON, AILERON TRIM TAB AND HINGE BRACKETS DETAILED INSPECT							Service ATA:57
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 57-50-03								PKG:513
57-50-04-2900 ^S	INBOARD AND OUTBOARD FLAPS (COIN TAP) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 57-50-04								PKG:513
57-50-04-9600	LEFT WING LEFT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 27.130	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-04-9600	LEFT WING LEFT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 27.130	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600	LEFT WING RIGHT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 27.140	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600	LEFT WING RIGHT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 27.140	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600	RIGHT WING LEFT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 27.150	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600	RIGHT WING LEFT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 27.150	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600	RIGHT WING RIGHT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 27.160	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-04-9600	RIGHT WING RIGHT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0						
WC#: 27.160	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING LEFT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.280	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING LEFT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.280	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING RIGHT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.290	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING RIGHT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.290	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600.1	RIGHT WING LEFT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.300	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-04-9600.1	RIGHT WING LEFT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.300	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600.1	RIGHT WING RIGHT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.310	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-50-04-9600.1	RIGHT WING RIGHT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:S3049-5F8	MOS	01-Jun-04						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.310	AFL	0	5000	TSN 0	5000		3161	
PROC. REF: AMM 57-50-04								
57-60-00-2200 ^S	AILERON, AILERON WING SECTORS AND AILERON TRIM COMPONENTS STRUCTURE DETAILEDINSPECTION							Service ATA:57
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
PROC. REF: AMM 57-60-00								PKG:513
ATA 71 - POWER PLANT								
71-00-00-2100 ^S	ENGINE FIRE DETECTION ELEMENT STANDALONE EZAP GENERAL VISUAL INSPECTION							Service ATA:71
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
PROC. REF: AMM 71-00-00								PKG:511
71-00-00-2200 ^S	ENGINE STARTER GENERATOR, ALTERNATOR, ALTERNATOR PCU, FULL AUTHORITY DIGITAL ELECTRONIC CONTROL L/HIRF DETAILED INSPECTION							Service ATA:71
	MOS	08-Nov-22	24 (+1m/-1m)					
	HRS	2593.2						
	AFL	1742						
PROC. REF: AMM 71-00-00								PKG:511

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-2201 ^S		ENGINE COWLING L/HIRF DETAILED INSPECTION						Service ATA:71
	MOS	22-May-23	48 (+1m/-1m)					
	HRS	2665.2						
	AFL	1775						
				PROC. REF: AMM 71-00-00		PKG:513		
71-22-00-9600		LEFT AFT ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION						Component ATA:71
PN:LM451-SA2	MOS	01-Jun-04						ENGINE OVERHAUL
SN:LK0766	HRS	0	10000	TSN 0, Adj 9	10009		7226.3	
WC#: 71.010	AFL	0		TSN 0				
				PROC. REF: AMM 71-22-00				
71-22-00-9600		LEFT BOTTOM FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION						Component ATA:71
PN:LM451-SA4	MOS	01-Jun-04						ENGINE OVERHAUL
SN:LK1639	HRS	0	10000	TSN 0, Adj 9	10009		7226.3	
WC#: 71.030	AFL	0		TSN 0				
				PROC. REF: AMM 71-22-00				
71-22-00-9600		LEFT UPPER FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION						Component ATA:71
PN:LM451-SA4	MOS	01-Jun-04						ENGINE OVERHAUL
SN:LK1643	HRS	0	10000	TSN 0, Adj 9	10009		7226.3	
WC#: 71.020	AFL	0		TSN 0				
				PROC. REF: AMM 71-22-00				
71-22-00-9600		RIGHT AFT ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION						Component ATA:71
PN:LM451-SA2	MOS	01-Jun-04						ENGINE OVERHAUL
SN:LK0177	HRS	0	10000	TSN 0, Adj 9	10009		7226.3	
WC#: 71.010	AFL	0		TSN 0				
				PROC. REF: AMM 71-22-00				
71-22-00-9600		RIGHT BOTTOM FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION						Component ATA:71
PN:LM451-SA4	MOS	01-Jun-04						ENGINE OVERHAUL
SN:LK1668	HRS	0	10000	TSN 0, Adj 9	10009		7226.3	
WC#: 71.030	AFL	0		TSN 0				
				PROC. REF: AMM 71-22-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-22-00-9600	RIGHT UPPER FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA4	MOS	01-Jun-04						ENGINE OVERHAUL
SN:LK1662	HRS	0	10000	TSN 0, Adj 9	10009		7226.3	
WC#: 71.020	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00								
71-71-00-2100 ^S	ENGINE DRAINS GENERAL VISUAL INSPECTION							Service ATA:71
	MOS	01-Jun-04		TAC 0				
	HRS	0	2400 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 71-71-00								
PKG:515								
710010	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service ATA:71
	MOS/MSC	16-Jun-22	A/R					
	HRS	2541.5						
	ENC	1715						
PROC. REF: EMM 71-00-00								
710010	NO. 2 ENGINE - COMPRESSOR DESALINATION WASH							Service ATA:71
	MOS/MSC	16-Jun-22	A/R					
	HRS	2541.5						
	ENC	1715						
PROC. REF: EMM 71-00-00								
710020	NO. 1 ENGINE - PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 71-00-00								
710020	NO. 2 ENGINE - PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	01-Jun-04	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
712005	ENG VIBRATION MONITOR-							Component ATA:71
PN:2789	MOS/MSC	27-Jul-18	O/C	TSN 0				
SN:011885	HRS	2155.9		TSN 0				
WC#: 71.060	AFL	1472						
PROC. REF: AMM GENERIC 1								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:31J1900-01	MOS/MSC	01-Jun-04	E/C					
SN:PCE-DB0763	HRS	0						
WC#: 71.EN1	AFL							
71EN2	NO. 2 ENGINE							Component ATA:71
PN:31J1900-01	MOS/MSC	01-Jun-04	E/C					
SN:PCE-DB0760	HRS	0						
WC#: 71.EN2	AFL							
ATA 72 - ENGINE								
72-31-00-201	NO. 1 ENGINE - LP COMPRESSOR SECTION - ENGINE MOUNT GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND CONDITION OF THE ENGINE MOUNT							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
72-31-00-201	NO. 2 ENGINE - LP COMPRESSOR SECTION - ENGINE MOUNT GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND CONDITION OF THE ENGINE MOUNT							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
72-31-00-202	NO. 1 ENGINE - LP COMPRESSOR SECTION - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-31-00-202	NO. 2 ENGINE - LP COMPRESSOR SECTION - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
72-31-00-203	NO. 1 ENGINE - LP COMPRESSOR SECTION - COMPRESSOR INLET GENERAL VISUAL INSPECTION: DO AN INSPECTION OF THE COMPRESSOR INLET FAN, FAN EXIT STATOR VANES, ABRADABLE FAN SEAL FOR CLEANLINESS, DAMAGE, CORROSION, EROSION AND FOD							Service ATA:72
	MOS	17-Jun-22		TAC 0				
	HRS	2541.5	800 (+25/-25)	TAC 0	(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715		TAC 0				
PROC. REF: EMM 05-20-00								
72-31-00-203	NO. 1 ENGINE - LP COMPRESSOR SECTION - EXAMINE THE BOTTOM CENTER AREA OF THE FAN CASE FOR ICE. MAKE SURE THE FAN ROTATES FREELY							Service ATA:72
	MOS/MSC	17-Jun-22	A/R					
	HRS	2541.5						
	ENC	1715						
PROC. REF: EMM 72-30-02								
72-31-00-203	NO. 2 ENGINE - LP COMPRESSOR SECTION - COMPRESSOR INLET GENERAL VISUAL INSPECTION: DO AN INSPECTION OF THE COMPRESSOR INLET FAN, FAN EXIT STATOR VANES, ABRADABLE FAN SEAL FOR CLEANLINESS, DAMAGE, CORROSION, EROSION AND FOD							Service ATA:72
	MOS	17-Jun-22		TAC 0				
	HRS	2541.5	800 (+25/-25)	TAC 0	(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715		TAC 0				
PROC. REF: EMM 05-20-00								
72-31-00-203	NO. 2 ENGINE - LP COMPRESSOR SECTION - EXAMINE THE BOTTOM CENTER AREA OF THE FAN CASE FOR ICE. MAKE SURE THE FAN ROTATES FREELY							Service ATA:72
	MOS/MSC	17-Jun-22	A/R					
	HRS	2541.5						
	ENC	1715						
PROC. REF: EMM 72-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-31-00-901	NO. 1 ENGINE - LP COMPRESSOR SECTION - LOW PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
72-31-00-901	NO. 2 ENGINE - LP COMPRESSOR SECTION - LOW PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
72-32-00-201	NO. 1 ENGINE - HP COMPRESSOR SECTION - COMPRESSOR SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+50)		(5041.5) 5041.5	5091.5	2258.8 (+50)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
72-32-00-201	NO. 2 ENGINE - HP COMPRESSOR SECTION - COMPRESSOR SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25)		(5041.5) 5041.5	5066.5	2258.8 (+25)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
72-32-00-901	NO. 1 ENGINE - HP COMPRESSOR SECTION - HIGH PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-32-00-901	NO. 2 ENGINE - HP COMPRESSOR SECTION - HIGH PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
72-40-00-201	NO. 1 ENGINE - COMBUSTION SECTION - COMBUSTION SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+50)		(5041.5) 5041.5	5091.5	2258.8 (+50)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
72-40-00-201	NO. 2 ENGINE - COMBUSTION SECTION - COMBUSTION SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
72-40-00-901	NO. 1 ENGINE - COMBUSTION SECTION -COMBUSTION SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
72-40-00-901	NO. 2 ENGINE - COMBUSTION SECTION -COMBUSTION SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-00-201	NO. 1 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
72-50-00-201	NO. 2 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
72-50-00-701	NO. 1 ENGINE - DO A FIVE POINT PERFORMANCE UNCAPPED CALIBRATION RUN							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: EMM 71-00-00								
72-50-00-701	NO. 2 ENGINE - DO A FIVE POINT PERFORMANCE UNCAPPED CALIBRATION RUN							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: EMM 71-00-00								
72-50-00-702	NO. 1 ENGINE - TURBINE SECTION - ACCELERATION/DECELERATION FUNCTIONAL CHECK							Service ATA:72
	MOS	17-Jun-22		TAC 0				
	HRS	2541.5	800 (+25/-25)	TAC 0	(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715		TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-00-702	NO. 2 ENGINE - TURBINE SECTION - ACCELERATION/DECELERATION FUNCTIONAL CHECK							Service ATA:72
	MOS	17-Jun-22		TAC 0				
	HRS	2541.5	800 (+25/-25)	TAC 0	(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715		TAC 0				
	PROC. REF: GENERIC NO REF							
72-50-00-901	NO. 1 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
72-50-00-901	NO. 2 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
72-60-00-201	NO. 1 ENGINE - ACCESSORY GEARBOX - ENGINE ACCESSORY GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF INSTALLATION AND GENERAL CONDITION OF ACCESSORIES AND GEARBOX							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
72-60-00-201	NO. 2 ENGINE - ACCESSORY GEARBOX - ENGINE ACCESSORY GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF INSTALLATION AND GENERAL CONDITION OF ACCESSORIES AND GEARBOX							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-60-00-901	NO. 1 ENGINE - ACCESSORY GEARBOX - ACCESSORY GEARBOX (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
72-60-00-901	NO. 2 ENGINE - ACCESSORY GEARBOX - ACCESSORY GEARBOX (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
72-70-00-201	NO. 1 ENGINE - BYPASS SECTION - BYPASS DUCTS AND FAIRINGS GENERAL VISUAL INSPECTION: DO A CHECK FOR CLEANLINESS AND FOD. DO AN INSPECTION FOR CRACKS IN THE OUTER BYPASS DUCT, REAR BYPASS DUCT, STRUTS AND FAIRING							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
72-70-00-201	NO. 2 ENGINE - BYPASS SECTION - BYPASS DUCTS AND FAIRINGS GENERAL VISUAL INSPECTION: DO A CHECK FOR CLEANLINESS AND FOD. DO AN INSPECTION FOR CRACKS IN THE OUTER BYPASS DUCT, REAR BYPASS DUCT, STRUTS AND FAIRING							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
72-70-00-202	NO. 1 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-70-00-202	NO. 2 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
72-70-00-901	NO. 1 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
72-70-00-901	NO. 2 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
720075	NO. 1 ENGINE - LP COMPRESSOR SHAFT - DISCARD AT SCHEDULED OVERHAUL							Service ATA:72
PN:PN	MOS/MSC	01-Jun-04	A/R	TAC 0				
SN:UNKNOWN	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REF								
720075	NO. 2 ENGINE - LP COMPRESSOR SHAFT - DISCARD AT SCHEDULED OVERHAUL							Service ATA:72
PN:PN	MOS/MSC	01-Jun-04	A/R	TAC 0				
SN:UNKNOWN	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REF								
720080	NO. 1 ENGINE - DISCARD HP TURBINE NUT AND KEYWASHER							Service ATA:72
	MOS	01-Jun-04		TAC 0				
	HRS	0	5000 (+25/-25)	TAC 0	(5000) 5000 (M)	5025	2217.3 (+25)	
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720080	NO. 2 ENGINE - DISCARD HP TURBINE NUT AND KEYWASHER							Service ATA:72
	MOS	01-Jun-04		TAC 0				
	HRS	0	5000 (+25/-25)	TAC 0	(5000) 5000 (M)	5025	2217.3 (+25)	
	ENC	0		TAC 0				
	PROC. REF: GENERIC NO REF							
721010	NO. 1 ENGINE - ACCESS GEARBOX SHAFT							Component ATA:72
PN:30J2201-01	MOS/MSC	01-Jun-04	O/C					
SN:75A791	HRS	0		TSN 0				
	ENC	0		TSN 0				
	PROC. REF: GENERIC NO REF							
721010	NO. 2 ENGINE - ACCESS GEARBOX SHAFT							Component ATA:72
PN:30J2201-01	MOS/MSC	01-Jun-04	O/C					
SN:75A788	HRS	0		TSN 0				
	ENC	0		TSN 0				
	PROC. REF: GENERIC NO REF							
722001	NO. 1 ENGINE - OIL PUMP ASSEMBLY							Component ATA:72
PN:30J2106-01	MOS/MSC	01-Jun-04	O/C					
SN:44A052	HRS	0		TSN 0				
	ENC	0		TSN 0				
	PROC. REF: EMM 79-20-02							
722001	NO. 2 ENGINE - OIL PUMP ASSEMBLY							Component ATA:72
PN:30J2106-01	MOS/MSC	01-Jun-04	O/C					
SN:44A043	HRS	0		TSN 0				
	ENC	0		TSN 0				
	PROC. REF: EMM 79-20-02							
723010	NO. 1 ENGINE - LP COMPRESSOR FAN ROTOR							Component ATA:72
PN:30J2091-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001F38K	HRS	0						
	ENC	0		TSN 0, Adj -2	(15000) 15000 (M)		13161	
	ACCCYC	0	15000	TSN 0				
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723010	NO. 2 ENGINE - LP COMPRESSOR FAN ROTOR							Component ATA:72
PN:30J2091-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001F2B8	HRS	0						
	ENC	0		TSN 0, Adj -2	(15000) 15000 (M)		13161	
	ACCCYC	0	15000	TSN 0				
PROC. REF: GENERIC NO REF								
723020	NO. 1 ENGINE - LP COMPRESSOR BOOST ROTOR							Component ATA:72
PN:30J2210-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001F0TP	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								
723020	NO. 2 ENGINE - LP COMPRESSOR BOOST ROTOR							Component ATA:72
PN:30J2210-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001F0TN	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								
723025	NO. 1 ENGINE - LP COMPRESSOR SHAFT							Component ATA:72
PN:PN	MOS/MSC	01-Jun-04	H/T	TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
723025	NO. 2 ENGINE - LP COMPRESSOR SHAFT							Component ATA:72
PN:PN	MOS/MSC	01-Jun-04	H/T	TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723030	NO. 1 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2081-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001F23E	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								
723030	NO. 2 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2081-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001EL7K	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								
723040	NO. 1 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2429-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001F0RA	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								
723040	NO. 2 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2429-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001F0R9	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:30J1450-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001EW42	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723060	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:30J1450-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001E8XE	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								
724001	NO. 1 ENGINE - INNER COMBUSTION CHAMBER LINER							Component ATA:72
PN:30J3747-01	MOS/MSC	16-Jun-22	O/C	TSN 1				
SN:A0053MFC	HRS	2541.5		TSN 0				
	ENC	1715		TSN 0				
PROC. REF: GENERIC NO REF								
724001	NO. 2 ENGINE - INNER COMBUSTION CHAMBER LINER							Component ATA:72
PN:30J3747-01	MOS/MSC	16-Jun-22	O/C	TSN 1				
SN:A0053MFB	HRS	2541.5		TSN 0				
	ENC	1715		TSN 0				
PROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - 1ST-STAGE TURBINE DISK							Component ATA:72
PN:30J1551-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001F781	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - 1ST-STAGE TURBINE DISK							Component ATA:72
PN:30J1551-01	MOS	01-Jun-04						LIFE LIMIT
SN:A001EYWY	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725020	NO. 1 ENGINE - 2ND-STAGE TURBINE DISK							Component ATA:72
PN:30H3152	MOS	01-Jun-04						LIFE LIMIT
SN:77B945	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
	PROC. REF: GENERIC NO REF							
725020	NO. 2 ENGINE - 2ND-STAGE TURBINE DISK							Component ATA:72
PN:30H3152	MOS	01-Jun-04						LIFE LIMIT
SN:77B969	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
	PROC. REF: GENERIC NO REF							
725030	NO. 1 ENGINE - 3RD-STAGE TURBINE DISK							Component ATA:72
PN:30H3153	MOS	01-Jun-04						LIFE LIMIT
SN:82B457	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
	PROC. REF: GENERIC NO REF							
725030	NO. 2 ENGINE - 3RD-STAGE TURBINE DISK							Component ATA:72
PN:30H3153	MOS	01-Jun-04						LIFE LIMIT
SN:82B454	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
	PROC. REF: GENERIC NO REF							
725040	NO. 1 ENGINE - 4TH-STAGE TURBINE DISK							Component ATA:72
PN:30H3154	MOS	01-Jun-04						LIFE LIMIT
SN:80B435	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725040	NO. 2 ENGINE - 4TH-STAGE TURBINE DISK							Component ATA:72
PN:30H3154	MOS	01-Jun-04						LIFE LIMIT
SN:80B433	HRS	0						
	ENC	0		TSN 0, Adj -2	(13500) 13500 (M)		11661	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-201	NO. 1 ENGINE - HOT SECTION INSPECTION							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+50)		(5041.5) 5041.5	5091.5	2258.8 (+50)	
	ENC	1715						
PROC. REF: EMM 72-00-00								
73-10-00-201	NO. 2 ENGINE - HOT SECTION INSPECTION							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+50)		(5041.5) 5041.5	5091.5	2258.8 (+50)	
	ENC	1715						
PROC. REF: EMM 72-00-00								
73-10-00-202	NO. 1 ENGINE - FUEL DISTRIBUTION - EXTERNAL TUBING GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
73-10-00-202	NO. 2 ENGINE - FUEL DISTRIBUTION - EXTERNAL TUBING GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-204	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL METERING AND CONTROL COMPONENTS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY, LEAKAGE (NO LEAKAGE PERMITTED) AND GENERAL CONDITION							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
73-10-00-204	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL METERING AND CONTROL COMPONENTS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY, LEAKAGE (NO LEAKAGE PERMITTED) AND GENERAL CONDITION							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
73-10-00-205	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
73-10-00-205	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
73-10-00-206	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL FILTER ELEMENT DETAILED INSPECTION: DO AN INSPECTION FOR FOREIGN MATERIAL AND DAMAGE							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-206	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL FILTER ELEMENT DETAILED INSPECTION: DO AN INSPECTION FOR FOREIGN MATERIAL AND DAMAGE							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
73-10-00-207	NO. 1 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE AND CHECK FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA							Service ATA:73
	MOS	17-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: EMM 72-00-00, EMM 73-10-07								
73-10-00-207	NO. 2 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE AND CHECK FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA							Service ATA:73
	MOS	17-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: EMM 72-00-00, EMM 73-10-07								
73-10-00-701	NO. 1 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM OPERATIONAL CHECK: DO A CHECK FOR THE RIGGING AND OPERATION OF THE EMERGENCY FUEL SHUTOFF SYSTEM							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
73-10-00-701	NO. 2 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM OPERATIONAL CHECK: DO A CHECK FOR THE RIGGING AND OPERATION OF THE EMERGENCY FUEL SHUTOFF SYSTEM							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-901	NO. 1 ENGINE - INSTALL NEW FUEL FILTER ELEMENT							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	1200 (+25/-25)		(3741.5) 3741.5	3766.5	958.8 (+25)	
	ENC	1715						
	PROC. REF: EMM 73-10-05							
73-10-00-901	NO. 2 ENGINE - INSTALL NEW FUEL FILTER ELEMENT							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	1200 (+25/-25)		(3741.5) 3741.5	3766.5	958.8 (+25)	
	ENC	1715						
	PROC. REF: EMM 73-10-05							
73-10-00-902	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL DISTRIBUTION (ENGINE TBO) RESTORATION							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
73-10-00-902	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL DISTRIBUTION (ENGINE TBO) RESTORATION							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
73-20-00-201	NO. 1 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS. EXAMINE THE CABLES FOR SIGN OF WEAR, FRAYING, CHAFING AND CRACKS.DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION. EXAMINE THE CONTROL LINKAGE AND ROD END BEARINGS FOR FREEDOM OF MOVEMENT.							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-20-00-201	NO. 2 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS. EXAMINE THE CABLES FOR SIGN OF WEAR, FRAYING, CHAFING AND CRACKS.DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION. EXAMINE THE CONTROL LINKAGE AND ROD END BEARINGS FOR FREEDOM OF MOVEMENT.							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
73-20-00-901	NO. 1 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER WIRING HARNESS REPLACEMENT							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: EMM 73-20-02, EMM 73-20-02								
73-20-00-901	NO. 2 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER WIRING HARNESS REPLACEMENT							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: EMM 73-20-02, EMM 73-20-02								
73-20-00-902	NO. 1 ENGINE - FUEL CONTROLLING - FUEL CONTROLLING (ENGINE TBO) RESTORATION							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
73-20-00-902	NO. 2 ENGINE - FUEL CONTROLLING - FUEL CONTROLLING (ENGINE TBO) RESTORATION							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731002	NO. 1 ENGINE - FLOW DIVIDER VALVE							Component ATA:73
PN:819710-2	MOS/MSC	01-Jun-04	O/C					
SN:F59384	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-03								
731002	NO. 2 ENGINE - FLOW DIVIDER VALVE							Component ATA:73
PN:819710-2	MOS/MSC	01-Jun-04	O/C					
SN:F59271	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-03								
731004	NO. 1 ENGINE - INSPECT FUEL MANIFOLD							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
731004	NO. 2 ENGINE - INSPECT FUEL MANIFOLD							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
731015	NO. 1 ENGINE - INSPECT AND FUNCTIONAL TEST FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
731015	NO. 2 ENGINE - INSPECT AND FUNCTIONAL TEST FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731025	NO. 1 ENGINE - OVERHAUL OR REFURBISH FLOW DIVIDER							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
731025	NO. 2 ENGINE - OVERHAUL OR REFURBISH FLOW DIVIDER							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
731090	NO. 1 ENGINE - FUEL SYSTEM - FUEL FLOW DIVIDER VALVE: SECURITY, LEAKAGE AND GENERAL CONDITION							Service ATA:73
	MOS/MSC	29-Mar-18	A/R	TAC 0				
	HRS	2115.8		TAC 0				
	ENC	1413		TAC 0				
	PROC. REF: GENERIC NO REF							
731090	NO. 2 ENGINE - FUEL SYSTEM - FUEL FLOW DIVIDER VALVE: SECURITY, LEAKAGE AND GENERAL CONDITION							Service ATA:73
	MOS/MSC	29-Mar-18	A/R	TAC 0				
	HRS	2115.8		TAC 0				
	ENC	1413		TAC 0				
	PROC. REF: GENERIC NO REF							
731105	NO. 1 ENGINE - FUEL SHUT-OFF CABLE - DO AN INSPECTION							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
731105	NO. 2 ENGINE - FUEL SHUT-OFF CABLE - DO AN INSPECTION							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731125	NO. 1 ENGINE - INSPECT FUEL SHUT-OFF VALVE							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
731125	NO. 2 ENGINE - INSPECT FUEL SHUT-OFF VALVE							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
731150	NO. 1 ENGINE - OVERHAUL/REFURBISH FUEL NOZZLES							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	5000 (+100)		(7541.5) 7541.5	7641.5	4758.8 (+100)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
731150	NO. 2 ENGINE - OVERHAUL/REFURBISH FUEL NOZZLES							Service ATA:73
	MOS	16-Jun-22						
	HRS	2541.5	5000 (+100)		(7541.5) 7541.5	7641.5	4758.8 (+100)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
732001	NO. 1 ENGINE - HYDROMECHANICAL FUEL CONTROL							Component ATA:73
PN:1012635-1	MOS/MSC	16-Jun-22	O/C	TSO 1				
SN:F51030	HRS	2541.5		TSO 0				
	ENC	1715		TSO 0				
	PROC. REF: GENERIC NO REF							
732001	NO. 2 ENGINE - HYDROMECHANICAL FUEL CONTROL							Component ATA:73
PN:1012635-1	MOS/MSC	16-Jun-22	O/C	TSO 1				
SN:F52818	HRS	2541.5		TSO 0				
	ENC	1715		TSO 0				
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732002 ^U	ENGINE #2 WIRING HARNESS							Component ATA:73
PN:30J2318-05	MOS/MSC	21-May-11	O/C					
SN:EF00225	HRS	1176.3						
	AFL	776						
732003	NO. 1 ENGINE - INSPECT EEC							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
732003	NO. 2 ENGINE - INSPECT EEC							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
732005	NO. 1 ENGINE - OVERHAUL FUEL CONTROL UNIT AND PUMP							Service ATA:73
PN:1012635-1	MOS	16-Jun-22						
SN:F51030	HRS	2541.5	5000 (+100)		(7541.5) 7541.5	7641.5	4758.8 (+100)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
732005	NO. 2 ENGINE - OVERHAUL FUEL CONTROL UNIT AND PUMP							Service ATA:73
PN:1012635-1	MOS	16-Jun-22						
SN:F52818	HRS	2541.5	5000 (+100)		(7541.5) 7541.5	7641.5	4758.8 (+100)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
732010	NO. 1 ENGINE - INSPECT T0 SENSOR							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732010	NO. 2 ENGINE - INSPECT T0 SENSOR							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
732015	NO. 1 ENGINE - INSPECT T1 FCU SENSOR							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
732015	NO. 2 ENGINE - INSPECT T1 FCU SENSOR							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
733001	LEFT FUEL FLOW TRANSMITTER							Component ATA:73
PN:9-231-28	MOS/MSC	23-Nov-15	O/C					
SN:L8809	HRS	1810.9						
WC#: 73.020	AFL	1235						
	APH	379						
	APS	624						
	PROC. REF: AMM 73-30-00							
733001	RIGHT FUEL FLOW TRANSMITTER							Component ATA:73
PN:9-231-28	MOS/MSC	23-Nov-15	O/C					
SN:L8831	HRS	1810.9						
WC#: 73.020	AFL	1235						
	APH	379						
	APS	624						
	PROC. REF: AMM 73-30-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
733004	LEFT FUEL PRESSURE SWITCH							Component ATA:73
PN:9914112-3	MOS/MSC	31-Oct-18	O/C	TSN 0				
SN:3484	HRS	2162.2		TSN 0				
WC#: 73.010	AFL	1479						
PROC. REF: AMM 73-30-02								
733004	RIGHT FUEL PRESSURE SWITCH							Component ATA:73
PN:6057-3	MOS/MSC	01-Jun-04	O/C					
SN:1772	HRS	0		TSN 0				
WC#: 73.010	AFL	0		TSN 0				
PROC. REF: AMM 73-30-02								
73FO-01XL	CHIP DETECTOR: ENGINE FACTORY OPTION							Component ATA:73
PN:10M	MOS/MSC	01-Jun-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 1								
ATA 74 - IGNITION								
74-20-00-201	NO. 1 ENGINE - IGNITION - IGNITION EXCITER GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND GENERAL CONDITION							Service ATA:74
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
74-20-00-201	NO. 2 ENGINE - IGNITION - IGNITION EXCITER GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND GENERAL CONDITION							Service ATA:74
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
74-20-00-202	NO. 1 ENGINE - IGNITION - IGNITERS (TIP MEASUREMENT) FUNCTIONAL CHECK (PRE-SB30340): DO A CHECK FOR CLEANLINESS AND MEASURE EROSION							Service ATA:74
	MOS/MSC	15-Apr-17	N/A					
	HRS	2019.3						
	ENC	1354						
PROC. REF: EMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-20-00-202	NO. 2 ENGINE - IGNITION - IGNITERS (TIP MEASUREMENT) FUNCTIONAL CHECK (PRE-SB30340): DO A CHECK FOR CLEANLINESS AND MEASURE EROSION							Service ATA:74
	MOS/MSC	15-Apr-17	N/A					
	HRS	2019.3						
	ENC	1354						
PROC. REF: EMM 74-10-01								
74-20-00-203	NO. 1 ENGINE - IGNITION - IGNITERS (TIP MEASUREMENT) FUNCTIONAL CHECK (POST-SB30340): DO A CHECK FOR CLEANLINESS AND MEASURE EROSION							Service ATA:74
	MOS	16-Jun-22			(3341.5)			
	HRS	2541.5	800 (+25/-25)		3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
74-20-00-203	NO. 2 ENGINE - IGNITION - IGNITERS (TIP MEASUREMENT) FUNCTIONAL CHECK (POST-SB30340): DO A CHECK FOR CLEANLINESS AND MEASURE EROSION							Service ATA:74
	MOS	16-Jun-22			(3341.5)			
	HRS	2541.5	800 (+25/-25)		3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
74-20-00-205	NO. 1 ENGINE - IGNITION - IGNITION CABLES GENERAL VISUAL INSPECTION: DO A CHECK FOR CHAFING, WEAR AND SECURITY							Service ATA:74
	MOS	16-Jun-22			(3341.5)			
	HRS	2541.5	800 (+25/-25)		3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
74-20-00-205	NO. 2 ENGINE - IGNITION - IGNITION CABLES GENERAL VISUAL INSPECTION: DO A CHECK FOR CHAFING, WEAR AND SECURITY							Service ATA:74
	MOS	16-Jun-22			(3341.5)			
	HRS	2541.5	800 (+25/-25)		3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-20-00-206	NO. 1 ENGINE - IGNITION - IGNITION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:74
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
74-20-00-206	NO. 2 ENGINE - IGNITION - IGNITION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:74
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
74-20-00-701	NO. 1 ENGINE - IGNITION - IGNITERS OPERATIONAL CHECK: DO AN OPERATIONAL TEST							Service ATA:74
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
74-20-00-701	NO. 2 ENGINE - IGNITION - IGNITERS OPERATIONAL CHECK: DO AN OPERATIONAL TEST							Service ATA:74
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
74-20-00-901	NO. 1 ENGINE - IGNITION - IGNITION (ENGINE TBO) RESTORATION							Service ATA:74
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-20-00-901	NO. 2 ENGINE - IGNITION - IGNITION (ENGINE TBO) RESTORATION							Service ATA:74
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
741000	NO. 1 ENGINE - CLEAN AND INSPECT IGNITION EXCITER BOX							Service ATA:74
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
741000	NO. 2 ENGINE - CLEAN AND INSPECT IGNITION EXCITER BOX							Service ATA:74
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
741001	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:9060420-4	MOS/MSC	01-Jun-04	O/C					
SN:NNA04058060	HRS	0		TSN 0				
	ENC	0		TSN 0				
	PROC. REF: EMM 74-10-01							
741001	NO. 2 ENGINE - IGNITION EXCITER							Component ATA:74
PN:500335-1	MOS/MSC	08-Dec-04	O/C					
SN:NN02051652	HRS	161		TSO 0				
	ENC							
	PROC. REF: EMM 74-10-01							
741015	NO. 1 ENGINE - CLEAN AND INSPECT IGNITION PLUGS							Service ATA:74
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
741015	NO. 2 ENGINE - CLEAN AND INSPECT IGNITION PLUGS							Service ATA:74
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
742001	NO. 1 ENGINE - INBOARD IGNITER							Component ATA:74
PN:30J2825-01	MOS/MSC	16-Jun-22	O/C					
SN:UNKNOWN	HRS	2541.5						
	ENC	1715						
	PROC. REF: EMM 74-10-01							
742001	NO. 1 ENGINE - OUTBOARD IGNITER							Component ATA:74
PN:30J2825-01	MOS/MSC	16-Jun-22	O/C					
SN:UNKNOWN	HRS	2541.5						
	ENC	1715						
	PROC. REF: EMM 74-10-01							
742001	NO. 2 ENGINE - INBOARD IGNITER							Component ATA:74
PN:30J2825-01	MOS/MSC	16-Jun-22	O/C					
SN:UNKNOWN	HRS	2541.5						
	ENC	1715						
	PROC. REF: EMM 74-10-01							
742001	NO. 2 ENGINE - OUTBOARD IGNITER							Component ATA:74
PN:30J2825-01	MOS/MSC	16-Jun-22	O/C					
SN:UNKNOWN	HRS	2541.5						
	ENC	1715						
	PROC. REF: EMM 74-10-01							
742002	NO. 1 ENGINE - SHORT IGNITER LEAD							Component ATA:74
PN:30J3125-01	MOS/MSC	14-Sep-12	O/C	TSN 0				
SN:NNA11020064	HRS	1367.5		TSN 0				
	ENC	920		TSN 0				
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
742002	NO. 2 ENGINE - SHORT IGNITER LEAD							Component ATA:74
PN:30J3125-01	MOS/MSC	27-Mar-13	O/C	TSN 0				
SN:NNA11500032	HRS	1444.1		TSN 0				
	ENC	974		TSN 0				
PROC. REF: GENERIC NO REF								
742003	NO. 1 ENGINE - LONG IGNITER LEAD							Component ATA:74
PN:30J3125-02	MOS/MSC	14-Sep-12	O/C	TSN 0				
SN:NNA11280174	HRS	1367.5		TSN 0				
	ENC	920		TSN 0				
PROC. REF: GENERIC NO REF								
742003	NO. 2 ENGINE - LONG IGNITER LEAD							Component ATA:74
PN:30J3125-02	MOS/MSC	27-Mar-13	O/C	TSN 0				
SN:NNA11280165	HRS	1444.1		TSN 0				
	ENC	974		TSN 0				
PROC. REF: GENERIC NO REF								
ATA 75 - AIR								
75-10-00-201	NO. 1 ENGINE - AIR SYSTEM - ANTI-ICE VALVE AND P3 ANTI-ICE TUBE (LEAK CHECK) GENERAL VISUAL INSPECTION: DO A CHECK FOR LEAKAGE AT P3 AIR SUPPLY TO BLEED VALVE, ANT-ICE VALVE, ANTI-ICE AIR TUBE AND FCU.							Service ATA:75
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
75-10-00-201	NO. 2 ENGINE - AIR SYSTEM - ANTI-ICE VALVE AND P3 ANTI-ICE TUBE (LEAK CHECK) GENERAL VISUAL INSPECTION: DO A CHECK FOR LEAKAGE AT P3 AIR SUPPLY TO BLEED VALVE, ANT-ICE VALVE, ANTI-ICE AIR TUBE AND FCU.							Service ATA:75
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
75-10-00-202	NO. 1 ENGINE - CHECK/REPLACE P3 BELLOWS SEAL BETWEEN CABIN BLEED AIR TUBES AND COVERS (3 PLACES)							Service ATA:75
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: EMM 72-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-10-00-202	NO. 2 ENGINE - CHECK/REPLACE P3 BELLOWS SEAL BETWEEN CABIN BLEED AIR TUBES AND COVERS (3 PLACES)							Service ATA:75
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: EMM 72-30-05								
75-10-00-203	NO. 1 ENGINE - AIR SYSTEM - BLEED OFF VALVE GENERAL VISUAL INSPECTION: EXAMINE THE TORQUE MOTOR ELECTRICAL CONNECTION FOR SECURITY, FRAYING AND CORROSION							Service ATA:75
	MOS	17-Jun-22		TAC 0				
	HRS	2541.5	800 (+25/-25)	TAC 0	(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715		TAC 0				
PROC. REF: GENERIC NO REF								
75-10-00-203	NO. 1 ENGINE - AIR SYSTEM - DO A BORESCOPE INSPECTION OF THE COMBUSTION LINER AND HP TURBINE VANE RING							Service ATA:75
	MOS	17-Jun-22		TAC 0				
	HRS	2541.5	800 (+25/-25)	TAC 0	(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715		TAC 0				
PROC. REF: EMM 72-40-01								
75-10-00-203	NO. 1 ENGINE - REPLACE INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Service ATA:75
	MOS/MSC	23-Sep-14	-					
	HRS	1652.8						
	ENC	1126						
PROC. REF: EMM 75-30-01								
75-10-00-203	NO. 2 ENGINE - AIR SYSTEM - BLEED OFF VALVE GENERAL VISUAL INSPECTION: EXAMINE THE TORQUE MOTOR ELECTRICAL CONNECTION FOR SECURITY, FRAYING AND CORROSION							Service ATA:75
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-10-00-203	NO. 2 ENGINE - AIR SYSTEM - DO A BORESCOPE INSPECTION OF THE COMBUSTION LINER AND HP TURBINE VANE RING							Service ATA:75
	MOS	17-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
	PROC. REF: EMM 72-40-01							
75-10-00-203	NO. 2 ENGINE - REPLACE INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Service ATA:75
	MOS/MSC	23-Sep-14	-					
	HRS	1652.8						
	ENC	1126						
	PROC. REF: EMM 75-30-01							
75-10-00-204	NO. 1 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:75
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
75-10-00-204	NO. 2 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:75
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
75-10-00-901	NO. 1 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE TBO) RESTORATION							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
75-10-00-901	NO. 2 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE TBO) RESTORATION							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
750100	NO. 1 ENGINE - OVERHAUL OR REFURBISH ANTI-ICING VALVE							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
750100	NO. 2 ENGINE - OVERHAUL OR REFURBISH ANTI-ICING VALVE							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
751003	NO. 1 ENGINE - COMPRESSOR BLEED VALVE ASSY							Component ATA:75
PN:30J2596-01	MOS/MSC	01-Jun-04	O/C					
SN:AHX000605	HRS	0		TSN 0				
	ENC	0		TSN 0				
	PROC. REF: EMM 75-30-01							
751003	NO. 2 ENGINE - COMPRESSOR BLEED VALVE ASSY							Component ATA:75
PN:30J2596-01	MOS/MSC	01-Jun-04	O/C					
SN:AHX000371	HRS	0		TSN 0				
	ENC	0		TSN 0				
	PROC. REF: EMM 75-30-01							
751004	NO. 1 ENGINE - INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Component ATA:75
PN:30J3490-01	MOS/MSC	23-Sep-14	O/C	TSN 0				
SN:TR7389	HRS	1652.8		TSN 0				
	ENC	1126		TSN 0				
	PROC. REF: GENERIC NO REF							
751004	NO. 2 ENGINE - INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Component ATA:75
PN:30J3490-01	MOS/MSC	23-Sep-14	O/C	TSN 0				
SN:TR7387	HRS	1652.8		TSN 0				
	ENC	1126		TSN 0				
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
751005	NO. 1 ENGINE - LINEAR TRANSDUCER							Component ATA:75
PN:31J2071-01	MOS/MSC	01-Jun-04	O/C					
SN:1872	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
751005	NO. 2 ENGINE - LINEAR TRANSDUCER							Component ATA:75
PN:31J2071-01	MOS/MSC	01-Jun-04	O/C					
SN:1867	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
751050	NO. 1 ENGINE - INSPECT LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
751050	NO. 2 ENGINE - INSPECT LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
753000	NO. 1 ENGINE - REPLACE BOV TORQUE MOTOR							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
753000	NO. 2 ENGINE - REPLACE BOV TORQUE MOTOR							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
753001	NO. 1 ENGINE - INSPECT P3 AIR INERTIAL SEPARATOR							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
753001	NO. 2 ENGINE - INSPECT P3 AIR INERTIAL SEPARATOR							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
753005	NO. 1 ENGINE - INSPECT COMPRESSOR AIR BLEED VALVE							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
753005	NO. 2 ENGINE - INSPECT COMPRESSOR AIR BLEED VALVE							Service ATA:75
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C / W	Interval	TSX / Adj.	Next Due (ENG / APU) A / C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-10-00-7201 ^S	FUEL CONTROL UNIT THROTTLE LEVER CUTOFF FUNCTIONAL CHECK (AIRPLANES -5197 THRU-6000, AND AIRPLANES -5001 THRU -5196 INCORPORATING SB560XL-76-03)							Service ATA:76
	MOS	16-Jun-22						
	HRS	2541.5	300 (+25/-25)					
	AFL	1715						
				PROC. REF: AMM 76-10-00		PKG:522		
761001	LEFT THROTTLE DETENT VALVE							Component ATA:76
PN:5303-2A	MOS/MSC	01-Jun-04	O/C					
SN:2449	HRS	0		TSN 0				
WC#: 76.010	AFL	0		TSN 0				
				PROC. REF: AMM 76-11-02				
761001	NO. 1 ENGINE - ELECTRONIC ENGINE CONTROL							Component ATA:76
PN:817962-8-011	MOS/MSC	01-Jun-04	O/C					
SN:03111320	HRS	0		TSN 0				
	ENC	0		TSN 0				
				PROC. REF: EMM 73-20-03				
761001	NO. 2 ENGINE - ELECTRONIC ENGINE CONTROL							Component ATA:76
PN:817962-8-011	MOS/MSC	01-Jun-04	O/C					
SN:03119630	HRS	0		TSN 0				
	ENC	0		TSN 0				
				PROC. REF: EMM 73-20-03				
761001	RIGHT THROTTLE DETENT VALVE							Component ATA:76
PN:5303-2A	MOS/MSC	01-Jun-04	O/C					
SN:2450	HRS	0		TSN 0				
WC#: 76.010	AFL	0		TSN 0				
				PROC. REF: AMM 76-11-02				
ATA 77 - ENGINE INDICATING								
77-10-00-201	NO. 1 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS, CABLES FOR SIGNS OF WEAR, FRAYING, CHAFING AND CRACKS DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION							Service ATA:77
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
				PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-10-00-201	NO. 2 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS, CABLES FOR SIGNS OF WEAR, FRAYING, CHAFING AND CRACKS DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION							Service ATA:77
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
77-10-00-202	NO. 1 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE INDICATING SPEED SENSOR (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:77
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
77-10-00-202	NO. 2 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE INDICATING SPEED SENSOR (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:77
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
77-10-00-901	NO. 1 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER THE REPLACEMENT OF WIRINGHARNESS							Service ATA:77
	MOS	16-Jun-22						
	HRS	2541.5	800		(3341.5) 3341.5		558.8	
	ENC	1715						
PROC. REF: EMM 73-20-02, EMM 73-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-10-00-901	NO. 2 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER THE REPLACEMENT OF WIRINGHARNESS							Service ATA:77
	MOS	16-Jun-22						
	HRS	2541.5	800		(3341.5) 3341.5		558.8	
	ENC	1715						
PROC. REF: EMM 73-20-02, EMM 73-20-02								
77-10-00-902	NO. 1 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE INDICATING SPEED SENSOR SYSTEM (ENGINE TBO) RESTORATION							Service ATA:77
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
77-10-00-902	NO. 2 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE INDICATING SPEED SENSOR SYSTEM (ENGINE TBO) RESTORATION							Service ATA:77
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
77-20-02	NO. 1 ENGINE - INSPECT AND FUNCTIONAL CHECK T6 HARNESS AND THERMOCOUPLES							Service ATA:77
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
77-20-02	NO. 2 ENGINE - INSPECT AND FUNCTIONAL CHECK T6 HARNESS AND THERMOCOUPLES							Service ATA:77
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771004	NO. 1 ENGINE - SPEED N1 SENSOR							Component ATA:77
PN:31J2072-01	MOS/MSC	01-Jun-04	O/C					
SN:CH1107	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 77-10-01								
771004	NO. 2 ENGINE - SPEED N1 SENSOR							Component ATA:77
PN:31J2072-01	MOS/MSC	01-Jun-04	O/C					
SN:CH1105	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 77-10-01								
771005	NO. 1 ENGINE - SPEED N2 SENSOR							Component ATA:77
PN:31J2073-01	MOS/MSC	01-Jun-04	O/C					
SN:CH1992	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 77-10-01								
771005	NO. 2 ENGINE - SPEED N2 SENSOR							Component ATA:77
PN:31J2073-01	MOS/MSC	01-Jun-04	O/C					
SN:CH1987	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 77-10-01								
771006	ENGINE (AMLCD) INDICATOR							Component ATA:77
PN:10644D02M03	MOS/MSC	30-Dec-05	O/C					
SN:02070155	HRS	408		TSO 1388				
WC#: 77.020	AFL							
PROC. REF: AMM 77-40-00								
771014	NO. 1 ENGINE - INSPECT N1 SPEED SENSOR							Service ATA:77
PN:31J2072-01	MOS	16-Jun-22						
SN:CH1107	HRS	2541.5	5000 (+100)		(7541.5) 7541.5	7641.5	4758.8 (+100)	
	ENC	1715						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771014	NO. 2 ENGINE - INSPECT N1 SPEED SENSOR							Service ATA:77
PN:31J2072-01	MOS	16-Jun-22						
SN:CH1105	HRS	2541.5	5000 (+100)		(7541.5) 7541.5	7641.5	4758.8 (+100)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
771015	NO. 1 ENGINE - INSPECT N2 SPEED SENSOR							Service ATA:77
PN:31J2073-01	MOS			TAC 0				
SN:CH1992	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
771015	NO. 2 ENGINE - INSPECT N2 SPEED SENSOR							Service ATA:77
PN:31J2073-01	MOS			TAC 0				
SN:CH1987	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
772001	NO. 1 ENGINE - TEMPERATURE SENSOR							Component ATA:77
PN:31J2113-03	MOS/MSC	01-Jun-04	O/C					
SN:RTJ7514	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
772001	NO. 2 ENGINE - TEMPERATURE SENSOR							Component ATA:77
PN:31J2113-03	MOS/MSC	01-Jun-04	O/C					
SN:RTJ7386	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
772010	NO. 1 ENGINE - INSPECT AND FUNCTIONAL CHECK T1 HARNESS							Service ATA:77
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
772010	NO. 2 ENGINE - INSPECT AND FUNCTIONAL CHECK T1 HARNESS							Service ATA:77
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
	PROC. REF: GENERIC NO REF							
774040	NO. 1 ENGINE - DATA COLLECTION UNIT - DOWNLOAD DATA							Service ATA:77
	MOS	08-Nov-22						
	HRS	2593.2	5000 (+100)		(7593.2) 7593.2	7693.2	4810.5 (+100)	
	ENC	1742						
	PROC. REF: GENERIC NO REF							
774040	NO. 2 ENGINE - DATA COLLECTION UNIT - DOWNLOAD DATA							Service ATA:77
	MOS	08-Nov-22						
	HRS	2593.2	5000 (+100)		(7593.2) 7593.2	7693.2	4810.5 (+100)	
	ENC	1742						
	PROC. REF: GENERIC NO REF							
ATA 78 - EXHAUST								
78-10-00-201	NO. 1 ENGINE - ENGINE EXHAUST - EXHAUST AND MIXER: GVI OBVIOUS SIGNS OF DAMAGE OR LOOSE DEBRIS							Service ATA:78
	MOS/MSC	17-Jun-22	BF/F					
	HRS	2541.5						
	ENC	1715						
	PROC. REF: GENERIC NO REF							
78-10-00-201	NO. 1 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:78
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
	PROC. REF: GENERIC NO REF							
78-10-00-201	NO. 2 ENGINE - ENGINE EXHAUST - EXHAUST AND MIXER: GVI OBVIOUS SIGNS OF DAMAGE OR LOOSE DEBRIS							Service ATA:78
	MOS/MSC	17-Jun-22	BF/F					
	HRS	2541.5						
	ENC	1715						
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
78-10-00-201	NO. 2 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:78
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)	Adj 17.5	(5059) 5059	5084	2276.3 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
78-10-00-202	NO. 1 ENGINE - ENGINE EXHAUST - EMERGENCY FUEL SHUT OFF LEVER AND CABLE DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA, EXAMINE THE CABLE AND LINKAGES							Service ATA:78
	MOS	17-Jun-22						
	HRS	2541.5	1600 (+25/-25)		(4141.5) 4141.5	4166.5	1358.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
78-10-00-202	NO. 2 ENGINE - ENGINE EXHAUST - EMERGENCY FUEL SHUT OFF LEVER AND CABLE DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA, EXAMINE THE CABLE AND LINKAGES							Service ATA:78
	MOS	17-Jun-22						
	HRS	2541.5	1600 (+25/-25)		(4141.5) 4141.5	4166.5	1358.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
78-10-00-901	NO. 1 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE TBO) RESTORATION							Service ATA:78
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
78-10-00-901	NO. 2 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE TBO) RESTORATION							Service ATA:78
	MOS			TAC 0				
	HRS	EFF	5000 (+25/-25)	TAC 0	(5000) 5000 * (M)	5025	2217.3 (+25)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
78-31-00-2200 ^S		THRUST REVERSER ASSEMBLY DETAILED INSPECTION						Service ATA:78
	MOS	01-Jun-04		TAC 0				
	HRS	0	1600 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 78-31-00								PKG:514
78-31-00-7200 ^S		THRUST REVERSER ASSEMBLY FUNCTIONAL CHECK						Service ATA:78
	MOS	01-Jun-04		TAC 0				
	HRS	0	1600 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 78-31-00								PKG:514
783001		LEFT ENGINE THRUST REVERSER ASSEMBLY						Component ATA:78
PN:64ND-78002-3	MOS/MSC	01-Jun-04	O/C					
SN:0747	HRS	0						
WC#: 78.010	AFL	0		TSN 0				
PROC. REF: AMM 78-31-00								
783001		RIGHT ENGINE THRUST REVERSER ASSEMBLY						Component ATA:78
PN:64ND-78002-4	MOS/MSC	01-Jun-04	O/C					
SN:0746	HRS	0						
WC#: 78.010	AFL	0		TSN 0				
PROC. REF: AMM 78-31-00								
783002		LEFT THRUST REVERSER VALVE						Component ATA:78
PN:65680	MOS/MSC	01-Jun-04	O/C					
SN:4458	HRS	0						
WC#: 78.020	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01								
783002		RIGHT THRUST REVERSER VALVE						Component ATA:78
PN:65680	MOS/MSC	01-Jun-04	O/C					
SN:4456	HRS	0						
WC#: 78.020	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01								
783010		LEFT INBOARD THRUST REVERSER ACTUATOR						Component ATA:78
PN:2564000-7	MOS/MSC	16-Jun-22	O/C	TSR 0				
SN:1268	HRS	2541.5		TSR 0				
WC#: 78.030	AFL	1715		TSR 0				
PROC. REF: AMM 78-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783010	LEFT OUTBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:2564000-7	MOS/MSC	16-Jun-22	O/C	TSO 0				
SN:3524	HRS	2541.5		TSO 0				
WC#: 78.030	AFL	1715		TSO 0				
PROC. REF: AMM 78-31-01								
783010	RIGHT INBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:2564000-7	MOS/MSC	22-Jun-16	O/C					
SN:1226	HRS	1881.5						
WC#: 78.040	AFL	1282						
PROC. REF: AMM 78-31-01								
783010	RIGHT OUTBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:64ND-78204-7	MOS/MSC	09-Sep-14	O/C	TSO 0				
SN:0862	HRS	1651.7		TSO 0				
WC#: 78.040	AFL	1134		TSO 0				
PROC. REF: AMM 78-31-01								
783101	LEFT ARM PRESSURE SWITCH							Component ATA:78
PN:6607A7-45	MOS/MSC	14-Sep-12	O/C	TSN 0				
SN:N011777	HRS	1367.5		TSN 0				
WC#: 78.060	AFL	923		TSN 0				
PROC. REF: AMM GENERIC 1								
783101	RIGHT ARM PRESSURE SWITCH							Component ATA:78
PN:6607A7-45	MOS/MSC	01-Jun-04	O/C					
SN:D031330	HRS	0		TSN 0				
WC#: 78.060	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
783102	LEFT THRUST REVERSER ISOLATION VALVE							Component ATA:78
PN:13027-4	MOS/MSC	01-Jun-04	O/C					
SN:5267	HRS	0						
WC#: 78.070	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01								
783102	RIGHT THRUST REVERSER ISOLATION VALVE							Component ATA:78
PN:13027-4	MOS/MSC	01-Jun-04	O/C					
SN:5269	HRS	0						
WC#: 78.070	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783103	LEFT INBOARD STOW LIMIT SWITCH							Component ATA:78
PN:53ND78304-1	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 78.080	AFL	0			TSN 0			
PROC. REF: AMM GENERIC 1								
783103	LEFT OUTBOARD STOW LIMIT SWITCH							Component ATA:78
PN:53ND78304-1	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 78.080	AFL	0			TSN 0			
PROC. REF: AMM GENERIC 1								
783103	RIGHT INBOARD STOW LIMIT SWITCH							Component ATA:78
PN:53ND78304-1	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 78.090	AFL	0			TSN 0			
PROC. REF: AMM GENERIC 1								
783103	RIGHT OUTBOARD STOW LIMIT SWITCH							Component ATA:78
PN:53ND78304-1	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 78.090	AFL	0			TSN 0			
PROC. REF: AMM GENERIC 1								
783104	LEFT DEPLOY LIMIT SWITCH							Component ATA:78
PN:53ND78304-5	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 78.100	AFL	0			TSN 0			
PROC. REF: AMM GENERIC 1								
783104	RIGHT DEPLOY LIMIT SWITCH							Component ATA:78
PN:53ND78304-5	MOS/MSC	01-Jun-04	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 78.100	AFL	0			TSN 0			
PROC. REF: AMM GENERIC 1								
ATA 79 - OIL								
79-10-00-201	NO. 1 ENGINE - OIL SYSTEM - EXTERNAL OIL TUBE GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service ATA:79
	MOS	16-Jun-22						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
79-10-00-201	NO. 2 ENGINE - OIL SYSTEM - EXTERNAL OIL TUBE GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
79-10-00-202	NO. 1 ENGINE - OIL SYSTEM - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION. NO LEAKAGE PERMITTED							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
79-10-00-202	NO. 2 ENGINE - OIL SYSTEM - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION. NO LEAKAGE PERMITTED							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
79-10-00-203	NO. 1 ENGINE - OIL SYSTEM - ACCESSORY GEAR BOX PAD SEAL GENERAL VISUAL INSPECTION: EXAMINE THE PAD SEALS FOR OIL LEAKS							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-10-00-203	NO. 2 ENGINE - OIL SYSTEM - ACCESSORY GEAR BOX PAD SEAL GENERAL VISUAL INSPECTION: EXAMINE THE PAD SEALS FOR OIL LEAKS							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
79-10-00-204	NO. 1 ENGINE - OIL SYSTEM - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: EXAMINE FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
79-10-00-204	NO. 2 ENGINE - OIL SYSTEM - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: EXAMINE FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
79-10-00-205	NO. 1 ENGINE - OIL SYSTEM - OIL FILTER DETAILED INSPECTION: REMOVE AND DO A CHECK FOR FOREIGN MATERIAL AND DAMAGE							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
79-10-00-205	NO. 2 ENGINE - OIL SYSTEM - OIL FILTER DETAILED INSPECTION: REMOVE AND DO A CHECK FOR FOREIGN MATERIAL AND DAMAGE							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-10-00-206	NO. 1 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS							Service ATA:79
	MOS/MSC	01-Jun-04	BF/F	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REF								
79-10-00-206	NO. 1 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS. MONITOR THE OIL QUALITY ON CONDITION AND DO ANALYSIS PERIODICALLY AS OBSERVATIONS WARRANT.							Service ATA:79
	MOS	17-Jun-22		TAC 0				
	HRS	2541.5	800 (+25/-25)	TAC 0	(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715		TAC 0				
PROC. REF: GENERIC NO REF								
79-10-00-206	NO. 2 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS							Service ATA:79
	MOS/MSC	01-Jun-04	BF/F	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REF								
79-10-00-206	NO. 2 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS. MONITOR THE OIL QUALITY ON CONDITION AND DO ANALYSIS PERIODICALLY AS OBSERVATIONS WARRANT.							Service ATA:79
	MOS	17-Jun-22		TAC 0				
	HRS	2541.5	800 (+25/-25)	TAC 0	(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715		TAC 0				
PROC. REF: GENERIC NO REF								
79-10-00-207	NO. 1 ENGINE - OIL SYSTEM - IMPENDING BYPASS VALVE INDICATOR GENERAL VISUAL INSPECTION: DO A CHECK OF AIRCRAFT COCKPIT INDICATOR LAMP							Service ATA:79
	MOS/MSC	29-Mar-18	N/A	TAC 0				
	HRS	2115.8		TAC 0				
	ENC	1413		TAC 0				
PROC. REF: GENERIC NO REF								
79-10-00-207	NO. 1 ENGINE - OIL SYSTEM - OIL FILTER BYPASS VALVE FUNCTIONAL CHECK							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)		(5041.5) 5041.5 (M)	5066.5	2258.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-10-00-207	NO. 2 ENGINE - OIL SYSTEM - IMPENDING BYPASS VALVE INDICATOR GENERAL VISUAL INSPECTION: DO A CHECK OF AIRCRAFT COCKPIT INDICATOR LAMP							Service ATA:79
	MOS/MSC	29-Mar-18	N/A	TAC 0				
	HRS	2115.8		TAC 0				
	ENC	1413		TAC 0				
PROC. REF: GENERIC NO REF								
79-10-00-207	NO. 2 ENGINE - OIL SYSTEM - OIL FILTER BYPASS VALVE FUNCTIONAL CHECK							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	2500 (+25/-25)		(5041.5) 5041.5 (M)	5066.5	2258.8 (+25)	
	ENC	1715						
PROC. REF: GENERIC NO REF								
79-10-00-208 ^U	NO. 1 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
79-10-00-208 ^U	NO. 2 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
79-10-00-208/209	NO. 1 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR/COLLECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: EMM 79-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-10-00-208/209	NO. 2 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR/COLLECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	800 (+25/-25)		(3341.5) 3341.5	3366.5	558.8 (+25)	
	ENC	1715						
PROC. REF: EMM 79-30-01								
79-10-00-901	NO. 1 ENGINE - ENGINE OVERHAUL							Service ATA:79
	MOS	01-Jun-04						ENGINE OVERHAUL
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2217.3 (+25)	
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REF								
79-10-00-901	NO. 2 ENGINE - ENGINE OVERHAUL							Service ATA:79
	MOS	01-Jun-04						ENGINE OVERHAUL
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2217.3 (+25)	
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REF								
79-10-00-902	NO. 1 ENGINE - INSTALL NEW OIL FILTER ELEMENT							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	1200 (+25/-25)		(3741.5) 3741.5	3766.5	958.8 (+25)	
	ENC	1715						
PROC. REF: EMM 72-00-00								
79-10-00-902	NO. 2 ENGINE - INSTALL NEW OIL FILTER ELEMENT							Service ATA:79
	MOS	16-Jun-22						
	HRS	2541.5	1200 (+25/-25)		(3741.5) 3741.5	3766.5	958.8 (+25)	
	ENC	1715						
PROC. REF: EMM 72-00-00								
790010	NO. 1 ENGINE - OIL FILTER ELEMENT							Component ATA:79
PN:PN	MOS/MSC	01-Jun-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790010	NO. 2 ENGINE - OIL FILTER ELEMENT							Component ATA:79
PN:PN	MOS/MSC	01-Jun-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
790020	NO. 1 ENGINE - CHANGE OIL							Service ATA:79
	MOS/MSC	27-Mar-12	A/R					
	HRS	1300.7						
	ENC	874						
PROC. REF: EMM 72-00-00								
790020	NO. 2 ENGINE - CHANGE OIL							Service ATA:79
	MOS/MSC	27-Mar-12	A/R					
	HRS	1300.7						
	ENC	874						
PROC. REF: EMM 72-00-00								
792010	NO. 1 ENGINE - INSPECT AND FUNCTIONAL TEST OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:79
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
792010	NO. 2 ENGINE - INSPECT AND FUNCTIONAL TEST OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:79
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
793002	LEFT OIL TEMP XMTR SENSOR							Component ATA:79
PN:102-00083	MOS/MSC	01-Jun-04	O/C					
SN:04459	HRS	0		TSN 0				
WC#: 79.010	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793002	RIGHT OIL TEMP XMTR SENSOR							Component ATA:79
PN:102-00083	MOS/MSC	01-Jun-04	O/C					
SN:04460	HRS	0		TSN 0				
WC#: 79.010	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								
793003	NO. 1 ENGINE - FUEL OIL HEAT EXCHANGER							Component ATA:79
PN:31J2955-02	MOS/MSC	01-Jun-04	O/C					
SN:M102571	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-02								
793003	NO. 2 ENGINE - FUEL OIL HEAT EXCHANGER							Component ATA:79
PN:31J2955-02	MOS/MSC	01-Jun-04	O/C					
SN:M101911	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-02								
793005	NO. 1 ENGINE - OVERHAUL OR REFURBISH OIL TANK FILLER CAP							Service ATA:79
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
793005	NO. 2 ENGINE - OVERHAUL OR REFURBISH OIL TANK FILLER CAP							Service ATA:79
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
793010	NO. 1 ENGINE - OVERHAUL/REFURBISH FUEL TO OIL HEAT EXCHANGER							Service ATA:79
PN:31J2955-02	MOS			TAC 0				
SN:M102571	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793010	NO. 2 ENGINE - OVERHAUL/REFURBISH FUEL TO OIL HEAT EXCHANGER							Service ATA:79
PN:31J2955-02	MOS			TAC 0				
SN:M101911	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
793021	NO. 1 ENGINE - INSPECT OIL LEVEL INDICATOR (SIGHT GLASS)							Service ATA:79
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
793021	NO. 2 ENGINE - INSPECT OIL LEVEL INDICATOR (SIGHT GLASS)							Service ATA:79
	MOS			TAC 0				
	HRS	EFF	5000 (+100)	TAC 0	(5000) 5000 * (M)	5100	2217.3 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REF								
793102	LEFT ENGINE OIL TRANSMITTER							Component ATA:79
PN:APTE-237E-1000-250DMOS/MSC		01-Jun-04	O/C					
SN:683412406	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: AMM 79-31-01								
793102	RIGHT ENGINE OIL TRANSMITTER							Component ATA:79
PN:APTE-237E-1000-250DMOS/MSC		01-Jun-04	O/C					
SN:68347229	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: AMM 79-31-01								
793117	LEFT OIL PRESSURE SWITCH							Component ATA:79
PN:1153P0098-01	MOS/MSC	01-Jun-04	O/C					
SN:1134	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				
PROC. REF: AMM 79-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5370 RegNo: N421LT HRS: 2782.7 AFL: 1839 As
Of: 05-May-2024

29-May-2024 10:09 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793117	RIGHT OIL PRESSURE SWITCH							Component ATA:79
PN:1153P0098-01	MOS/MSC	01-Jun-04	O/C					
SN:1076	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				
PROC. REF: AMM 79-31-01								
ATA 80 - STARTING								
80-10-00-9600	LEFT ENGINE STARTER - GENERATOR (SECTION II OVERHAUL) RESTORATION							Component ATA:80
PN:300SGL138Q-4	MOS	16-Jun-22		TSO 0				OVERHAUL
SN:3068XL	HRS	2541.5	1000	TSO 0	3541.5		758.8	
WC#: 80.010	AFL	1715		TSO 0				
PROC. REF: AMM 80-10-00								
80-10-00-9600	RIGHT ENGINE STARTER - GENERATOR (SECTION II OVERHAUL) RESTORATION							Component ATA:80
PN:300SGL138Q-4	MOS	05-Dec-16						OVERHAUL
SN:2986XL	HRS	1944	1000	TSO 0	2944		161.3	
WC#: 80.010	AFL	1324						
	APH	399.4						
	APS	654						
PROC. REF: AMM 80-10-00								
80-11-00-2200	AUXILIARY POWER UNIT STARTER - GENERATOR DETAILED INSPECTION							Service ATA:80
PN:300SGL138Q-6	MOS	08-Nov-22						
SN:S00167	HRS	2593.2						
WC#: 80.050	AFL	1742						
	APH	749.4	500 (+25/-25)		1249.4	1274.4	419.9 (+25)	
PROC. REF: AMM 80-11-00								
80-11-00-9600	AUXILIARY POWER UNIT STARTER -GENERATOR (SECTION II OVERHAUL) RESTORATION							Component ATA:80
PN:300SGL138Q-6	MOS	08-Nov-22		TSO 0				OVERHAUL
SN:S00167	HRS	2593.2		TSO 0				
WC#: 80.020	AFL	1742		TSO 0				
	APH	749.4	1000 (+25/-25)	TSO 0	1749.4	1774.4	919.9 (+25)	
PROC. REF: AMM 80-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task