



Status Report

PC-12/47E

S/N 1424 N595BB

OWNER: CARIBBEAN DIRECT, LLC
ADDRESS: 9450 SW GEMINI DR
BEAVERTON OR 97008
OFFICE: 713-444-8006
FAX:

OPERATOR: UFLY VI, LLC
ADDRESS: 8170 CROWN BAY MARINA
ST THOMAS 00802
OFFICE: 610-496-8502
FAX:

ANALYST: JOSE BRITO
EMAIL: JBRITO@CAMPSYSTEMS.COM

1-631-619-4578 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (FAX)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL / REGNO: 1424/N595BB	MODEL: PC-12/47E	MANUFACTURER: PILATUS AIRCRAFT LTDX
----------	-----------------------------	------------------	-------------------------------------

CERTIFICATION DATE: 23-AUG-2013

LAST ACTUALS:

2656.1	A/C HRS	as of 07-OCT-2024
2231	AFL	as of 07-OCT-2024
1308.7	ACH	as of 13-APR-2023

ENGINE NO. 1	SERIAL / PART: PCE-RY0444/3072955-01	MODEL: PT6A-67P	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
--------------	--------------------------------------	-----------------	--

INSTALLED ON: 26-JUL-2013

LAST ACTUALS:

0	ENG. HRS	0 A/C HRS	2656.1	ENG. HRS	as of 07-OCT-2024
0	ENC		2231	ENC	as of 07-OCT-2024

PROPELLER NO. 1	SERIAL / PART: KX1157/HC-E4A-3D/E10477SK	MODEL: HC-E4A-3D	MANUFACTURER: HARTZELL PROPELLER LLC
-----------------	--	------------------	--------------------------------------

INSTALLED ON: 26-JUL-2013

LAST ACTUALS:

0	PROP HRS	0 A/C HRS	2656.1	PROP HRS	as of 07-OCT-2024
0	PRC				



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
00-00/121	^S	AIRCRAFT - AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED						Service ATA:00
	MOS/MSC	07-Oct-24	A/R					
	HRS	2656.1						
	AFL	2231						
								PKG:15 ,3,16,17,18,19,20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
00-00/122	^S	AIRCRAFT - CHECK CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DMS REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH						Service ATA:00
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
								PKG:15 ,3,16,17,18,19,20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
00-00/481	^S	AIRCRAFT-CHECK AIRCRAFT FLIGHT MANUAL IS AT THE LATEST REVISION						Service ATA:00
	MOS/MSC	07-Oct-24	A/R					
	HRS	2656.1						
	AFL	2231						
								PKG:15 ,3,16,17,18,19,20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E072-160317		NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 25						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-160919		NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 26						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-170113	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 44.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-180821	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 47.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-230410	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 57.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
P019-160801	NO. 1 PROPELLER - REVIEW HC-E4A-3 SL REV 10 REQUIREMENT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P019PROC. REF: RCF P019								
P019-171001	NO. 1 PROPELLER - REVIEW HARTZELL HC-E4A-3 POM 149 REV 23							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P019PROC. REF: RCF P019								
P019-210201	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 35							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P019PROC. REF: RCF P019								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P47E-160729	REVIEW PILATUS PC-12/47E REVISION AMM 15							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
P47E-161217	REVIEW PILATUS PC-12/47E REVISION AMM 16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-180213	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 18							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-180524	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 19							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-181129	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P47E-190503	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 21							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-191121	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 22							Service ATA:00
	MOS/MSC	23-Aug-13	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-200515	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 23							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-201125	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 24							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-210716	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 25							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P47E-220520	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 28							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-220829	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 29							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-230116	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 30							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-231002	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 31							Service ATA:00
	MOS/MSC	23-Aug-13	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF P47EPROC. REF: RCF P47E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
040001	AIRCRAFT LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22343.9	
	AFL	0	30000	TSN 0	30000		27769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
040005	AIRCRAFT LEFT WING STRUCTURE LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22343.9	
	AFL	0	30000	TSN 0	30000		27769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
040005	AIRCRAFT RIGHT WING STRUCTURE LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22343.9	
	AFL	0	30000	TSN 0	30000		27769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-01	UNSCHEDULED INSPECTION - CHECK AFTER A HARD LANDING							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-01-00A-282A-A, AMM 12-B-05-50-01-00A-282A-APROC. REF: AMM 12-B-05-50-01-00A-282A-A, AMM 12-B-05-50-01-00A-282A-A								
05-50-02	UNSCHEDULED INSPECTION - CHECK AFTER FLIGHT IN SEVERE TURBULENCE OR AFTER SEVERE MANEUVERS							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-02-00A-282A-A, AMM 12-B-05-50-02-00A-282A-APROC. REF: AMM 12-B-05-50-02-00A-282A-A, AMM 12-B-05-50-02-00A-282A-A								
05-50-03	UNSCHEDULED INSPECTION - CHECK AFTER OVERSPEED WITH FLAPS DOWN							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-03-00A-282A-A, AMM 12-B-05-50-03-00A-282A-APROC. REF: AMM 12-B-05-50-03-00A-282A-A, AMM 12-B-05-50-03-00A-282A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-04	UNSCHEDULED INSPECTION - CHECK AFTER PROPELLER SUDDEN STOPPAGE OR IMPACT							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-04-00A-282A-A, AMM 12-B-05-50-04-00A-282A-APROC. REF: AMM 12-B-05-50-04-00A-282A-A, AMM 12-B-05-50-04-00A-282A-A								
05-50-05	UNSCHEDULED INSPECTION - CHECK AFTER A LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-05-00A-282A-A, AMM 12-B-05-50-05-00A-282A-APROC. REF: AMM 12-B-05-50-05-00A-282A-A, AMM 12-B-05-50-05-00A-282A-A								
05-50-06	UNSCHEDULED INSPECTION - CHECK ALIGNMENT AND SYMMETRY							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-06-00A-282A-A, AMM 12-B-05-50-06-00A-282A-APROC. REF: AMM 12-B-05-50-06-00A-282A-A, AMM 12-B-05-50-06-00A-282A-A								
05-50-07	GEOMETRY INSPECTION - CHECK FUSELAGE CARRY THRU FRAMES							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-07-00A-282A-A, AMM 12-B-05-50-07-00A-282A-APROC. REF: AMM 12-B-05-50-07-00A-282A-A, AMM 12-B-05-50-07-00A-282A-A								
05-50-08	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM OPERATING SPEED (VMO/MMO) EXCEEDANCE							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-08-00A-282A-A, AMM 12-B-05-50-08-00A-282A-APROC. REF: AMM 12-B-05-50-08-00A-282A-A, AMM 12-B-05-50-08-00A-282A-A								
05-50-09	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR OPERATING SPEED (VLO) EXCEEDENCE							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-09-00A-282A-A, AMM 12-B-05-50-09-00A-282A-APROC. REF: AMM 12-B-05-50-09-00A-282A-A, AMM 12-B-05-50-09-00A-282A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-10	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR EXTENDED SPEED (VLE) EXCEEDENCE							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-10-00A-282A-A, AMM 12-B-05-50-10-00A-282A-APROC. REF: AMM 12-B-05-50-10-00A-282A-A, AMM 12-B-05-50-10-00A-282A-A								
05-50-11	UNSCHEDULED INSPECTION - TAIL DOWN DAMAGE							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-11-00A-282A-A, AMM 12-B-05-50-11-00A-282A-APROC. REF: AMM 12-B-05-50-11-00A-282A-A, AMM 12-B-05-50-11-00A-282A-A								
05-50-12	UNSCHEDULED INSPECTION - NOSE LANDING GEAR OVERTURNING							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-12-00A-282A-APROC. REF: AMM 12-B-05-50-12-00A-282A-A								
05-50-15	UNSCHEDULED INSPECTION - AFTER A FLIGHT THROUGH VOLCANIC ASH OR SMOKE							Service ATA:05
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-15-00A-282A-A, AMM 12-B-05-50-15-00A-282A-APROC. REF: AMM 12-B-05-50-15-00A-282A-A, AMM 12-B-05-50-15-00A-282A-A								
050001	SUPPLEMENTAL STRUCTURAL INSPECTION DOCUMENT (SSID)							Service ATA:05
	MOS	23-Aug-13						
	HRS	0	25000		25000		22343.9	
	AFL	0	30000		30000		27769	
PROC. REF: AMM 12-B-05-10-30-00A-280A-APROC. REF: AMM 12-B-05-10-30-00A-280A-A								
050005	AIRCRAFT REGISTRATION - FAR 47.40							Service ATA:05
	MOS	17-Jul-14	84		30-Nov-28 (M)		1409 d	
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050010	SUPPLEMENTAL CORROSION PREVENTION AND CONTROL PROGRAM (CPCP) INSPECTION							Service ATA:05
	MOS	23-Aug-13						
	HRS	0	25000		25000		22343.9	
	AFL	0	30000		30000		27769	
PROC. REF: AMM 12-B-20-40-00-00A-901A-A, AMM 12-B-20-40-00-00A-040A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A, AMM 12-B-20-40-00-00A-040A-A								
05200A	JOB SET UP / CLOSE UP PACKAGE							Package ATA:05
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
PROC. REF: AMM 12-B-05-20-00-00A-913A-APROC. REF: AMM 12-B-05-20-00-00A-913A-A								PKG:15
05401A	300 HOUR INSPECTION							Package ATA:05
	MOS	17-Nov-22						
	HRS	2511.3	300 (+30/-30)		2811.3	2841.3	155.2 (+30)	
	AFL	2084						
PROC. REF: AMM 12-B-05-40-01-01A-000B-APROC. REF: AMM 12-B-05-40-01-01A-000B-A								PKG:16
05402A	300 HOUR OR 12 MONTHS INSPECTION							Package ATA:05
	MOS	07-Oct-24	12		07-Oct-25		259 d	
	HRS	2656.1	300 (+30/-30)		2956.1	2986.1	300 (+30)	
	AFL	2231						
PROC. REF: AMM 12-B-05-40-01-02A-000B-APROC. REF: AMM 12-B-05-40-01-02A-000B-A								PKG:3
05403A	600 HOUR INSPECTION							Package ATA:05
	MOS	01-Nov-21						
	HRS	2336.5	600 (+60/-60)		2936.5	2996.5	280.4 (+60)	
	AFL							
PROC. REF: AMM 12-B-05-40-01-03A-000B-APROC. REF: AMM 12-B-05-40-01-03A-000B-A								PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05404A	600 HOUR OR 12 MONTHS INSPECTION							Package ATA:05
	MOS	07-Oct-24	12		07-Oct-25		259 d	
	HRS	2656.1	600 (+60/-60)		3256.1	3316.1	600 (+60)	
	AFL	2231						
PROC. REF: AMM 12-B-05-40-01-04A-000B-APROC. REF: AMM 12-B-05-40-01-04A-000B-A								PKG:18
05405A	1200 HOUR OR 12 MONTH INSPECTION							Package ATA:05
	MOS	07-Oct-24	12		07-Oct-25		259 d	
	HRS	2656.1	1200 (+120/-120)		3856.1	3976.1	1200 (+120)	
	AFL	2231						
PROC. REF: AMM 12-B-05-40-01-05A-000B-APROC. REF: AMM 12-B-05-40-01-05A-000B-A								PKG:19
05406A	2400 HOUR OR 24 MONTHS INSPECTION							Package ATA:05
	MOS	23-Aug-23	24 (+1m/-1m)		23-Aug-25	23-Sep-25	214 d (+31)	
	HRS	2609.3	2400 (+60/-60)		5009.3	5069.3	2353.2 (+60)	
	AFL	2195						
PROC. REF: AMM 12-B-05-40-01-06A-000B-APROC. REF: AMM 12-B-05-40-01-06A-000B-A								PKG:20
057010	NO. 1 ENGINE - MINOR INSPECTION							Package ATA:05
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)		(2909.3) 2909.3	2939.3	253.2 (+30)	
	ENC	2196						
PROC. REF: EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00								
ATA 06 - DIMENSIONS AND AREAS								
06-00/578 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB,62SB, 62TB - REMOVE AND EXAMINE							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/579 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - INSTALL							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/582 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - REMOVE AND EXAMINE							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
								PKG:18
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/583 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - INSTALL							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
								PKG:18
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/590 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - REMOVE AND EXAMINE							Service ATA:06
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)					
	AFL	2084						
								PKG:16
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/591 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - INSTALL							Service ATA:06
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)					
	AFL	2084						
								PKG:16
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/592 ^S	ACCESS PANEL, ENGINE: 42AT - REMOVE AND EXAMINE							Service ATA:06
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)					
	AFL	2084						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:16
06-00/593 ^S	ACCESS PANEL, ENGINE: 42AT - INSTALL							Service ATA:06
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)					
	AFL	2084						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:16
06-00/594 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - REMOVE AND EXAMINE							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:3
06-00/595 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - INSTALL							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:3
06-00/596 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - OPEN OR REMOVE AND EXAMINE							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/597 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - CLOSE OR INSTALL							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:3
06-00/598 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:3
06-00/599 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:3
06-00/602 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service ATA:06
	MOS	23-Aug-13						
	HRS	0	600 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:17
06-00/603 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service ATA:06
	MOS	23-Aug-13						
	HRS	0	600 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/604 ^S	ACCESS PANEL, FUSELAGE: 11AL,12EL,21QZ - REMOVE AND EXAMINE							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:18
06-00/605 ^S	ACCESS PANEL, FUSELAGE: 11AL, 12EL,21QZ - INSTALL							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:18
06-00/606 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - REMOVE AND EXAMINE							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:18
06-00/607 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - INSTALL							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:18
06-00/608 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21QZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service ATA:06
	MOS	07-Oct-24	12 (+10m/-10%)					
	HRS	2656.1	1200 (+10/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/609 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21QZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - CLOSE OR INSTALL							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/610 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - OPEN OR REMOVE AND EXAMINE							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/611 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - CLOSE OR INSTALL							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/612 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/613 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service ATA:06
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/614 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service ATA:06
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:20
06-00/615 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - CLOSE AND INSTALL							Service ATA:06
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:20
06-00/616 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - OPEN OR REMOVE AND EXAMINE							Service ATA:06
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:20
06-00/617 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - INSTALL							Service ATA:06
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:20
06-00/618 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service ATA:06
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/619 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service ATA:06
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:20
06-00/620 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - REMOVE AND EXAMINE							Service ATA:06
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:20
06-00/621 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - INSTALL							Service ATA:06
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:20
ATA 07 - LIFTING AND SHORING								
07-10/160 ^S	AIRCRAFT - LOWER TO THE GROUND, REMOVE JACKS AND DISCONNECT FROM GROUND							Service ATA:07
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A								PKG:15 ,3,16,17,18,19,20
07-10/161 ^S	AIRCRAFT - LIFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND							Service ATA:07
	MOS/MSC	07-Oct-24	A/R					
	HRS	2656.1						
	AFL	2231						
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A								PKG:15 ,3,16,17,18,19,20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 08 - LEVELING AND WEIGHING								
080000	WEIGHT CHECK AIRCRAFT							Service ATA:08
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
WC#: 08.005	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-10/428 ^S	EXTERNAL PROTECTIVE COVERS - EXAMINE. REPLACE IF ANY PART OF THE COVER IS MISSING, DAMAGED, TORN OR DOES NOT INSTALL PROPERLY.							Service ATA:10
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
10-10/901	STORING - COMPLY WITH PART 1 OF THE TABLE FOR AIRCRAFT BEING STORED UP TO 7 DAYS							Service ATA:10
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-10/902	STORING - COMPLY WITH PART 2 OF THE TABLE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS							Service ATA:10
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-10/903	STORING - COMPLY WITH PART 3 OF THE TABLE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS							Service ATA:10
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-10/904	STORING - COMPLY WITH PART 4 OF THE TABLE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS							Service ATA:10
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
ATA 11 - PLACARDS AND MARKINGS								
11-00/220 ^S	PLACARDS AND MARKINGS - EXAMINE AND ATTACH NEW PLACARDS IF NECESSARY						Service	ATA:11
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
							PKG:19	
PROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-040A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-APROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-040A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-A								
ATA 12 - SERVICING								
12-20/124 ^S	AIRCRAFT - WASH THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS AS REQUIRED TO PERFORM THE INSPECTION						Service	ATA:12
	MOS/MSC	07-Oct-24	A/R					
	HRS	2656.1						
	AFL	2231						
							PKG:15 ,3,16,17,18,19,20	
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-APROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-A								
12-20/125 ^S	WINDSHIELDS AND WINDOWS - CLEAN						Service	ATA:12
	MOS/MSC	07-Oct-24	A/R					
	HRS	2656.1						
	AFL	2231						
							PKG:15 ,3,16,17,18,19,20	
PROC. REF: AMM 12-B-12-20-02-00A-902A-APROC. REF: AMM 12-B-12-20-02-00A-902A-A								
12-20/126 ^S	COCKPIT AND CABIN - CLEAN						Service	ATA:12
	MOS/MSC	07-Oct-24	A/R					
	HRS	2656.1						
	AFL	2231						
							PKG:15 ,3,16,17,18,19,20	
PROC. REF: AMM 12-B-12-20-03-00A-902A-APROC. REF: AMM 12-B-12-20-03-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
00-00/45A	AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (INTERNAL)							Service ATA:20
	MOS	20-Aug-24	12 (+1m/-1m)		20-Aug-25	20-Sep-25	211 d (+31)	
	HRS	2656.1						
WC#: 20.010	AFL	2231						
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A								
00-00/45B	AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (EXTERNAL)							Service ATA:20
	MOS	20-Aug-24	12 (+1m/-1m)		20-Aug-25	20-Sep-25	211 d (+31)	
	HRS	2656.1						
WC#: 20.011	AFL	2231						
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A								
ATA 21 - AIR CONDITIONING								
21-20/221 ^S	ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT - EXAMINE							Service ATA:21
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:20
21-20/317	ECS EMERGENCY SHUT-OFF SYSTEM - CHECK							Service ATA:21
	MOS	07-Oct-24	12 (+10%/-10%)		07-Oct-25	13-Nov-25	259 d (+37)	AIRWORTHINESS
	HRS	2656.1	3000		5656.1		3000	
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-30-00-00A-901A-A	PRESSURIZATION CONTROL MAINTENANCE PRACTICES							Service ATA:21
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-21-30-00-00A-901A-APROC. REF: AMM 12-B-21-30-00-00A-901A-A								
21-30-00-00A-903B-B	PRESSURIZATION CONTROL (MSN 545,1720 AND UP) ADJUSTMENT TEST							Service ATA:21
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30-01-00A-903B-A	CABIN PRESSURIZATION ELECTRONIC CONTROL AND MONITORING UNIT (MSN 545,1720 AND UP) ADJUSTMENT TEST							Service ATA:21
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-21-30-01-00A-903B-APROC. REF: AMM 12-B-21-30-01-00A-903B-A								
21-30/314 ^S	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - CHECK FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT. IF CONTAMINATION IS FOUND REMOVE AND CLEAN							Service ATA:21
PN:PN	MOS	23-Aug-23	24 (+10%/-10%)					
SN:UNKNOWN	HRS	2609.3	2400 (+10%/-10%)					
WC#: 21.030	AFL	2195						
								PKG:20
PROC. REF: AMM 12-B-21-30-02-00A-250A-APROC. REF: AMM 12-B-21-30-02-00A-250A-A								
21-30/318	PRESSURIZATION DUMP SWITCH MSN 1001-1719 - OPERATIONAL TEST							Service ATA:21
	MOS	07-Oct-24	12 (+10%/-10%)		07-Oct-25	13-Nov-25	259 d (+37)	AIRWORTHINESS
	HRS	2656.1	3000		5656.1		3000	
WC#: 21.045	AFL	2231						
PROC. REF: AMM 12-B-21-30-00-00A-903A-APROC. REF: AMM 12-B-21-30-00-00A-903A-A								
21-30/46	CABIN POSITIVE PRESSURE RELIEF 1001-1719 - FUNCTIONAL TEST							Service ATA:21
PN:PN	MOS	17-Nov-22	48 (+10%/-10%)		17-Nov-26	10-Apr-27	665 d (+144)	
SN:UNKNOWN	HRS	2511.3	4800 (+10%/-10%)		7311.3	7791.3	4655.2 (+480)	
WC#: 21.040	AFL	2084						
PROC. REF: AMM 12-B-21-30-00-00A-903A-APROC. REF: AMM 12-B-21-30-00-00A-903A-A								
21-40-02-00A-902A-A	REFRIGERATION PACK SERVICING							Service ATA:21
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-21-40-02-00A-902A-APROC. REF: AMM 12-B-21-40-02-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-40/128 ^S	FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service ATA:21
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-21-43-00-00A-903A-APROC. REF: AMM 12-B-21-43-00-00A-903A-A								PKG:19
21-40/330 ^S	CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service ATA:21
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
WC#: 21.140	AFL	2231						
PROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-A								PKG:19
21-40/331 ^S	UNDERFLOOR HEATER THERMAL PROTECTION SWITCH - FUNCTIONAL TEST							Service ATA:21
PN:9696781507	MOS	07-Oct-24	12 (+10%/-10%)					
SN:561981	HRS	2656.1	1200 (+10%/-10%)					
WC#: 21.150	AFL	2231						
PROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-A								PKG:19
21-40/50 ^S	WATER SEPARATOR CONDENSER - CLEAN							Service ATA:21
PN:PN	MOS	07-Oct-24	12 (+10%/-10%)					
SN:UNKNOWN	HRS	2656.1	1200 (+10%/-10%)					
WC#: 21.080	AFL	2231						
PROC. REF: AMM 12-B-21-40-03-00A-250A-APROC. REF: AMM 12-B-21-40-03-00A-250A-A								PKG:19
21-40/51	OVERTEMPERATURE SWITCH - FUNCTIONAL TEST							Service ATA:21
PN:973.81.32.216	MOS	23-Aug-23	60 (+10%/-10%)		23-Aug-28	23-Feb-29	1310 d (+184)	
SN:1120	HRS	2609.3	4800 (+10%/-10%)		7409.3	7889.3	4753.2 (+480)	
WC#: 21.130	AFL	2195						
PROC. REF: AMM 12-B-21-40-06-00A-903A-APROC. REF: AMM 12-B-21-40-06-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-40/52	DUCT OVERTEMPERATURE SWITCH - FUNCTIONAL TEST							Service ATA:21
PN:9738132214	MOS	23-Aug-23	60 (+10%/-10%)		23-Aug-28	23-Feb-29	1310 d (+184)	
SN:0503	HRS	2609.3	4800 (+10%/-10%)		7409.3	7889.3	4753.2 (+480)	
WC#: 21.120	AFL	2195						
PROC. REF: AMM 12-B-21-60-05-00A-903A-APROC. REF: AMM 12-B-21-60-05-00A-903A-A								
21-40/55 ^S	COLD AIR UNIT - ADD OIL							Service ATA:21
	MOS	01-Nov-21						
	HRS	2336.5	600 (+10%/-10%)					
WC#: 21.060	AFL							
PKG:17								
PROC. REF: AMM 12-B-21-40-02-00A-902A-APROC. REF: AMM 12-B-21-40-02-00A-902A-A								
21-40/56 ^S	HEAT EXCHANGER MATRIX - INSPECT/CHECK							Service ATA:21
	MOS	01-Nov-21						
	HRS	2336.5	600 (+10%/-10%)					
WC#: 21.070	AFL							
PKG:17								
PROC. REF: AMM 12-B-21-40-02-00A-313A-APROC. REF: AMM 12-B-21-40-02-00A-313A-A								
21-41-00-00A-904A-A	ENGINE BAY DUCTS REPAIR							Service ATA:21
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-21-41-00-00A-904A-APROC. REF: AMM 12-B-21-41-00-00A-904A-A								
21-50-01-00A-902A-A	VAPOUR CYCLE COOLING SYSTEM SERVICING							Service ATA:21
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-21-50-01-00A-902A-APROC. REF: AMM 12-B-21-50-01-00A-902A-A								
21-50-01-00A-903A-A	VAPOUR CYCLE COOLING SYSTEM ADJUSTMENT							Service ATA:21
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 12-B-21-50-01-00A-903A-APROC. REF: AMM 12-B-21-50-01-00A-903A-A								
21-50/223 ^S	VAPOR CYCLE COOLING SYSTEM (IF INSTALLED) - EXAMINE							Service ATA:21
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-50/433 ^S	VAPOR CYCLE COMPRESSOR/CONDENSER MODULE (INCLUDIG MOTOR) (IF INSTALLED) - CLEAN							Service ATA:21
PN:9599022106	MOS	07-Oct-24	12 (+10%/-10%)					
SN:1371	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
								PKG:3
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
21-50/58	VAPOOR CYCLE COMPRESSOR MOTOR (IF INSTALLED) - INSPECTION/CHECK							Service ATA:21
PN:9599022106	MOS	01-Nov-21						
SN:1371	HRS	2336.5						
WC#: 21.110	AFL							
	ACH	987.8	500 (+10%/-10%)		1487.8	1537.8	179.1 (+50)	
PROC. REF: AMM 12-B-21-50-03-00A-313A-APROC. REF: AMM 12-B-21-50-03-00A-313A-A								
21-50/59	VAPOR CYCLE COMPRESSOR MOTOR DRIVE BELT (IF INSTALLED) - CHECK FOR TENSION							Service ATA:21
PN:9599022106	MOS	01-Nov-21						
SN:1371	HRS	2336.5						
WC#: 21.100	AFL							
	ACH	987.8	500 (+10%/-10%)		1487.8	1537.8	179.1 (+50)	
PROC. REF: AMM 12-B-21-50-01-00A-903A-APROC. REF: AMM 12-B-21-50-01-00A-903A-A								
210005	OVERPRESSURE SWITCH							Component ATA:21
PN:9738115105	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1142	HRS	0		TSN 0				
WC#: 21.340	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-07-00A-920A-APROC. REF: AMM 12-B-21-40-07-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210010	REFRIGERATION PACK							Component ATA:21
PN:9599020111	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1886	HRS	0		TSN 0				
WC#: 21.255	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-02-00A-313A-APROC. REF: AMM 12-B-21-40-02-00A-313A-A								
210015	WATER INJECTOR							Component ATA:21
PN:9599020141	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1869	HRS	0		TSN 0				
WC#: 21.370	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210020	DUCT TEMP SENSOR							Component ATA:21
PN:9599020121	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:3441	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
210025	PRIM SHUT OFF VALVE							Component ATA:21
PN:9599020132	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1857	HRS	0		TSN 0				
WC#: 21.290	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-05-00A-920A-APROC. REF: AMM 12-B-21-40-05-00A-920A-A								
210030	HP SHUT OFF VALVE							Component ATA:21
PN:9599020131	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1871	HRS	0		TSN 0				
WC#: 21.280	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-04-00A-920A-APROC. REF: AMM 12-B-21-40-04-00A-920A-A								
210035	WATER SEPARATOR ASSY							Component ATA:21
PN:PN	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.220	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-03-00A-920A-APROC. REF: AMM 12-B-21-40-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210040	TEMP CONTROL VALVE							Component ATA:21
PN:9599020136	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1860	HRS	0		TSN 0				
WC#: 21.310	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-02-00A-920A-APROC. REF: AMM 12-B-21-60-02-00A-920A-A								
210045	AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE							Component ATA:21
PN:9599022106	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1371	HRS	0		TSN 0				
WC#: 21.380	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-50-01-00A-920A-APROC. REF: AMM 12-B-21-50-01-00A-920A-A								
210046	VAPOR CYCLE COMPRESSOR MOTOR							Component ATA:21
PN:1134104-09	MOS/MSC	23-Aug-23	O/C	TSO 0				
SN:5738	HRS	2609.3		TSO 0				
	AFL	2195		TSO 0				
PROC. REF: AMM 12-B-21-50-01-00A-920A-APROC. REF: AMM 12-B-21-50-01-00A-920A-A								
210050	CENTER EVAPORATOR MODULE ASSY							Component ATA:21
PN:9599022121	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:742	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210055	RIGHT SIDE EVAPORATOR MODULE							Component ATA:21
PN:9599022119	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:827	HRS	0		TSN 0				
WC#: 21.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210060	CABIN PRESSURE OUTFLOW VALVE							Component ATA:21
PN:9599091122	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:103898-00431	HRS	0		TSN 0				
WC#: 21.250	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-03-00A-920A-APROC. REF: AMM 12-B-21-30-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210065	CABIN PRESSURE RELIEVE VALVE							Component ATA:21
PN:9599091132	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:33-F0434	HRS	0		TSN 0				
WC#: 21.270	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210115	UNDERFLOOR (FRONT) ELECTRIC HEATER							Component ATA:21
PN:9696781507	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:561981	HRS	0		TSN 0				
WC#: 21.240	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-01-00A-920A-APROC. REF: AMM 12-B-21-40-01-00A-920A-A								
210135	LEFT SIDE EVAPORATOR MODULE ASSY							Component ATA:21
PN:9599022118	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:809	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210145	CABIN (REAR) ELECTRIC HEATER							Component ATA:21
PN:9696781507	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:561984	HRS	0		TSN 0				
WC#: 21.230	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-15-00A-920A-APROC. REF: AMM 12-B-21-40-15-00A-920A-A								
210170	OVERPRESSURE SWITCH							Component ATA:21
PN:9738115106	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1189	HRS	0		TSN 0				
WC#: 21.340	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-07-00A-920A-APROC. REF: AMM 12-B-21-40-07-00A-920A-A								
210175	FLOW CONTROL VALVE ACTUATOR							Component ATA:21
PN:9599020160	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1226	HRS	0		TSN 0				
WC#: 21.520	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-03-01A-920A-APROC. REF: AMM 12-B-21-60-03-01A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210180	CABIN PRESSURE CONTROL UNIT							Component ATA:21
PN:2119232-4	MOS/MSC	23-Aug-23	O/C	TSR 0				
SN:2119232-00617	HRS	2609.3		TSR 0				
WC#: 21.530	AFL	2195		TSR 0				
PROC. REF: AMM 12-B-21-30-01-00A-920A-APROC. REF: AMM 12-B-21-30-01-00A-920A-A								
210185	INTEG. ECS CONTROL UNIT							Component ATA:21
PN:9599020129	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0461	HRS	0		TSN 0				
WC#: 21.540	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-01-00A-920A-APROC. REF: AMM 12-B-21-60-01-00A-920A-A								
210190	FLOOR DUCT TEMP SENSOR							Component ATA:21
PN:9599020121	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:3448	HRS	0		TSN 0				
WC#: 21.550	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
210195	MIDDLE CONSOLE DUCT TEMP SENSOR							Component ATA:21
PN:9599020121	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:3443	HRS	0		TSN 0				
WC#: 21.560	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210200	FIREWALL 1415-3 SHUT OFF VALVE							Component ATA:21
PN:9633011005	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0524	HRS	0		TSN 0				
WC#: 21.570	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-20-01-00A-920A-APROC. REF: AMM 12-B-21-20-01-00A-920A-A								
210205	OVERTEMP. BLEEDAIR 1173T083-01 SWITCH							Component ATA:21
PN:973.81.32.216	MOS/MSC	23-Aug-23	O/C	TSN 60				
SN:1120	HRS	2609.3		TSN 1213.4				
WC#: 21.580	AFL	2195		TSN 2195				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210210	OVERTEMP. CONDAIR 1173T08 SWITCH							Component ATA:21
PN:9738132214	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0503	HRS	0		TSN 0				
WC#: 21.590	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210215	DUAL FLAPPER 1.5 IN. CHECK VALVE							Component ATA:21
PN:9633011105	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1195B	HRS	0		TSN 0				
WC#: 21.490	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210220	LH DUAL FLAPPER 2.5 IN. CHECK VALVE							Component ATA:21
PN:9633011106	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1905B	HRS	0		TSN 0				
WC#: 21.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210225	RH DUAL FLAPPER 2.5 IN. CHECK VALVE							Component ATA:21
PN:9633011106	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1906B	HRS	0		TSN 0				
WC#: 21.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210230	DUAL FLAPPER 2.5 IN. SPANT 15 CHECK VALVE							Component ATA:21
PN:9633011106	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1904B	HRS	0		TSN 0				
WC#: 21.510	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210235	HEAD LINER DUCT TEMP SENSOR							Component ATA:21
PN:9599020121	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:3478	HRS	0		TSN 0				
WC#: 21.600	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210240	INSULATED, WATER SEPERATOR ASSY							Component ATA:21
PN:5214112047	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:3017	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-03-00A-920A-APROC. REF: AMM 12-B-21-40-03-00A-920A-A								
ATA 22 - AUTO FLIGHT								
22-10/233 ^S	PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES - EXAMINE							Service ATA:22
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PKG:20								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
22-10/60 ^S	SERVO MOUNT (PITCH) - REMOVE FOR CLUTCH CHECK							Service ATA:22
	MOS	07-Oct-24	12 (+1m/-1m)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PKG:19								
PROC. REF: AMM 12-B-22-10-00-00A-313A-APROC. REF: AMM 12-B-22-10-00-00A-313A-A								
22-10/60 ^S	SERVO MOUNT (ROLL) - REMOVE FOR CLUTCH CHECK							Service ATA:22
	MOS	07-Oct-24	12 (+1m/-1m)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PKG:19								
PROC. REF: AMM 12-B-22-10-00-00A-313A-APROC. REF: AMM 12-B-22-10-00-00A-313A-A								
22-10/60 ^S	SERVO MOUNT (YAW) - REMOVE FOR CLUTCH CHECK							Service ATA:22
	MOS	07-Oct-24	12 (+1m/-1m)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PKG:19								
PROC. REF: AMM 12-B-22-10-00-00A-313A-APROC. REF: AMM 12-B-22-10-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-20/129 ^S	ANGLE OF ATTACK (AOA) TRANSMITTERS - EXAMINE							Service ATA:22
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-22-20-02-00A-313A-APROC. REF: AMM 12-B-22-20-02-00A-313A-A								PKG:3
22-20/130 ^S	STICK PUSHER SYSTEM - CHECK							Service ATA:22
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)					
	AFL	2084						
PROC. REF: AMM 12-B-22-20-00-00A-903A-APROC. REF: AMM 12-B-22-20-00-00A-903A-A								PKG:16
22-20/226 ^S	STICK PUSHER SYSTEM - FUNCTIONAL TEST							Service ATA:22
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-22-20-00-00A-903A-APROC. REF: AMM 12-B-22-20-00-00A-903A-A								PKG:19
220045	STICK PUSHER SERVO							Component ATA:22
PN:9786111103	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:80719	HRS	0		TSN 0				
WC#: 22.220	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-04-00A-920A-APROC. REF: AMM 12-B-22-20-04-00A-920A-A								
220055	STICK PUSHER CAPSTAN							Component ATA:22
PN:9786111124	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:80714	HRS	0		TSN 0				
WC#: 22.140	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A								
220060	STICK SHAKER							Component ATA:22
PN:9786111143	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1239	HRS	0		TSN 0				
WC#: 22.230	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PROC. REF: AMM 12-B-22-20-03-00A-920A-APROC. REF: AMM 12-B-22-20-03-00A-920A-A								
220070	STICK PUSHER							Component ATA:22
PN:9754423104	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:131345	HRS	0		TSN 0				
WC#: 22.170	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-04-00A-920A-APROC. REF: AMM 12-B-22-20-04-00A-920A-A								
220085	ELEVATOR KSM 375 A/P SERVO MOUNT							Component ATA:22
PN:9859912133	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KSM375-B2344	HRS	0		TSN 0				
WC#: 22.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220090	RUDDER KSM 375 A/P SERVO MOUNT							Component ATA:22
PN:9859912133	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KSM375-B2339	HRS	0		TSN 0				
WC#: 22.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220095	AILERON KSM 375 A/P SERVO MOUNT							Component ATA:22
PN:9859912133	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KSM375-B2338	HRS	0		TSN 0				
WC#: 22.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220100	RUDDER KSA 2700 SERVO							Component ATA:22
PN:9859912131	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KSA2700-2384	HRS	0		TSN 0				
WC#: 22.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220105	ELEVATOR KSA 2700 SERVO							Component ATA:22
PN:9859912131	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KSA2700-2425	HRS	0		TSN 0				
WC#: 22.250	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220110	AILERON KSA 2700 SERVO							Component ATA:22
PN:9859912131	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KSA2700-2358	HRS	0		TSN 0				
WC#: 22.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220115	KMC 9200 VNAV FLIGHT CONTROLLER							Component ATA:22
PN:9859912204	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1547	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 23 - COMMUNICATIONS								
23-10/322 ^S	AUDIO CONTROL PANEL EMERGENCY SWITCH - OPERATIONAL TEST							Service ATA:23
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-23-50-00-00A-903A-APROC. REF: AMM 12-B-23-50-00-00A-903A-A								PKG:20
23-10/323 ^S	EMERGENCY FREQUENCY COMM TUNING SWITCH - OPERATIONAL TEST							Service ATA:23
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-23-12-00-00A-903A-APROC. REF: AMM 12-B-23-12-00-00A-903A-A								PKG:20
230005	VHF/NAV SYSTEM I VHF COMM ANTENNA							Component ATA:23
PN:9848110203	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:310-23798	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-02-00A-920A-APROC. REF: AMM 12-B-23-12-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
230010	VHF/NAV SYSTEM II VHF COMM ANTENNA							Component ATA:23
PN:9848110203	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:310-23800	HRS	0		TSN 0				
WC#: 23.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-03-00A-920A-APROC. REF: AMM 12-B-23-12-03-00A-920A-A								
230040	IRIDIUM/GPS,S67-1575-109 ANTENNA							Component ATA:23
PN:9848110210	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:12757	HRS	0		TSN 0				
WC#: 23.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-02-00A-920A-APROC. REF: AMM 12-B-34-57-02-00A-920A-A								
230045	NO. 1 KTR 2280 MULTI-MODE DIGITAL RADIO							Component ATA:23
PN:069-01037-0102	MOS/MSC	30-Mar-15	O/C					
SN:2787	HRS	302.5						
WC#: 23.090	AFL	195						
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								
230050	NO. 2 KTR 2280 MULTI-MODE DIGITAL RADIO							Component ATA:23
PN:9859912254	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:3694	HRS	0		TSN 0				
WC#: 23.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								
230055	PILOT KMA 29 AUDIO/MARKER PANEL							Component ATA:23
PN:9859912108	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:J01168	HRS	0		TSN 0				
WC#: 23.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
230060	CO-PILOT KMA 29 AUDIO/MARKER PANEL							Component ATA:23
PN:9859912108	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:J01169	HRS	0		TSN 0				
WC#: 23.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/311	GENERATOR CONTROL UNIT, GCU 1- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION							Service ATA:24
PN:PN	MOS	07-Oct-24	12 (+10%/-10%)		07-Oct-25	13-Nov-25	259 d (+37)	AIRWORTHINESS
SN:UNKNOWN	HRS	2656.1	3000		5656.1		3000	
WC#: 24.015	AFL	2231						
PROC. REF: AMM 12-B-71-00-00-00A-903D-APROC. REF: AMM 12-B-71-00-00-00A-903D-A								
24-30/311	GENERATOR CONTROL UNIT, GCU 2- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION							Service ATA:24
PN:PN	MOS	07-Oct-24	12 (+10%/-10%)		07-Oct-25	13-Nov-25	259 d (+37)	AIRWORTHINESS
SN:UNKNOWN	HRS	2656.1	3000		5656.1		3000	
WC#: 24.025	AFL	2231						
PROC. REF: AMM 12-B-71-00-00-00A-903D-APROC. REF: AMM 12-B-71-00-00-00A-903D-A								
24-30/312 ^S	EMERGENCY POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST							Service ATA:24
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
								PKG:20
PROC. REF: AMM 12-B-24-40-00-00A-903A-APROC. REF: AMM 12-B-24-40-00-00A-903A-A								
24-30/313 ^S	DC ELECTRICAL SYSTEM - FUNCTIONAL TEST							Service ATA:24
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: AMM 12-B-71-00-00-00A-903D-APROC. REF: AMM 12-B-71-00-00-00A-903D-A								
24-30/340	NO. 1 LEAD ACID BATTERY - REMOVE AND DO A CAPACITY TEST							Service ATA:24
PN:RG-380E/44	MOS	20-Aug-24	6 (+10%/-10%)		20-Feb-25	08-Mar-25	30 d (+16)	
SN:70008475	HRS	2656.1	600 (+10%/-10%)		3256.1	3316.1	600 (+60)	
WC#: 24.010	AFL	2231						
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
24-30/340	NO. 2 LEAD ACID BATTERY - REMOVE AND DO A CAPACITY TEST							Service ATA:24
PN:RG-380E/44	MOS	20-Aug-24	6 (+10%/-10%)		20-Feb-25	08-Mar-25	30 d (+16)	
SN:41313428	HRS	2656.1	600 (+10%/-10%)		3256.1	3316.1	600 (+60)	
WC#: 24.010	AFL	2231						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
24-30/473 ^S	GENERATOR 1 (P/N 978.91.23.407) - BRUSH CHECK							Service ATA:24
PN:23085-031 MOD A	MOS	01-Nov-21						
SN:P1906	HRS	2336.5	600 (+10%/-10%)					
	AFL							
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/474 ^S	STARTER/GENERATOR 2 (P/N 978.91.23.407) - BRUSH CHECK							Service ATA:24
PN:23085-031 MOD A	MOS	01-Nov-21						
SN:P1909	HRS	2336.5	600 (+10%/-10%)					
	AFL							
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/492	GENERATOR 1 (P/N 978.91.23.407) - OVERHAUL							Service ATA:24
PN:23085-031 MOD A	MOS	30-Aug-19						OVERHAUL
SN:P1906	HRS	1829.7	1200 (+10%/-10%)		3029.7	3149.7	373.6 (+120)	
	AFL	1385						
PROC. REF: AMM 12-B-05-10-10-00A-281A-APROC. REF: AMM 12-B-05-10-10-00A-281A-A								
24-30/493	STARTER/GENERATOR 2 (P/N 978.91.23.407) - OVERHAUL							Service ATA:24
PN:23085-031 MOD A	MOS	30-Aug-19						OVERHAUL
SN:P1909	HRS	1829.7	1200 (+10%/-10%)		3029.7	3149.7	373.6 (+120)	
	AFL	1385						
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-40/229 ^S	EXTERNAL POWER UNIT (EPU) RECEPTACLE - EXAMINE							Service ATA:24
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-50/70	EMERGENCY POWER SUPPLY - REMOVE AND CAP TEST							Service ATA:24
PN:501-1712-02	MOS	07-Oct-24	12 (+10%/-10%)		07-Oct-25	13-Nov-25	259 d (+37)	
SN:81602	HRS	2656.1						
WC#: 24.050	AFL	2231						
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								
24-60/133 ^S	COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS - EXAMINE							Service ATA:24
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240005	VOLTAGE REGULATOR 1							Component ATA:24
PN:9882114111	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:P3197	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-05-00A-920A-APROC. REF: AMM 12-B-24-30-05-00A-920A-A								
240010	GENERATOR 1 300A CONTACTOR							Component ATA:24
PN:974.03.38.113	MOS/MSC	20-Apr-17	O/C	TSN 0				
SN:467	HRS	957.3		TSN 0				
WC#: 24.130	AFL			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240015	GENERATOR 2 300A CONTACTOR							Component ATA:24
PN:9740338113	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:R308	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240125	BATTERY/ EXIT POWER JUNCTION (BEPJB) BOX							Component ATA:24
PN:9740338142	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:640	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-40-01-00A-920A-APROC. REF: AMM 12-B-24-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
240135	NO. 1 LEAD ACID BATTERY							Component ATA:24
PN:RG-380E/44	MOS/MSC	28-Dec-21	O/C					
SN:70008475	HRS	2355.5						
WC#: 24.010	AFL	1675						
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
240140	NO. 2 LEAD ACID BATTERY							Component ATA:24
PN:RG-380E/44	MOS/MSC	23-Aug-23	O/C	TSN 0				
SN:41313428	HRS	2609.3		TSN 0				
WC#: 24.010	AFL	2195		TSN 0				
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
243010	NO. 2 STARTER-GENERATOR							Component ATA:24
PN:23085-031 MOD A	MOS/MSC	30-Aug-19	O/C	TSO 0				
SN:P1909	HRS	1829.7		TSO 0				
WC#: 24.215	AFL	1385		TSO 0				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
243020	NO. 1 (GCU 1) GENERATOR CONTROL UNIT							Component ATA:24
PN:PN	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243030	NO. 2 (GCU 2) GENERATOR CONTROL UNIT							Component ATA:24
PN:PN	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243080	EMERGENCY POWER SUPPLY							Component ATA:24
PN:501-1712-02	MOS/MSC	17-Nov-22	O/C					
SN:81602	HRS	2511.3						
WC#: 24.050	AFL	2084						
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243160	NO. 1 STARTER GENERATOR							Component ATA:24
PN:23085-031 MOD A	MOS/MSC	30-Aug-19	O/C	TSO 0				
SN:P1906	HRS	1829.7		TSO 0				
WC#: 24.205	AFL	1385		TSO 0				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
243170	110 VOLT STATIC ,SS50 INVERTER							Component ATA:24
PN:9750215107	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6567	HRS	0		TSN 0				
WC#: 24.220	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-60-01-00A-920A-APROC. REF: AMM 12-B-24-60-01-00A-920A-A								
243175	HALL EFFECT,FE1263 GEN 1 TRANSDUCER							Component ATA:24
PN:9755085111	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:N1953	HRS	0		TSN 0				
WC#: 24.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243180	HALL EFFECT,FE1263 GEN 2 TRANSDUCER							Component ATA:24
PN:9755085111	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:N1920	HRS	0		TSN 0				
WC#: 24.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243190	VOLTAGE REGULATOR 2							Component ATA:24
PN:988.21.14.111	MOS/MSC	31-May-16	O/C	TSR 2				
SN:95284	HRS	665.2		TSR 0				
	AFL	404		TSR 0				
PROC. REF: AMM 12-B-24-30-06-00A-920A-APROC. REF: AMM 12-B-24-30-06-00A-920A-A								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-10/134 ^S	EXAMINE CREW SEAT BELTS							Service ATA:25
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-10/135	^S	EXAMINE CREW SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED						Service ATA:25
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)					
	AFL	2084						
								PKG:16
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-10/296	^S	REMOVE CREW SEATS AS NECESSARY TO DO INSPECTION						Service ATA:25
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
								PKG:15 ,3,16,17,18,19,20
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A								
25-10/297	^S	INSTALL CREW SEATS AS NECESSARY TO CLOSE UP INSPECTION						Service ATA:25
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
								PKG:15 ,3,16,17,18,19,20
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A								
25-10/300	^S	CREW SEATS - REMOVE CUSHIONS, COVERS AND SHELLS (REF. CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS.						Service ATA:25
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A								
25-20/136	^S	EXAMINE PASSENGER SEAT BELTS AND EXTENSIONS						Service ATA:25
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-20/137 ^S	EXAMINE PASSENGER SEATS - FOR EXCUTIVE SEATS ONLY, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service ATA:25
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-20/298 ^S	REMOVE PASSENGER SEATS AS NECESSARY TO DO THE INSPECTION							Service ATA:25
	MOS/MSC	07-Oct-24	A/R					
	HRS	2656.1						
	AFL	2231						
								PKG:15 ,3,16,17,18,19,20
PROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-A								
25-20/299 ^S	INSTALL PASSENGER SEATS AS NECESSARY TO CLOSE UP INSPECTION							Service ATA:25
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
								PKG:15 ,3,16,17,18,19,20
PROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-A								
25-20/302 ^S	EXAMINE PASSENGER SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.							Service ATA:25
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)					
	AFL	2084						
								PKG:16
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-60/231 ^S	OPERATIONAL TEST ELT							Service ATA:25
PN:9851380853	MOS	07-Oct-24	12 (+10%/-10%)					
SN:LX1100039855	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
								PKG:3
PROC. REF: AMM 12-B-25-63-00-00A-903A-A, AMM 12-B-25-63-00-00A-903B-APROC. REF: AMM 12-B-25-63-00-00A-903A-A, AMM 12-B-25-63-00-00A-903B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60/232 ^S	EXAMINE ELT INSTALLATION							Service ATA:25
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
25-60/483	PERFORM EMERGENCY LOCATOR TRANSMITTER PERIODIC INSPECTION ON KANNAD 406 AF ELT. IF INSTALLED							Service ATA:25
PN:9851380853	MOS/MSC	23-Aug-13	A/R					
SN:LX1100039855	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-63/23	ELT BATTERY							Component ATA:25
PN:51820506-01-E	MOS/MSC	30-Sep-20	DUE	TSN 0	28-Feb-25 (M)		38 d	DISCARD
SN:18140094	HRS	2082.2		TSN 0				
WC#: 25.020	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-63/434	DISCARD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD 406 AF NAV INTERFACE UNIT INSTALLED)							Service ATA:25
PN:S1825502-02	MOS	13-Mar-24	120 (+6m/-6m)		13-Mar-34	13-Sep-34	3338 d (+184)	DISCARD
SN:TM0000049547	HRS	2656	16000 (+500/-500)		18656	19156	15999.9 (+500)	
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250005	REMOTE CONTROL PANEL							Component ATA:25
PN:9851380817	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:TM0000046747	HRS	0		TSN 0				
WC#: 25.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250010	EMERGENCY LOCATOR TRANSMITTER							Component ATA:25
PN:9851380853	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:LX1100039855	HRS	0		TSN 0				
WC#: 25.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-00-00A-920A-APROC. REF: AMM 12-B-25-63-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250630	KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY (IF KANNAD ELT NAV INTERFACE IS INSTALLED) MODULE							Component ATA:25
PN:S1825502-02	MOS/MSC	23-Aug-23	O/C	TSR 0				
SN:TM0000049547	HRS	2609.3		TSR 0				
WC#: 25.060	AFL	2195		TSR 0				
PROC. REF: AMM 12-B-25-63-03-00A-920A-APROC. REF: AMM 12-B-25-63-03-00A-920A-A								
256015	CABLE ,S1825503-01 ASSEMBLY							Component ATA:25
PN:9851380859	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:TM0000049501	HRS	0		TSN 0				
WC#: 25.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256020	LH BLACK PILOT SEAT							Component ATA:25
PN:9593001165	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:70690	HRS	0		TSN 0				
WC#: 25.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A								
256025	RH BLACK CO-PILOT SEAT							Component ATA:25
PN:9593001166	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:70692	HRS	0		TSN 0				
WC#: 25.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A								
258010	PERFORM EMERGENCY LOCATOR TRANSMITTER (ELT) 12-MONTHS INSPECTION - FAR 91.207 (D)							Service ATA:25
	MOS	07-Oct-24	12		07-Oct-25		259 d	
	HRS	2656.1						
WC#: 25.110	AFL	2231						
PROC. REF: AMM 12-B-25-63-00-00A-903A-APROC. REF: AMM 12-B-25-63-00-00A-903A-A								
25C005 ^U	NO. 1 LIFE RAFT							Component ATA:25
PN:RAF1104-105	MOS/MSC	04-Mar-22	O/C					
SN:1928DW	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25C006 ^U	NO.1 LIFE RAFT INSPECTION							Service ATA:25
PN:RAF1104-105	MOS	20-May-24	12		20-May-25		119 d	
SN:1928DW	HRS	2656.1						
	AFL	2231						
25C007 ^U	NO. 2 LIFE RAFT							Component ATA:25
PN:RAF1104-105	MOS/MSC	04-Mar-22	O/C					
SN:2955IGA	HRS							
	AFL							
25C008 ^U	NO 2. LIFE RAFT INSPECTION							Service ATA:25
PN:RAF1104-105	MOS	20-May-24	12		20-May-25		119 d	
SN:2955IGA	HRS	2656.1						
	AFL	2231						
25C010 ^U	FIRST AID KIT							Component ATA:25
PN:Z308.1-2015	MOS/MSC	23-Mar-22	O/C					
SN:NSN	HRS							
	AFL							
25C011 ^U	INSPECTION FIRST AID KIT							Service ATA:25
PN:Z308.1-2015	MOS	20-Aug-24	12		20-Aug-25		211 d	
SN:NSN	HRS	2656.1						
	AFL	2231						
25CUS001 ^U	AERIAL SIGNAL LIGHTING SURVIVAL FLARE KIT INSPECTION							Service ATA:25
	MOS	07-Oct-24	12		07-Oct-25		259 d	
	HRS	2656.1						
	AFL	2231						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25CUS002 ^U	AERIAL SIGNAL LIGHTING SURVIVAL FLARE REPLACEMENT							Service ATA:25
	MOS	07-Oct-24	42		07-Apr-28		1172 d	
	HRS	2656.1						
	AFL	2231						

ATA 26 - FIRE PROTECTION

26-20/2	COCKPIT FIRE EXTINGUISHER							Component ATA:26
PN:9590806211	MOS	29-Nov-22	120		20-Jun-32		2707 d	LIFE LIMIT
SN:124627	HRS	2519.4		TSN 0				
WC#: 26.010	AFL	2086		TSN 0				
Manufacture Date:: 20-Jun-22								
PROC. REF: AMM 12-B-26-20-01-00A-920A-APROC. REF: AMM 12-B-26-20-01-00A-920A-A								

26-20/24	COCKPIT FIRE EXTINGUISHER CONTENTS CHECK (EXCEPT MODEL P3APP003010D - P/N 959.08.06.224)							Service ATA:26
PN:9590806211	MOS	20-Aug-24	12 (+1m/-1m)		20-Aug-25	20-Sep-25	211 d (+31)	
SN:124627	HRS	2656.1						
WC#: 26.010	AFL	2231						
PROC. REF: AMM 12-B-26-20-00-01A-289A-APROC. REF: AMM 12-B-26-20-00-01A-289A-A								

260005	FIRE/OVERHEAT DETECTOR							Component ATA:26
PN:9751210012	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:212864	HRS	0		TSN 0				
WC#: 26.020	AFL	0		TSN 0				
PROC. REF: AMM 12-B-26-10-01-00A-920A-APROC. REF: AMM 12-B-26-10-01-00A-920A-A								

ATA 27 - FLIGHT CONTROLS

27-00/138 ^S	AILERON, ELEVATOR AND RUDDER CONTROLS - OPERATE, MAKE SURE FULL AND FREE TRAVEL							Service ATA:27
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)					
	AFL	2084						
PKG:16								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00/402	EXAMINE - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES							Service ATA:27
	MOS	23-Aug-13						
	HRS	0	T:32500 (+500/-500)		32500	33000	29843.9 (+500)	
WC#: 27.255	AFL	0	T:42000 (+500/-500)		42000	42500	39769 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK							Service ATA:27
	MOS	23-Aug-23	60 (+10%/-10%)		23-Aug-28	23-Feb-29	1310 d (+184)	
	HRS	2609.3	4800 (+10%/-10%)		7409.3	7889.3	4753.2 (+480)	
WC#: 27.010	AFL	2195						
PROC. REF: AMM 12-B-27-00-00-00A-313A-APROC. REF: AMM 12-B-27-00-00-00A-313A-A								
27-10/139 ^S	AILERON LH AND RH - EXAMINE AND LUBRICATE THE TRIMHINGES WITH MINIMUM QUANTITY OFCPC (MAT. NO. P10-001)							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
27-10/235 ^S	EXAMINE AILERON ELECTRICAL BONDING STRAPS							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/236 ^S	AILERON CONTROL SYSTEM - INSPECTION/ CHECK							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-27-10-00-00A-313A-APROC. REF: AMM 12-B-27-10-00-00A-313A-A								PKG:19
27-10/237 ^S	CHECK AILERON CABLE TENSION							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A								PKG:19
27-10/238 ^S	FUNCTIONAL TEST AILERONS							Service ATA:27
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A								PKG:20
27-10/394	AILERON CONTROL SYSTEM - EXAMINE							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.155	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A								
27-10/395	EDDY CURRENT INSPECTION AILERON CABLE SEGMENT							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.160	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-27-10-09-00A-353A-APROC. REF: AMM 12-B-27-10-09-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/396	EDDY CURRENT INSPECTION - AILERON CONTROL RODS							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.165	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A								
27-10/397	MAGNETIC PARTICLE INSPECT - AILERON CONTROL RODS							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.170	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A								
27-10/398	AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.175	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-APROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-A								
27-10/400	EDDY CURRENT INSPECTION - LEFT WING AILERON HINGE POINTS							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.215	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-57-60-06-00A-353A-APROC. REF: AMM 12-B-57-60-06-00A-353A-A								
27-10/400	EDDY CURRENT INSPECTION - RIGHT WING AILERON HINGE POINTS							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-57-60-06-00A-353A-APROC. REF: AMM 12-B-57-60-06-00A-353A-A								
27-10/444	FLIGHT CONTROL CABLES, AILERON							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: AMM 12-B-27-10-01-00A-920A-APROC. REF: AMM 12-B-27-10-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/445	AUTOPILOT CONTROL CABLE, AILERON							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: AMM 12-B-27-10-02-00A-920A-APROC. REF: AMM 12-B-27-10-02-00A-920A-A								
27-10/470 ^S	LUBRICATE AILERON CONTROL SYSTEM BEARINGS							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PKG:19								
PROC. REF: AMM 12-B-27-10-00-00A-901A-APROC. REF: AMM 12-B-27-10-00-00A-901A-A								
27-15/239 ^S	FUNCTIONAL TEST AILERON TRIM							Service ATA:27
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PKG:20								
PROC. REF: AMM 12-B-27-15-00-00A-903A-APROC. REF: AMM 12-B-27-15-00-00A-903A-A								
27-20/140 ^S	INSPECTION/CHECK RUDDER							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PKG:3								
PROC. REF: AMM 12-B-55-40-00-00A-313A-APROC. REF: AMM 12-B-55-40-00-00A-313A-A								
27-20/240 ^S	EXAMINE RUDDER STATIC DISCHARGERS							Service ATA:27
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PKG:20								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/241	^S	RUDDER CONTROL SYSTEM - INSPECTION/ CHECK						Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-27-20-00-00A-313A-APROC. REF: AMM 12-B-27-20-00-00A-313A-A								PKG:19
27-20/243	^S	CHECK RUDDER CABLE TENSION						Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								PKG:19
27-20/244	^S	FUNCTIONAL TEST RUDDER						Service ATA:27
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								PKG:20
27-20/245	^S	FUNCTIONAL TEST RUDDER TRIM						Service ATA:27
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-27-25-00-00A-903A-APROC. REF: AMM 12-B-27-25-00-00A-903A-A								PKG:20
27-20/246	^S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS						Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/374	RUDDER CONTROL SYSTEM - EXAMINE							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.180	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-27-20-00-00A-310A-APROC. REF: AMM 12-B-27-20-00-00A-310A-A								
27-20/376	EXAMINE RUDDER CABLE QUADRANT SHEAR SPIGOT							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.190	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-27-20-05-00A-310A-APROC. REF: AMM 12-B-27-20-05-00A-310A-A								
27-20/430	RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED							Service ATA:27
	MOS/MSC	19-Jun-14	O/C					
	HRS	126.7						
	AFL	93						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/431	RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER)							Service ATA:27
	MOS/MSC	17-Jun-15	A/R					
	HRS	359.6						
	AFL	229						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/446	FLIGHT CONTROL CABLES, RUDDER							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: AMM 12-B-27-20-01-00A-920A-APROC. REF: AMM 12-B-27-20-01-00A-920A-A								
27-20/447	AUTOPILOT CONTROL CABLES, RUDDER							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-20-02-00A-920A-APROC. REF: AMM 12-B-27-20-02-00A-920A-A								
27-20/575	REPLACE RUDDER BELLCRANK							Service ATA:27
PN:PN	MOS	23-Aug-13						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		17343.9	
	AFL	0	27000		27000		24769	
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A								
27-30/141 ^S	EXAMINE ELEVATORS							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
27-30/247 ^S	EXAMINE ELEVATOR ELECTRICAL BONDING STRAPS							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
27-30/248 ^S	EXAMINE ELEVATOR STATIC DISCHARGERS							Service ATA:27
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:20
27-30/249 ^S	ELEVATOR CONTROL SYSTEM - INSPECTION/ CHECK							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/250 ^S	CHECK ELEVATOR CABLE TENSION							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								PKG:19
27-30/251 ^S	FUNCTIONAL TEST ELEVATOR							Service ATA:27
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								PKG:20
27-30/333	ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED							Service ATA:27
	MOS/MSC	19-Jun-14	O/C					
	HRS	126.7						
WC#: 27.150	AFL	93						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								
27-30/334	CHECK FLIGHT CONTROL CABLES, ELEVATOR ELEVATOR CONTROL CABLES TENSION - AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)							Service ATA:27
	MOS/MSC	19-Jun-14	A/R					
	HRS	126.7						
	AFL	93						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								
27-30/363	ELEVATOR - CONTROL SYSTEM - EXAMINE							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.195	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-27-30-00-00A-310A-APROC. REF: AMM 12-B-27-30-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/364	EDDY CURRENT INSPECTION - ELEVATOR CONTROL RODS							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.200	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A								
27-30/365	MAGNETIC PARTICLE INSPECT - ELEVATOR CONTROL RODS							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.205	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A								
27-30/366	EDDY CURRENT INSPECTION - ELEVATOR CONTROL LEVER							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 27.210	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-27-30-05-00A-353A-APROC. REF: AMM 12-B-27-30-05-00A-353A-A								
27-30/448	FLIGHT CONTROL CABLES, ELEVATOR							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: AMM 12-B-27-30-01-00A-920A-APROC. REF: AMM 12-B-27-30-01-00A-920A-A								
27-30/449	AUTOPILOT CONTROL CABLES, ELEVATOR							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: AMM 12-B-27-30-02-00A-920A-APROC. REF: AMM 12-B-27-30-02-00A-920A-A								
27-30/450	STICK PUSHER CABLES							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/514 ^S	EXAMINE - ELEVATOR STOPS							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-55-20-01-00A-904B-APROC. REF: AMM 12-B-55-20-01-00A-904B-A								PKG:19
27-40/1	HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR)							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)		07-Oct-25	13-Nov-25	259 d (+37)	AIRWORTHINESS
	HRS	2656.1	3000		5656.1		3000	
WC#: 27.021	AFL	2231						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/142 ^S	OPERATIONAL TEST HORIZONTAL STABILIZER TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								PKG:3
27-40/252 ^S	INSPECTION / CHECK PITCH TRIM ACTUATOR AND ATTACHMENTS							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-27-40-01-00A-313A-APROC. REF: AMM 12-B-27-40-01-00A-313A-A								PKG:19
27-40/26	OVERHAUL PITCH TRIM ACTUATOR							Service ATA:27
PN:129-1-1100-02	MOS	30-Sep-20	84		30-Sep-27		982 d	OVERHAUL
SN:2311	HRS	2082.2	3400		5482.2		2826.1	
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40/291 ^S	OPERATIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM							Service ATA:27
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)					
	AFL	2084						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								PKG:16
27-40/292 ^S	FUNCTIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								PKG:19
27-40/3	REPLACE PITCH TRIM ACTUATOR							Service ATA:27
PN:129-1-1100-02	MOS	30-Sep-20						LIFE LIMIT
SN:2311	HRS	2082.2	20000		22082.2		19426.1	
	AFL	1508	27000		28508		26277	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-40/307	PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL SAFE PLATES AND THEIR ATTACHMENT PARTS (IPC 12-20-00-7)							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	10000	TSN 0	10000		7343.9	
WC#: 27.036	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-40-02-00A-920A-APROC. REF: AMM 12-B-27-40-02-00A-920A-A								
27-40/574	DISCARD MANUAL PITCH TRIM RELAYS (P/N 974.20.01.221) K161D2 K161E2 ON LH RELAY PANEL A161							Service ATA:27
PN:974.20.01.221	MOS	07-Oct-24	12 (+10%/-10%)		07-Oct-25	13-Nov-25	259 d (+37)	DISCARD
SN:UNKNOWN	HRS	2656.1	1200 (+10%/-10%)		3856.1	3976.1	1200 (+120)	
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/143 ^S	LOWER FLAPS TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION							Service ATA:27
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:15 ,3,16,17,18,19,20
27-50/144 ^S	EXAMINE FLAPS AND FLAP SUPPORT MECHANISM							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
27-50/253 ^S	EXAMINE FLAPS ELECTRICAL BONDING STRAPS							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
27-50/254 ^S	EXAMINE FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
27-50/255 ^S	FUNCTIONAL TEST FLAPS AND ASYMMETRY MONITOR TEST							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-27-50-00-00A-903A-APROC. REF: AMM 12-B-27-50-00-00A-903A-A								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/28	FLAP POWER DRIVE UNIT							Component ATA:27
PN:9787320003	MOS	23-Aug-13		TSN 0				OVERHAUL
SN:1205	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7343.9 (+500)	
WC#: 27.030	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11269 (+500)	
PROC. REF: AMM 12-B-27-50-01-00A-920A-APROC. REF: AMM 12-B-27-50-01-00A-920A-A								
27-50/31	LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT							Component ATA:27
PN:9450202205	MOS	23-Aug-13		TSN 0				DISCARD
SN:S7045	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7343.9 (+500)	
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11269 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/31	LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT							Component ATA:27
PN:9450202206	MOS	23-Aug-13		TSN 0				DISCARD
SN:S7142	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7343.9 (+500)	
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11269 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/31	RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT							Component ATA:27
PN:9450202205	MOS	23-Aug-13		TSN 0				DISCARD
SN:S7047	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7343.9 (+500)	
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11269 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/31	RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT							Component ATA:27
PN:9450202206	MOS	23-Aug-13		TSN 0				DISCARD
SN:S7143	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7343.9 (+500)	
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11269 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/386	FLAP MECHANISM - EXAMINE							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
WC#: 27.220	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/387	EDDY CURRENT INSPECTION - FLAP DRIVE ARM (NOT REMOVED)							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:25000		25000		22343.9	
WC#: 27.225	AFL	0	T:30000		30000		27769	
PROC. REF: AMM 12-B-27-51-00-00A-353A-APROC. REF: AMM 12-B-27-51-00-00A-353A-A								
27-50/388	EDDY CURRENT INSPECTION FLAP DRIVE ARM (REMOVED)							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
WC#: 27.230	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/389	EDDY CURRENT INSPECTION - LEFT WING FLAP SUPPORT ARM							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
WC#: 27.235	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/389	EDDY CURRENT INSPECTION - RIGHT WING FLAP SUPPORT ARM							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/390	EDDY CURRENT INSPECTION - LEFT WING FLAP COVE RIB FITTINGS							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
WC#: 27.240	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/390	EDDY CURRENT INSPECTION - RIGHT WING FLAP COVE RIB FITTINGS							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/391	EDDY CURRENT INSPECTION - FLAP AFT LINKS							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
WC#: 27.245	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/392	EDDY CURRENT INSPECTION - FLAP BELLCRANKS							Service ATA:27
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
WC#: 27.250	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/414	LEFT HAND FLAP							Component ATA:27
PN:5575012003	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:1194P	HRS	0	25000	TSN 0	25000		22343.9	
WC#: 57.060	AFL	0	30000	TSN 0	30000		27769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/414	RIGHT HAND FLAP							Component ATA:27
PN:5575012004	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:1196P	HRS	0	25000	TSN 0	25000		22343.9	
WC#: 57.060	AFL	0	30000	TSN 0	30000		27769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/437	INBOARD FLAP DRIVE ARMS - IN-SITU INSPECTION/CHECK							Service ATA:27
	MOS	20-Aug-24	12 (+10%/-10%)		20-Aug-25	26-Sep-25	211 d (+37)	AIRWORTHINESS
	HRS	2656.1	600 (+10%/-10%)		3256.1	3316.1	600 (+60)	
	AFL	2231						
PROC. REF: AMM 12-B-27-51-00-00A-313A-A PROC. REF: AMM 12-B-27-51-00-00A-313A-A								
27-50/443 ^S	SERVICE FLAP UP AND DOWN LIMIT SWITCHES							Service ATA:27
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-12-20-07-00A-902A-APROC. REF: AMM 12-B-12-20-07-00A-902A-A								
27-50/451	LEFT INBOARD FLAP TENSION RODS							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/451	LEFT MID FLAP TENSION ROD							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/451	LEFT OUTBOARD FLAP TENSION ROD							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/451	RIGHT INBOARD FLAP TENSION ROD							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/451	RIGHT MID FLAP TENSION ROD							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/451	RIGHT OUTBOARD FLAP TENSION ROD							Component ATA:27
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/475 ^S	RETRACT FLAPS TO 0 DEGREES TO CLOSE THE INSPECTION							Service ATA:27
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
								PKG:15 ,3,16,17,18,19,20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/485	LEFT INBOARD FLAP ACTUATOR							Component ATA:27
PN:9787320309	MOS	23-Aug-13		TSN 0				DISCARD
SN:4803	HRS	0	20000	TSN 0	20000		17343.9	
WC#: 27.040	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/485	LEFT OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:9787320309	MOS	23-Aug-13		TSN 0				DISCARD
SN:4808	HRS	0	20000	TSN 0	20000		17343.9	
WC#: 27.041	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/485	RIGHT INBOARD FLAP ACTUATOR							Component ATA:27
PN:9787320309	MOS	23-Aug-13		TSN 0				DISCARD
SN:4806	HRS	0	20000	TSN 0	20000		17343.9	
WC#: 27.050	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/485	RIGHT OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:9787320309	MOS	23-Aug-13		TSN 0				DISCARD
SN:4809	HRS	0	20000	TSN 0	20000		17343.9	
WC#: 27.051	AFL	0	27000	TSN 0	27000		24769	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/495	BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	23-Aug-23	24 (+10%/-10%)		23-Aug-25	04-Nov-25	214 d (+73)	
SN:4803	HRS	2609.3	2400 (+10%/-10%)		5009.3	5249.3	2353.2 (+240)	
WC#: 27.040	AFL	2195	3200 (+10%/-10%)		5395	5715	3164 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495	BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	23-Aug-23	24 (+10%/-10%)		23-Aug-25	04-Nov-25	214 d (+73)	
SN:4808	HRS	2609.3	2400 (+10%/-10%)		5009.3	5249.3	2353.2 (+240)	
WC#: 27.041	AFL	2195	3200 (+10%/-10%)		5395	5715	3164 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495	BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	23-Aug-23	24 (+10%/-10%)		23-Aug-25	04-Nov-25	214 d (+73)	
SN:4806	HRS	2609.3	2400 (+10%/-10%)		5009.3	5249.3	2353.2 (+240)	
WC#: 27.050	AFL	2195	3200 (+10%/-10%)		5395	5715	3164 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495	BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	23-Aug-23	24 (+10%/-10%)		23-Aug-25	04-Nov-25	214 d (+73)	
SN:4809	HRS	2609.3	2400 (+10%/-10%)		5009.3	5249.3	2353.2 (+240)	
WC#: 27.051	AFL	2195	3200 (+10%/-10%)		5395	5715	3164 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/506	OVERHAUL LEFT INBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	23-Aug-13						OVERHAUL
SN:4803	HRS	0	5000 (+10%/-10%)		5000	5500	2343.9 (+500)	
WC#: 27.040	AFL	0	7000 (+500/-500)		7000	7500	4769 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/506	OVERHAUL LEFT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	23-Aug-13						OVERHAUL
SN:4808	HRS	0	5000 (+10%/-10%)		5000	5500	2343.9 (+500)	
WC#: 27.041	AFL	0	7000 (+500/-500)		7000	7500	4769 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/506	OVERHAUL RIGHT INBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	23-Aug-13						OVERHAUL
SN:4806	HRS	0	5000 (+10%/-10%)		5000	5500	2343.9 (+500)	
WC#: 27.050	AFL	0	7000 (+500/-500)		7000	7500	4769 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/506	OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	23-Aug-13						OVERHAUL
SN:4809	HRS	0	5000 (+10%/-10%)		5000	5500	2343.9 (+500)	
WC#: 27.051	AFL	0	7000 (+500/-500)		7000	7500	4769 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/576 ^S	LUBRICATE LEFT INBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	07-Oct-24	12 (+10%/-10%)					
SN:4803	HRS	2656.1	300 (+10%/-10%)					
WC#: 27.040	AFL	2231						
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A								PKG:3
27-50/576 ^S	LUBRICATE LEFT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	07-Oct-24	12 (+10%/-10%)					
SN:4808	HRS	2656.1	300 (+10%/-10%)					
WC#: 27.041	AFL	2231						
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/576 ^S		LUBRICATE RIGHT INBOARD FLAP ACTUATOR					Service	ATA:27
PN:9787320309	MOS	07-Oct-24	12 (+1m/-1m)					
SN:4806	HRS	2656.1	300 (+10%/-10%)					
WC#: 27.050	AFL	2231						
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A								PKG:3
27-50/576 ^S		LUBRICATE RIGHT OUTBOARD FLAP ACTUATOR					Service	ATA:27
PN:9787320309	MOS	07-Oct-24	12 (+1m/-1m)					
SN:4809	HRS	2656.1	300 (+10%/-10%)					
WC#: 27.051	AFL	2231						
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A								PKG:3
270003		HORIZONTAL TAIL ASSY					Component	ATA:27
PN:5551012037	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1224	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A								
270015		ELEVATOR LH ASSY					Component	ATA:27
PN:5552012039	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1289	HRS	0		TSN 0				
WC#: 27.015	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A								
270023		ELEVATOR RH ASSY					Component	ATA:27
PN:5552012040	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1289	HRS	0		TSN 0				
WC#: 27.023	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A								
270025		RUDDER TRIM LINEAR ACTUATOR					Component	ATA:27
PN:9787318138	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0791	HRS	0		TSN 0				
WC#: 27.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-25-01-00A-920A-APROC. REF: AMM 12-B-27-25-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270030	FIN ASSY							Component ATA:27
PN:5553012041	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6014	HRS	0		TSN 0				
WC#: 27.031	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-30-01-00A-920A-APROC. REF: AMM 12-B-55-30-01-00A-920A-A								
270033	RUDDER ASSY							Component ATA:27
PN:5554012040	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1196P	HRS	0		TSN 0				
WC#: 27.033	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-40-01-00A-920A-APROC. REF: AMM 12-B-55-40-01-00A-920A-A								
270035	FLAP CONTROL AND WARNING UNIT							Component ATA:27
PN:9787320017	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:131566	HRS	0		TSN 0				
WC#: 27.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-05-00A-920A-APROC. REF: AMM 12-B-27-50-05-00A-920A-A								
270041	RUDDER BELLCRANK							Component ATA:27
PN:PN	MOS/MSC	23-Aug-13	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A								
270045	LH INBOARD TRANSMITTER							Component ATA:27
PN:9787320021	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1310002DW	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
270050	LH ROTATION TRANSMITTER							Component ATA:27
PN:9787320602	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1951	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270060	LH OUTBOARD TRANSMITTER							Component ATA:27
PN:9787320021	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1350059DY	HRS	0		TSN 0				
WC#: 27.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
270070	RH INBOARD TRANSMITTER							Component ATA:27
PN:9787320021	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1310111DY	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
270075	RH ROTATION,C70016705 TRANSMITTER							Component ATA:27
PN:9787320602	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1954	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
270080	KTA2810,TRIM ADAPTER							Component ATA:27
PN:9859912249	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KTA2810-1741	HRS	0		TSN 0				
WC#: 22.135	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-07-00A-920A-A, AMM 12-B-22-10-07-00A-920B-APROC. REF: AMM 12-B-22-10-07-00A-920A-A, AMM 12-B-22-10-07-00A-920B-A								
270090	AILERON LINEAR ACTUATOR							Component ATA:27
PN:9787318138	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0790	HRS	0		TSN 0				
WC#: 27.140	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-15-01-00A-920A-APROC. REF: AMM 12-B-27-15-01-00A-920A-A								
270095	RH OUTBOARD TRANSMITTER							Component ATA:27
PN:9787320021	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1350042DW	HRS	0		TSN 0				
WC#: 27.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
274020	PITCH TRIM ACTUATOR							Component ATA:27
PN:129-1-1100-02	MOS/MSC	30-Sep-20	H/T	TSN 6				
SN:2311	HRS	2082.2		TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								
274030	MANUAL PITCH TRIM RELAYS							Component ATA:27
PN:974.20.01.221	MOS/MSC	07-Oct-24	H/T	TSN 0				
SN:UNKNOWN	HRS	2656.1		TSN 0				
	AFL	2231		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 28 - FUEL								
28-10/145 ^S	EXAMINE FUEL TANK FILLER CAPS							Service ATA:28
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
28-10/146 ^S	SAMPLE FUEL - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER							Service ATA:28
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-28-10-02-00A-901A-APROC. REF: AMM 12-B-28-10-02-00A-901A-A								PKG:3
28-10/306	OPERATIONAL TEST FUEL CROSS VENT AND OUTWARD CHECK VALVE							Service ATA:28
	MOS	01-Nov-21						
	HRS	2336.5	2400 (+10%/-10%)		4736.5	4976.5	2080.4 (+240)	
WC#: 28.029	AFL							
PROC. REF: AMM 12-B-28-10-01-00A-903A-APROC. REF: AMM 12-B-28-10-01-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-20/147 ^S	OPERATIONAL TEST FUEL TANK VENT VALVE AND FLAME ARRESTOR							Service ATA:28
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-28-20-07-00A-903A-APROC. REF: AMM 12-B-28-20-07-00A-903A-A								PKG:3
28-20/148 ^S	REMOVE/CLEAN FUEL FILTER ELEMENT							Service ATA:28
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-28-20-01-00A-920A-A, AMM 12-B-28-20-01-00A-250A-APROC. REF: AMM 12-B-28-20-01-00A-920A-A, AMM 12-B-28-20-01-00A-250A-A								PKG:3
28-20/149 ^S	OPERATE FIREWALL SHUTOFF VALVE FUEL EMERG SHUTOFF LEVER AND MAKE SURE FIREWALL SHUTOFF VALVE OPENS AND CLOSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT LEVER OUTER END IS BELOW 10 LBF (4-4.5 N)							Service ATA:28
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:18
28-20/150 ^S	EXAMINE ENGINE DRIVEN PUMP							Service ATA:28
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
28-20/256 ^S	FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED / REMOVED IN THIS INSPECTION PACKAGE							Service ATA:28
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-20/32	OVERHAUL ENGINE DRIVEN PUMP							Service ATA:28
PN:RG9570R1/M	MOS	23-Aug-13		TSN 0				OVERHAUL
SN:B3921	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	843.9 (+350)	
WC#: 28.010	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-03-00A-920A-APROC. REF: AMM 12-B-28-20-03-00A-920A-A								
280005	LOW PRESSURE FUEL PUMP							Component ATA:28
PN:RG9570R1/M	MOS/MSC	17-Jun-15	O/C	TSO 1				
SN:B3921	HRS	359.6		TSO 0				
WC#: 28.120	AFL	229		TSO 0				
PROC. REF: AMM 12-B-28-20-03-00A-920A-APROC. REF: AMM 12-B-28-20-03-00A-920A-A								
280010	FUEL FLOW TRANSMITTER							Component ATA:28
PN:9753512108	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:AAE8759	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-73-30-01-00A-920A-APROC. REF: AMM 12-B-73-30-01-00A-920A-A								
280012	FUEL CONTROL MONITORING UNIT							Component ATA:28
PN:975.37.31.336	MOS/MSC	07-Aug-14	O/C	TSR 8				
SN:166	HRS	130.9		TSR 0				
WC#: 28.155	AFL	101		TSR 0				
PROC. REF: AMM 12-B-28-40-04-00A-920A-A, AMM 12-B-73-20-01-00A-920A-APROC. REF: AMM 12-B-28-40-04-00A-920A-A, AMM 12-B-73-20-01-00A-920A-A								
280015	FIREWALL FUEL,SHUT-OFF VALVE							Component ATA:28
PN:9638722301	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:3043	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-08-00A-920A-APROC. REF: AMM 12-B-28-20-08-00A-920A-A								
280020	MAINTENANCE FUEL SHUT-OFF VALVE							Component ATA:28
PN:9638722301	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:3035	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-12-00A-920A-APROC. REF: AMM 12-B-28-20-12-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280025	FUEL FILTER ASSY							Component ATA:28
PN:9683521001	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:2013FFT919	HRS	0		TSN 0				
WC#: 28.025	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-01-00A-920A-APROC. REF: AMM 12-B-28-20-01-00A-920A-A								
280030	FUEL LOW PRESSURE SWITCH							Component ATA:28
PN:9738114102	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:2201	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-02-00A-920A-APROC. REF: AMM 12-B-28-20-02-00A-920A-A								
280035	EJECTOR,TRANSFER LH PUMP							Component ATA:28
PN:9688471104	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:B5113	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-05-00A-920A-APROC. REF: AMM 12-B-28-20-05-00A-920A-A								
280040	EJECTOR,DELIVERY LH PUMP							Component ATA:28
PN:9688471105	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:B5275	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-06-00A-920A-APROC. REF: AMM 12-B-28-20-06-00A-920A-A								
280045	FUEL QUANTITY OUTER LH SENSOR							Component ATA:28
PN:9753731230	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1688	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280050	FUEL QUANTITY,CENTRAL LH SENSOR							Component ATA:28
PN:9753731229	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1639	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280055	FUEL QUANTITY,INNER LH SENSOR							Component ATA:28
PN:9753731228	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1637	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280060	FUEL QUANTITY,COLLECTOR LH SENSOR							Component ATA:28
PN:9753731227	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1646	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280065	FUEL,BOOSTER LH PUMP							Component ATA:28
PN:9688411405	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:B7979	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-04-00A-920A-APROC. REF: AMM 12-B-28-20-04-00A-920A-A								
280070	EJECTOR,TRANSFER RH PUMP							Component ATA:28
PN:9688471104	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:B5126	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-05-00A-920A-APROC. REF: AMM 12-B-28-20-05-00A-920A-A								
280075	EJECTOR,DELIVERY RH PUMP							Component ATA:28
PN:9688471105	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:B5278	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-06-00A-920A-APROC. REF: AMM 12-B-28-20-06-00A-920A-A								
280080	FUEL QUANTITY,COLLECTOR RH SENSOR							Component ATA:28
PN:9753731227	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1643	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280085	FUEL QUANTITY,INNER RH SENSOR							Component ATA:28
PN:9753731228	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1647	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280090	FUEL QUANTITY,CENTRAL RH SENSOR							Component ATA:28
PN:9753731229	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1641	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280095	FUEL QUANTITY,OUTER RH SENSOR							Component ATA:28
PN:9753731230	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1679	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280100	FUEL,BOOSTER RH PUMP							Component ATA:28
PN:9688411405	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:B7977	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-04-00A-920A-APROC. REF: AMM 12-B-28-20-04-00A-920A-A								
280105	TOP CHECK VALVE							Component ATA:28
PN:9630423105	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:3027	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
280110	BOTTOM CHECK VALVE							Component ATA:28
PN:9630423105	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:3025	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280115	LH FUEL QUANTITY, TANK HARNESS							Component ATA:28
PN:9753731335	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1169	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
280120	RH FUEL QUANTITY, TANK HARNESS							Component ATA:28
PN:9753731335	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1166	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 29 - HYDRAULIC POWER								
29-10/151 ^S	RETURN LINE FILTER DIFFERENTIAL PRESSURE INDICATOR (IF INSTALLED) - MAKE SURE THAT IT HAS NOT COME OUT. IF INDICATOR FOUND OUT, DO THE INSPECTION/CHECK PROCEDURE							Service ATA:29
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-29-10-04-00A-313A-APROC. REF: AMM 12-B-29-10-04-00A-313A-A								PKG:18
29-10/153 ^S	RESERVOIR TANK (IF INSTALLED) - MAKE SURE NITROGEN PRESSURE IS CORRECT. PRESSURIZE AS NECESSARY							Service ATA:29
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-29-00-00-00A-902A-APROC. REF: AMM 12-B-29-00-00-00A-902A-A								PKG:3
29-10/257 ^S	POWER PACK (IF INSTALLED) - EXAMINE SPECIALLY FOR LEAKS AND CRACKS ON THE END PLATES AND WHERE MOTOR IS ATTACHED							Service ATA:29
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-29-00-00-00A-902A-APROC. REF: AMM 12-B-29-00-00-00A-902A-A								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-10/259 ^S	POWER PACK ELECTRIC MOTOR SHAFT SEAL DRAIN FLUID COLLECTOR BOTTLE (IF INSTALLED) - REMOVE, CLEAN AND RE-INSTALL							Service ATA:29
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
29-10/316 ^S	HYDRAULIC SYSTEM (IF INSTALLED) - MAKE SURE FLUID LEVEL INDICATOR ON THE RESERVOIR TANK SHOWS FULL. FILL AS NEEDED.							Service ATA:29
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-29-00-00-00A-902A-APROC. REF: AMM 12-B-29-00-00-00A-902A-A								PKG:3
29-10/418	NITROGEN ACCUMULATOR (IF INSTALLED)							Component ATA:29
PN:9603001292	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:1354L	HRS	0	25000	TSN 0	25000		22343.9	
WC#: 29.020	AFL	0	30000	TSN 0	30000		27769	
PROC. REF: AMM 12-B-29-10-02-00A-920A-APROC. REF: AMM 12-B-29-10-02-00A-920A-A								
29-10/471 ^S	CHECK NITROGEN ACCUMULATOR PRESSURE AND FILL AS NECESSARY (P/N 960.30.01.292)							Service ATA:29
PN:9603001292	MOS	23-Aug-23	24 (+10%/-10%)					
SN:1354L	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-29-10-02-00A-901A-APROC. REF: AMM 12-B-29-10-02-00A-901A-A								PKG:20
290015	PRESSURE GAGE SWITCH							Component ATA:29
PN:9738114307	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0485	HRS	0		TSN 0				
WC#: 29.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
290025	SERVICE SELECTOR VALVE							Component ATA:29
PN:9603001261	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:G1320822A	HRS	0		TSN 0				
WC#: 29.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-03-00A-920A-APROC. REF: AMM 12-B-32-30-03-00A-920A-A								
290030	PRESSURE GAUGE							Component ATA:29
PN:965.61.88.101	MOS/MSC	17-Nov-22	O/C	TSN 0				
SN:2498833-4	HRS	2511.3		TSN 0				
WC#: 29.080	AFL	2084		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
290040	HAND PUMP							Component ATA:29
PN:9688582111	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1237	HRS	0		TSN 0				
WC#: 29.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-29-20-01-00A-920A-APROC. REF: AMM 12-B-29-20-01-00A-920A-A								
290050	PRESSURE NITROGEN SWITCH							Component ATA:29
PN:9738114306	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1611	HRS	0		TSN 0				
WC#: 29.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-29-10-07-00A-920A-APROC. REF: AMM 12-B-29-10-07-00A-920A-A								
291010	HYDRAULIC POWER PACK							Component ATA:29
PN:9603001154	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:G1321290	HRS	0		TSN 0				
WC#: 29.010	AFL	0		TSN 0				
PROC. REF: AMM 12-B-29-10-01-00A-920A-APROC. REF: AMM 12-B-29-10-01-00A-920A-A								
ATA 30 - ICE AND RAIN PROTECTION								
30-10-02-00A-901A-A	EJECTOR FLOW CONTROL VALVE MAINTENANCE PRACTICES							Service ATA:30
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-30-10-02-00A-901A-APROC. REF: AMM 12-B-30-10-02-00A-901A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-10/154 ^S	INSPECTION/CHECK WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS							Service ATA:30
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A								PKG:3
30-10/155 ^S	OPERATIONAL TEST INERTIAL SEPARATION SYSTEM							Service ATA:30
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-30-20-00-00A-903A-APROC. REF: AMM 12-B-30-20-00-00A-903A-A								PKG:18
30-10/260 ^S	FUNCTIONAL TEST AIRFOIL DE-ICE SYSTEM							Service ATA:30
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-30-10-00-00A-903A-A, AMM 12-B-30-10-00-00A-903B-APROC. REF: AMM 12-B-30-10-00-00A-903A-A, AMM 12-B-30-10-00-00A-903B-A								PKG:19
30-10/79	APPLY TO AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO.1							Service ATA:30
	MOS	07-Oct-24	6 (+10%/-10%)		07-Apr-25	25-Apr-25	76 d (+18)	
	HRS	2656.1						
WC#: 30.010	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
30-20/156 ^S	EXAMINE ENGINE AIR INTAKE DE-ICE LIP AND LOOK FOR SIGNS OF GAS LEAKS, NONE ARE PERMITTED							Service ATA:30
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-20/261 ^S	EXAMINE AIR BY-PASS DOOR AND OPERATING MECHANISM AND LUBRICATE WITH MINIMUM QUANTITY OF P10-001							Service ATA:30
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
30-30/329 ^S	FUNCTIONAL TEST PROBES DE-ICE SYSTEM							Service ATA:30
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-30-30-20-00A-903A-APROC. REF: AMM 12-B-30-30-20-00A-903A-A								PKG:18
30-40/262 ^S	OPERATIONAL TEST WINDSHIELD DE-ICE SYSTEM							Service ATA:30
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: AMM 12-B-30-40-00-00A-903A-APROC. REF: AMM 12-B-30-40-00-00A-903A-A								PKG:20
30-60/158 ^S	INSPECTION/CHECK PROPELLER DE-ICE SYSTEM							Service ATA:30
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-30-60-00-00A-313A-A, AMM 12-B-30-60-00-00A-313B-APROC. REF: AMM 12-B-30-60-00-00A-313A-A, AMM 12-B-30-60-00-00A-313B-A								PKG:18
30-60/159 ^S	OPERATIONAL TEST PROPELLER DE-ICE SYSTEM							Service ATA:30
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-30-60-00-00A-903A-A, AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903C-A, AMM 12-B-30-60-00-00A-903D-APROC. REF: AMM 12-B-30-60-00-00A-903A-A, AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903C-A, AMM 12-B-30-60-00-00A-903D-A								PKG:18

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300005	PROP DE-ICE CONTROLLER							Component ATA:30
PN:9682913227	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:U2559	HRS	0		TSN 0				
WC#: 30.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300010	LPMI LINEAR ACTUATOR							Component ATA:30
PN:9787315302	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:C85187	HRS	0		TSN 0				
WC#: 30.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300015	REGULATOR-RELIEVER ASSY							Component ATA:30
PN:9598901012	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:N130279	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300020	L606 LOWER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE							Component ATA:30
PN:9598901008	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:N123689	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
300025	L605 UPPER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE							Component ATA:30
PN:9598901008	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:N123680	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
300035	L601 LOWER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE							Component ATA:30
PN:9598901008	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:N123686	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300040	L600 UPPER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE							Component ATA:30
PN:9598901008	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:N123687	HRS	0		TSN 0				
WC#: 30.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
300045	EMPENAGE PRESSURE GAGE SWITCH							Component ATA:30
PN:9738114312	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6697	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300050	WATER SEPARATOR							Component ATA:30
PN:9598901010	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:N130854	HRS	0		TSN 0				
WC#: 30.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300055	DE-ICING SYSTEM TIMER							Component ATA:30
PN:9598901014	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:U2598	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-60-01-00A-920A-APROC. REF: AMM 12-B-30-60-01-00A-920A-A								
300060	LEFT WINDSHIELD DE ICE CONTROLLER							Component ATA:30
PN:9728132202	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:131439	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
300065	RIGHT WINDSHIELD DE ICE CONTROLLER							Component ATA:30
PN:9728132202	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:131441	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300090	LH HORIZ STAB DE-ICER BOOT							Component ATA:30
PN:9598901026	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:NBK-5940	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-16-01-00A-920A-APROC. REF: AMM 12-B-30-16-01-00A-920A-A								
300095	RH HORIZ STAB DE-ICER BOOT							Component ATA:30
PN:9598901027	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:NBK-6960	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-16-01-00A-920A-APROC. REF: AMM 12-B-30-16-01-00A-920A-A								
300100	RH INBD-WING DE-ICER BOOT							Component ATA:30
PN:9598901023	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:NBK6070	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								
300105	RH OUTBD-WING DE-ICER BOOT							Component ATA:30
PN:9598901025	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:NBK6970	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								
300110	LH AOA PLATE TEMP CONTROLLER							Component ATA:30
PN:9754421417	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:UD472	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A								
300115	LH INBD-WING DE-ICER BOOT							Component ATA:30
PN:9598901022	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:NBK2140	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300120	LH OUTBD-WING DE-ICER BOOT							Component ATA:30
PN:9598901024	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:NBK6950	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								
300125	RH AOA PLATE TEMP CONTROLLER							Component ATA:30
PN:9754421417	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:UD477	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A								
300130	S601 LOWER SURF.INBD.WING PRESSURE,GAGE SWITCH							Component ATA:30
PN:9738114312	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6699	HRS	0		TSN 0				
WC#: 30.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300135	S600 UPPER SURF.INBD.WING PRESSURE,GAGE SWITCH							Component ATA:30
PN:9738114312	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6695	HRS	0		TSN 0				
WC#: 30.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300140	S602 LOWER SURF.OUTBD.WING PRESSURE,GAGE SWITCH							Component ATA:30
PN:9738114312	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6731	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300145	S603 UPPER SURF.OUTBD.WING PRESSURE,GAGE SWITCH							Component ATA:30
PN:9738114312	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6737	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300150	L602 EMPENAGE EJECTOR FLOW CONTROL VALVE							Component ATA:30
PN:9598901008	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:N123688	HRS	0		TSN 0				
WC#: 30.200	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-00/CFR	TEST/INSPECT COPILOT ALTIMETER (14 CFR 91.411)							Service ATA:31
	MOS	07-Oct-24	24		07-Oct-26		624 d	
	HRS	2656.1						
	AFL	2231						
PROC. REF: GENERIC NO REF, CFR CFR 91.411PROC. REF: GENERIC NO REF, CFR CFR 91.411								
31-00/CFR	TEST/INSPECT PILOT ALTIMETER (14 CFR 91.411)							Service ATA:31
	MOS	07-Oct-24	24		07-Oct-26		624 d	
	HRS	2656.1						
	AFL	2231						
PROC. REF: GENERIC NO REF, CFR CFR 91.411PROC. REF: GENERIC NO REF, CFR CFR 91.411								
31-30/421 ^S	OPERATIONAL TEST COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT LDR (IF INSTALLED)							Service ATA:31
PN:9859920136	MOS	07-Oct-24	12 (+10%/-10%)					
SN:000879405	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-31-30-01-00A-903A-APROC. REF: AMM 12-B-31-30-01-00A-903A-A								
PKG:19								
310050	DIGITAL CLOCK							Component ATA:31
PN:9996111214	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:21986	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-20-12-00A-920A-APROC. REF: AMM 12-B-31-20-12-00A-920A-A								
310070	CO-PILOT KMC 2210 DISPLAY CONTROLLER							Component ATA:31
PN:9859912178	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KMC2210-2008	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310075	NO. 1 MAU ADVANCED GRAPHIC MODULE							Component ATA:31
PN:7036410-1904	MOS/MSC	24-Jan-22	O/C					
SN:1312A061	HRS	2358.2						
WC#: 31.240	AFL	1683						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310077	NO. 2 MAU ADVANCED GRAPHIC MODULE							Component ATA:31
PN:9859912222	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:13059591	HRS	0		TSN 0				
WC#: 31.270	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310080	NO. 2 RH MAU SINGLE NETWORK I/F CARD							Component ATA:31
PN:7038231-1801	MOS/MSC	09-Aug-21	O/C					
SN:14058833	HRS							
WC#: 31.160	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310085	OVERHEAD CONTROL BASIC PANEL							Component ATA:31
PN:9728121155	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0440	HRS	0		TSN 0				
WC#: 31.260	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-10-00-00A-920A-APROC. REF: AMM 12-B-31-10-00-00A-920A-A								
310090	KMC2220 MF CONTOLLER							Component ATA:31
PN:9859912189	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KMC2220-1589	HRS	0		TSN 0				
WC#: 31.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310095	PILOT KMC 2210 DISPLAY CONTROLLER							Component ATA:31
PN:9859912178	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KMC2210-2006	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310100	NO. 1 MAU ACTUATOR I/O PROCESSOR MODULE							Component ATA:31
PN:9859912190	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1303F902	HRS	0		TSN 0				
WC#: 31.230	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310102	NO. 2 MAU ACTUATOR I/O PROCESSOR MODULE							Component ATA:31
PN:9859912190	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1303F911	HRS	0		TSN 0				
WC#: 31.230	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310105	MODULAR AVIONICS ,12SLOT UNIT							Component ATA:31
PN:7029782-1912	MOS/MSC	09-Aug-21	O/C					
SN:12046002	HRS							
WC#: 31.150	AFL							
PROC. REF: AMM 12-B-31-41-00-00A-920A-APROC. REF: AMM 12-B-31-41-00-00A-920A-A								
310110	NO. 1 LH MAU SINGLE NETWORK I/F CARD							Component ATA:31
PN:9859912231	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:13043174	HRS	0		TSN 0				
WC#: 31.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310115	NO. 1 LH MAU POWER SUPPLY MODULE							Component ATA:31
PN:9859912250	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:13030687	HRS	0		TSN 0				
WC#: 31.220	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310120	NO. 2 RH MAU POWER SUPPLY MODULE							Component ATA:31
PN:7038248-1901 MOD C	MOS/MSC	09-Aug-21	O/C					
SN:13030715	HRS							
WC#: 31.220	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310125 MAU DUAL GENERIC I/O MODULE								Component ATA:31
PN:9859912252	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:13020256	HRS	0		TSN 0				
WC#: 31.250	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310130 MAU CUSTOM I/O MODULE DUAL CH UNIT								Component ATA:31
PN:9859912251	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:13021035	HRS	0		TSN 0				
WC#: 31.140	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310135 CO-PILOT PFD KDU 1080 FLAT PANEL DISPLAY								Component ATA:31
PN:9859912103	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1890300828	HRS	0		TSN 0				
WC#: 31.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310140 UPPER MFD KDU 1080 FLAT PANEL DISPLAY								Component ATA:31
PN:9859912103	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1890301731	HRS	0		TSN 0				
WC#: 31.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310145 PILOT PFD KDU 1080 FLAT PANEL DISPLAY								Component ATA:31
PN:9859912103	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1890300478	HRS	0		TSN 0				
WC#: 31.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310150 LOWER MFD KDU 1080 FLAT PANEL DISPLAY								Component ATA:31
PN:9859912103	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1890300821	HRS	0		TSN 0				
WC#: 31.190	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310155	REV CTL PNL,4-POT DISPLAY							Component ATA:31
PN:9728121141	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0459	HRS	0		TSN 0				
WC#: 31.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310160	NO. 1 LH AIRCRAFT PERSONALITY MODULE							Component ATA:31
PN:9858314204	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:40244763	HRS	0		TSN 0				
WC#: 31.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310165	NO. 2 RH AIRCRAFT PERSONALITY MODULE							Component ATA:31
PN:9858314204	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:40259516	HRS	0		TSN 0				
WC#: 31.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310167	CC-500 CONTROL UNIT							Component ATA:31
PN:9859912202	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:398	HRS	0		TSN 0				
WC#: 31.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310170	CCD INTERNAL ELECTRICAL ASSEMBLY							Component ATA:31
PN:9859912218	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0218	HRS	0		TSN 0				
WC#: 31.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310175	REAR CENTRE CONS PNL PC-12 47/E							Component ATA:31
PN:972.81.21.154	MOS/MSC	17-Jun-15	O/C	TSN 0				
SN:0533	HRS	359.6		TSN 0				
WC#: 31.300	AFL	229		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310177	MIDDLE CENTRE CONS PANEL							Component ATA:31
PN:9728121146	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0434	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310180	COCKPIT AREA MICROPHONE							Component ATA:31
PN:9859920137	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:000891693	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-02-00A-920A-APROC. REF: AMM 12-B-31-30-02-00A-920A-A								
310185	COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT							Component ATA:31
PN:9859920136	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:000879405	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-01-00A-920A-APROC. REF: AMM 12-B-31-30-01-00A-920A-A								
ATA 32 - LANDING GEAR								
32-10/162 ^S	LUBRICATE MAIN LANDING GEAR							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								PKG:18
32-10/163 ^S	EXAMINE MAIN LANDING GEAR LEGS							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:18

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/164 ^S	EXAMINE MAIN LANDING GEAR COMPARTMENTS							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:18
32-10/165 ^S	CHECK MAIN LANDING GEAR SHOCK STRUTS NITROGEN PRESSURE							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-32-10-00-00A-902A-APROC. REF: AMM 12-B-32-10-00-00A-902A-A								PKG:18
32-10/263 ^S	EXAMINE MAIN LANDING GEAR ELECTRICAL BONDING STRAPS							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
32-10/315	MAIN LANDING GEAR HINGE PIN AND BUSHES INSPECTION/CHECK							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)		07-Oct-25	13-Nov-25	259 d (+37)	
	HRS	2656.1	2400 (+10%/-10%)		5056.1	5296.1	2400 (+240)	
WC#: 32.010	AFL	2231						
PROC. REF: AMM 12-B-32-10-00-00A-313A-A, AMM 12-B-32-10-00-00A-313B-APROC. REF: AMM 12-B-32-10-00-00A-313A-A, AMM 12-B-32-10-00-00A-313B-A								
32-10/345	LEFT MAIN LANDING GEAR ASSEMBLY							Component ATA:32
PN:5321012053	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:SI-0262	HRS	0		TSN 0				
WC#: 32.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/345	RIGHT MAIN LANDING GEAR ASSEMBLY							Component ATA:32
PN:5321012054	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:SI-0262	HRS	0		TSN 0				
WC#: 32.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/436	EXAMINE MAIN LANDING GEAR SHOCK STRUTS TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)		07-Oct-25	13-Nov-25	259 d (+37)	
	HRS	2656.1						
	AFL	2231						
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A								
32-10/438	EXAMINE LEFT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service ATA:32
	MOS	30-Aug-19	72		30-Aug-25		221 d	
	HRS	1829.7						
	AFL	1385						
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A								
32-10/438	EXAMINE RIGHT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service ATA:32
	MOS	30-Aug-19	72		30-Aug-25		221 d	
	HRS	1829.7						
	AFL	1385						
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A								
32-10/644	LEFT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION (HYDRAULIC LANDING GEAR)							Service ATA:32
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:20000		20000		17343.9	
	AFL	0	T:27000		27000		24769	
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
32-10/644	RIGHT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION (HYDRAULIC LANDING GEAR)							Service ATA:32
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:20000		20000		17343.9	
	AFL	0	T:27000		27000		24769	
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/80	LUBRICATE LEFT MAIN LANDING GEAR WHEEL BEARINGS							Service ATA:32
PN:PN	MOS/MSC	07-Oct-24	12 (+1m/-1m) / T/C		07-Oct-25	07-Nov-25	259 d (+31)	
SN:UNKNOWN	HRS	2656.1						
	AFL	2231						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-10/80	LUBRICATE NOSE WHEEL BEARINGS							Service ATA:32
PN:9595602302	MOS/MSC	07-Oct-24	12 (+1m/-1m) / T/C		07-Oct-25	07-Nov-25	259 d (+31)	
SN:1291	HRS	2656.1						
	AFL	2231						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-10/80	LUBRICATE RIGHT MAIN LANDING GEAR WHEEL BEARINGS							Service ATA:32
PN:PN	MOS/MSC	07-Oct-24	12 (+1m/-1m) / T/C		07-Oct-25	07-Nov-25	259 d (+31)	
SN:UNKNOWN	HRS	2656.1						
	AFL	2231						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-20/166 ^S	CHECK NOSE LANDING GEAR LEG SHOCK STRUT NITROGEN PRESSURE							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
								PKG:18
PROC. REF: AMM 12-B-32-20-00-00A-902A-APROC. REF: AMM 12-B-32-20-00-00A-902A-A								
32-20/167 ^S	LUBRICATE NOSE LANDING GEAR							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
								PKG:18
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/168 ^S	EXAMINE NOSE LANDING GEAR LEG AND STEERING MECHANISM IN PARTICULAR THE STEERING ROD END (PART NO. 532.20.12.13-4) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING.							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:18
32-20/169 ^S	EXAMINE NOSE LANDING GEAR COMPARTMENT							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:18
32-20/265 ^S	EXAMINE NOSE LANDING GEAR ELECTRICAL BONDING STRAPS							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
32-20/335	NOSE LANDING GEAR TORQUE TUBE							Component ATA:32
PN:532.50.12.064	MOS	23-Aug-23	120	TSN 0	23-Aug-33		3136 d	LIFE LIMIT
SN:UNKNOWN	HRS	2609.3	11000	TSN 0	13609.3		10953.2	
WC#: 32.190	AFL	2195	15000	TSN 0	17195		14964	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/403	NOSE LANDING GEAR - OVERHAUL							Component ATA:32
PN:PN	MOS	23-Aug-13		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	T:25000 (+500/-500)	TSN 0	25000	25500	22343.9 (+500)	
WC#: 32.200	AFL	0	T:30000 (+500/-500)	TSN 0	30000	30500	27769 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/416	NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK							Component ATA:32
PN:532.20.12.296	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22343.9	
WC#: 32.225	AFL	0	30000	TSN 0	30000		27769	
PROC. REF: AMM 12-B-32-20-05-00A-920A-APROC. REF: AMM 12-B-32-20-05-00A-920A-A								
32-30/170 ^S	FUNCTIONAL TEST EXTENSION AND RETRACTION SYSTEM AND EMERGENCY EXTENSION SYSTEM							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-32-30-00-00A-903A-APROC. REF: AMM 12-B-32-30-00-00A-903A-A								
32-30/417	LEFT HAND MAIN LANDING GEAR HYDRAULIC ACTUATOR							Component ATA:32
PN:9603001105	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:2598H	HRS	0	25000	TSN 0	25000		22343.9	
WC#: 32.040	AFL	0	30000	TSN 0	30000		27769	
PROC. REF: AMM 12-B-32-30-01-00A-920A-APROC. REF: AMM 12-B-32-30-01-00A-920A-A								
32-30/417	RIGHT HAND MAIN LANDING GEAR HYDRAULIC ACTUATOR							Component ATA:32
PN:9603001105	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:2595H	HRS	0	25000	TSN 0	25000		22343.9	
WC#: 32.040	AFL	0	30000	TSN 0	30000		27769	
PROC. REF: AMM 12-B-32-30-01-00A-920A-APROC. REF: AMM 12-B-32-30-01-00A-920A-A								
32-30/442	EXAMINE LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service ATA:32
	MOS	30-Sep-20	72		30-Sep-26		617 d	
	HRS	2082.2						
	AFL							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A								
32-30/442	EXAMINE RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service ATA:32
	MOS	30-Sep-20	72		30-Sep-26		617 d	
	HRS	2082.2						
	AFL							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/518	LEFT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service ATA:32
	MOS	22-Jun-21	60		22-Jun-26		517 d	REPLACE
	HRS	2270						
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-30/518	RIGHT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service ATA:32
	MOS	22-Jun-21	60		22-Jun-26		517 d	REPLACE
	HRS	2270						
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-40/171 ^S	EXAMINE MAINWHEELS. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:18
32-40/172 ^S	EXAMINE MAINWHEEL TIRES AND CHECK TIRE PRESSURE							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A								PKG:3
32-40/173 ^S	EXAMINE NOSEWHEEL. ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:18

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40/174 ^S	EXAMINE NOSEWHEEL TIRE AND CHECK TIRE PRESSURE							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A								PKG:3
32-40/175 ^S	EXAMINE BRAKE SYSTEM - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING.							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
32-40/176 ^S	CHECK FLUID RESERVOIR AND REPLENISH IF NECESSARY							Service ATA:32
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-12-10-02-00A-902A-APROC. REF: AMM 12-B-12-10-02-00A-902A-A								PKG:3
32-50/404	EXAMINE - NLG STEERING MECHANISM							Service ATA:32
	MOS	23-Aug-13						
	HRS	0	T:32500 (+500/-500)		32500	33000	29843.9 (+500)	
WC#: 32.230	AFL	0	T:42000 (+500/-500)		42000	42500	39769 (+500)	
PROC. REF: AMM 12-B-32-50-00-00A-310A-APROC. REF: AMM 12-B-32-50-00-00A-310A-A								
320005	PILOT LH BRAKE MASTER CYLINDER							Component ATA:32
PN:9594751132	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1552	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320006	STEREER SELECTOR, LANDING GEAR VALVE							Component ATA:32
PN:9603001272	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1213	HRS	0		TSN 0				
WC#: 29.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-03-00A-920A-APROC. REF: AMM 12-B-32-30-03-00A-920A-A								
320010	PILOT RH BRAKE MASTER CYLINDER							Component ATA:32
PN:9594751132	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1555	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
320015	PARK BRAKE VALVE							Component ATA:32
PN:9594751133	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:477	HRS	0		TSN 0				
WC#: 32.140	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-05-00A-920A-APROC. REF: AMM 12-B-32-40-05-00A-920A-A								
320020	NOSE WHEEL							Component ATA:32
PN:9595602302	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1291	HRS	0		TSN 0				
WC#: 32.150	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
320021	NOSE LANDING GEAR TIRE							Component ATA:32
PN:061-326-0	MOS/MSC	01-Nov-21	O/C	TSN 0				
SN:1124T00164	HRS	2336.5		TSN 0				
WC#: 32.155	AFL			TSN 0				
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
320022	LEFT MAIN LANDING GEAR WHEEL							Component ATA:32
PN:PN	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.160	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320023	LEFT MAIN LANDING GEAR TIRE							Component ATA:32
PN:025-350-0	MOS/MSC	01-Apr-21	O/C	TSN 0				
SN:0302T00200	HRS	2185.8		TSN 0				
WC#: 32.160	AFL			TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
320024	RIGHT MAIN LANDING GEAR WHEEL							Component ATA:32
PN:PN	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.165	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
320025	SHIMMY DAMPER ASSY							Component ATA:32
PN:5322012215	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:VLG645	HRS	0		TSN 0				
WC#: 32.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-01-00A-920A-APROC. REF: AMM 12-B-32-50-01-00A-920A-A								
320026	RIGHT MAIN LANDING GEAR TIRE							Component ATA:32
PN:025-350-0	MOS/MSC	14-Feb-23	O/C	TSN 0				
SN:2271T00352	HRS	2558.1		TSN 0				
WC#: 32.165	AFL	2133		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
320030	COPILOT LH BRAKE MASTER CYLINDER							Component ATA:32
PN:9594751132	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1556	HRS	0		TSN 0				
WC#: 32.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
320035	COPILOT RH BRAKE MASTER CYLINDER							Component ATA:32
PN:9594751132	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1572	HRS	0		TSN 0				
WC#: 32.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320040	NOSE FOLDING STRUT SPRING PACK ASSY							Component ATA:32
PN:5322012249	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:VLG568	HRS	0		TSN 0				
WC#: 32.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
320045	NOSE LANDING GEAR STRUT ASSY							Component ATA:32
PN:5322012040	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:VLG553	HRS	0		TSN 0				
WC#: 32.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
320055	RIGHT SHOCK ABSORBER ASSY							Component ATA:32
PN:5321012211	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:SI-0532	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-A								
320060	LH BRAKE ASSY							Component ATA:32
PN:061-1700-0	MOS/MSC	30-Sep-20	O/C	TSN 0				
SN:2969	HRS	2082.2		TSN 0				
WC#: 32.050	AFL			TSN 0				
PROC. REF: AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-A								
320065	INNER LEFT WHEEL & COVER ASSY							Component ATA:32
PN:9595601503	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:2677	HRS	0		TSN 0				
WC#: 32.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
320066	OUTER LEFT WHEEL & COVER ASSY							Component ATA:32
PN:9595601503	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:2700	HRS	0		TSN 0				
WC#: 32.205	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320074	NOSE LANDING GEAR HYDRAULIC ACTUATOR							Component ATA:32
PN:9603001111	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1383A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-02-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A								
320080	LEFT SHOCK ABSORBER ASSY							Component ATA:32
PN:5321012211	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:SI-0528	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-A								
320085	RH BRAKE ASSY							Component ATA:32
PN:061-1700-0	MOS/MSC	30-Sep-20	O/C	TSN 0				
SN:2962	HRS	2082.2		TSN 0				
WC#: 32.050	AFL			TSN 0				
PROC. REF: AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-A								
320090	INNER RIGHT WHEEL & COVER ASSY							Component ATA:32
PN:9595601503	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:2675	HRS	0		TSN 0				
WC#: 32.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
320091	OUTER RIGHT WHEEL & COVER ASSY							Component ATA:32
PN:9595601503	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:2698	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
320104	NOSE LANDING GEAR 72A74-01 "UP" PROXIMITY SWITCH							Component ATA:32
PN:9733033116	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:4061	HRS	0		TSN 0				
WC#: 32.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320105	MAIN LANDING GEAR 72A74-01 RH "UP" PROXIMITY SWITCH							Component ATA:32
PN:9733033116	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:4043	HRS	0		TSN 0				
WC#: 32.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320110	MAIN LANDING GEAR 72A74-01 RH "WOW" PROXIMITY SWITCH							Component ATA:32
PN:9733033116	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:4032	HRS	0		TSN 0				
WC#: 32.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320115	NOSE LANDING GEAR 72A74-01 "DOWN" PROXIMITY SWITCH							Component ATA:32
PN:9733033116	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:4062	HRS	0		TSN 0				
WC#: 32.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320120	MAIN LANDING GEAR 72A74-01 LH "UP" PROXIMITY SWITCH							Component ATA:32
PN:9733033116	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:4053	HRS	0		TSN 0				
WC#: 32.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320125	MAIN LANDING GEAR 72A74-01 LH "WOW" PROXIMITY SWITCH							Component ATA:32
PN:9733033116	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:4071	HRS	0		TSN 0				
WC#: 32.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320130	L/H BOLT							Component ATA:32
PN:5323412062	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1458	HRS	0		TSN 0				
WC#: 32.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320135	R/H BOLT							Component ATA:32
PN:5323412062	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1505	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320190	LEFT MAIN LANDING GEAR YOKE FITTING							Component ATA:32
PN:PN	MOS/MSC	23-Aug-13	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
320190	RIGHT MAIN LANDING GEAR YOKE FITTING							Component ATA:32
PN:PN	MOS/MSC	23-Aug-13	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
ATA 33 - LIGHTS								
33-40/177 ^S	OPERATIONAL TEST EXTERIOR LIGHTING							Service ATA:33
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-33-40-00-00A-903A-APROC. REF: AMM 12-B-33-40-00-00A-903A-A								PKG:3
33-41/178 ^S	EXAMINE LANDING LIGHTS							Service ATA:33
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-33-41-01-00A-200B-APROC. REF: AMM 12-B-33-41-01-00A-200B-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-42/179 ^S	EXAMINE TAXI LIGHTS							Service ATA:33
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-33-42-01-00A-200B-APROC. REF: AMM 12-B-33-42-01-00A-200B-A								PKG:3
33-43/180 ^S	EXAMINE NAVIGATION AND STROBE LIGHTS							Service ATA:33
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
33-44/181 ^S	EXAMINE RECOGNITION LIGHTS (IF INSTALLED)							Service ATA:33
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-33-44-00-00A-903A-APROC. REF: AMM 12-B-33-44-00-00A-903A-A								PKG:3
33-46/182 ^S	EXAMINE BEACON LIGHTS (IF INSTALLED)							Service ATA:33
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
330005	DIM UNIT							Component ATA:33
PN:9750215205	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:131258	HRS	0		TSN 0				
WC#: 33.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-10-04-00A-920A-APROC. REF: AMM 12-B-33-10-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330010	DE-ICE LIGHT ASSY							Component ATA:33
PN:9728767111	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:2361443	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
330025	TOP SIDE ANTI COLLISION RED LIGHT ASSY							Component ATA:33
PN:01-0790852-5D	MOS/MSC	23-Aug-23	O/C	TSN 0				
SN:15603710001	HRS	2609.3		TSN 0				
WC#: 33.040	AFL	2195		TSN 0				
PROC. REF: AMM 12-B-33-46-00-00A-920A-APROC. REF: AMM 12-B-33-46-00-00A-920A-A								
330030	BOTTOM SIDE ANTI COLLISION RED LIGHT ASSY							Component ATA:33
PN:9728787332	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:21896	HRS	0		TSN 0				
WC#: 33.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-46-00-00A-920A-APROC. REF: AMM 12-B-33-46-00-00A-920A-A								
330035	LH WING POWER SUPPLY UNIT							Component ATA:33
PN:9728787164	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:26023020	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-03-00A-920A-APROC. REF: AMM 12-B-33-43-03-00A-920A-A								
330040	LEFT HAND WING TIP WARNING LIGHT ASSEMBLY							Component ATA:33
PN:9728787322	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:25980013	HRS	0		TSN 0				
WC#: 33.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-02-00A-920A-APROC. REF: AMM 12-B-33-43-02-00A-920A-A								
330045	RH WING POWER SUPPLY UNIT							Component ATA:33
PN:9728787164	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:26023008	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-03-00A-920A-APROC. REF: AMM 12-B-33-43-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330050	RIGHT HAND WING TIP WARNING LIGHT ASSEMBLY							Component ATA:33
PN:9728787322	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:25980012	HRS	0		TSN 0				
WC#: 33.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-02-00A-920A-APROC. REF: AMM 12-B-33-43-02-00A-920A-A								
330055	NAVIGATION (FC), LED GREEN LIGHT							Component ATA:33
PN:9728787206	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:26363001	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-01-00A-920A-APROC. REF: AMM 12-B-33-43-01-00A-920A-A								
330060	NAVIGATION (FC), LED RED LIGHT							Component ATA:33
PN:9728787205	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:25984015	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-01-00A-920A-APROC. REF: AMM 12-B-33-43-01-00A-920A-A								
330065	NAVIGATION (FC), LED WHITE LIGHT							Component ATA:33
PN:9728787207	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:25996020	HRS	0		TSN 0				
WC#: 33.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-01-00A-920A-APROC. REF: AMM 12-B-33-43-01-00A-920A-A								
330070	NOSE LANDING GEAR TAXI LIGHT							Component ATA:33
PN:01-0771833-20	MOS/MSC	23-Aug-23	O/C	TSN 0				
SN:181157	HRS	2609.3		TSN 0				
WC#: 33.090	AFL	2195		TSN 0				
PROC. REF: AMM 12-B-33-42-01-00A-920A-APROC. REF: AMM 12-B-33-42-01-00A-920A-A								
330075	L/H 1X0005287-10 LANDING LIGHT							Component ATA:33
PN:9728769402	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:2326994	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-41-01-00A-920A-APROC. REF: AMM 12-B-33-41-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330076	R/H 1X0005287-10 LANDING LIGHT							Component ATA:33
PN:9728769402	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:2326996	HRS	0		TSN 0				
WC#: 33.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-41-01-00A-920A-APROC. REF: AMM 12-B-33-41-01-00A-920A-A								
330080	3060-S PULSELITE CONTROLLER							Component ATA:33
PN:9728769419	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:LSS2197	HRS	0		TSN 0				
WC#: 33.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33CUS001 ^U	PASSENGER DOOR STAIRWAY LIGHTING SYSTEM INSPECTION							Service ATA:33
	MOS/MSC		O/C					
	HRS							
	AFL							
33CUS002 ^U	LOPRESTI LANDING LIGHT - 12 MONTHS INSPECTION							Service ATA:33
	MOS	07-Oct-24	12		07-Oct-25		259 d	
	HRS	2656.1						
	AFL	2231						
ATA 34 - NAVIGATION								
34-00/183 ^S	EXAMINE COMMUNICATIONS AND NAVIGATION ANTENNAS							Service ATA:34
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:20
34-00/184 ^S	EXAMINE COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT							Service ATA:34
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-11/185 ^S	EXAMINE PITOT TUBE							Service ATA:34
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-11/186 ^S	EXAMINE STATIC PORTS							Service ATA:34
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-11/268 ^S	DRAIN PITOT AND STATIC SYSTEM							Service ATA:34
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: AMM 12-B-34-11-00-00A-901A-APROC. REF: AMM 12-B-34-11-00-00A-901A-A								
34-11/343	INSPECTION/CHECK STATIC PORTS PLATE HEIGHT							Service ATA:34
	MOS	23-Aug-23	24		23-Aug-25		214 d	
	HRS	2609.3						
WC#: 34.565	AFL	2195						
PROC. REF: AMM 12-B-34-11-12-00A-313A-APROC. REF: AMM 12-B-34-11-12-00A-313A-A								
34-11/CFR	PERFORM LEAK CHECK OF STATIC SYSTEM (14 CFR 91.411)							Service ATA:34
	MOS	07-Oct-24	24		07-Oct-26		624 d	
	HRS	2656.1						
	AFL	2231						
PROC. REF: GENERIC NO REF, CFR CFR 91.411PROC. REF: GENERIC NO REF, CFR CFR 91.411								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-21/84	SWING CHECK STANDBY MAGNETIC COMPASS (IF INSTALLED)							Service ATA:34
	MOS	23-Aug-23	24 (+10%/-10%)		23-Aug-25	04-Nov-25	214 d (+73)	
	HRS	2609.3						
WC#: 34.560	AFL	2195						
PROC. REF: AMM 12-B-34-21-00-00A-903A-APROC. REF: AMM 12-B-34-21-00-00A-903A-A								
34-25/344	FUNCTIONAL TEST ALTITUDE AND VERTICAL SPEED INDICATION (RVSM)							Service ATA:34
	MOS	23-Aug-23	24 (+10%/-10%)		23-Aug-25	04-Nov-25	214 d (+73)	
	HRS	2609.3						
WC#: 34.570	AFL	2195						
PROC. REF: AMM 12-B-34-14-00-00A-903B-APROC. REF: AMM 12-B-34-14-00-00A-903B-A								
34-54/CFR	TEST/INSPECT NO. 1 TRANSPONDER SYSTEM (14 CFR 91.413)							Service ATA:34
	MOS	07-Oct-24	24		07-Oct-26		624 d	
	HRS	2656.1						
	AFL	2231						
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-A								
34-54/CFR	TEST/INSPECT NO. 2 TRANSPONDER SYSTEM (14 CFR 91.413)							Service ATA:34
	MOS	07-Oct-24	24		07-Oct-26		624 d	
	HRS	2656.1						
	AFL	2231						
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-A								
340010	DME/IFF ANTENNA							Component ATA:34
PN:9848110240	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:261-110289	HRS	0		TSN 0				
WC#: 34.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-52-02-00A-920A-APROC. REF: AMM 12-B-34-52-02-00A-920A-A								
340020	MARKER ANTENNA							Component ATA:34
PN:9848110260	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:101-7676	HRS	0		TSN 0				
WC#: 34.100	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-B-34-32-01-00A-920A-APROC. REF: AMM 12-B-34-32-01-00A-920A-A								
340055	WITH HARM FILTER,KN63 DME							Component ATA:34
PN:9859911101	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:36143	HRS	0		TSN 0				
WC#: 34.200	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-52-01-00A-920A-APROC. REF: AMM 12-B-34-52-01-00A-920A-A								
340065	WX-RADAR RT UNIT							Component ATA:34
PN:9859911507	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:14233	HRS	0		TSN 0				
WC#: 34.360	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-02-00A-920A-APROC. REF: AMM 12-B-34-41-02-00A-920A-A								
340075	WX,VERTICAL ANTENNA							Component ATA:34
PN:9859911504	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:7555	HRS	0		TSN 0				
WC#: 34.370	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-12-00A-920A-APROC. REF: AMM 12-B-34-41-12-00A-920A-A								
340080	TRANSPONDER DME/IFF ANTENNA							Component ATA:34
PN:9848110240	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:261-110287	HRS	0		TSN 0				
WC#: 34.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-03-00A-920A-APROC. REF: AMM 12-B-34-54-03-00A-920A-A								
340085	ADF,KA44B ANTENNA							Component ATA:34
PN:9859911167	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KA44B-A91804	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-53-02-00A-920A-APROC. REF: AMM 12-B-34-53-02-00A-920A-A								
340100	FRONT KA92 ANTENNA							Component ATA:34
PN:9859911200	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:49308060	HRS	0		TSN 0				
WC#: 34.090	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-B-34-57-02-00A-920A-APROC. REF: AMM 12-B-34-57-02-00A-920A-A								
340101	REAR KA92 GPS ANTENNA							Component ATA:34
PN:9859911200	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:49308064	HRS	0		TSN 0				
WC#: 34.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-02-00A-920A-APROC. REF: AMM 12-B-34-57-02-00A-920A-A								
340131	KCM 805 CONFIGURATION MODULE							Component ATA:34
PN:9859911884	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:17903	HRS	0		TSN 0				
WC#: 34.410	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								
340135	STANDBY MAGNETIC COMPASS							Component ATA:34
PN:9999880103	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:AT-1362	HRS	0		TSN 0				
WC#: 34.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-21-00-00A-920A-APROC. REF: AMM 12-B-34-21-00-00A-920A-A								
340140	RADOME							Component ATA:34
PN:9857900005	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:195	HRS	0		TSN 0				
WC#: 34.420	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-02-00A-920A-A, AMM 12-B-34-41-05-00A-920A-APROC. REF: AMM 12-B-34-41-02-00A-920A-A, AMM 12-B-34-41-05-00A-920A-A								
340155	LEFT SIDE RAD ALT,S67-2002 ANTENNA							Component ATA:34
PN:9848129101	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:543-66167	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-42-02-00A-920A-APROC. REF: AMM 12-B-34-42-02-00A-920A-A								
340160	RIGHT SIDE RAD ALT,S67-2002 ANTENNA							Component ATA:34
PN:9848129101	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:543-66165	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-B-34-42-02-00A-920A-APROC. REF: AMM 12-B-34-42-02-00A-920A-A								
340161 BOTTOM DIRECTIONAL KA815 - IHAS ANTENNA								Component ATA:34
PN:9859911869	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:24590	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340162 TOP DIRECTIONAL KA815 - IHAS ANTENNA								Component ATA:34
PN:9859911869	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:24595	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340170 ALTIMETER,RADAR,KRA405B TRANSMITTER								Component ATA:34
PN:9859911508	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KRA405B-14076	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-42-01-00A-920A-APROC. REF: AMM 12-B-34-42-01-00A-920A-A								
340220 STORMSCOPE WX-500 PROCESSOR								Component ATA:34
PN:9859918006	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:99190	HRS	0		TSN 0				
WC#: 34.270	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-31-00A-920A-APROC. REF: AMM 12-B-34-41-31-00A-920A-A								
340235 AOA SENSOR RH UNIT								Component ATA:34
PN:0012AC11	MOS/MSC	17-Nov-22	O/C					
SN:0134	HRS	2511.3						
WC#: 34.330	AFL	2084						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340255 AOA SENSOR LH UNIT								Component ATA:34
PN:0012AC11	MOS/MSC	17-Nov-22	O/C					
SN:1149	HRS	2511.3						
WC#: 34.330	AFL	2084						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340265	DME/IFF--ATC DIV. ANTENNA							Component ATA:34
PN:9848110240	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:261-110296	HRS	0		TSN 0				
WC#: 34.500	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-03-00A-920A-APROC. REF: AMM 12-B-34-54-03-00A-920A-A								
340270	LEFT PITOT STATIC TUBE							Component ATA:34
PN:965.11.12.302	MOS/MSC	20-Sep-21	O/C	TSN 16				
SN:AS04200326	HRS	2324.7		TSN 0				
WC#: 34.535	AFL			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340275	RIGHT PITOT STATIC TUBE							Component ATA:34
PN:PST305	MOS/MSC	21-Nov-17	O/C	TSN 0				
SN:AS04160248	HRS	1179.6		TSN 0				
WC#: 34.535	AFL			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340280	OUTBOARD KMG 7010 MAGNETOMETER							Component ATA:34
PN:9859912114	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KMG7010-3015	HRS	0		TSN 0				
WC#: 34.520	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-A								
340285	INBOARD KMG 7010 MAGNETOMETER							Component ATA:34
PN:9859912114	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KMG7010-3010	HRS	0		TSN 0				
WC#: 34.520	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-A								
340290	KMH920 TAWS B,TCAS 1 UNIT							Component ATA:34
PN:9859911887	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KMH920-B1602	HRS	0		TSN 0				
WC#: 34.545	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340310	NO. 2 KXP 2290 MODE S TRANSPONDER							Component ATA:34
PN:066-01198-0102	MOS/MSC	18-Jan-18	O/C	TSN 53				
SN:2047	HRS							
WC#: 34.540	AFL							
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A								
340315	NO. 1 KXP 2290 MODE S TRANSPONDER							Component ATA:34
PN:066-01198-0102	MOS/MSC	18-Jan-18	O/C	TSN 53				
SN:2040	HRS							
WC#: 34.540	AFL							
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A								
340320	LH OAT SENSOR							Component ATA:34
PN:5341312025	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:04843	HRS	0		TSN 0				
WC#: 34.525	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340325	RH OAT SENSOR							Component ATA:34
PN:5341312025	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:04857	HRS	0		TSN 0				
WC#: 34.525	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340330	KSG 7200 DUAL CHANNEL AD AHRS UNIT							Component ATA:34
PN:9859912245	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KSG7200-B2024	HRS	0		TSN 0				
WC#: 34.505	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A								
340350	XM RADIO, XMD 157, UNIT							Component ATA:34
PN:9859912168	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:35544309	HRS	0		TSN 0				
WC#: 34.515	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340355	LH NAV/WHITE ANTENNA							Component ATA:34
PN:9848110280	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:10304	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340357	RH NAV/WHITE ANTENNA							Component ATA:34
PN:9848110280	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:10305	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341035	NO. 1 KGS200,SBAS GNSSU UNIT							Component ATA:34
PN:9859912253	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1996	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-01-00A-920A-APROC. REF: AMM 12-B-34-57-01-00A-920A-A								
341037	NO. 2 KGS200,SBAS GNSSU UNIT							Component ATA:34
PN:9859912253	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1995	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-01-00A-920A-APROC. REF: AMM 12-B-34-57-01-00A-920A-A								
341039	MAG-3100 MAGNETOMETER							Component ATA:34
PN:9859003058	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:80383	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-26-45-00A-920B-A, AMM 12-B-34-26-45-00A-920C-APROC. REF: AMM 12-B-34-26-45-00A-920B-A, AMM 12-B-34-26-45-00A-920C-A								
341040	PHASING COUPLER							Component ATA:34
PN:9848110412	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:7454	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341045	ESI-1000 STANDBY SYSTEM							Component ATA:34
PN:9759611247	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1796	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34CUS001 ^U	ADS-B FUNCTIONABILITY INSPECTION							Service ATA:34
	MOS	07-Oct-24	12		07-Oct-25		259 d	
	HRS	2656.1						
	AFL	2231						
ATA 35 - OXYGEN								
35-10/187 ^S	CHECK HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) - MAKE SURE THAT IT IS NOT DAMAGE							Service ATA:35
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
35-10/188 ^S	CHECK OXYGEN SYSTEM CONTENTS							Service ATA:35
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)					
	AFL	2084						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:16
35-10/269 ^S	EXAMINE OXYGEN PIPELINES AND EQUIPMENT							Service ATA:35
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10/458 ^S	OPERATIONAL TEST CREW OXYGEN SYSTEM							Service ATA:35
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-APROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-A								PKG:19
35-10/6	OXYGEN BOTTLE							Component ATA:35
PN:895-06222	MOS	23-Aug-23	180		01-Apr-28 (M)		1166 d	AIRWORTHINESS
SN:C13050039	HRS	2609.3						
WC#: 35.010	AFL	2195						
Manufacture Date:: 01-May-13								
PROC. REF: AMM 12-B-35-10-01-00A-920A-APROC. REF: AMM 12-B-35-10-01-00A-920A-A								
35-10/7	HYDROSTATIC TEST OXYGEN BOTTLE							Service ATA:35
PN:895-06222	MOS	23-Aug-23	60		23-Aug-28		1310 d	AIRWORTHINESS
SN:C13050039	HRS	2609.3						
WC#: 35.010	AFL	2195						
HydroCheck Date: : 23-Aug-23								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-20/459	OPERATIONAL TEST OF PASSENGER OXYGEN (PLUG-IN MASK) SYSTEM (IF INSTALLED)							Service ATA:35
	MOS	01-Nov-21						
	HRS	2336.5	600		2936.5		280.4	
	AFL							
PROC. REF: AMM 12-B-35-00-00-00A-903A-APROC. REF: AMM 12-B-35-00-00-00A-903A-A								
35-20/87	INSPECTION/CHECK PASSENGER OXYGEN MASKS							Service ATA:35
	MOS	23-Aug-23	36 (+10%/-10%)		23-Aug-26	11-Dec-26	579 d (+110)	
	HRS	2609.3						
WC#: 35.010	AFL	2195						
PROC. REF: AMM 12-B-35-20-00-00A-313A-APROC. REF: AMM 12-B-35-20-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
350020	PILOT QUICK DONNING MASK-REGULATOR ASSY							Component ATA:35
PN:9571201210	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:B001230	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350025	COPILOT QUICK DONNING MASK-REGULATOR ASSY							Component ATA:35
PN:MC10-06-125	MOS/MSC	01-Nov-21	O/C	TSO 0				
SN:B118540	HRS	2336.5		TSO 0				
WC#: 35.040	AFL			TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350030	PRESSURE,GAGE,OXYGEN SWITCH							Component ATA:35
PN:9738114401	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1250	HRS	0		TSN 0				
WC#: 35.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350035	CONTR,3-POSITION,37071-03 VALVE							Component ATA:35
PN:9633211102	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0268	HRS	0		TSN 0				
WC#: 35.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-04-00A-920A-APROC. REF: AMM 12-B-35-20-04-00A-920A-A								
ATA 45 - CENTRAL MAINT SYSTEM								
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS-EXPORT FAULT HISTORY - SEND TO LOCAL STORAGE - DOWNLOAD							Service ATA:45
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-45-45-00-00A-551A-APROC. REF: AMM 12-B-45-45-00-00A-551A-A								

PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
46-26/320 ^S	OPERATIONAL TEST PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES							Service ATA:46
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-46-30-05-00A-903A-A, AMM 12-B-46-30-06-00A-903A-A, AMM 12-B-46-30-05-00A-903A-A, AMM 12-B-46-30-06-00A-903A-A								PKG:3
46-26/321 ^S	OPERATIONAL TEST ADAHRS SENSOR SOURCE SELECT SWITCHES							Service ATA:46
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-46-30-02-00A-903A-A, AMM 12-B-46-30-02-00A-903A-A								PKG:3
ATA 52 - DOORS								
52-10/189 ^S	EXAMINE PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY P0-9-002 FRENCH CHALK							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REF, PROC. REF: GENERIC NO REF								PKG:18
52-10/190 ^S	EXAMINE PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REF, PROC. REF: GENERIC NO REF								PKG:18
52-10/191 ^S	PASSENGER/CREW DOOR HANDLE LOCK PIN - MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH P10-001 AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REF, PROC. REF: GENERIC NO REF								PKG:18

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10/192 ^S	EXAMINE PASSENGER/CREW DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:18
52-10/271 ^S	EXAMINE PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
52-10/348	EXAMINE ALL STRUCTURAL ELEMENTS - PASSENGER/CREW DOOR							Service ATA:52
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 52.070	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-52-10-00-00A-310A-APROC. REF: AMM 12-B-52-10-00-00A-310A-A								
52-10/405	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR PIANO HINGE							Service ATA:52
	MOS	23-Aug-13						
	HRS	0	T:32500 (+500/-500)		32500	33000	29843.9 (+500)	
WC#: 52.100	AFL	0	T:42000 (+500/-500)		42000	42500	39769 (+500)	
PROC. REF: AMM 12-B-52-00-01-00A-353A-APROC. REF: AMM 12-B-52-00-01-00A-353A-A								
52-10/406	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR SKIN							Service ATA:52
	MOS	23-Aug-13						
	HRS	0	T:25000 (+500/-500)		25000	25500	22343.9 (+500)	
WC#: 52.110	AFL	0	T:30000 (+500/-500)		30000	30500	27769 (+500)	
PROC. REF: AMM 12-B-52-10-01-00A-353A-APROC. REF: AMM 12-B-52-10-01-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10/88	EXAMINE PASSENGER/CREW DOOR WITH TRIM REMOVED							Service ATA:52
	MOS	07-Oct-24	24 (+10%/-10%)		07-Oct-26	19-Dec-26	624 d (+73)	SEVERE CORROSION ZONE
	HRS	2656.1	2000 (+10%/-10%)		4656.1	4856.1	2000 (+200)	
WC#: 52.010	AFL	2231						
PROC. REF: AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-A, AMM 12-B-52-10-00-00A-313A-APROC. REF: AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-A, AMM 12-B-52-10-00-00A-313A-A								
52-20/272 ^S	EXAMINE EMERGENCY DOOR (DOOR REMOVED)							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
52-20/273 ^S	EXAMINE EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY P09-002 FRENCH CHALK							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
52-20/349	EXAMINE ALL STRUCTURAL ELEMENTS - EMERGENCY DOOR							Service ATA:52
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 52.080	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A								
52-30/193 ^S	EXAMINE CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, AND APPLY P0-9-002 FRENCH CHALK							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:18

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30/194 ^S	EXAMINE CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM.							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
								PKG:18
PROC. REF: AMM 12-B-52-30-00-00A-313A-APROC. REF: AMM 12-B-52-30-00-00A-313A-A								
52-30/195 ^S	EXAMINE CARGO DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
								PKG:18
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-30/274 ^S	EXAMINE CARGO DOOR							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-30/350	EXAMINE ALL STRUCTURAL ELEMENTS - CARGO DOOR							Service ATA:52
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 52.090	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A								
52-30/407	EDDY CURRENT INSPECTION - CARGO DOOR PIANO HINGE							Service ATA:52
	MOS	23-Aug-13						
	HRS	0	T:32500 (+500/-500)		32500	33000	29843.9 (+500)	
WC#: 52.120	AFL	0	T:42000 (+500/-500)		42000	42500	39769 (+500)	
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30/408	EDDY CURRENT INSPECTION - CARGO DOOR SKIN							Service ATA:52
	MOS	23-Aug-13						
	HRS	0	T:25000 (+500/-500)		25000	25500	22343.9 (+500)	
WC#: 52.130	AFL	0	T:30000 (+500/-500)		30000	30500	27769 (+500)	
PROC. REF: AMM 12-B-52-30-01-00A-353A-APROC. REF: AMM 12-B-52-30-01-00A-353A-A								
52-30/8	CARGO DOOR LOWER LUG (QTY 3) FITTINGS							Component ATA:52
PN:PN	MOS	23-Aug-13		TSN 0				AIRWORTHINESS
SN:UNKNOWN	HRS	0	13000	TSN 0	13000		10343.9	
WC#: 52.020	AFL	0	17000	TSN 0	17000		14769	
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
52-30/89	EXAMINE CARGO DOOR WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM							Service ATA:52
	MOS	07-Oct-24	24 (+10%/-10%)		07-Oct-26	19-Dec-26	624 d (+73)	SEVERE CORROSION ZONE
	HRS	2656.1	2000 (+10%/-10%)		4656.1	4856.1	2000 (+200)	
WC#: 52.030	AFL	2231						
PROC. REF: AMM 12-B-52-30-00-00A-313A-A, AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-APROC. REF: AMM 12-B-52-30-00-00A-313A-A, AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-A								
52-70/275 ^S	OPERATIONAL TEST DOOR WARNING SYSTEM							Service ATA:52
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-52-70-00-00A-903A-APROC. REF: AMM 12-B-52-70-00-00A-903A-A								
520005	PASSENGER DOOR							Component ATA:52
PN:5520512007	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6014	HRS	0		TSN 0				
WC#: 52.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-B-52-10-01-00A-920B-APROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-B-52-10-01-00A-920B-A								
520010	FREIGHT OF 10SERIE DOOR ASSY							Component ATA:52
PN:5520512013	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6014	HRS	0		TSN 0				
WC#: 52.040	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PROC. REF: AMM 12-B-52-30-01-00A-920A-APROC. REF: AMM 12-B-52-30-01-00A-920A-A								
520015	EMERGENCY 6 SERIE EXIT							Component ATA:52
PN:5520512009	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6014	HRS	0		TSN 0				
WC#: 52.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-20-01-00A-920A-APROC. REF: AMM 12-B-52-20-01-00A-920A-A								
ATA 53 - FUSELAGE								
53-00/196 ^S	EXAMINE FUSELAGE EXTERNAL SURFACE. FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS.							Service ATA:53
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
53-00/276 ^S	EXAMINE REAR PRESSURE BULKHEAD							Service ATA:53
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
53-00/277 ^S	EXAMINE FLOOR TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED							Service ATA:53
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
53-00/278 ^S	EXAMINE BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE FOR CORROSION							Service ATA:53
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/279 ^S	EXAMINE BAGGAGE COMPARTMENT							Service ATA:53
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:20
53-00/280 ^S	EXAMINE REAR FUSELAGE INTERNAL STRUCTURE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service ATA:53
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
53-00/324	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE (POST SB 04-009)							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	25000		25000		22343.9	
	AFL	0	30000		30000		27769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/337 ^S	INSPECTION/CHECK CARRY THROUGH FRAMES 21 AND 24							Service ATA:53
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-53-20-02-00A-313A-APROC. REF: AMM 12-B-53-20-02-00A-313A-A								PKG:19
53-00/351	UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 53.100	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-53-10-06-01A-353A-APROC. REF: AMM 12-B-53-10-06-01A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/352	FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 53.110	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-53-10-00-00A-310A-APROC. REF: AMM 12-B-53-10-00-00A-310A-A								
53-00/353	FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 53.120	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-53-20-00-00A-310A-APROC. REF: AMM 12-B-53-20-00-00A-310A-A								
53-00/354	EXAMINE ALL STRUCTURAL ELEMENTS - FUSELAGE FRAMES 36 TO 43							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 53.130	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A								
53-00/355	EXAMINE - ANTENNA STRUCTURE							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 53.140	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-53-00-00-00A-310A-APROC. REF: AMM 12-B-53-00-00-00A-310A-A								
53-00/356	EDDY CURRENT INSPECTION - ANTENNA - BOTTOM FUSELAGE SKIN							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:28300		28300		25643.9	
WC#: 53.150	AFL	0	T:37000		37000		34769	
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A								
53-00/357	EDDY CURRENT INSPECTION - ANTENNA - UPPER FUSELAGE SKIN							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 53.160	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/359	FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
WC#: 53.180	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-57-00-03-00A-353A-APROC. REF: AMM 12-B-57-00-03-00A-353A-A								
53-00/360	FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
WC#: 53.190	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-53-20-02-00A-353A-APROC. REF: AMM 12-B-53-20-02-00A-353A-A								
53-00/361	FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 53.200	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								
53-00/419	EDDY CURRENT INSPECTION - FRAME 40							Service ATA:53
	MOS	23-Aug-13						
	HRS	0	T:32500 (+500/-500)		32500	33000	29843.9 (+500)	
WC#: 53.210	AFL	0	T:42000 (+500/-500)		42000	42500	39769 (+500)	
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								
53-00/9	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE							Service ATA:53
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	20000		20000		17343.9	
WC#: 53.010	AFL	0	27000		27000		24769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/90	EXAMINE FRONT PRESSURE BULKHEAD (WITH INSULATION ON ENGINE AND COCKPIT SIDES REMOVED)							Service ATA:53
	MOS	07-Oct-24	24 (+10%/-10%)		07-Oct-26	19-Dec-26	624 d (+73)	SEVERE CORROSION ZONE
	HRS	2656.1	2000 (+10%/-10%)		4656.1	4856.1	2000 (+200)	
WC#: 53.030	AFL	2231						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/91	EXAMINE FUSELAGE INTERNAL BOTTOM SURFACE (FRAMES 10,21,24,36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT,WITH INSULATION REMOVED)							Service ATA:53
	MOS	07-Oct-24	24 (+10%/-10%)		07-Oct-26	19-Dec-26	624 d (+73)	SEVERE CORROSION ZONE
	HRS	2656.1	2000 (+10%/-10%)		4656.1	4856.1	2000 (+200)	
WC#: 53.040	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/92	EXAMINE REAR PRESSURE BULKHEAD WITH TRIM REMOVED							Service ATA:53
	MOS	07-Oct-24	24 (+10%/-10%)		07-Oct-26	19-Dec-26	624 d (+73)	SEVERE CORROSION ZONE
	HRS	2656.1	2000 (+10%/-10%)		4656.1	4856.1	2000 (+200)	
WC#: 53.070	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/93	EXAMINE STRUCTURE AROUND WINDOWS							Service ATA:53
	MOS	07-Oct-24	24 (+10%/-10%)		07-Oct-26	19-Dec-26	624 d (+73)	SEVERE CORROSION ZONE
	HRS	2656.1	2000 (+10%/-10%)		4656.1	4856.1	2000 (+200)	
WC#: 53.050	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/94	EXAMINE DOOR FRAMES AND EMERGENCY EXIT FRAMES							Service ATA:53
	MOS	07-Oct-24	24 (+10%/-10%)		07-Oct-26	19-Dec-26	624 d (+73)	SEVERE CORROSION ZONE
	HRS	2656.1	2000 (+10%/-10%)		4656.1	4856.1	2000 (+200)	
WC#: 53.060	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-30/342	INSPECTION/CHECK STATIC PORTS CRITICAL AREA							Service ATA:53
	MOS	07-Oct-24	12 (+10%/-10%)		07-Oct-25	13-Nov-25	259 d (+37)	
	HRS	2656.1						
WC#: 34.575	AFL	2231						
PROC. REF: AMM 12-B-53-30-01-00A-313A-APROC. REF: AMM 12-B-53-30-01-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
530070	FUSELAGE AB 1003 TEIL1							Component ATA:53
PN:5530512114	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6014	HRS	0		TSN 0				
WC#: 53.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 55 - STABILIZERS								
55-00/10	STRUCTURAL LIMITATION TAIL STRUCTURE							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	20000		20000		17343.9	
	AFL	0	27000		27000		24769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-00/325	STRUCTURAL LIMITATION TAIL STRUCTURE (POST SB 04-009)							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	25000		25000		22343.9	
	AFL	0	30000		30000		27769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-10/197 ^S	EXAMINE HORIZONTAL STABILIZER EXTERNAL SURFACE							Service ATA:55
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-10/319 ^S	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT							Service ATA:55
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: AMM 12-B-55-00-00-00A-313A-APROC. REF: AMM 12-B-55-00-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10/415	HORIZONTAL STABILIZER							Component ATA:55
PN:PN	MOS	23-Aug-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22343.9	
WC#: 55.090	AFL	0	30000	TSN 0	30000		27769	
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A								
55-10/638	HORIZONTAL STABILIZER - EXAMINE WITH BORESCOPE							Service ATA:55
	MOS	23-Aug-13	T:240		23-Aug-33		3136 d	
	HRS	0	T:10000		10000		7343.9	
	AFL	0						
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A								
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service ATA:55
	MOS	17-Nov-22	72 (+10%/-10%)		17-Nov-28	23-Jun-29	1396 d (+218)	
	HRS	2511.3						
	AFL	2084						
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A								
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND .178)							Service ATA:55
	MOS/MSC	23-Aug-13	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A								
55-10/96	EXAMINE VERTICAL STABILIZER INTERNAL SURFACES (AS FAR AS POSSIBLE WITH PANELS REMOVED)							Service ATA:55
	MOS	07-Oct-24	24 (+10%/-10%)		07-Oct-26	19-Dec-26	624 d (+73)	SEVERE CORROSION ZONE
	HRS	2656.1	2000 (+10%/-10%)		4656.1	4856.1	2000 (+200)	
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-20/362	EXAMINE LEFT WING ELEVATOR							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 55.100	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-20/362	EXAMINE RIGHT WING ELEVATOR							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A								
55-20/367	EDDY CURRENT INSPECTION - ELEVATOR DRIVE LEVER							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 55.110	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A								
55-20/368	EDDY CURRENT INSPECTION - LEFT WING ELEVATOR HINGES							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 55.120	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A								
55-20/368	EDDY CURRENT INSPECTION - RIGHT WING ELEVATOR HINGES							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A								
55-30/198 ^S	EXAMINE VERTICAL STABILIZER EXTERNAL SURFACE SPECIALLY AROUND REAR SPAR TOP RIVETS.							Service ATA:55
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-55-00-01-00A-664A-APROC. REF: AMM 12-B-55-00-01-00A-664A-A								

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30/281 ^S	EXAMINE VERTICAL STABILIZER ELECTRICAL BONDING STRAPS							Service ATA:55
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
55-30/369	EXAMINE - VERTICAL STABILIZER							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 55.130	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A								
55-30/370	EDDY CURRENT INSPECTION - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 55.140	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								
55-30/371	EDDY CURRENT INSPECTION VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 55.150	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-00-00-00A-353A-APROC. REF: AMM 12-B-55-00-00-00A-353A-A								
55-30/372	EDDY CURRENT INSPECTION VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 55.160	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-02-00A-353A-A								
55-30/420	EDDY CURRENT INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40							Service ATA:55
	MOS	23-Aug-13						
	HRS	0	T:32500 (+500/-500)		32500	33000	29843.9 (+500)	
WC#: 55.190	AFL	0	T:42000 (+500/-500)		42000	42500	39769 (+500)	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: AMM 12-B-55-30-03-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A								
55-40/373	EXAMINE - RUDDER							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 55.170	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-40-00-00A-310A-APROC. REF: AMM 12-B-55-40-00-00A-310A-A								
55-40/377	EDDY CURRENT INSPECTION - RUDDER HINGES							Service ATA:55
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 55.180	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-55-40-05-00A-353A-APROC. REF: AMM 12-B-55-40-05-00A-353A-A								
55-40/410	EXAMINE - RUDDER TRIM TAB							Service ATA:55
	MOS	23-Aug-13						
	HRS	0	T:32500 (+500/-500)		32500	33000	29843.9 (+500)	
WC#: 55.200	AFL	0	T:42000 (+500/-500)		42000	42500	39769 (+500)	
PROC. REF: AMM 12-B-55-40-04-00A-310A-APROC. REF: AMM 12-B-55-40-04-00A-310A-A								
ATA 56 - WINDOWS								
56-11/12	COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE IF CRACKED							Service ATA:56
	MOS/MSC	23-Aug-13	A/R					AIRWORTHINESS
	HRS	0						
WC#: 56.020	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
56-11/13	COCKPIT INNER AND OUTER SIDE, DV WINDOWS AND CABIN WINDOWS- REPLACE IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS), CRAZING, SCRATCHED, BUBBLES OR DELAMINATED							Service ATA:56
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-11/14	REPLACE LEFT HAND WINDSHIELD ASSY, (LH) (INNER LAMINATION CRACKED)							Service ATA:56
PN:9598110109	MOS/MSC	23-Aug-13	A/R					
SN:11209H6183	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/14	REPLACE RIGHT HAND WINDSHIELD ASSY, (RH) (INNER LAMINATION CRACKED)							Service ATA:56
PN:9598110110	MOS/MSC	23-Aug-13	A/R					
SN:11067H1129	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/15	LEFT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service ATA:56
PN:9598110109	MOS/MSC	23-Aug-13	A/R					
SN:11209H6183	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
56-11/15	RIGHT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service ATA:56
PN:9598110110	MOS/MSC	23-Aug-13	A/R					
SN:11067H1129	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
56-11/200 ^S	EXAMINE WINDSHIELD LH AND RH							Service ATA:56
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								PKG:3
56-11/332	INSPECTION/CHECK COCKPIT SIDE WINDOWS							Service ATA:56
	MOS	23-Aug-23	120 (+6m/-6m)		23-Aug-33	23-Feb-34	3136 d (+184)	
	HRS	2609.3	11000 (+500/-500)		13609.3	14109.3	10953.2 (+500)	
WC#: 56.100	AFL	2195						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PROC. REF: AMM 12-B-56-11-02-00A-313A-APROC. REF: AMM 12-B-56-11-02-00A-313A-A								
56-11/378	WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WIND-SHIELD AND SIDE WINDOWS REMOVED							Service ATA:56
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 56.110	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-A								
56-11/517 ^S	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND							Service ATA:56
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: GENERIC NO REF, AMM NO REFPROC. REF: GENERIC NO REF, AMM NO REF								
56-20/201 ^S	EXAMINE COCKPIT AND CABIN WINDOWS							Service ATA:56
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
								PKG:3
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								
560015	SIDE,LH WINDOW							Component ATA:56
PN:9598110111	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:11139H8604	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A								
560020	SIDE,RH WINDOW							Component ATA:56
PN:9598110112	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:11195H4616	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
560025	RH NO 1 CABIN WINDOW							Component ATA:56
PN:5562012029	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0001177918-012	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560030	RH NO 2 CABIN WINDOW							Component ATA:56
PN:5562012029	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0001169221-006	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560035	RH NO 3 CABIN WINDOW							Component ATA:56
PN:5562012029	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0001179906-003	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560040	RH NO 4 CABIN WINDOW							Component ATA:56
PN:5562012029	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0001169221-001	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560045	RH NO 5 CABIN WINDOW							Component ATA:56
PN:5562012029	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0001169221-010	HRS	0		TSN 0				
WC#: 56.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560050	LH NO 1 CABIN WINDOW							Component ATA:56
PN:5562012029	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0001212026-012	HRS	0		TSN 0				
WC#: 56.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
560055	LH NO 2 CABIN WINDOW							Component ATA:56
PN:5562012029	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0001222131-004	HRS	0		TSN 0				
WC#: 56.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560060	LH NO 3 CABIN WINDOW							Component ATA:56
PN:5562012029	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0001195025-011	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560065	LH NO 4 CABIN WINDOW							Component ATA:56
PN:5562012029	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:0001169221-003	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560070	DV-WINDOW ASSY							Component ATA:56
PN:5561412099	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:13039H5861	HRS	0		TSN 0				
WC#: 56.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-B-56-14-01-00A-920A-A								
561010	LEFT HAND WINDSHIELD ASSY, (LH)							Component ATA:56
PN:9598110109	MOS/MSC	23-Aug-13	O/C	TSN 0				AIRWORTHINESS
SN:11209H6183	HRS	0		TSN 0				
WC#: 56.010	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
561011	RIGHT HAND WINDSHIELD ASSY, (RH)							Component ATA:56
PN:9598110110	MOS/MSC	23-Aug-13	O/C	TSN 0				AIRWORTHINESS
SN:11067H1129	HRS	0		TSN 0				
WC#: 56.010	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/11	STRUCTURAL LIMITATION LEFT WING STRUCTURE							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	20000		20000		17343.9	
WC#: 57.010	AFL	0	27000		27000		24769	
PROC. REF: AMM 12-B-57-00-00-00A-040A-APROC. REF: AMM 12-B-57-00-00-00A-040A-A								
57-00/11	STRUCTURAL LIMITATION RIGHT WING STRUCTURE							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	20000		20000		17343.9	
WC#: 57.010	AFL	0	27000		27000		24769	
PROC. REF: AMM 12-B-57-00-00-00A-040A-APROC. REF: AMM 12-B-57-00-00-00A-040A-A								
57-00/202 ^S	EXAMINE WING EXTERNAL SURFACES							Service ATA:57
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
57-00/282 ^S	EXAMINE WING TIP STATIC DISCHARGERS							Service ATA:57
	MOS	23-Aug-23	24 (+10%/-10%)					
	HRS	2609.3	2400 (+10%/-10%)					
	AFL	2195						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:20
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH PANELS REMOVED							Service ATA:57
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/284 ^S	EXAMINE WING TO FUSELAGE ATTACHMENTS AS FAR AS POSSIBLE							Service ATA:57
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
57-00/326	STRUCTURAL LIMITATION LEFT WING STRUCTURE (POST SB 04-009)							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	25000		25000		22343.9	
	AFL	0	30000		30000		27769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/326	STRUCTURAL LIMITATION RIGHT WING STRUCTURE (POST SB 04-009)							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	25000		25000		22343.9	
	AFL	0	30000		30000		27769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - LEFT WING							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
WC#: 57.100	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - RIGHT WING							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
	AFL	0	T:39000		39000		36769	
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								
57-00/380	WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:30000		30000		27343.9	
WC#: 57.110	AFL	0	T:39000		39000		36769	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 12-B-57-00-03-00A-353A-A, AMM 12-B-57-00-03-01A-353A-APROC. REF: AMM 12-B-57-00-03-00A-353A-A, AMM 12-B-57-00-03-01A-353A-A								
57-00/382	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:25000		25000		22343.9	
WC#: 57.120	AFL	0	T:30000		30000		27769	
PROC. REF: AMM 12-B-57-20-10-00A-353C-APROC. REF: AMM 12-B-57-20-10-00A-353C-A								
57-00/382	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:25000		25000		22343.9	
	AFL	0	T:30000		30000		27769	
PROC. REF: AMM 12-B-57-20-10-00A-353C-APROC. REF: AMM 12-B-57-20-10-00A-353C-A								
57-00/383	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:25000		25000		22343.9	
WC#: 57.130	AFL	0	T:30000		30000		27769	
PROC. REF: AMM 12-B-57-20-10-00A-353A-APROC. REF: AMM 12-B-57-20-10-00A-353A-A								
57-00/383	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:25000		25000		22343.9	
	AFL	0	T:30000		30000		27769	
PROC. REF: AMM 12-B-57-20-10-00A-353A-APROC. REF: AMM 12-B-57-20-10-00A-353A-A								
57-00/384	EDDY CURRENT INSPECTION - LEFT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:25000		25000		22343.9	
WC#: 57.140	AFL	0	T:30000		30000		27769	
PROC. REF: AMM 12-B-57-20-05-00A-353A-APROC. REF: AMM 12-B-57-20-05-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/384	EDDY CURRENT INSPECTION - RIGHT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:25000		25000		22343.9	
	AFL	0	T:30000		30000		27769	
PROC. REF: AMM 12-B-57-20-05-00A-353A-APROC. REF: AMM 12-B-57-20-05-00A-353A-A								
57-00/385	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:25000		25000		22343.9	
WC#: 57.150	AFL	0	T:30000		30000		27769	
PROC. REF: AMM 12-B-57-20-10-00A-353B-APROC. REF: AMM 12-B-57-20-10-00A-353B-A								
57-00/385	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:25000		25000		22343.9	
	AFL	0	T:30000		30000		27769	
PROC. REF: AMM 12-B-57-20-10-00A-353B-APROC. REF: AMM 12-B-57-20-10-00A-353B-A								
57-00/412	EXAMINE - WING TIPS							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500 (+500/-500)		32500	33000	29843.9 (+500)	
WC#: 57.170	AFL	0	T:42000 (+500/-500)		42000	42500	39769 (+500)	
PROC. REF: AMM 12-B-57-33-00-00A-310A-APROC. REF: AMM 12-B-57-33-00-00A-310A-A								
57-00/413	EDDY CURRENT INSPECTION - LEFT WING SKIN AROUND DRAIN HOLES							Service ATA:57
	MOS	23-Aug-13						
	HRS	0	T:25000 (+500/-500)		25000	25500	22343.9 (+500)	
WC#: 57.180	AFL	0	T:30000 (+500/-500)		30000	30500	27769 (+500)	
PROC. REF: AMM 12-B-57-20-01-00A-353A-APROC. REF: AMM 12-B-57-20-01-00A-353A-A								
57-00/413	EDDY CURRENT INSPECTION - RIGHT WING SKIN AROUND DRAIN HOLES							Service ATA:57
	MOS	23-Aug-13						
	HRS	0	T:25000 (+500/-500)		25000	25500	22343.9 (+500)	
	AFL	0	T:30000 (+500/-500)		30000	30500	27769 (+500)	
PROC. REF: AMM 12-B-57-20-01-00A-353A-APROC. REF: AMM 12-B-57-20-01-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/427	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	16000		16000		13343.9	
	AFL	0	22500		22500		20269	
PROC. REF: AMM 12-B-57-20-10-00A-353D-APROC. REF: AMM 12-B-57-20-10-00A-353D-A								
57-00/427	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	16000		16000		13343.9	
	AFL	0	22500		22500		20269	
PROC. REF: AMM 12-B-57-20-10-00A-353D-APROC. REF: AMM 12-B-57-20-10-00A-353D-A								
57-00/97	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT (AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED)							Service ATA:57
	MOS	07-Oct-24	24 (+10%/-10%)		07-Oct-26	19-Dec-26	624 d (+73)	SEVERE CORROSION ZONE
	HRS	2656.1	2000 (+10%/-10%)		4656.1	4856.1	2000 (+200)	
WC#: 57.020	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/98	EXAMINE LANDING GEAR COMPARTMENTS (ESPECIALLY MAIN AND REAR SPAR PARTS)							Service ATA:57
	MOS	07-Oct-24	24 (+10%/-10%)		07-Oct-26	19-Dec-26	624 d (+73)	SEVERE CORROSION ZONE
	HRS	2656.1	2000 (+10%/-10%)		4656.1	4856.1	2000 (+200)	
WC#: 57.030	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/99	EXAMINE WING TO FUSELAGE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service ATA:57
	MOS	23-Aug-23	120 (+6m/-6m)		23-Aug-33	23-Feb-34	3136 d (+184)	
	HRS	2609.3	11000 (+500/-500)		13609.3	14109.3	10953.2 (+500)	
WC#: 57.040	AFL	2195						
PROC. REF: AMM 12-B-57-00-00-00A-313A-APROC. REF: AMM 12-B-57-00-00-00A-313A-A								
57-60/393	EXAMINE - RIGHT WING AILERON							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
	AFL	0	T:42000		42000		39769	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 12-B-57-60-00-00A-310A-APROC. REF: AMM 12-B-57-60-00-00A-310A-A								
57-60/393	EXAMINE -LEFT WING AILERON							Service ATA:57
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:32500		32500		29843.9	
WC#: 57.160	AFL	0	T:42000		42000		39769	
PROC. REF: AMM 12-B-57-60-00-00A-310A-APROC. REF: AMM 12-B-57-60-00-00A-310A-A								
57-60/411	EXAMINE - AILERON TRIM TAB							Service ATA:57
	MOS	23-Aug-13						
	HRS	0	T:32500 (+500/-500)		32500	33000	29843.9 (+500)	
WC#: 57.190	AFL	0	T:42000 (+500/-500)		42000	42500	39769 (+500)	
PROC. REF: AMM 12-B-57-60-04-00A-310A-APROC. REF: AMM 12-B-57-60-04-00A-310A-A								
570005	AILERON LH 10A SERIE ASSY							Component ATA:57
PN:5570512017	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6014	HRS	0		TSN 0				
WC#: 57.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-60-02-00A-920A-APROC. REF: AMM 12-B-57-60-02-00A-920A-A								
570010	AILERON RH 10A SERIE ASSY							Component ATA:57
PN:5570512018	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6014	HRS	0		TSN 0				
WC#: 57.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-60-02-00A-920A-APROC. REF: AMM 12-B-57-60-02-00A-920A-A								
570050	L/H WING							Component ATA:57
PN:5570512137	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6015	HRS	0		TSN 0				
WC#: 57.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-00-00-00A-520A-A, AMM 12-B-57-00-00-00A-520B-A, AMM 12-B-57-00-00-00A-720A-A, AMM 12-B-57-00-00-00A-720B-APROC. REF: AMM 12-B-57-00-00-00A-520A-A, AMM 12-B-57-00-00-00A-520B-A, AMM 12-B-57-00-00-00A-720A-A, AMM 12-B-57-00-00-00A-720B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
570055	R/H WING							Component ATA:57
PN:5570512138	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:6014	HRS	0		TSN 0				
WC#: 57.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-00-00-00B-520A-A, AMM 12-B-57-00-00-00B-520B-A, AMM 12-B-57-00-00-00B-720A-A, AMM 12-B-57-00-00-00B-720B-APROC. REF: AMM 12-B-57-00-00-00B-520A-A, AMM 12-B-57-00-00-00B-520B-A, AMM 12-B-57-00-00-00B-720A-A, AMM 12-B-57-00-00-00B-720B-A								
ATA 61 - PROPELLERS/PROPULSORS								
61-00-00-00A-903A-A	FOUR BLADED PROPELLER ADJUSTMENT TEST							Service ATA:61
PN:PN	MOS/MSC	23-Aug-13	A/R					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-61-00-00-00A-903A-APROC. REF: AMM 12-B-61-00-00-00A-903A-A								
61-00-00-00A-903B-A	FIVE BLADED PROPELLER ADJUSTMENT TEST							Service ATA:61
PN:PN	MOS/MSC	23-Aug-13	A/R					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-61-00-00-00A-903B-APROC. REF: AMM 12-B-61-00-00-00A-903B-A								
61-20-00.7	NO. 1 ENGINE - INSPECTION/CHECK OF THE PROPELLER GOVERNOR							Service ATA:61
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 61-20-00PROC. REF: EMM 61-20-00								
61-20/286 ^S	EXAMINE PROPELLER GOVERNOR, OVERSPEED GOVERNOR AND BETA CONTROLS							Service ATA:61
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
610000	NO. 1 PROPELLER - OVERHAUL							Service ATA:61
	MOS	01-Nov-21	72		01-Nov-27		1014 d	OVERHAUL
	HRS	2336.5	4000		(6336.5) 6336.5		3680.4	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
611010	NO. 1 PROPELLER - ACCOMPLISH A DETAILED INSPECTION							Service ATA:61
	MOS	07-Oct-24	12		07-Oct-25		259 d	
	HRS	2656.1	400		(3056.1) 3056.1		400	
611020	NO. 1 PROPELLER - LUBRICATE PROPELLER							Service ATA:61
	MOS	07-Oct-24	12		07-Oct-25		259 d	
	HRS	2656.1	400		(3056.1) 3056.1		400	
611025	NO. 1 PROPELLER - APPLY CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS							Service ATA:61
	MOS	07-Oct-24	12		07-Oct-25		259 d	
	HRS	2656.1	400		(3056.1) 3056.1		400	
611101	NO. 1 PROPELLER - NO. 1 PROPELLER BLADE							Component ATA:61
PN:9682913023	MOS/MSC	05-Jun-13	O/C	TSN 0				
SN:L35249	HRS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
611102	NO. 1 PROPELLER - NO. 2 PROPELLER BLADE							Component ATA:61
PN:9682913023	MOS/MSC	05-Jun-13	O/C	TSN 0				
SN:L35250	HRS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
611103	NO. 1 PROPELLER - NO. 3 PROPELLER BLADE							Component ATA:61
PN:9682913023	MOS/MSC	05-Jun-13	O/C	TSN 0				
SN:L35251	HRS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
611104	NO. 1 PROPELLER - NO. 4 PROPELLER BLADE							Component ATA:61
PN:9682913023	MOS/MSC	05-Jun-13	O/C	TSN 0				
SN:L35252	HRS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
611230	NO. 1 PROPELLER - DEICE SYSTEM 200 HOUR INSPECTION							Service ATA:61
	MOS	07-Oct-24	12		07-Oct-25		259 d	
	HRS	2656.1	600		(3256.1) 3256.1		600	
PROC. REF: MM 30-61-80, MM 30-61-80, AMM 30-60-01PROC. REF: MM 30-61-80, MM 30-61-80, AMM 30-60-01								
611250	NO. 1 PROPELLER - DE-ICE COMPONENT OVERHAUL							Service ATA:61
	MOS	01-Nov-21	72		01-Nov-27		1014 d	OVERHAUL
	HRS	2336.5	4000		(6336.5) 6336.5		3680.4	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
612010	NO. 1 ENGINE - PROPELLER GOVERNOR							Component ATA:61
PN:3049558-01	MOS	19-Apr-13		TSN 0				OVERHAUL
SN:18656251	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	843.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 61-20-00PROC. REF: EMM 61-20-00								
612020	NO. 1 ENGINE - OVERSPEED GOVERNOR							Component ATA:61
PN:3037685	MOS	19-Apr-13		TSN 0				OVERHAUL
SN:18392404	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	843.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 61-20-00PROC. REF: EMM 61-20-00								
619000	NO. 1 PROPELLER - PRE-FLIGHT CHECKS							Service ATA:61
	MOS/MSC	05-Jun-13	A/R					
	HRS	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
619010	NO. 1 PROPELLER - OPERATIONAL CHECKS							Service ATA:61
	MOS/MSC	05-Jun-13	A/R					
	HRS	0						
619020	NO. 1 PROPELLER - OVERSPEED/OVERTORQUE							Service ATA:61
	MOS/MSC	05-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
619030	NO. 1 PROPELLER - LIGHTNING STRIKE							Service ATA:61
	MOS/MSC	05-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: MM 30-61-80PROC. REF: MM 30-61-80								
619040	NO. 1 PROPELLER - FOREIGN OBJECT STRIKE/GROUND STRIKE							Service ATA:61
	MOS/MSC	05-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: MM 30-61-80PROC. REF: MM 30-61-80								
619050	NO. 1 PROPELLER - FIRE/HEAT DAMAGE							Service ATA:61
	MOS/MSC	05-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: MM 30-61-80PROC. REF: MM 30-61-80								
619060	NO. 1 PROPELLER - SUDDEN STOPPAGE							Service ATA:61
	MOS/MSC	05-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
619070	NO. 1 PROPELLER - ENGINE OIL CONTAMINATION							Service ATA:61
	MOS/MSC	05-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
619080	NO. 1 PROPELLER - LONG TERM STORAGE							Service ATA:61
	MOS/MSC	05-Jun-13	A/R					
	HRS	0						
61PR1	NO. 1 PROPELLER							Component ATA:61
PN:HC-E4A-3D	MOS/MSC	23-Aug-13	PP/C	TSN 0				
SN:KX1157	HRS	0		TSN 0				
WC#: 61.PR1	AFL	0		TSN 0				
PROC. REF: AMM 12-B-61-10-01-00A-920A-A, AMM 12-B-61-10-01-00A-920B-A								
ATA 71 - POWER PLANT								
71-00-00-00A-903A-A	POWERPLANT (PT6A-67P) ADJUSTMENT/TEST							Service ATA:71
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-71-00-00-00A-903A-A								
71-00-00-00A-903H-A	POWERPLANT TEST 7 ENGINE PERFORMANCE ADJUSTMENT TEST							Service ATA:71
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-71-00-00-00A-903H-A								
71-00-00-00A-903I-A	POWER PLANT TEST 8 TORQUEMETER FUNCTION ADJUSTMENT TEST							Service ATA:71
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-71-00-00-00A-903I-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-00A-903M-A	POWERPLANT TEST 12-FCU DEAD BAND ADJUSTMENT TEST							Service ATA:71
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-71-00-00-00A-903M-APROC. REF: AMM 12-B-71-00-00-00A-903M-A								
71-00-00-00A-903P-A	POWERPLANT TEST 15-FLIGHT IDLE ADJUSTMENT							Service ATA:71
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-71-00-00-00A-903P-APROC. REF: AMM 12-B-71-00-00-00A-903P-A								
71-00-00.13	NO. 1 ENGINE - ENGINE PERFORMANCE CHECK							Service ATA:71
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00.14	NO. 1 ENGINE - TORQUEMETER FUNCTION TEST							Service ATA:71
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00/101 ^S	OPERATIONAL TEST POWER PLANT TORQUE LIMITER							Service ATA:71
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
WC#: 71.010	AFL	2231						
PROC. REF: AMM 12-B-71-00-00-00A-903G-APROC. REF: AMM 12-B-71-00-00-00A-903G-A								PKG:18
71-00/102 ^S	OPERATIONAL TEST POWER PLANT PERFORMANCE							Service ATA:71
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-71-00-00-00A-903H-APROC. REF: AMM 12-B-71-00-00-00A-903H-A								PKG:18

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/103 PERFORM COMPRESSOR PERFORMANCE RECOVERY WASH Service ATA:71								
	MOS/MSC	01-Nov-21	A/R					
	HRS	2336.5						
WC#: 71.040	AFL							
PROC. REF: AMM 12-B-71-00-00-00A-250A-APROC. REF: AMM 12-B-71-00-00-00A-250A-A								
71-00/104 PERFORM COMPRESSOR DESALINATION WASH Service ATA:71								
	MOS/MSC	24-May-23	A/R					
	HRS	2601						
	AFL	2190						
PROC. REF: AMM 12-B-71-00-00-00A-250A-APROC. REF: AMM 12-B-71-00-00-00A-250A-A								
71-00/105 PERFORM TURBINE WASH Service ATA:71								
	MOS/MSC	06-Aug-18	A/R					
	HRS	1395.9						
	AFL							
PROC. REF: AMM 12-B-71-00-00-00A-250A-APROC. REF: AMM 12-B-71-00-00-00A-250A-A								
71-00/107 ^S CLEAN ENGINE TORQUE AND STICK PUSHER TORQUE TRANSDUCERS ELECTRICAL CONNECTORS Service ATA:71								
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
WC#: 71.030	AFL	2231						
PROC. REF: AMM 12-B-71-00-03-00A-250A-APROC. REF: AMM 12-B-71-00-03-00A-250A-A								
71-00/16 ENGINE (PRE SB 04-009) MOUNTING FRAME Component ATA:71								
PN:PN	MOS	23-Aug-13		TSN 0				AIRWORTHINESS
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17343.9	
WC#: 71.050	AFL	0	27000	TSN 0	27000		24769	
PROC. REF: AMM 12-B-71-00-05-00A-920A-APROC. REF: AMM 12-B-71-00-05-00A-920A-A								
71-00/17 REPLACE ENGINE MOUNTING FRAME BOLTS, WASHERS AND NUTS Service ATA:71								
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	11000		11000		8343.9	
WC#: 71.050	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/204 ^S	PERFORM POWER PLANT - POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION							Service ATA:71
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
								PKG:15 ,3,16,17,18,19,20
PROC. REF: AMM 12-B-71-00-00-00A-903A-APROC. REF: AMM 12-B-71-00-00-00A-903A-A								
71-00/205 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 1 IN (25,4 MM) LONG AND/OR 0.06 IN (1,5 MM) DEEP							Service ATA:71
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/209 ^S	ENGINE DRAIN MAST AND TANK - EXAMINE THE DRAIN MAST FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN THE COLLECTOR TANK							Service ATA:71
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/287 ^S	PERFORM POWER PLANT - INSPECTION GROUND RUN - NOTE DEFECTS.							Service ATA:71
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
								PKG:15 ,3,16,17,18,19,20
PROC. REF: AMM 12-B-71-00-00-00A-903A-APROC. REF: AMM 12-B-71-00-00-00A-903A-A								
71-00/301 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY.							Service ATA:71
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 12-B-54-20-02-00A-664A-APROC. REF: AMM 12-B-54-20-02-00A-664A-A								
71-00/327	ENGINE (POST SB 04-009) MOUNTING FRAME							Component ATA:71
PN:PN	MOS	23-Aug-13		TSN 0				AIRWORTHINESS
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22343.9	
	AFL	0	30000	TSN 0	30000		27769	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/38	LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Component ATA:71
PN:9448121409	MOS	23-Aug-13		TSN 0				OVERHAUL
SN:7231	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	843.9 (+350)	
WC#: 71.063	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/38	LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Component ATA:71
PN:9448121409	MOS	23-Aug-13		TSN 0				OVERHAUL
SN:7238	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	843.9 (+350)	
WC#: 71.064	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/38	UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY							Component ATA:71
PN:9448121409	MOS	23-Aug-13		TSN 0				OVERHAUL
SN:7234	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	843.9 (+350)	
WC#: 71.061	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/38	UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Component ATA:71
PN:9448121409	MOS	23-Aug-13		TSN 0				OVERHAUL
SN:7232	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	843.9 (+350)	
WC#: 71.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/38	UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Component ATA:71
PN:9448121409	MOS	23-Aug-13		TSN 0				OVERHAUL
SN:7235	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	843.9 (+350)	
WC#: 71.062	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/401	ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION							Service ATA:71
	MOS	23-Aug-13						AIRWORTHINESS
	HRS	0	T:26600		26600		23943.9	
WC#: 71.130	AFL	0	T:35000		35000		32769	
PROC. REF: AMM 12-B-71-00-05-00A-352A-APROC. REF: AMM 12-B-71-00-05-00A-352A-A								
71-00/432 ^S	EXAMINE POWER PLANT AND ACCESSORIES, REFER TO P&WC EMM CHAPTER 72-00-00 PERIODIC INSPECTION AND DO THE MINOR AND TIME LIMITED INSPECTION ITEMS							Service ATA:71
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:15 ,3,16,17,18,19,20
71-00/476 ^S	REVIEW AND COMPLY WITH P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS AS NECESSARY							Service ATA:71
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:15 ,3,16,17,18,19,20
71-10/207 ^S	OPEN AND EXAMINE, ENGINE COWLINGS ENG 43AL AND ENG 43AR AND EXAMINE, PARTICULARLY FOR CONDITION OF RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF MATERIAL P10-001							Service ATA:71
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:15 ,3,16,17,18,19,20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-10/208 ^S	CLOSE ENGINE COWLINGS ENG 43AL AND ENG 43AR							Service ATA:71
	MOS/MSC	20-May-24	A/R					
	HRS	2656.1						
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:15 ,3,16,17,18,19,20
710011	NO. 1 ENGINE - OVERHAUL							Service ATA:71
	MOS	19-Apr-13						OVERHAUL
	HRS	0	3500 (+200)		(3500) 3500	3700	843.9 (+200)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
710019 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE FIRST-STAGE COMPRESSOR ROTOR WITH A MIRROR OR A BORESCOPE							Service ATA:71
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05								PKG:0
710021	NO. 1 ENGINE - HOT SECTION INSPECTION							Service ATA:71
	MOS	12-Jul-19						
	HRS	1808.8	1750 (+250)		(3558.8) 3558.8	3808.8	902.7 (+250)	
	ENC	1376						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
710031	NO. 1 ENGINE - BORESCOPE HOT SECTION							Service ATA:71
	MOS	23-Aug-23						
	HRS	2609.3	400 (+10%/-10%)		(3009.3) 3009.3	3049.3	353.2 (+40)	
	ENC	2196						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710050	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service ATA:71
	MOS/MSC	24-May-23	A/R					
	HRS	2601						
	ENC	2187						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710051	NO. 1 ENGINE - COMPRESSOR TURBINE DESALINATION WASH							Service ATA:71
	MOS/MSC	01-Nov-21	A/R					
	HRS	2336.5						
	ENC							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710052	NO. 1 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	01-Nov-21	A/R					
	HRS	2336.5						
	ENC							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710053	NO. 1 ENGINE - EXTERNAL ENGINE WASH							Service ATA:71
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710055	(WELDED) ENGINE MOUNT							Component ATA:71
PN:5712012036	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1230	HRS	0		TSN 0				
WC#: 71.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-05-00A-920A-APROC. REF: AMM 12-B-71-00-05-00A-920A-A								
710061	NO. 1 ENGINE - PERFORM ENGINE CONDITION TREND MONITORING (ECTM)							Service ATA:71
	MOS/MSC	20-Apr-17	A/R					
	HRS	957.3						
	ENC							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710070 ^S	NO. 1 ENGINE - CHECK FCU MANUAL OVERRIDE SYSTEM FOR STATIC OPERATION							Service ATA:71
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								PKG:0
710100	NO. 1 ENGINE - PERFORM CORROSION INHIBITION PROCEDURE							Service ATA:71
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:PT6A-67P	MOS/MSC	23-Aug-13	E/C	TSN 0				
SN:PCE-RY0444	HRS	0		TSN 0				
WC#: 71.EN1	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-APROC. REF: AMM 12-B-71-00-00-00A-920A-A								
ATA 72 - ENGINE								
72-00-00.6	NO. 1 ENGINE - ENGINE PERFORMANCE							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-00.9.F	NO. 1 ENGINE - BORESCOPE INSPECTION OF THE COMBUSTION CHAMBER LINER							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-00.9.G	NO. 1 ENGINE - BORESCOPE INSPECTION OF THE CT STATOR ASSEMBLY							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-00.9.H	NO. 1 ENGINE - BORESCOPE INSPECTION OF THE CT BLADES AND SHROUD SEGMENTS							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-30-05.6	NO. 1 ENGINE - COMPRESSOR ROTOR - BLEND REPAIR OF THE LEADING EDGE							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05								
720010	NO. 1 ENGINE - GAS GENERATOR MODULE							Component ATA:72
PN:PN	MOS	19-Apr-13		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3500	3700	843.9 (+200)	
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-04PROC. REF: EMM 72-30-04								
720012	NO. 1 ENGINE - CHIP DETECTOR CIRCUIT COMPLETION AND/OR DEBRIS IN OIL FILTER							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720022	NO. 1 ENGINE - OIL SYSTEM - CHECK OIL LEVEL							Service ATA:72
	MOS/MSC	19-Apr-13	BF/F					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720023	NO. 1 ENGINE - CHECK CONDITION AND LOCKING OF OIL FILLER CAP							Service ATA:72
	MOS/MSC	19-Apr-13	BF/F					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-60-00PROC. REF: EMM 72-60-00								
720025	NO. 1 ENGINE - OVERTEMPERATURE							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720030 ^S	NO. 1 ENGINE - CHECK ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS FOR ATTACHMENT							Service ATA:72
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PKG:0								
720035	NO. 1 ENGINE - OVERTORQUE							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720040 ^S	NO. 1 ENGINE - CHECK CLAMPS, BRACKETS, TUBES/LINES, LINKAGES FOR CHAFING, CRACKS AND CORROSION							Service ATA:72
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PKG:0								
720045	NO. 1 ENGINE - HEAVY/HARD LANDING							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720050 ^S	NO. 1 ENGINE - CHECK ACCESSORIES ATTACHMENT AND LINKAGES, AIR, OIL AND FUEL LINES							Service ATA:72
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:0
720055	NO. 1 ENGINE - AUDIBLE RUBBING, BINDING OR SCRAPING							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720070 ^S	NO. 1 ENGINE - INSPECT FOR OIL AND FUEL LEAKS AS APPLICABLE							Service ATA:72
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:0
720080	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINES INACTIVE 0 TO 7 DAYS							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720081	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINES INACTIVE 8 TO 28 DAYS							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720082	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINES INACTIVE 29 TO 90 DAYS							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720083	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINES INACTIVE FOR PERIODS EXCEEDING 90 DAYS							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720084	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINES INACTIVE FOR PERIODS EXCEEDING ONE YEAR							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720085	NO. 1 ENGINE - ENGINE DEPRESERVATION PROCEDURE							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720086	NO. 1 ENGINE - ENGINE UNPRESERVED PROCEDURE							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720087	NO. 1 ENGINE - REGULAR OPERATION AS ALTERNATIVE TO PRESERVATION OF INACTIVE ENGINES							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
721015	NO. 1 ENGINE - INADVERTENT CUT-OFF AND RELIGHT DURING TAXI							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
721020	NO. 1 ENGINE - CONTAMINATION OF OIL WITH NON-METALLIC FOREIGN MATERIAL							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
721060	NO. 1 ENGINE - STARTER-GENERATOR REPLACEMENT							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
721100	NO. 1 ENGINE - PROPELLER SHAFT SEAL - CHECK FOR OIL LEAKS							Service ATA:72
	MOS/MSC	19-Apr-13	BF/F					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-11-00PROC. REF: EMM 72-11-00								
722010 ^S	NO. 1 ENGINE - INSPECT THE AIR INLET SCREEN FOR CLEANLINESS							Service ATA:72
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 72-20-00, EMM 72-20-00PROC. REF: EMM 72-20-00, EMM 72-20-00								
PKG:0								
722020 ^S	NO. 1 ENGINE - WITH INLET SCREEN REMOVED OR ALTERNATIVELY WITHBOREScope, INSPECT COMPRESSOR INLET CASE OVERALL SURFACEAREAS AND STRUTS FOR CORROSION							Service ATA:72
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PKG:0								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EMM 72-20-00PROC. REF: EMM 72-20-00								
722025	NO. 1 ENGINE - BIRD STRIKE/SOFT MATERIAL INGESTION							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
722030	NO. 1 ENGINE - IMMERSION IN WATER							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
723010	NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3042701	MOS	19-Apr-13		TSN 0				LIFE LIMIT
SN:EAAC000W957	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		21769	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723020	NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT							Component ATA:72
PN:3043063	MOS	19-Apr-13		TSN 0				LIFE LIMIT
SN:PKAAA494561	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		21769	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723026 ^S	NO. 1 ENGINE - INSPECTION/CHECK GAS GENERATOR CASE EXTERNAL SURFACES, AND FIRESEAL MOUNT RING BRACKETS FOR CRACKS, DISTORTION, AND CORROSION							Service ATA:72
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 72-30-04PROC. REF: EMM 72-30-04								

PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723030	NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040942	MOS	19-Apr-13		TSN 0				LIFE LIMIT
SN:EAAD000A836	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		21769	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723035	NO. 1 ENGINE - AIRCRAFT FLOWN THROUGH VOLCANIC ASH OR SMOKE							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
723036 ^S	NO. 1 ENGINE - INSPECTION/CHECK FIRESEAL MOUNT RINGS FOR CRACKS AND ATTACHMENT OF BRACKETS AND SEALS							Service ATA:72
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 72-30-04, EMM 72-30-01, EMM 72-30-02PROC. REF: EMM 72-30-04, EMM 72-30-01, EMM 72-30-02								PKG:0
723040	NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040933	MOS	19-Apr-13		TSN 0				LIFE LIMIT
SN:EAAD000A571	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		21769	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723050	NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040944	MOS	19-Apr-13		TSN 0				LIFE LIMIT
SN:EAAD000Y310	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		21769	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:3036898	MOS	19-Apr-13		TSN 0				LIFE LIMIT
SN:EAAD000A444	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		21769	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723070	NO. 1 ENGINE - PERFORMANCE DETERIORATION							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
724010	NO. 1 ENGINE - SUSTAINED RUNNING AT OIL TEMPERATURE OUTSIDE LIMITS							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
724015	NO. 1 ENGINE - LOSS OF OIL/OIL PRESSURE OR LOW OIL PRESSURE							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
724020	NO. 1 ENGINE - HIGH OIL PRESSURE							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
724025	NO. 1 ENGINE - CONTAMINATION BY FIRE EXTINGUISHING AGENTS							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
724030	NO. 1 ENGINE - DROPPED ENGINE OR COMPONENT							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
724050	NO. 1 ENGINE - MATERIAL INGESTION							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
724055	NO. 1 ENGINE - TEAR OR OPENING FOUND ON MAIN OIL FILTER SECONDARY SCREEN							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
724060	NO. 1 ENGINE - HIGH TORQUE INDICATION AT LOW POWER							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
725003	NO. 1 ENGINE - OVERSPEED							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - COMPRESSOR TURBINE DISK							Component ATA:72
PN:3053740-01	MOS	19-Apr-13		TSN 0				LIFE LIMIT
SN:YUAA014A355	HRS	0		TSN 0				
	ENC	0		TSN 0	(8000) 8000 (M)		5769	
	ACCCYC	0	8000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725020	NO. 1 ENGINE - REPLACE 2ND STAGE POWER TURBINE (3RD STAGE TURBINE) BLADES							Service ATA:72
	MOS	19-Apr-13						LIFE LIMIT
	HRS	0	5000		(5000) 5000		2343.9	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725026 ^S	NO. 1 ENGINE - INSPECTION/CHECK EXHAUST DUCT FOR CRACKS AND DISTORTION							Service ATA:72
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 72-50-05PROC. REF: EMM 72-50-05								PKG:0
725030	NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK							Component ATA:72
PN:3037312	MOS	19-Apr-13		TSN 0				LIFE LIMIT
SN:A003ACYR	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		12769	
	ACCCYC	0	15000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725040	NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK							Component ATA:72
PN:3037313	MOS	19-Apr-13		TSN 0				LIFE LIMIT
SN:A00384WT	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		12769	
	ACCCYC	0	15000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726020	NO. 1 ENGINE - POWER SECTION MODULE							Component ATA:72
PN:PN	MOS	19-Apr-13		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3500	3700	843.9 (+200)	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726100	NO. 1 ENGINE - PROPELLER SUDDEN STOPPAGE OR STRIKE							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
726120	NO. 1 ENGINE - PROPELLER LIGHTNING STRIKE							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
726130	NO. 1 ENGINE - PROPELLER ELECTRICAL LEADS SHORTING							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
726160	NO. 1 ENGINE - PROPELLER WINDMILLING AFTER IN-FLIGHT SHUTDOWN							Service ATA:72
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-08.7	NO. 1 ENGINE - GOVERNOR PNEUMATIC TURBES INSPECTION/CHECK							Service ATA:73
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PROC. REF: EMM 73-10-08PROC. REF: EMM 73-10-08								
73-20-00.7	NO. 1 ENGINE - FUEL CONTROL UNIT (FCU) INSPECTION/CHECK							Service ATA:73
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00								
731010	NO. 1 ENGINE - FUEL PUMP							Component ATA:73
PN:3040760	MOS	19-Apr-13		TSN 0				OVERHAUL
SN:012245	HRS	0	3500	TSN 0	(3500) 3500		843.9	
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
731014 ^U	NOZZLE ASSEMBLIES							Component ATA:73
PN:3119856-01	MOS/MSC	23-Aug-23	O/C					
SN:Z896	HRS	2609.3						
	AFL	2195						
731015	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service ATA:73
	MOS	23-Aug-23						
	HRS	2609.3	400 (+10%/-10%)		(3009.3) 3009.3	3049.3	353.2 (+40)	
	ENC	2196						
PROC. REF: EMM 73-11-05, EMM 71-00-00PROC. REF: EMM 73-11-05, EMM 71-00-00								
731030	NO. 1 ENGINE - OVERTORQUE LIMITER							Component ATA:73
PN:3055748-01	MOS	19-Apr-13		TSN 0				OVERHAUL
SN:C51208	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	843.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731031 ^S	NO. 1 ENGINE - DO A CHECK OF THE FUEL PUMP (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								PKG:0
731040	NO. 1 ENGINE - CHECK FUEL PUMP FUEL INLET SCREEN FOR FOREIGN MATTER OR DISTORTION, CLEAN AND REINSTALL, OR INSTALL NEW SCREEN							Service ATA:73
PN:3040760	MOS	01-Nov-21						
SN:012245	HRS	2336.5	600 (+10%/-10%)		(2936.5) 2936.5	2996.5	280.4 (+60)	
	ENC							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
731045 ^S	NO. 1 ENGINE - DO A CHECK OF THE OIL-TO-FUEL HEATER (IN-SITU INSPECTION ONLY) FOR INSTALLATION							Service ATA:73
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								PKG:0
731055	NO. 1 ENGINE - REPLACE NO. 1 FUEL PUMP OUTLET FILTER							Service ATA:73
PN:S7274	MOS	01-Nov-21						REPLACE
SN:UNKNOWN	HRS	2336.5	600 (+10%/-10%)		(2936.5) 2936.5	2996.5	280.4 (+60)	
	ENC							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
731056 ^S	NO. 1 ENGINE - INSPECT PNEUMATIC TUBES AND LINES FOR CRACKS AND DAMAGES ESPECIALLY AT THE END FITTINGS AND JOINTS							Service ATA:73
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731060	NO. 1 ENGINE - OIL TO FUEL HEATER							Component ATA:73
PN:3057249-01	MOS	19-Apr-13		TSN 0				OVERHAUL
SN:WA45790	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	843.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								
731065 ^S	NO. 1 ENGINE - EXAMINE FILTER BOWL							Service ATA:73
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%)					
	ENC	2196						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PKG:0								
731070	NO. 1 ENGINE - FLOW DIVIDER/PURGE VALVE							Component ATA:73
PN:3038472L	MOS	08-Jul-16		TSN 39				OVERHAUL
SN:U0071	HRS	706.7	3500 (+500)	TSN 706.7	(3500) 3500	4000	843.9 (+500)	
	ENC	427		TSN 427				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731085 ^S	NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE (IN-SITU INSPECTION ONLY) OF INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 73-10-06PROC. REF: EMM 73-10-06								
PKG:0								
731090	NO. 1 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:3119892-07	MOS	19-Apr-13		TSN 0				OVERHAUL
SN:18645279	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	843.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731091 ^S	NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								PKG:0
731095	NO. 1 ENGINE - FUEL CONTROL UNIT (FCU) BELLOWS							Component ATA:73
PN:PN	MOS	19-Apr-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	4000	TSN 0	(4000) 4000		1343.9	
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731100	NO. 1 ENGINE - CLEAN P3 FILTER							Service ATA:73
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)		(2909.3) 2909.3	2939.3	253.2 (+30)	
	ENC	2196						
PROC. REF: EMM 73-10-07PROC. REF: EMM 73-10-07								
731150 ^S	NO. 1 ENGINE - CHECK OUTLET FILTER FOR FOREIGN MATTER OR DISTORTION							Service ATA:73
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								PKG:0
731155	NO. 1 ENGINE - FUEL PUMP OUTLET FILTER							Component ATA:73
PN:S7274	MOS/MSC	01-Nov-21	H/T					
SN:UNKNOWN	HRS	2336.5						
	ENC							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732020 ^S	NO. 1 ENGINE - CHECK FCU FOR INSTALLATION, LINKAGES AND PNEUMATIC LINES							Service ATA:73
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00								PKG:0
733020	NO. 1 ENGINE - REPLACE P3 FILTER							Service ATA:73
	MOS	07-Oct-24						
	HRS	2656.1	900 (+10%/-10%)		(3556.1) 3556.1	3646.1	900 (+90)	
	ENC	2231						
PROC. REF: EMM 73-10-07PROC. REF: EMM 73-10-07								
733070	NO. 1 ENGINE - CLEAN AND INSPECT P3 FILTER DRAIN VALVE HOUSING ASSEMBLY							Service ATA:73
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)		(2909.3) 2909.3	2939.3	253.2 (+30)	
	ENC	2196						
PROC. REF: EMM 73-10-07, EMM 73-10-07PROC. REF: EMM 73-10-07, EMM 73-10-07								
ATA 74 - IGNITION								
74-00/288 ^S	OPERATIONAL TEST IGNITION SYSTEM							Service ATA:74
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-74-00-00-00A-903A-APROC. REF: AMM 12-B-74-00-00-00A-903A-A								PKG:3
740010	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:3035889	MOS	19-Apr-13		TSN 0				OVERHAUL
SN:NNA13100084	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	843.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 74-10-00PROC. REF: EMM 74-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
740015	NO. 1 ENGINE - CHECK IGNITION EXCITER FOR INSTALLATION AND CONDITION							Service ATA:74
	MOS	23-Aug-23						
	HRS	2609.3	400 (+10%/-10%)		(3009.3) 3009.3	3049.3	353.2 (+40)	
	ENC	2196						
PROC. REF: EMM 74-10-00PROC. REF: EMM 74-10-00								
740020	NO. 1 ENGINE - 4 O'CLOCK IGNITER PLUG							Component ATA:74
PN:PN	MOS/MSC	19-Apr-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
740025	NO. 1 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINESS AND EROSION. CHECK FUNCTION							Service ATA:74
	MOS	23-Aug-23						
	HRS	2609.3	400 (+10%/-10%)		(3009.3) 3009.3	3049.3	353.2 (+40)	
	ENC	2196						
PROC. REF: EMM 74-20-00PROC. REF: EMM 74-20-00								
740040	NO. 1 ENGINE - 9 O'CLOCK IGNITER PLUG							Component ATA:74
PN:PN	MOS/MSC	19-Apr-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
742010	NO. 1 ENGINE - CHECK IGNITION CABLES FOR CHAFING, WEAR AND INSTALLATION							Service ATA:74
	MOS	17-Nov-22						
	HRS	2505.3	400 (+10%/-10%)		(2905.3) 2905.3	2945.3	249.2 (+40)	
	ENC	2081						
PROC. REF: EMM 74-20-00PROC. REF: EMM 74-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-30-00.7	NO. 1 ENGINE - COMPRESSOR BLEED VALVE INSPECTION/CHECK							Service ATA:75
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 75-30-00PROC. REF: EMM 75-30-00								
75-30-00.8	NO. 1 ENGINE - COMPRESSOR BLEED VALVE ADJUSTMENT/TEST							Service ATA:75
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 75-30-00PROC. REF: EMM 75-30-00								
750010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component ATA:75
PN:3059835-01	MOS	19-Apr-13		TSN 0				OVERHAUL
SN:AHX1000313	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	843.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-00PROC. REF: EMM 75-30-00								
ATA 76 - ENGINE CONTROLS								
76-00/210 ^S	EXAMINE ENGINE CONTROLS IN ENGINE COMPARTMENT							Service ATA:76
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:18
76-00/211 ^S	CHECK BETA SLIP RING CARBON BLOCK - MAKE SURE GAP IS NOT MORE THAN 0.01IN (0.25MM)							Service ATA:76
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-00/212 ^S	OPERATIONAL TEST COCKPIT CONTROL QUADRANT- CAUTION - DO NOT MOVE PCL INTO THE REVERSE RANGE- PCL- MOVE BETWEEN IDLE AND MAX AND MAKE SURE MOVEMENT FULL AND FREE. CONDITION LEVER- DO THE OPERATIONAL TEST. MANUAL OVERRIDE LEVER- MOVE BETWEEN OFF AND MAX AND MAKE SURE MOVEMENT IS FULL AND FREE.							Service ATA:76
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)					
	AFL	2084						
								PKG:16
PROC. REF: AMM 12-B-76-10-00-00A-903A-APROC. REF: AMM 12-B-76-10-00-00A-903A-A								
76-00/303 ^S	OPERATIONAL TEST COCKPIT CONTROL QUADRANT - POWER CONTROL, MANUAL OVERRIDE							Service ATA:76
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
								PKG:19
PROC. REF: AMM 12-B-76-10-00-00A-903A-A, AMM 12-B-76-20-00-00A-903A-APROC. REF: AMM 12-B-76-10-00-00A-903A-A, AMM 12-B-76-20-00-00A-903A-A								
76-00/304 ^S	EXAMINE COCKPIT CONTROL QUADRANT							Service ATA:76
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
76-10/117	FUNCTIONAL TEST PROPELLER FEATHERING MICROSWITCHES							Service ATA:76
	MOS	07-Oct-24	12 (+10%/-10%)		07-Oct-25	13-Nov-25	259 d (+37)	
	HRS	2656.1	3000 (+10%/-10%)		5656.1	5956.1	3000 (+300)	
WC#: 76.010	AFL	2231						
PROC. REF: AMM 12-B-76-10-02-00A-903A-APROC. REF: AMM 12-B-76-10-02-00A-903A-A								
760015	MANUAL OVERRIDE CABLE ASSY.							Component ATA:76
PN:9419411417	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:20104299	HRS	0		TSN 0				
WC#: 76.020	AFL	0		TSN 0				
PROC. REF: AMM 12-B-76-20-00-04A-920A-APROC. REF: AMM 12-B-76-20-00-04A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
760020	CONDITION CABLE ASSY.							Component ATA:76
PN:9419411418	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:20104315	HRS	0		TSN 0				
WC#: 76.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
760025	POWER CONTROL CABLE ASSY.							Component ATA:76
PN:9419411419	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:20104325	HRS	0		TSN 0				
WC#: 76.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-76-10-04-00A-920A-APROC. REF: AMM 12-B-76-10-04-00A-920A-A								
761011	NO. 1 ENGINE - DEPENDING ON OPERATING CONDITIONS AND ENVIRONMENT, EXAMINE LINKAGES AT REGULAR INTERVALS							Service ATA:76
	MOS	17-Nov-22						
	HRS	2511.3	300 (+10%/-10%)		(2811.3) 2811.3	2841.3	155.2 (+30)	
	ENC	2204						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-20-01.7		NO. 1 ENGINE - T5 THERMOCOUPLE WIRING HARNESS INSPECTION/CHECK						Service ATA:77
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 77-20-01PROC. REF: EMM 77-20-01								
77-20-01.9		NO. 1 ENGINE - T5 THERMOCOUPLE WIRING HARNESS ADJUSTMENT/TEST						Service ATA:77
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 77-20-01PROC. REF: EMM 77-20-01								
77-40-03-00A-903A-A		TORQUE TRANSDUCER ADJUSTMENT TEST						Service ATA:77
	MOS/MSC	23-Aug-13	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-77-40-03-00A-903A-APROC. REF: AMM 12-B-77-40-03-00A-903A-A								
770005		TRQ,IPT-51DFP-1000-70D TRANSDUCER						Component ATA:77
PN:9752115206	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:7765-12-577	HRS	0		TSN 0				
WC#: 77.010	AFL	0		TSN 0				
PROC. REF: AMM 12-B-77-40-03-00A-920A-APROC. REF: AMM 12-B-77-40-03-00A-920A-A								
770025		DIFFERENTIAL PRESSURE TRANSDUCER						Component ATA:77
PN:9752115219	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:3781244	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771010		NO. 1 ENGINE - T5 THERMOCOUPLE WIRING HARNESS						Component ATA:77
PN:3043825-01	MOS/MSC	19-Apr-13	O/C	TSN 0				
SN:NRA002216	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 77-20-01PROC. REF: EMM 77-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
78-00/214 ^S	EXAMINE EXHAUST STUBS							Service ATA:78
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
ATA 79 - OIL								
701020	NO. 1 ENGINE - CONTAMINATION OF OIL WITH NON-METALLIC FOREIGN MATERIAL							Service ATA:79
	MOS/MSC	19-Apr-13	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-00/422 ^S	OPERATIONAL TEST OIL FILLER CAP / DIPSTICK							Service ATA:79
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	600 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-79-30-06-00A-903A-APROC. REF: AMM 12-B-79-30-06-00A-903A-A								PKG:18
79-20/289 ^S	EXAMINE ENGINE OIL COOLER. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT							Service ATA:79
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	1200 (+10%/-10%)					
	AFL	2231						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19
79-20/290 ^S	OPERATIONAL TEST OIL SYSTEM CHIP DETECTOR INDICATION SYSTEM							Service ATA:79
	MOS	07-Oct-24	12 (+10%/-10%)					
	HRS	2656.1	300 (+10%/-10%)					
	AFL	2231						
PROC. REF: AMM 12-B-79-30-01-00A-903A-APROC. REF: AMM 12-B-79-30-01-00A-903A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-20/43	OIL COOLER							Component ATA:79
PN:9683214102	MOS	23-Aug-13		TSN 0				OVERHAUL
SN:T1368	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	843.9 (+350)	
WC#: 79.010	AFL	0		TSN 0				
PROC. REF: AMM 12-B-79-20-02-00A-920A-APROC. REF: AMM 12-B-79-20-02-00A-920A-A								
790005	TEMPERATURE BULB							Component ATA:79
PN:9751120101	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:192291	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
790020	PRESSURE,GAGE SWITCH							Component ATA:79
PN:9738114305	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1298	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A								
790021	NO. 1 ENGINE - SERVICING OF OIL SYSTEM							Service ATA:79
	MOS/MSC	19-Apr-13	A/R					DISCARD
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
790025	THERMAL ACTUATOR							Component ATA:79
PN:9787301002	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:1494	HRS	0		TSN 0				
WC#: 79.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
790031	NO. 1 ENGINE - CHECK MAGNETIC CHIP DETECTOR							Service ATA:79
	MOS	07-Oct-24	12 (+10%)		07-Oct-25	13-Nov-25	259 d (+37)	
	HRS	2656.1	300 (+10%)		(2956.1) 2956.1	2986.1	300 (+30)	
	ENC	2231						
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790040	NO. 1 ENGINE - BRIDGE CHECK MAGNETIC CHIP DETECTOR							Service ATA:79
	MOS	07-Oct-24	12 (+10%)		07-Oct-25	13-Nov-25	259 d (+37)	
	HRS	2656.1	600 (+10%)		(3256.1) 3256.1	3316.1	600 (+60)	
	ENC	2231						
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
790050	NO. 1 ENGINE - REPLACE OIL FILTER ELEMENT							Service ATA:79
	MOS	01-Nov-21						
	HRS	2336.5	900 (+10%/-10%)		(3236.5) 3236.5	3326.5	580.4 (+90)	
	ENC							
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
790060	NO. 1 ENGINE - INSPECT CLEAN OIL FILTER ELEMENT AND SECONDARY SCREEN							Service ATA:79
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)		(2909.3) 2909.3	2939.3	253.2 (+30)	
	ENC	2196						
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
790070	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP INLET SCREEN							Service ATA:79
	MOS	07-Oct-24	6 (+10%/-10%)		07-Apr-25	25-Apr-25	76 d (+18)	
	HRS	2656.1	300 (+10%/-10%)		(2956.1) 2956.1	2986.1	300 (+30)	
	ENC	2231						
PROC. REF: EMM 72-60-00PROC. REF: EMM 72-60-00								
790080	NO. 1 ENGINE - PERFORM AN OIL SAMPLE							Service ATA:79
	MOS	23-Aug-23						
	HRS	2609.3	150 (+10%/-10%)		(2759.3) 2759.3	2774.3	103.2 (+15)	
	ENC	2196						
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790091 ^S	NO. 1 ENGINE - INSPECT FUEL AND OIL LINES FOR LEAKS							Service ATA:79
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:0
790093 ^S	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service ATA:79
	MOS	23-Aug-23						
	HRS	2609.3	300 (+10%/-10%)					
	ENC	2196						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:0
792030	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER							Component ATA:79
PN:9752115214	MOS/MSC	19-Apr-13	O/C	TSN 0				
SN:6563-5-815	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1424 RegNo: N595BB HRS: 2656.1 AFL: 2231 As Of: 07-Oct-2024

21-Jan-2025 08:52 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 91 - UNKNOWN								
910015	KBT 300 TTP BUS RES, A-157 TERMINAL							Component ATA:91
PN:9859912117	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KBT300-2794	HRS	0		TSN 0				
WC#: 90.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
910020	KBT 300 TTP BUS RES, A-175 TERMINAL							Component ATA:91
PN:9859912117	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KBT300-2827	HRS	0		TSN 0				
WC#: 90.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
910025	KBT 300 TTP BUS RES, A-174 TERMINAL							Component ATA:91
PN:9859912117	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KBT300-2817	HRS	0		TSN 0				
WC#: 90.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
910030	PILOT LEFT HD POWER, FE1549L JUNCTION BOX							Component ATA:91
PN:9740338144	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:703	HRS	0		TSN 0				
WC#: 90.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
910035	CO-PILOT RIGHT HD POWER,FE1549R JUNCTION BOX							Component ATA:91
PN:FE1549R-02	MOS/MSC	18-Nov-16	O/C					
SN:118	HRS	822.3						
WC#: 90.030	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
910040	KBT 300 TTP BUS RES, A-156 TERMINAL							Component ATA:91
PN:9859912117	MOS/MSC	23-Aug-13	O/C	TSN 0				
SN:KBT300-2799	HRS	0		TSN 0				
WC#: 90.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task