



Status Report

525C - CJ4 (MSG-3)

S/N 525C-0155 N525KJ

OWNER: JACKSON FAMILY WINES

ADDRESS: 6000 FLIGHT LINE DRIVE
SANTA ROSA CA 95403

OFFICE: 707-545-6458

FAX:

OPERATOR: JACKSON FAMILY WINES

ADDRESS: 6000 FLIGHT LINE DRIVE
SANTA ROSA CA 95403

OFFICE: 707-545-6458

FAX:

ANALYST: MICHAEL ROBERTS

EMAIL: MROBERTS@CAMPSYSTEMS.COM

1-316-462-2412 (DIRECT)

+1-631-588-3200 (MAIN)

WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)

631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

AIRCRAFT **SERIAL/REGNO:** 525C-0155/N525KJ **MODEL:** 525C - CJ4 (MSG-3) **MANUFACTURER:** TEXTRON AVIATION INC.

CERTIFICATION DATE: 16-MAY-2014

LAST ACTUALS:

3523.3	A/C HRS	as of 24-APR-2025
2975	AFL	as of 24-APR-2025

ENGINE NO. 1 **SERIAL/PART:** 211323/73200-200 **MODEL:** FJ44-4A/4A-32 **MANUFACTURER:** WILLIAMS INTERNATIONAL

INSTALLED ON: 31-AUG-2019

1955.2	ENG. HRS	1989.1 A/C HRS
1712	ENC	

LAST ACTUALS:

3492.6	ENG. HRS	as of 24-APR-2025
2941	ENC	as of 24-APR-2025

ENGINE NO. 2 **SERIAL/PART:** 211322/73200-200 **MODEL:** FJ44-4A/4A-32 **MANUFACTURER:** WILLIAMS INTERNATIONAL

INSTALLED ON: 11-MAR-2014

0	ENG. HRS	0 A/C HRS
0	ENC	

LAST ACTUALS:

3523.3	ENG. HRS	as of 24-APR-2025
2975	ENC	as of 24-APR-2025



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 04 - LIMITATIONS									
4-12-MA		AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MA						Package	ATA:04
	MOS	05-Feb-25						AIRWORTHINESS	
	HRS	3457	1200		4657		1133.7		
	AFL	2941							
									PKG:100
PROC. REF: ALS 4-12-MAPROC. REF: ALS 4-12-MA									
4-12-MB		AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MB						Package	ATA:04
	MOS	04-Sep-21						AIRWORTHINESS	
	HRS	2477.3	2500		4977.3 (M)		1454		
	AFL	2166							
									PKG:101
PROC. REF: ALS 4-12-MBPROC. REF: ALS 4-12-MB									
4-12-MC		AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MC						Package	ATA:04
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	4000	Adj -2120	4000 (M)		476.7		
	AFL	1890							
									PKG:102
PROC. REF: ALS 4-12-MCPROC. REF: ALS 4-12-MC									
4-12-MD		AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MD						Package	ATA:04
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	5000	Adj -2120	5000 (M)		1476.7		
	AFL	1890							
									PKG:103
PROC. REF: ALS 4-12-MDPROC. REF: ALS 4-12-MD									
4-12-ME		AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT ME						Package	ATA:04
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	5500	Adj -2120	5500 (M)		1976.7		
	AFL	1890							
									PKG:104
PROC. REF: ALS 4-12-MEPROC. REF: ALS 4-12-ME									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 04 - LIMITATIONS									
4-12-MF		AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MF						Package	ATA:04
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	8600	Adj -2120	8600 (M)		5076.7		
	AFL	1890							
PROC. REF: ALS 4-12-MFPROC. REF: ALS 4-12-MF									PKG:105
4-12-MG		AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MG						Package	ATA:04
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000	Adj -2120	12000 (M)		8476.7		
	AFL	1890							
PROC. REF: ALS 4-12-MGPROC. REF: ALS 4-12-MG									PKG:106
4-12-MH		AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MH						Package	ATA:04
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000	Adj -2120	12000 (M)		8476.7		
	AFL	1890							
PROC. REF: ALS 4-12-MHPROC. REF: ALS 4-12-MH									PKG:107
4-12-MI		AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MI						Package	ATA:04
	MOS	10-Aug-23						AIRWORTHINESS	
	HRS	2974.5	800		3774.5		251.2		
	AFL	2592							
PROC. REF: ALS 4-12-MIPROC. REF: ALS 4-12-MI									PKG:108
4-12-MK		AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MK						Package	ATA:04
	MOS	27-Sep-24						AIRWORTHINESS	
	HRS	3353.9	400		3753.9		230.6		
	AFL	2859							
PROC. REF: ALS 4-12-MKPROC. REF: ALS 4-12-MK									PKG:110

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 04 - LIMITATIONS									
4-12-ML	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT ML								Package ATA:04
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	12000		12000 (M)		8476.7		
	AFL	1890							
PROC. REF: ALS 4-12-MLPROC. REF: ALS 4-12-ML									PKG:111
4-12-MM	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MM								Package ATA:04
	MOS	13-May-24	12		31-May-25		32 d	AIRWORTHINESS	
	HRS	3262.4	330		3592.4		69.1		
	AFL	2788							
PROC. REF: ALS 4-12-MMPROC. REF: ALS 4-12-MM									PKG:112
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-870-803-01	NO. 1 ENGINE - POLISH FAN ROTOR								Service ATA:05
	MOS/MSC	16-May-14	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 05-50-00-803A-913A-APROC. REF: LMM 05-50-00-803A-913A-A									
05-50-00-870-803-01	NO. 2 ENGINE - POLISH FAN ROTOR								Service ATA:05
	MOS/MSC	16-May-14	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 05-50-00-803A-913A-APROC. REF: LMM 05-50-00-803A-913A-A									
052001	NO. 1 ENGINE - FJ44 CHECK 1								Package ATA:05
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30)		(3772.6) 3803.3	3802.6	280 (+30)		
	ENC	2932							
PROC. REF: LMM 05-20-00-813A-300A-A, LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A, LMM 05-20-00-813A-300A-A									PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052001	NO. 2 ENGINE - FJ44 CHECK 1								Package ATA:05
PN:73200-200	MOS	22-Mar-25							
SN:211322	HRS	3503.3	300 (+30)		(3803.3) 3803.3	3833.3	280 (+30)		
	ENC	2966							
									PKG:1
PROC. REF: LMM 05-20-00-813A-300A-A, LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A, LMM 05-20-00-813A-300A-A									
052002	NO. 1 ENGINE - FJ44 CHECK 2								Package ATA:05
	MOS	22-Mar-25							
	HRS	3472.6	600 (+30)		(4072.6) 4103.3	4102.6	580 (+30)		
	ENC	2932							
									PKG:2
PROC. REF: LMM 05-20-00-813A-300A-A, LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A, LMM 05-20-00-813A-300A-A									
052002	NO. 2 ENGINE - FJ44 CHECK 2								Package ATA:05
	MOS	22-Mar-25							
	HRS	3503.3	600 (+30)		(4103.3) 4103.3	4133.3	580 (+30)		
	ENC	2966							
									PKG:2
PROC. REF: LMM 05-20-00-813A-300A-A, LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A, LMM 05-20-00-813A-300A-A									
052003	NO. 1 ENGINE - FJ44 CHECK 3								Package ATA:05
PN:73200-200	MOS/MSC	08-Jan-22	-						
SN:2113233	HRS	2605.8							
	ENC	2266							
									PKG:3
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052003	NO. 2 ENGINE - FJ44 CHECK 3								Package ATA:05
PN:73200-200	MOS/MSC	08-Jan-22	-						
SN:211322	HRS	2636.5							
	ENC	2300							
									PKG:3
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052004	NO. 1 ENGINE - FJ44 CHECK 4								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:5000 (+50)		(5000) 5030.7	5050	1507.4 (+50)		
	ENC	0							
									PKG:4
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052004	NO. 2 ENGINE - FJ44 CHECK 4								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:5000 (+50)		(5000) 5000	5050	1476.7 (+50)		
	ENC	0							
									PKG:4
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052005	NO. 1 ENGINE - FJ44 CHECK 5								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:7500 (+50)		(7500) 7530.7	7550	4007.4 (+50)		
	ENC	0							
									PKG:5
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052005	NO. 2 ENGINE - FJ44 CHECK 5								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:7500 (+50)		(7500) 7500	7550	3976.7 (+50)		
	ENC	0							
									PKG:5
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052006	NO. 1 ENGINE - FJ44 CHECK 6								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:10000 (+50)		(10000) 10030.7	10050	6507.4 (+50)		
	ENC	0							
									PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052006	NO. 2 ENGINE - FJ44 CHECK 6								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:10000 (+50)		(10000) 10000	10050	6476.7 (+50)		
	ENC	0							
									PKG:6
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052007	NO. 1 ENGINE - FJ44 CHECK 7								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:12500 (+50)		(12500) 12530.7	12550	9007.4 (+50)		
	ENC	0							
									PKG:7
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052007	NO. 2 ENGINE - FJ44 CHECK 7								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:12500 (+50)		(12500) 12500	12550	8976.7 (+50)		
	ENC	0							
									PKG:7
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052008	NO. 1 ENGINE - FJ44 CHECK 8								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:15000 (+50)		(15000) 15030.7	15050	11507.4 (+50)		
	ENC	0							
									PKG:8
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052008	NO. 2 ENGINE - FJ44 CHECK 8								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:15000 (+50)		(15000) 15000	15050	11476.7 (+50)		
	ENC	0							
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									PKG:8
052009	NO. 1 ENGINE - FJ44 CHECK 9								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:17500 (+50)		(17500) 17530.7	17550	14007.4 (+50)		
	ENC	0							
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									PKG:9
052009	NO. 2 ENGINE - FJ44 CHECK 9								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:17500 (+50)		(17500) 17500	17550	13976.7 (+50)		
	ENC	0							
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									PKG:9
052010	NO. 1 ENGINE - FJ44 CHECK 10								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:20000 (+50)		(20000) 20030.7	20050	16507.4 (+50)		
	ENC	0							
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									PKG:10
052010	NO. 2 ENGINE - FJ44 CHECK 10								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:20000 (+50)		(20000) 20000	20050	16476.7 (+50)		
	ENC	0							
									PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052011	NO. 1 ENGINE - FJ44 CHECK 11								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:22500 (+50)		(22500) 22530.7	22550	19007.4 (+50)		
	ENC	0							
									PKG:11
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052011	NO. 2 ENGINE - FJ44 CHECK 11								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:22500 (+50)		(22500) 22500	22550	18976.7 (+50)		
	ENC	0							
									PKG:11
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052012	NO. 1 ENGINE - FJ44 CHECK 12								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:25000		(25000) 25030.7		21507.4		
	ENC	0							
									PKG:12
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052012	NO. 2 ENGINE - FJ44 CHECK 12								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:25000		(25000) 25000		21476.7		
	ENC	0							
									PKG:12
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052013	NO. 1 ENGINE - FJ44 CHECK 13								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:27500 (+50)		(27500) 27530.7	27550	24007.4 (+50)		
	ENC	0							
									PKG:13
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052013	NO. 2 ENGINE - FJ44 CHECK 13								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:27500 (+50)		(27500) 27500	27550	23976.7 (+50)		
	ENC	0							
									PKG:13
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052014	NO. 1 ENGINE - FJ44 CHECK 14								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:30000 (+50)		(30000) 30030.7	30050	26507.4 (+50)		
	ENC	0							
									PKG:14
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
052014	NO. 2 ENGINE - FJ44 CHECK 14								Package ATA:05
	MOS	16-May-14							
	HRS	0	T:30000 (+50)		(30000) 30000	30050	26476.7 (+50)		
	ENC	0							
									PKG:14
PROC. REF: LMM 05-20-00-813A-300A-APROC. REF: LMM 05-20-00-813A-300A-A									
055001	ACCOMPLISH HARD/OVERWEIGHT LANDINGS CHECK								Service ATA:05
	MOS/MSC	16-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
WC#: 05.010	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
PROC. REF: TLMC 5-50-00PROC. REF: TLMC 5-50-00									
055002	ACCOMPLISH OVERSPEED CHECK								Service ATA:05
	MOS/MSC	16-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
WC#: 05.020	AFL	0							
PROC. REF: TLMC 5-50-00PROC. REF: TLMC 5-50-00									
055003	ACCOMPLISH SEVERE AIR TURBULENCE CHECK								Service ATA:05
	MOS/MSC	16-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
WC#: 05.030	AFL	0							
PROC. REF: TLMC 5-50-00PROC. REF: TLMC 5-50-00									
055004	ACCOMPLISH LIGHTNING STRIKE CHECK								Service ATA:05
	MOS/MSC	16-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
WC#: 05.040	AFL	0							
PROC. REF: TLMC 5-50-00PROC. REF: TLMC 5-50-00									
055005	ACCOMPLISH FOREIGN OBJECT DAMAGE CHECK								Service ATA:05
	MOS/MSC	16-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
WC#: 05.050	AFL	0							
PROC. REF: TLMC 5-50-00PROC. REF: TLMC 5-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055006	ACCOMPLISH TOWING WITH A LARGE FUEL UNBALANCE OR HIGH DRAG/SIDE LOADS CHECK							Service	ATA:05
	MOS/MSC	16-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
WC#: 05.060	AFL	0							
PROC. REF: TLMC 5-50-00PROC. REF: TLMC 5-50-00									
055007	ACCOMPLISH TOWS MORE THAN THE MECHANICAL LIMITS WITH RUDDER GUST LOCK ENGAGED							Service	ATA:05
	MOS/MSC	16-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
WC#: 05.070	AFL	0							
PROC. REF: TLMC 5-50-00PROC. REF: TLMC 5-50-00									
057103	WASH L/H DESALINIZATION							Service	ATA:05
	MOS/MSC	11-Sep-20	A/R						
	HRS	2178.1							
WC#: 05.080	AFL	1930							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
057103	WASH R/H DESALINIZATION							Service	ATA:05
	MOS/MSC	11-Sep-20	A/R						
	HRS	2178.1							
WC#: 05.080	AFL	1930							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
05PERMA ^U	REAPPLY PERMAGUARD TREATMENT-WARRANTY							Service	ATA:05
	MOS	21-Nov-24	12 (+30d)		30-Nov-25	30-Dec-25	215 d (+30)		
	HRS	3420.7							
	AFL	2922							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-92-01	MSG-3 INSPECTION DOCUMENT 01								Package ATA:05
	MOS	13-May-24	12 (+1m/-1m)		31-May-25	30-Jun-25	32 d (+30)		
	HRS	3262.4							
	AFL	2788							
PROC. REF: TLMC 5-92-01PROC. REF: TLMC 5-92-01									PKG:201
5-92-03	MSG-3 INSPECTION DOCUMENT 03								Package ATA:05
	MOS	13-May-24	24 (+1m/-1m)		31-May-26	30-Jun-26	397 d (+30)		
	HRS	3262.4							
	AFL	2788							
PROC. REF: TLMC 5-92-03PROC. REF: TLMC 5-92-03									PKG:203
5-92-04	MSG-3 INSPECTION DOCUMENT 04								Package ATA:05
	MOS	14-Mar-24							
	HRS	3199.5	1600 (+25/-25)	Adj -1.5	4798	4823	1274.7 (+25)		
	AFL	2753							
PROC. REF: TLMC 5-92-04PROC. REF: TLMC 5-92-04									PKG:204
5-92-06	MSG-3 INSPECTION DOCUMENT 06								Package ATA:05
	MOS	20-Jun-22	48 (+1m/-1m)	Adj -44d	31-May-26	30-Jun-26	397 d (+30)		
	HRS	2745.7							
	AFL	2387							
PROC. REF: TLMC 5-92-06PROC. REF: TLMC 5-92-06									PKG:206
5-92-08	MSG-3 INSPECTION DOCUMENT 08								Package ATA:05
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)	Adj -522	3998	4023	474.7 (+25)		
	AFL	1890							
PROC. REF: TLMC 5-92-08PROC. REF: TLMC 5-92-08									PKG:208

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-92-12	MSG-3 INSPECTION DOCUMENT 12								Package ATA:05
	MOS	13-May-24	60 (+1m/-1m)		31-May-29	30-Jun-29	1493 d (+30)		
	HRS	3262.4							
	AFL	2788							
PROC. REF: TLMC 5-92-12PROC. REF: TLMC 5-92-12									PKG:212
5-92-13	MSG-3 INSPECTION DOCUMENT 13								Package ATA:05
	MOS	26-May-20	72 (+1m/-1m)		31-May-26	30-Jun-26	397 d (+30)		
	HRS	2120							
	AFL	1890							
PROC. REF: TLMC 5-92-13PROC. REF: TLMC 5-92-13									PKG:213
5-92-14	MSG-3 INSPECTION DOCUMENT 14								Package ATA:05
	MOS	13-May-24	36 (+1m/-1m)		31-May-27	30-Jun-27	762 d (+30)		
	HRS	3262.4							
	AFL	2788							
PROC. REF: TLMC 5-92-14PROC. REF: TLMC 5-92-14									PKG:214
5-92-16	MSG-3 INSPECTION DOCUMENT 16								Package ATA:05
	MOS	20-Jun-22	96 (+1m/-1m)	Adj -23d	31-May-30	30-Jun-30	1858 d (+30)		
	HRS	2745.7							
	AFL	2387							
PROC. REF: TLMC 5-92-16PROC. REF: TLMC 5-92-16									PKG:216
5-92-20 ^S	MSG-3 INSPECTION DOCUMENT 20								Package ATA:05
	MOS	13-Apr-25	12 (+1m/-1m)						
	HRS	2519.2	300 (+25/-25)						
	AFL	2973							
PROC. REF: TLMC 5-92-20PROC. REF: TLMC 5-92-20									PKG:220

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-92-21 ^S	MSG-3 INSPECTION DOCUMENT 21								Package ATA:05
	MOS	26-May-20	T:12 (+1m/-1m)						
	HRS	2120	T:800 (+25/-25)						
	AFL	1890							
PROC. REF: TLMC 5-92-21PROC. REF: TLMC 5-92-21									PKG:221
5-92-22	MSG-3 INSPECTION DOCUMENT 22								Package ATA:05
	MOS	26-May-20	180 (+1m/-1m)	Adj -2190d	31-May-29	30-Jun-29	1493 d (+30)		
	HRS	2120							
	AFL	1890							
PROC. REF: TLMC 5-92-22PROC. REF: TLMC 5-92-22									PKG:222
5-92-25	MSG-3 INSPECTION DOCUMENT 25								Package ATA:05
	MOS	26-May-20							
	HRS	2120	7200 (+25/-25)	Adj -2120	7200	7225	3676.7 (+25)		
	AFL	1890							
PROC. REF: TLMC 5-92-25PROC. REF: TLMC 5-92-25									PKG:225

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 12 - SERVICING									
12-20-32-6400	^S	LANDING GEAR LUBRICATION							Service ATA:12
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 12-20-32PROC. REF: AMM 12-20-32									PKG:201
12-20-52-6400	^S	DOOR SECURITY LOCK LUBRICATION							Service ATA:12
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 12-20-52PROC. REF: AMM 12-20-52									PKG:201
12-31-40-601		15 DAY HIGH EXPOSURE AREA WASH							Service ATA:12
	DAYS/MSC	12-Sep-17	A/R						
	HRS	1366.9							
	AFL	1164							
PROC. REF: AMM 12-31-40PROC. REF: AMM 12-31-40									
12-31-40-602		45 DAY MEDIUM EXPOSURE AREA WASH							Service ATA:12
	DAYS/MSC	12-Sep-17	A/R						
	HRS	1366.9							
	AFL	1164							
PROC. REF: AMM 12-31-40PROC. REF: AMM 12-31-40									
12-31-40-603		90 DAY LOW EXPOSURE AREA WASH							Service ATA:12
	DAYS/MSC	12-Sep-17	A/R						
	HRS	1366.9							
	AFL	1164							
PROC. REF: AMM 12-31-40PROC. REF: AMM 12-31-40									
ATA 21 - AIR CONDITIONING									
052136	^U	UPDATE TERRAIN DATABASE							Service ATA:21
	MOS	17-May-19	12		31-May-20		OVD		
	HRS	1945.8							
	AFL	1700							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
21-31-00-7200 ^S		PRESSURIZATION SYSTEM FUNCTIONAL CHECK						Service	ATA:21
	MOS	10-Aug-23						AIRWORTHINESS	
	HRS	2974.5	800						
WC#: 21.030	AFL	2592							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00									PKG:108
210001		AFT TEMP SENSOR ASSEMBLY						Component	ATA:21
PN:8718984-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0399	HRS	0		TSN 0					
WC#: 21.160	AFL	0		TSN 0					
PROC. REF: AMM 21-61-10PROC. REF: AMM 21-61-10									
210001		FORWARD TEMP SENSOR ASSEMBLY						Component	ATA:21
PN:8718984-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0489	HRS	0		TSN 0					
WC#: 21.160	AFL	0		TSN 0					
PROC. REF: AMM 21-61-10PROC. REF: AMM 21-61-10									
210001		LEFT PRECOOLER						Component	ATA:21
PN:8363-1	MOS/MSC	12-Jan-22	O/C	TSN 0					
SN:T0819	HRS	2637		TSN 0					
WC#: 21.160	AFL	2301		TSN 0					
PROC. REF: AMM 21-61-15PROC. REF: AMM 21-61-15									
210001		RIGHT PRECOOLER						Component	ATA:21
PN:8363-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:T0327	HRS	0		TSN 0					
WC#: 21.160	AFL	0		TSN 0					
PROC. REF: AMM 21-61-15PROC. REF: AMM 21-61-15									
210002		LEFT OVERTEMPERATURE SENSOR						Component	ATA:21
PN:1E51-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:11BJ296	HRS	0		TSN 0					
WC#: 21.170	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
210002 RIGHT OVERTEMPERATURE SENSOR								Component	ATA:21
PN:1E51-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:11BJ297	HRS	0		TSN 0					
WC#: 21.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
210003 LEFT CABIN DUCT TEMPERATURE SENSOR								Component	ATA:21
PN:MS28034-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:179375	HRS	0		TSN 0					
WC#: 21.180	AFL	0		TSN 0					
PROC. REF: AMM 21-61-10PROC. REF: AMM 21-61-10									
210003 RIGHT CABIN DUCT TEMPERATURE SENSOR								Component	ATA:21
PN:MS28034-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:182628	HRS	0		TSN 0					
WC#: 21.180	AFL	0		TSN 0					
PROC. REF: AMM 21-61-10PROC. REF: AMM 21-61-10									
211001 LEFT PRESS REGULATOR SHUTOFF VALVE								Component	ATA:21
PN:1422-4	MOS/MSC	12-May-15	O/C	TSO 0					
SN:0320	HRS	447.6		TSO 0					
WC#: 21.200	AFL	260		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
211001 RIGHT PRESS REGULATOR SHUTOFF VALVE								Component	ATA:21
PN:1422-4	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0514	HRS	0		TSN 0					
WC#: 21.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
211005 PNEUMATIC SHUTOFF VALVE								Component	ATA:21
PN:2601-43	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0164	HRS	0		TSN 0					
WC#: 21.020	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
PROC. REF: AMM 21-21-50PROC. REF: AMM 21-21-50									
211006	A/C CHECK VALVE								Component ATA:21
PN:1310150-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 21.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
212001	UNDERFLOOR INLET AIR BLOWER								Component ATA:21
PN:0113-12	MOS/MSC	16-May-14	O/C	TSN 0					
SN:2257	HRS	0		TSN 0					
WC#: 21.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
212100	CABIN AIR DISTRIBUTION SOLENOID VALVE								Component ATA:21
PN:2601-48	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0358	HRS	0		TSN 0					
WC#: 21.120	AFL	0		TSN 0					
PROC. REF: AMM 21-61-55PROC. REF: AMM 21-61-55									
212100	COCKPIT AIR DISTRIBUTION SOLENOID VALVE								Component ATA:21
PN:2601-48	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0352	HRS	0		TSN 0					
WC#: 21.120	AFL	0		TSN 0					
PROC. REF: AMM 21-61-55PROC. REF: AMM 21-61-55									
213003	PRESSURE CONTROLLER								Component ATA:21
PN:52811-103	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1249	HRS	0		TSN 0					
WC#: 21.040	AFL	0		TSN 0					
PROC. REF: AMM 21-31-30PROC. REF: AMM 21-31-30									
213004	LEFT RAM AIR MODULATING VALVE								Component ATA:21
PN:27241287-29	MOS/MSC	16-May-14	O/C	TSN 0					
SN:11BJ47	HRS	0		TSN 0					
WC#: 21.100	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
PROC. REF: AMM 21-61-05PROC. REF: AMM 21-61-05									
213004	RIGHT RAM AIR MODULATING VALVE							Component	ATA:21
PN:27241287-29	MOS/MSC	16-May-14	O/C	TSN 0					
SN:11BJ48	HRS	0		TSN 0					
WC#: 21.100	AFL	0		TSN 0					
PROC. REF: AMM 21-61-05PROC. REF: AMM 21-61-05									
213005	LEFT OUTBOUND OUTFLOW VALVE							Component	ATA:21
PN:52812-103	MOS/MSC	10-Aug-23	O/C	TSO 0					
SN:916	HRS	2974.5		TSO 0					
WC#: 21.130	AFL	2592		TSO 0					
PROC. REF: AMM 21-31-20PROC. REF: AMM 21-31-20									
213005	RIGHT INBOUND OUTFLOW VALVE							Component	ATA:21
PN:52812-103	MOS/MSC	10-Aug-23	O/C	TSO 0					
SN:1123	HRS	2974.5		TSO 0					
WC#: 21.130	AFL	2592		TSO 0					
PROC. REF: AMM 21-31-20PROC. REF: AMM 21-31-20									
215001	LEFT FORWARD EVAPORATOR MODULE							Component	ATA:21
PN:004-0257-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:K62856	HRS	0		TSN 0					
WC#: 21.050	AFL	0		TSN 0					
PROC. REF: AMM 21-51-10, AMM 21-51-20PROC. REF: AMM 21-51-10, AMM 21-51-20									
215001	RIGHT FORWARD EVAPORATOR MODULE							Component	ATA:21
PN:9912660-13	MOS/MSC	10-Aug-23	O/C	TSN 0					
SN:P009116-2	HRS	2974.5		TSN 0					
WC#: 21.050	AFL	2592		TSN 0					
PROC. REF: AMM 21-51-10, AMM 21-51-20PROC. REF: AMM 21-51-10, AMM 21-51-20									
215002	AFT EVAPORATOR MODULE							Component	ATA:21
PN:004-0257-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:K61951	HRS	0		TSN 0					
WC#: 21.060	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
PROC. REF: AMM 21-51-30PROC. REF: AMM 21-51-30									
215004	EVAPORATOR FAN								Component ATA:21
PN:004-0255-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-51-10, AMM 21-51-20, AMM 21-51-30PROC. REF: AMM 21-51-10, AMM 21-51-20, AMM 21-51-30									
215005	CONDENSER ASSEMBLY								Component ATA:21
PN:004-0350-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:K69085	HRS	0		TSN 0					
WC#: 21.090	AFL	0		TSN 0					
PROC. REF: AMM 21-51-70PROC. REF: AMM 21-51-70									
215008	RECEIVER DRYER MODULE								Component ATA:21
PN:9912660-16	MOS/MSC	10-Aug-23	O/C	TSN 0					
SN:P014166-4	HRS	2974.5		TSN 0					
WC#: 21.250	AFL	2592		TSN 0					
PROC. REF: AMM 21-51-40PROC. REF: AMM 21-51-40									
215010	COMPRESSOR/BLOWER MODULE								Component ATA:21
PN:004-0550-1	MOS/MSC	20-Jun-17	O/C	TSR 0					
SN:K50378	HRS	1262.2		TSR 0					
WC#: 21.080	AFL	1046		TSR 0					
PROC. REF: AMM 21-51-60PROC. REF: AMM 21-51-60									
215011	RECEIVER/DRYER PRESS TRANSDUCER								Component ATA:21
PN:9912660-17	MOS/MSC	10-Aug-23	O/C	TSN 0					
SN:8533-9-382	HRS	2974.5		TSN 0					
WC#: 21.070	AFL	2592		TSN 0					
PROC. REF: AMM 21-51-50PROC. REF: AMM 21-51-50									
215012	AIR CONDITIONER DRIVE BELT								Component ATA:21
PN:ES20040-10	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 21.260	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 21 - AIR CONDITIONING									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
215014	MOTOR COMPRESSOR								Component ATA:21
PN:98-0906	MOS/MSC	16-May-14	O/C	TSN 0					
SN:K67486	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
216101	SOLAR SENSOR ASSEMBLY								Component ATA:21
PN:7115070-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0230	HRS	0		TSN 0					
WC#: 21.140	AFL	0		TSN 0					
PROC. REF: AMM 21-61-30PROC. REF: AMM 21-61-30									
ATA 22 - AUTO FLIGHT									
221002	AILERON SERVO MOUNT								Component ATA:22
PN:622-5735-021	MOS/MSC	16-May-14	O/C	TSN 0					
SN:426FHT	HRS	0		TSN 0					
WC#: 22.050	AFL	0		TSN 0					
PROC. REF: AMM 22-11-25, AMM 22-11-45, AMM 22-11-65PROC. REF: AMM 22-11-25, AMM 22-11-45, AMM 22-11-65									
221002	ELEVATOR SERVO MOUNT								Component ATA:22
PN:622-5735-020	MOS/MSC	16-May-14	O/C	TSN 0					
SN:426GND	HRS	0		TSN 0					
WC#: 22.050	AFL	0		TSN 0					
PROC. REF: AMM 22-11-25, AMM 22-11-45, AMM 22-11-65PROC. REF: AMM 22-11-25, AMM 22-11-45, AMM 22-11-65									
221002	RUDDER SERVO MOUNT								Component ATA:22
PN:622-5735-519	MOS/MSC	16-May-14	O/C	TSN 0					
SN:426GG4	HRS	0		TSN 0					
WC#: 22.050	AFL	0		TSN 0					
PROC. REF: AMM 22-11-25, AMM 22-11-45, AMM 22-11-65PROC. REF: AMM 22-11-25, AMM 22-11-45, AMM 22-11-65									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 22 - AUTO FLIGHT									
221003	AILERON SERVO							Component	ATA:22
PN:822-1168-022	MOS/MSC	16-May-14	O/C	TSN 0					
SN:412POP	HRS	0		TSN 0					
WC#: 22.040	AFL	0		TSN 0					
PROC. REF: AMM 22-11-20, AMM 22-11-40, AMM 22-11-60PROC. REF: AMM 22-11-20, AMM 22-11-40, AMM 22-11-60									
221003	ELEVATOR SERVO							Component	ATA:22
PN:822-1168-021	MOS/MSC	16-May-14	O/C	TSN 0					
SN:412P5H	HRS	0		TSN 0					
WC#: 22.040	AFL	0		TSN 0					
PROC. REF: AMM 22-11-20, AMM 22-11-40, AMM 22-11-60PROC. REF: AMM 22-11-20, AMM 22-11-40, AMM 22-11-60									
221003	RUDDER SERVO							Component	ATA:22
PN:822-1168-023	MOS/MSC	16-May-14	O/C	TSN 0					
SN:426HOD	HRS	0		TSN 0					
WC#: 22.040	AFL	0		TSN 0					
PROC. REF: AMM 22-11-20, AMM 22-11-40, AMM 22-11-60PROC. REF: AMM 22-11-20, AMM 22-11-40, AMM 22-11-60									
221005	FLIGHT GUIDANCE PANEL							Component	ATA:22
PN:822-1107-136	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42COFT	HRS	0		TSN 0					
WC#: 22.030	AFL	0		TSN 0					
PROC. REF: AMM 22-11-10PROC. REF: AMM 22-11-10									
ATA 23 - COMMUNICATIONS									
23-61-00-7200 ^S	STATIC DISCHARGE SYSTEM FUNCTIONAL CHECK							Service	ATA:23
	MOS	13-May-24	36 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 23-61-00PROC. REF: AMM 23-61-00									
PKG:214									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty	
ATA 23 - COMMUNICATIONS										
23-71-00-7100		COCKPIT VOICE RECORDER MICROPHONE OPERATIONAL CHECK							Service	ATA:23
PN:S055-0067-00	MOS	26-May-20	72 (+1m/-1m)		31-May-26	30-Jun-26	397 d (+30)			
SN:000929663	HRS	2120								
	AFL	1890								
PROC. REF: AMM 23-71-00PROC. REF: AMM 23-71-00									PKG:213	
23-71-00-7101		COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON OPERATIONAL CHECK							Service	ATA:23
PN:DK120	MOS	13-May-24	24 (+1m/-1m)		31-May-26	30-Jun-26	397 d (+30)			
SN:SD15069	HRS	3262.4								
	AFL	2788								
PROC. REF: AMM 23-71-00PROC. REF: AMM 23-71-00									PKG:203	
23-71-00-9600		COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Service	ATA:23
PN:DK120/90	MOS/MSC	14-Mar-24	DUE		01-Mar-31 (M)		2132 d	DISCARD		
SN:AT199332	HRS	3199.5								
	AFL	2753								
			Expiry Date: : 01-Mar-31							
PROC. REF: AMM 23-71-00PROC. REF: AMM 23-71-00										
231006		NO.1 VHF COMMUNICATION TRANSCEIVER							Component	ATA:23
PN:822-1468-110	MOS/MSC	16-May-14	O/C	TSN 0						
SN:4MMG1	HRS	0		TSN 0						
WC#: 23.020	AFL	0		TSN 0						
PROC. REF: AMM 23-11-10PROC. REF: AMM 23-11-10										
231006		NO.2 VHF COMMUNICATION TRANSCEIVER							Component	ATA:23
PN:822-1468-110	MOS/MSC	16-May-14	O/C	TSN 0						
SN:4KRKO	HRS	0		TSN 0						
WC#: 23.020	AFL	0		TSN 0						
PROC. REF: AMM 23-11-10PROC. REF: AMM 23-11-10										

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 23 - COMMUNICATIONS									
231006	NO.3 VHF COMMUNICATION TRANSCEIVER								Component ATA:23
PN:822-1468-310	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4ML4L	HRS	0		TSN 0					
WC#: 23.020	AFL	0		TSN 0					
PROC. REF: AMM 23-11-10PROC. REF: AMM 23-11-10									
231007	NO.1 COMMUNICATION ANTENNA								Component ATA:23
PN:VHF10-829	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1626	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-11-30PROC. REF: AMM 23-11-30									
231007	NO.2 COMMUNICATION ANTENNA								Component ATA:23
PN:VHF10-829	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1615	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-11-30PROC. REF: AMM 23-11-30									
231007	NO.3 COMMUNICATION ANTENNA								Component ATA:23
PN:VHF10-829	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1625	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-11-30PROC. REF: AMM 23-11-30									
232003	TELEPHONE TRANSCEIVER								Component ATA:23
PN:P12023	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1202313586	HRS	0		TSN 0					
WC#: 23.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232006	AIRCELL ROUTER								Component ATA:23
PN:P12083	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1208313039	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 23 - COMMUNICATIONS									
232007		CABIN AIRCELL FLITEPHONE HANDSET						Component	ATA:23
PN:P12192-002	MOS/MSC	10-Aug-23	O/C	TSR 0					
SN:1219238516	HRS	2974.5		TSR 0					
WC#: 23.190	AFL	2592		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232007		COCKPIT AIRCELL FLITEPHONE HANDSET						Component	ATA:23
PN:P12192-002	MOS/MSC	10-Aug-23	O/C	TSR 0					
SN:1219236879	HRS	2974.5		TSR 0					
WC#: 23.190	AFL	2592		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232008		AIRCELL COMPUTER						Component	ATA:23
PN:P13989	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1398912593	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232009		AIRCELL CONFIG MODULE						Component	ATA:23
PN:P14126	MOS/MSC	16-May-14	O/C	TSN 0					
SN:412612752	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-32PROC. REF: AMM 23-15-32									
232020		FWD BROADBAND AIRCELL ANTENNA						Component	ATA:23
PN:P12949	MOS/MSC	16-May-14	O/C	TSN 0					
SN:419517	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-34PROC. REF: AMM 23-15-34									
232022		AFT BROADBAND AIRCELL ANTENNA						Component	ATA:23
PN:P12949	MOS/MSC	16-May-14	O/C	TSN 0					
SN:419518	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-34PROC. REF: AMM 23-15-34									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 23 - COMMUNICATIONS									
235005	RADIO INTERFACE UNIT								Component ATA:23
PN:822-1864-024	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4272RN	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
PROC. REF: AMM 23-51-10PROC. REF: AMM 23-51-10									
235006	RIU W/DATALINK & SELCAL UNIT								Component ATA:23
PN:822-1863-074	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4M41N	HRS	0		TSN 0					
WC#: 23.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
237000	COCKPIT VOICE RECORDER LOCATOR BEACON								Component ATA:23
PN:DK120	MOS/MSC	16-May-14	O/C	TSN 0					
SN:SD15069	HRS	0		TSN 0					
WC#: 23.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
237001	COCKPIT VOICE RECORDER								Component ATA:23
PN:2100-1025-22	MOS/MSC	16-May-14	O/C	TSN 0					
SN:000891498	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: AMM 23-71-10PROC. REF: AMM 23-71-10									
237002	COCKPIT VOICE RECORDER CONTROLLER								Component ATA:23
PN:S251-1120-00	MOS/MSC	16-May-14	O/C	TSN 0					
SN:000907554	HRS	0		TSN 0					
WC#: 23.120	AFL	0		TSN 0					
PROC. REF: AMM 23-71-20PROC. REF: AMM 23-71-20									
237003	COCKPIT VOICE RECORDER MICROPHONE								Component ATA:23
PN:S055-0067-00	MOS/MSC	16-May-14	O/C	TSN 0					
SN:000929663	HRS	0		TSN 0					
WC#: 23.130	AFL	0		TSN 0					
PROC. REF: AMM 23-71-30PROC. REF: AMM 23-71-30									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 23 - COMMUNICATIONS									
237004	COCKPIT VOICE RECORDER IMPACT SWITCH							Component	ATA:23
PN:6895-D-2-X-5-5	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 23.140	AFL	0		TSN 0					
PROC. REF: AMM 23-71-40PROC. REF: AMM 23-71-40									
237005	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY							Component	ATA:23
PN:DK120/90	MOS/MSC	14-Mar-24	H/T	TSN 0					
SN:AT199332	HRS	3199.5		TSN 0					
WC#: 23.080	AFL	2753		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 24 - ELECTRICAL POWER									
24-31-10-7200	MARATHON NI-CAD BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:30978-002 (ATSP-44)	MOS	13-Apr-25	12 (+1m/-1m)		30-Apr-26	31-May-26	366 d (+31)		
SN:11400510	HRS	3519.2	300 (+25/-25)		3819.2	3844.2	295.9 (+25)		
	AFL	2973							PKG:220
PROC. REF: AMM 24-31-10PROC. REF: AMM 24-31-10									
24-31-10-960	A123 LITHIUM-ION BATTERY PACK DISCARD							Service	ATA:24
PN:30978-002 (ATSP-44)	MOS/MSC		N/A					N/A BY PART NUMBER	
SN:11400510	HRS								
	AFL								
PROC. REF: AMM 24-31-10PROC. REF: AMM 24-31-10									
24-31-30-7200 ^S	SECONDARY FLIGHT DISPLAY SYSTEM BATTERY PACK (CAPACITY CHECK) FUNCTIONALCHECK							Service	ATA:24
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							PKG:203
PROC. REF: AMM 24-31-30PROC. REF: AMM 24-31-30									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
24-41-00-7200 ^S		EXTERNAL POWER OVER-VOLTAGE SYSTEM FUNCTIONAL CHECK							Service ATA:24
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 24-41-00PROC. REF: AMM 24-41-00									PKG:206
24-61-00-7200 ^S		CONTROL RELAY AND FUSE LIMITER FUNCTIONAL CHECK							Service ATA:24
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	12000						
WC#: 24.100	AFL	1890							
PROC. REF: AMM 24-61-00PROC. REF: AMM 24-61-00									PKG:111
24-61-10-2100 ^S		AFT POWER JUNCTION BOX GENERAL VISUAL INSPECTION							Service ATA:24
	MOS	20-Jun-22	96 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 24-61-10PROC. REF: AMM 24-61-10									PKG:216
240000		LEFT POWER CONTROL UNIT							Component ATA:24
PN:94496-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:433	HRS	0		TSN 0					
WC#: 24.020	AFL	0		TSN 0					
PROC. REF: AMM 24-21-30PROC. REF: AMM 24-21-30									
240000		RIGHT POWER CONTROL UNIT							Component ATA:24
PN:94496-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:486	HRS	0		TSN 0					
WC#: 24.020	AFL	0		TSN 0					
PROC. REF: AMM 24-21-30PROC. REF: AMM 24-21-30									
243002		LEFT AC ALTERNATOR							Component ATA:24
PN:94495-1	MOS/MSC	30-Jul-24	O/C	TSN 0					
SN:1088	HRS	3301.1		TSN 0					
WC#: 24.010	AFL	2814		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
PROC. REF: AMM 24-21-20PROC. REF: AMM 24-21-20									
243002	RIGHT AC ALTERNATOR								Component ATA:24
PN:94495-1	MOS/MSC	08-Mar-24	O/C	TSO 1					
SN:078	HRS	3199.2		TSO 0					
WC#: 24.010	AFL	2753		TSO 0					
PROC. REF: AMM 24-21-20PROC. REF: AMM 24-21-20									
243003	LEFT GENERATOR CONTROL UNIT								Component ATA:24
PN:51525-001F	MOS/MSC	16-May-14	O/C	TSN 0					
SN:P6462	HRS	0		TSN 0					
WC#: 24.080	AFL	0		TSN 0					
PROC. REF: AMM 24-31-40PROC. REF: AMM 24-31-40									
243003	RIGHT GENERATOR CONTROL UNIT								Component ATA:24
PN:51525-001F	MOS/MSC	16-May-14	O/C	TSN 0					
SN:P6492	HRS	0		TSN 0					
WC#: 24.080	AFL	0		TSN 0					
PROC. REF: AMM 24-31-40PROC. REF: AMM 24-31-40									
243007	BATTERY								Component ATA:24
PN:30978-002 (ATSP-44)	MOS/MSC	13-Apr-25	O/C	TSR 0					
SN:11400510	HRS	3519.2		TSR 0					
WC#: 24.060	AFL	2973		TSR 0					
PROC. REF: AMM 24-31-10PROC. REF: AMM 24-31-10									
243008	BATTERY RELAY								Component ATA:24
PN:A931F	MOS/MSC	16-May-14	O/C	TSN 0					
SN:CT-65155	HRS	0		TSN 0					
WC#: 24.160	AFL	0		TSN 0					
PROC. REF: AMM 24-31-20PROC. REF: AMM 24-31-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
243101	LEFT GROUND FAULT TRANSFORMER								Component ATA:24
PN:76779-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:11235	HRS	0		TSN 0					
WC#: 24.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243101	RIGHT GROUND FAULT TRANSFORMER								Component ATA:24
PN:76779-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:11251	HRS	0		TSN 0					
WC#: 24.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243102	TRANSFORMER RECTIFIER UNIT								Component ATA:24
PN:TRU1-125-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:296	HRS	0		TSN 0					
WC#: 24.090	AFL	0		TSN 0					
PROC. REF: AMM 24-31-60PROC. REF: AMM 24-31-60									
245001	LEFT DIMMING CONTROL PCB								Component ATA:24
PN:8718991-14	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0408	HRS	0		TSN 0					
WC#: 24.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245001	RIGHT DIMMING CONTROL PCB								Component ATA:24
PN:8718991-14	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0409	HRS	0		TSN 0					
WC#: 24.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245002	LEFT BLEED AIR CONTROL PCB								Component ATA:24
PN:8718999-17	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0418	HRS	0		TSN 0					
WC#: 24.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
245002		RIGHT BLEED AIR CONTROL PCB						Component	ATA:24
PN:8718999-17	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0419	HRS	0		TSN 0					
WC#: 24.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245003		LEFT BLEED AIR MONITOR PCB						Component	ATA:24
PN:8718972-1	MOS/MSC	05-Feb-25	O/C						
SN:0281	HRS	3457							
WC#: 24.200	AFL	2941							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245003		RIGHT BLEED AIR MONITOR PCB						Component	ATA:24
PN:8718972-1	MOS/MSC	05-Feb-25	O/C						
SN:0275	HRS	3457							
WC#: 24.200	AFL	2941							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245004		LEFT ARINC DECODER PCB						Component	ATA:24
PN:8718997-25	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0405	HRS	0		TSN 0					
WC#: 24.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245004		RIGHT ARINC DECODER PCB						Component	ATA:24
PN:8718997-25	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0406	HRS	0		TSN 0					
WC#: 24.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245005		NO.1 POWER DISTRIBUTION PCB						Component	ATA:24
PN:8718992-21	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0134	HRS	0		TSN 0					
WC#: 24.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
245005	NO.2 POWER DISTRIBUTION PCB								Component ATA:24
PN:8718992-21	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0133	HRS	0		TSN 0					
WC#: 24.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245006	LEFT ENVIRONMENTAL PCB								Component ATA:24
PN:8718993-27	MOS/MSC	14-Aug-23	O/C						
SN:0441	HRS	2975.9							
WC#: 24.230	AFL	2593							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245006	RIGHT ENVIRONMENTAL PCB								Component ATA:24
PN:8718993-27	MOS/MSC	14-Aug-23	O/C						
SN:0440	HRS	2975.9							
WC#: 24.230	AFL	2593							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245007	HDAV OUTLET								Component ATA:24
PN:441-0007-102	MOS/MSC	16-May-14	O/C	TSN 0					
SN:40GTGX	HRS	0		TSN 0					
WC#: 24.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245008	LEFT CABIN ALT MODULE ASSEMBLY								Component ATA:24
PN:7018119-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1304	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					
PROC. REF: AMM 24-61-40, AMM NO REFPROC. REF: AMM 24-61-40, AMM NO REF									
245008	RIGHT CABIN ALT MODULE ASSEMBLY								Component ATA:24
PN:7018119-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1308	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					
PROC. REF: AMM 24-61-40, AMM NO REFPROC. REF: AMM 24-61-40, AMM NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
245009	A/C CONTROLLER								Component ATA:24
PN:106282-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:5030113	HRS	0		TSN 0					
WC#: 24.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245010 ^U	COCKPIT ELECTRICAL OUTLET								Component ATA:24
PN:106300-21	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1840214	HRS	0		TSN 0					
	AFL	0		TSN 0					
245010 ^U	PILOT ELECTRICAL OUTLET								Component ATA:24
PN:106300-21	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1850214	HRS	0		TSN 0					
	AFL	0		TSN 0					
245011	BULKHEAD MONITOR-								Component ATA:24
PN:441-0005-100	MOS/MSC	26-Jul-18	O/C	TSN 0					
SN:1610500412	HRS	1643.5		TSN 0					
WC#: 24.390	AFL	1425		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245012	LEFT SPEEDBRAKE PCB								Component ATA:24
PN:8718988-4	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0370	HRS	0		TSN 0					
WC#: 24.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245012	RIGHT SPEEDBRAKE PCB								Component ATA:24
PN:8718988-4	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0373	HRS	0		TSN 0					
WC#: 24.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
245013	LEFT FLAP CONTROL PCB								Component ATA:24
PN:8718978-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0234	HRS	0		TSN 0					
WC#: 24.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245013	RIGHT FLAP CONTROL PCB								Component ATA:24
PN:8718978-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0235	HRS	0		TSN 0					
WC#: 24.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245014	LIGHTING CONTROL ASSEMBLY PCB								Component ATA:24
PN:8718987-21	MOS/MSC	14-May-14	O/C	TSN 0					
SN:0258	HRS	0		TSN 0					
WC#: 24.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245015	LEFT LANDING GEAR CONTROL PCB								Component ATA:24
PN:8718998-25	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0417	HRS	0		TSN 0					
WC#: 24.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245015	RIGHT LANDING GEAR CONTROL PCB								Component ATA:24
PN:8718998-25	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0420	HRS	0		TSN 0					
WC#: 24.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245016	TRIM MONITOR PCB								Component ATA:24
PN:8718976-7	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0258	HRS	0		TSN 0					
WC#: 24.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
245017	SECONDARY TRIM ASSEMBLY PCB								Component ATA:24
PN:8718975-7	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0164	HRS	0		TSN 0					
WC#: 24.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245018	DOOR/REV ASSY PCB								Component ATA:24
PN:8718989-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0251	HRS	0		TSN 0					
WC#: 24.320	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245019	LEFT DIAGNOSTICS PCB								Component ATA:24
PN:8718971-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0230	HRS	0		TSN 0					
WC#: 24.330	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245019	RIGHT DIAGNOSTICS PCB								Component ATA:24
PN:8718971-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0231	HRS	0		TSN 0					
WC#: 24.330	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245020	LEFT FUEL CONTROL ASSY PCB								Component ATA:24
PN:8718994-5	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0411	HRS	0		TSN 0					
WC#: 24.340	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245020	RIGHT FUEL CONTROL ASSY PCB								Component ATA:24
PN:8718994-5	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0414	HRS	0		TSN 0					
WC#: 24.340	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
245021	LEFT 5V POWER ASSY PCB								Component ATA:24
PN:8718980-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0406	HRS	0		TSN 0					
WC#: 24.350	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245021	RIGHT 5V POWER ASSY PCB								Component ATA:24
PN:8718980-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0409	HRS	0		TSN 0					
WC#: 24.350	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245022	AUDIO SWITCHING ASSY PCB								Component ATA:24
PN:8718982-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0253	HRS	0		TSN 0					
WC#: 24.360	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245023	AUDIO/REV ASSY PCB								Component ATA:24
PN:8718995-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0879	HRS	0		TSN 0					
WC#: 24.370	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245024	PRIMARY TRIM PCB								Component ATA:24
PN:8718977-7	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0263	HRS	0		TSN 0					
WC#: 24.380	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245027	ENTRY SWITCH								Component ATA:24
PN:441-0024-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:429L76	HRS	0		TSN 0					
WC#: 24.420	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 24 - ELECTRICAL POWER									
245028	CLIENT SWITCH							Component	ATA:24
PN:441-0025-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4145LY	HRS	0		TSN 0					
WC#: 24.430	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245047	MEDIA CENTER DEVICE							Component	ATA:24
PN:441-0008-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42XTV4	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-00-2200 ^S	CREW SEAT ASSEMBLY DETAILED INSPECTION							Service	ATA:25
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 25-11-00PROC. REF: AMM 25-11-00									
25-11-00-7200 ^S	CREW SEAT TRACK FUNCTIONAL CHECK							Service	ATA:25
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 25-11-00PROC. REF: AMM 25-11-00									
25-21-00-2200 ^S	PASSENGER SEAT DETAILED INSPECTION AND OPERATIONAL CHECK							Service	ATA:25
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 25-21-00PROC. REF: AMM 25-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-41-00-2200 ^S BELTED TOILET SEAT DETAILED INSPECTION									
	MOS	20-Jun-22	48 (+1m/-1m)						Service ATA:25
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 25-41-00PROC. REF: AMM 25-41-00									PKG:206
25-61-00-2200 EMERGENCY LOCATOR TRANSMITTER DETAILED INSPECTION AND OPERATIONAL CHECK									
PN:453-5060	MOS	31-Aug-24	12		31-Aug-25		124 d		Service ATA:25
SN:13691	HRS	3321.6							
	AFL	2826							
PROC. REF: AMM 25-61-00PROC. REF: AMM 25-61-00									
25-61-00-9600 EMERGENCY LOCATOR BEACON BATTERY DISCARD									
PN:452-0133	MOS/MSC	10-Aug-23	DUE		31-Mar-28 (M)		1067 d	DISCARD	Service ATA:25
SN:399754-026	HRS	2974.5							
	AFL	2592							
PROC. REF: AMM 25-61-00PROC. REF: AMM 25-61-00									
25-65-00-2100 ^S WATER BARRIER ASSEMBLY GENERAL VISUAL INSPECTION									
	MOS	20-Jun-22	48 (+1m/-1m)						Service ATA:25
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									PKG:206
25-65-00-2200 ^S FIRST AID KIT DETAILED INSPECTION									
	MOS	13-May-24	12 (+1m/-1m)						Service ATA:25
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									PKG:201

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-65-00-2201 ^S		LIFE VEST POUCH DETAILED INSPECTION						Service	ATA:25
	MOS	13-May-24	60 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									PKG:212
25-65-00-2202 ^S		SMOKE GOOGLES DETAILED INSPECTION						Service	ATA:25
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									PKG:201
25-65-00-9600		AFT SIDE FACING SEAT LIFE VEST						Component	ATA:25
PN:P01074-207	MOS	13-May-24	120	TSN 2	01-Mar-34 (M)		3228 d		
SN:24020640071	HRS	3262.4		TSN 0					
	AFL	2788		TSN 0					
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
25-65-00-9600		CO-PILOT LIFE VEST (AIR RETENTION FUNCTIONAL CHECK AND COMPRESSED AIR CARTRIDGE FUNCTIONAL CHECK) RESTORATION JACKET						Component	ATA:25
PN:P01074-207	MOS	13-May-24	120	TSN 2	01-Mar-34 (M)		3228 d		
SN:24020640074	HRS	3262.4		TSN 0					
WC#: 25.240	AFL	2788		TSN 0					
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
25-65-00-9600		FORWARD SIDE FACING SEAT LIFE VEST						Component	ATA:25
PN:P01074-207	MOS	13-May-24	120	TSN 2	01-Mar-34 (M)		3228 d		
SN:24020640669	HRS	3262.4		TSN 0					
	AFL	2788		TSN 0					
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-65-00-9600		LAVATORY LIFE VEST (AIR RETENTION FUNCTIONAL CHECK AND COMPRESSED AIR CARTRIDGE FUNCTIONAL CHECK) RESTORATION JACKET						Component	ATA:25
PN:P01074-207	MOS	13-May-24	120	TSN 2	01-Mar-34 (M)		3228 d		
SN:24020640076	HRS	3262.4		TSN 0					
WC#: 25.240	AFL	2788		TSN 0					
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
25-65-00-9600		NO. 3 LIFE VEST (AIR RETENTION FUNCTIONAL CHECK AND COMPRESSED AIR CARTRIDGE FUNCTIONAL CHECK) RESTORATION JACKET						Component	ATA:25
PN:P01074-207	MOS	13-May-24	120	TSN 2	01-Mar-34 (M)		3228 d		
SN:24020640072	HRS	3262.4		TSN 0					
WC#: 25.240	AFL	2788		TSN 0					
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
25-65-00-9600		NO. 5 LIFE VEST (AIR RETENTION FUNCTIONAL CHECK AND COMPRESSED AIR CARTRIDGE FUNCTIONAL CHECK) RESTORATION JACKET						Component	ATA:25
PN:P01074-207	MOS	13-May-24	120	TSN 2	01-Mar-34 (M)		3228 d		
SN:24020640070	HRS	3262.4		TSN 0					
WC#: 25.240	AFL	2788		TSN 0					
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
25-65-00-9600		NO. 6 LIFE VEST (AIR RETENTION FUNCTIONAL CHECK AND COMPRESSED AIR CARTRIDGE FUNCTIONAL CHECK) RESTORATION JACKET						Component	ATA:25
PN:P01074-207	MOS	13-May-24	120	TSN 2	01-Mar-34 (M)		3228 d		
SN:24020640068	HRS	3262.4		TSN 0					
WC#: 25.240	AFL	2788		TSN 0					
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
25-65-00-9600		NO. 8 LIFE VEST (AIR RETENTION FUNCTIONAL CHECK AND COMPRESSED AIR CARTRIDGE FUNCTIONAL CHECK) RESTORATION JACKET						Component	ATA:25
PN:P01074-207	MOS	13-May-24	120	TSN 2	01-Mar-34 (M)		3228 d		
SN:24020640078	HRS	3262.4		TSN 0					
WC#: 25.240	AFL	2788		TSN 0					
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
25-65-00-9600		NO.4 LIFE VEST (AIR RETENTION FUNCTIONAL CHECK AND COMPRESSED AIR CARTRIDGE FUNCTIONAL CHECK) RESTORATION JACKET						Component	ATA:25
PN:P01074-207	MOS	13-May-24	120	TSN 2	01-Mar-34 (M)		3228 d		
SN:24020640077	HRS	3262.4		TSN 0					
WC#: 25.240	AFL	2788		TSN 0					
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
25-65-00-9600		NO.7 LIFE VEST (AIR RETENTION FUNCTIONAL CHECK AND COMPRESSED AIR CARTRIDGE FUNCTIONAL CHECK) RESTORATION JACKET						Component	ATA:25
PN:P01074-207	MOS	13-May-24	120	TSN 2	01-Mar-34 (M)		3228 d		
SN:24020640075	HRS	3262.4		TSN 0					
WC#: 25.240	AFL	2788		TSN 0					
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
25-65-00-9600		PILOT LIFE VEST (AIR RETENTION FUNCTIONAL CHECK AND COMPRESSED AIR CARTRIDGE FUNCTIONAL CHECK) RESTORATION JACKET						Component	ATA:25
PN:P01074-207	MOS	13-May-24	120	TSN 2	01-Mar-34 (M)		3228 d		
SN:24020640073	HRS	3262.4		TSN 0					
WC#: 25.240	AFL	2788		TSN 0					
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
250001		NO.3 LEFT SIDE AFT FACING SEAT						Component	ATA:25
PN:4710008-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 25.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
250001		NO.4 RIGHT SIDE AFT FACING SEAT						Component	ATA:25
PN:4710008-10	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 25.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
250001		NO.5 LEFT SIDE FORWARD FACING SEAT						Component	ATA:25
PN:4710008-11	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 25.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
250001		NO.6 RIGHT SIDE FORWARD FACING SEAT						Component	ATA:25
PN:4710008-12	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 25.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
250001	NO.7 LEFT SIDE FORWARD FACING SEAT								Component ATA:25
PN:4710008-10	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 25.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
250001	NO.8 RIGHT SIDE FORWARD FACING SEAT								Component ATA:25
PN:4710008-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 25.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002	LEFT NO. 1 ELECTRONIC CABIN WINDOW SHADE								Component ATA:25
PN:ATG74F001-A015	MOS/MSC	16-May-14	O/C	TSN 0					
SN:5873-105	HRS	0		TSN 0					
WC#: 25.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002	LEFT NO. 2 ELECTRONIC CABIN WINDOW SHADE								Component ATA:25
PN:ATG74F001-A015	MOS/MSC	16-May-14	O/C	TSN 0					
SN:5873-107	HRS	0		TSN 0					
WC#: 25.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002	LEFT NO. 3 ELECTRONIC CABIN WINDOW SHADE								Component ATA:25
PN:ATG74F001-A015	MOS/MSC	16-May-14	O/C	TSN 0					
SN:5873-108	HRS	0		TSN 0					
WC#: 25.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002	LEFT NO. 4 ELECTRONIC CABIN WINDOW SHADE								Component ATA:25
PN:ATG74F001-A015	MOS/MSC	16-May-14	O/C	TSN 0					
SN:5873-110	HRS	0		TSN 0					
WC#: 25.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
251002		LEFT NO. 5 ELECTRONIC CABIN WINDOW SHADE						Component	ATA:25
PN:ATG74F001-A015 MOS/MSC		16-May-14	O/C	TSN 0					
SN:5873-106		HRS	0	TSN 0					
WC#: 25.150		AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002		RIGHT NO. 1 ELECTRONIC CABIN WINDOW SHADE						Component	ATA:25
PN:ATG74F001-A015 MOS/MSC		16-May-14	O/C	TSN 0					
SN:5873-109		HRS	0	TSN 0					
WC#: 25.150		AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002		RIGHT NO. 2 ELECTRONIC CABIN WINDOW SHADE						Component	ATA:25
PN:ATG74F001-A015 MOS/MSC		16-May-14	O/C	TSN 0					
SN:5873-102		HRS	0	TSN 0					
WC#: 25.150		AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002		RIGHT NO. 3 ELECTRONIC CABIN WINDOW SHADE						Component	ATA:25
PN:ATG74F001-A015 MOS/MSC		16-May-14	O/C	TSN 0					
SN:5873-111		HRS	0	TSN 0					
WC#: 25.150		AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002		RIGHT NO. 4 ELECTRONIC CABIN WINDOW SHADE						Component	ATA:25
PN:ATG74F001-A015 MOS/MSC		16-May-14	O/C	TSN 0					
SN:5873-104		HRS	0	TSN 0					
WC#: 25.150		AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002		RIGHT NO. 5 ELECTRONIC CABIN WINDOW SHADE						Component	ATA:25
PN:ATG74F001-A015 MOS/MSC		16-May-14	O/C	TSN 0					
SN:5873-101		HRS	0	TSN 0					
WC#: 25.150		AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
251002	RIGHT NO. 6 ELECTRONIC CABIN WINDOW SHADE								Component ATA:25
PN:ATG74F001-A015	MOS/MSC	16-May-14	O/C	TSN 0					
SN:5873-103	HRS	0		TSN 0					
WC#: 25.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251003	CABIN MANAGEMENT SYSTEM SWITCH SEAT# 8 ASSY								Component ATA:25
PN:441-0010-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42YFVD	HRS	0		TSN 0					
WC#: 25.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251003	CABINET CABIN MANAGEMENT SYSTEM SWITCH ASSY								Component ATA:25
PN:441-0010-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42YG8K	HRS	0		TSN 0					
WC#: 25.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251003	COUCH CABIN MANAGEMENT SYSTEM SWITCH ASSEMBLY								Component ATA:25
PN:441-0010-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42YFYR	HRS	0		TSN 0					
WC#: 25.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251004	CABIN MANAGEMENT SYSTEM SWITCH SEAT #3 ASSY								Component ATA:25
PN:441-0010-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42YG87	HRS	0		TSN 0					
WC#: 25.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251005	CABIN MANAGEMENT SYSTEM SWITCH SEAT #4 ASSY								Component ATA:25
PN:441-0010-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42YG8T	HRS	0		TSN 0					
WC#: 25.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
251006		CABIN MANAGEMENT SYSTEM SWITCH SEAT #5 ASSY						Component	ATA:25
PN:441-0010-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42YG8H	HRS	0		TSN 0					
WC#: 25.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251007		CABIN MANAGEMENT SYSTEM SWITCH SEAT #6 ASSY						Component	ATA:25
PN:441-0010-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42YFYT	HRS	0		TSN 0					
WC#: 25.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251008		CABIN MANAGEMENT SYSTEM SWITCH SEAT #7 ASSY						Component	ATA:25
PN:441-0010-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42YG8D	HRS	0		TSN 0					
WC#: 25.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251099		6 115 VOLT OUTLET						Component	ATA:25
PN:106305-12	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1030913	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
252001		PRIMARY PORT CONTROLLER						Component	ATA:25
PN:2052-1-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42YDFP	HRS	0		TSN 0					
WC#: 25.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
252002		PA AMPLIFER						Component	ATA:25
PN:102025-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:8121213	HRS	0		TSN 0					
WC#: 25.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
254096 ^U	PUMP MACERATOR								Component ATA:25
PN:CJ4-2012EX-009	MOS/MSC	03-Jun-20	O/C	TSN 0					
SN:M6513	HRS	2121		TSN 0					
	AFL	1891		TSN 0					
254098	TOILET TIMER								Component ATA:25
PN:CJ4-2012EX-007	MOS/MSC	01-Nov-23	O/C	TSR 0					
SN:T8872	HRS	3091.1		TSR 0					
	AFL	2684		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
254099	TOILET ASSY								Component ATA:25
PN:CJ4-2012EX-001	MOS/MSC	01-Nov-23	O/C	TSR 0					
SN:U6204	HRS	3091.1		TSR 0					
	AFL	2684		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256001	EMERGENCY LOCATOR TRANSMITTER								Component ATA:25
PN:453-5060	MOS/MSC	16-May-14	O/C	TSN 0					
SN:13691	HRS	0		TSN 0					
WC#: 25.070	AFL	0		TSN 0					
PROC. REF: AMM 25-61-10PROC. REF: AMM 25-61-10									
256003	REMOTE SWITCH								Component ATA:25
PN:453-0022	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 25.090	AFL	0		TSN 0					
PROC. REF: AMM 25-61-40PROC. REF: AMM 25-61-40									
256004	EMERGENCY LOCATOR TRANSMITTER ANTENNA								Component ATA:25
PN:110-340	MOS/MSC	16-May-14	O/C	TSN 0					
SN:401250	HRS	0		TSN 0					
WC#: 25.080	AFL	0		TSN 0					
PROC. REF: AMM 25-61-30PROC. REF: AMM 25-61-30									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS									
256009 ^U	FIRST AID KIT							Component	ATA:25
PN:AFAK	MOS/MSC	14-Jun-21	O/C						
SN:041707012	HRS	2388.1							
	AFL	2093							
256030	EMERGENCY LOCATOR BEACON BATTERY							Component	ATA:25
PN:452-0133	MOS/MSC	10-Aug-23	H/T	TSN 0					
SN:399754-026	HRS	2974.5		TSN 0					
WC#: 25.050	AFL	2592		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 26 - FIRE PROTECTION									
26-11-00-7200 ^S	BAGGAGE SMOKE DETECTION SYSTEM FUNCTIONAL CHECK							Service	ATA:26
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 26-11-00PROC. REF: AMM 26-11-00									PKG:206
26-17-00-2200 ^S	ENGINE FIRE DETECTION AND CONTAINMENT DETAILED INSPECTION							Service	ATA:26
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 26-17-00PROC. REF: AMM 26-17-00									PKG:206
26-21-00-7100 ^S	ENGINE FIRE EXTINGUISHING SYSTEM OPERATIONAL CHECK							Service	ATA:26
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00									PKG:206

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
26-21-10-7200		ENGINE FIRE EXTINGUISHING BOTTLE LOW PRESSURE SWITCH FUNCTIONAL CHECK							Service ATA:26
PN:FX02200-1	MOS	10-Aug-23	60 (+1m/-1m)		31-Aug-28	30-Sep-28	1220 d (+30)		
SN:0355	HRS	2974.5							
	AFL	2592							
PROC. REF: AMM 26-21-10PROC. REF: AMM 26-21-10									
26-21-10-780		ENGINE FIRE EXTINGUISHER BOTTLE (HYDROSTATIC TEST) RESTORATION							Service ATA:26
PN:FX02200-1	MOS	10-Aug-23	60	TAC 1	10-Jul-28		1168 d		
SN:0355	HRS	2974.5							
	AFL	2592							
PROC. REF: AMM 26-21-10PROC. REF: AMM 26-21-10									
26-21-15-9600		M446189-1 AND M446616 NO. 1 ENGINE FIRE EXTINGUISHER BOTTLE CARTRIDGE (SQUIB) DISCARD							Component ATA:26
PN:M446616	MOS	10-Aug-23	180	TSO 0	31-Jul-33		3015 d	LIFE LIMIT	
SN:02151	HRS	2974.5		TSO 0					
WC#: 26.060	AFL	2592		TSO 0					
Manufacture Date:: 01-Jul-18									
PROC. REF: AMM 26-21-15PROC. REF: AMM 26-21-15									
26-21-15-9600		M446189-1 AND M446616 NO. 2 ENGINE FIRE EXTINGUISHER BOTTLE CARTRIDGE (SQUIB) DISCARD							Component ATA:26
PN:M446189-1	MOS	10-Aug-23	180		30-Nov-32		2772 d	LIFE LIMIT	
SN:00970	HRS	2974.5		TSO 0					
WC#: 26.060	AFL	2592		TSO 0					
Manufacture Date:: 01-Nov-17									
PROC. REF: AMM 26-21-15PROC. REF: AMM 26-21-15									
26-21-15-9600.1		M446189-1 AND M446616 NO.1 ENGINE FIRE EXTINGUISHER BOTTLE CARTRIDGE (SQUIB) DISCARD - SERVICE LIFE							Service ATA:26
PN:M446616	MOS	10-Aug-23	144		31-Aug-35		3776 d		
SN:02151	HRS								
WC#: 26.060	AFL								
Installation Date: : 10-Aug-23									
PROC. REF: AMM 26-21-15PROC. REF: AMM 26-21-15									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
26-21-15-9600.1		M446189-1 AND M446616 NO.2 ENGINE FIRE EXTINGUISHER BOTTLE CARTRIDGE (SQUIB) DISCARD - SERVICE LIFE						Service	ATA:26
PN:M446189-1	MOS	10-Aug-23	144		31-Aug-35		3776 d		
SN:00970	HRS								
WC#: 26.060	AFL								
			Installation Date: : 10-Aug-23						
PROC. REF: AMM 26-21-15PROC. REF: AMM 26-21-15									
26-23-00-7200		CABIN HALON PORTABLE FIRE EXTINGUISHER (WEIGHT CHECK) FUNCTIONAL CHECK						Service	ATA:26
PN:C352TS	MOS	04-Sep-24	12		30-Sep-25		154 d	WEIGHT CHECK	
SN:I-33915909	HRS	3321.6							
	AFL	2826							
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
26-23-00-7200		COCKPIT HALON PORTABLE FIRE EXTINGUISHER (WEIGHT CHECK) FUNCTIONAL CHECK						Service	ATA:26
PN:C352TS	MOS	31-Aug-24	12		31-Aug-25		124 d	WEIGHT CHECK	
SN:F-95368392	HRS	3321.6							
	AFL	2826							
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
26-23-00-780		CABIN HALON PORTABLE FIRE EXTINGUISHER (HYDROSTATIC TEST) FUNCTIONAL CHECK						Service	ATA:26
PN:C352TS	MOS	04-Sep-24	144		30-Sep-36		4172 d	HYDROSTATIC TEST	
SN:I-33915909	HRS	3321.6							
	AFL	2826							
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
26-23-00-780		COCKPIT HALON PORTABLE FIRE EXTINGUISHER (HYDROSTATIC TEST) FUNCTIONAL CHECK						Service	ATA:26
PN:C352TS	MOS	26-May-20	144	Adj -2	31-Mar-32 (M)		2528 d	HYDRO CHECK	
SN:F-95368392	HRS	2120							
	AFL	1890							
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
26-23-00-960		CABIN HALON PORTABLE FIRE EXTINGUISHER RESTORATION						Service	ATA:26
PN:C352TS	MOS	04-Sep-24	72		30-Sep-30		1980 d	RESTORE	
SN:I-33915909	HRS	3321.6							
	AFL	2826							
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
26-23-00-960		COCKPIT HALON PORTABLE FIRE EXTINGUISHER RESTORATION						Service	ATA:26
PN:C352TS	MOS	26-May-20	72	Adj -2	31-Mar-26 (M)		336 d	RESTORE	
SN:F-95368392	HRS	2120							
	AFL	1890							
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
261000		AFT TAILCONE OVERHEAT SENSOR						Component	ATA:26
PN:MS28034-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:183723	HRS	0		TSN 0					
WC#: 26.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
261001		LEFT ENGINE FIRE DETECTOR						Component	ATA:26
PN:3001-212-1004/455-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:213443	HRS	0		TSN 0					
WC#: 26.030	AFL	0		TSN 0					
PROC. REF: AMM 26-17-10PROC. REF: AMM 26-17-10									
261001		RIGHT ENGINE FIRE DETECTOR						Component	ATA:26
PN:3001-212-1004/455-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:213435	HRS	0		TSN 0					
WC#: 26.030	AFL	0		TSN 0					
PROC. REF: AMM 26-17-10PROC. REF: AMM 26-17-10									
261002		AFT SMOKE DETECTOR						Component	ATA:26
PN:474716	MOS/MSC	16-May-14	O/C	TSN 0					
SN:ACV7961	HRS	0		TSN 0					
WC#: 26.020	AFL	0		TSN 0					
PROC. REF: AMM 26-11-20PROC. REF: AMM 26-11-20									
261002		FORWARD SMOKE DETECTOR						Component	ATA:26
PN:9912736-1	MOS/MSC	20-Jun-22	O/C	TSN 0					
SN:TCA0683	HRS	2745.7		TSN 0					
WC#: 26.020	AFL	2387		TSN 0					
PROC. REF: AMM 26-11-10PROC. REF: AMM 26-11-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 26 - FIRE PROTECTION									
261003		LEAK DETECT CONTROLLER						Component	ATA:26
PN:474715	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0371	HRS	0		TSN 0					
WC#: 26.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262001		ENGINE FIRE EXTINGUISHER BOTTLE						Component	ATA:26
PN:FX02200-1	MOS/MSC	10-Aug-23	O/C	TSO 0					
SN:0355	HRS	2974.5		TSO 0					
WC#: 26.130	AFL	2592		TSO 0					
PROC. REF: AMM 26-21-10PROC. REF: AMM 26-21-10									
262003		CABIN PORTABLE FIRE EXTINGUISHER						Component	ATA:26
PN:C352TS	MOS/MSC	04-Sep-24	O/C	TSN 0					
SN:I-33915909	HRS	3321.6		TSN 0					
WC#: 26.140	AFL	2826							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262003		COCKPIT PORTABLE FIRE EXTINGUISHER						Component	ATA:26
PN:C352TS	MOS/MSC	27-Mar-20	O/C	TSN 0					
SN:F-95368392	HRS	2115.3		TSN 0					
WC#: 26.140	AFL	1883		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262004		FIRE BOTTLE PRESSURE SWITCH						Component	ATA:26
PN:SW00200-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0196	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 27 - FLIGHT CONTROLS									
27-11-00-2200 ^S		AILERON COCKPIT CONTROL DETAILED INSPECTION						Service	ATA:27
	MOS	14-Mar-24							
	HRS	3199.5	1600 (+25/-25)						
	AFL	2753							
PROC. REF: AMM 27-11-00PROC. REF: AMM 27-11-00									

PKG:204

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
27-11-00-7200 ^S AILERON FUSELAGE AND WING CONTROL SYSTEM DETAILED INSPECTION AND FUNCTIONAL CHECK Service ATA:27									
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 27-11-00PROC. REF: AMM 27-11-00									PKG:208
27-13-00-7200 ^S AILERON TRIM TAB (FREE PLAY) FUNCTIONAL CHECK Service ATA:27									
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 27-13-00PROC. REF: AMM 27-13-00									PKG:208
27-21-00-7200 ^S RUDDER CONTROL SYSTEM DETAILED INSPECTION AND FUNCTIONAL CHECK Service ATA:27									
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 27-21-00PROC. REF: AMM 27-21-00									PKG:208
27-23-00-2200 ^S RUDDER BIAS SYSTEM DETAILED INSPECTION Service ATA:27									
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 27-23-00PROC. REF: AMM 27-23-00									PKG:208
27-25-00-7200 ^S RUDDER TRIM TAB (FREE PLAY) FUNCTIONAL CHECK Service ATA:27									
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 27-25-00PROC. REF: AMM 27-25-00									PKG:208

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
27-31-00-7200	^S	ELEVATOR CONTROL SYSTEM DETAILED INSPECTION AND FUNCTIONAL CHECK							Service ATA:27
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 27-31-00PROC. REF: AMM 27-31-00									PKG:208
27-35-00-7100	^S	ELEVATOR PITCH TRIM OPERATIONAL CHECK							Service ATA:27
	MOS	27-Sep-24						AIRWORTHINESS	
	HRS	3353.9	400						
WC#: 27.100	AFL	2859							
PROC. REF: AMM 27-35-00PROC. REF: AMM 27-35-00									PKG:110
27-35-00-7200	^S	ELEVATOR TRIM TAB (FREE PLAY) FUNCTIONAL CHECK							Service ATA:27
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 27-35-00PROC. REF: AMM 27-35-00									PKG:208
27-51-00-7200	^S	FLAP SYSTEM DETAILED INSPECTION AND FUNCTIONAL CHECK							Service ATA:27
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 27-51-00PROC. REF: AMM 27-51-00									PKG:208
27-61-00-2200	^S	SPEEDBRAKE AND SPOILER SYSTEM DETAILED INSPECTION							Service ATA:27
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 27-61-00PROC. REF: AMM 27-61-00									PKG:208

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
27-65-00-7100	^S	GROUND SPOILER SYSTEM OPERATIONAL CHECK							Service ATA:27
	MOS	27-Sep-24						AIRWORTHINESS	
	HRS	3353.9	400						
WC#: 27.190	AFL	2859							
PROC. REF: AMM 27-65-00PROC. REF: AMM 27-65-00									PKG:110
27-65-10-9600		GROUND SPOILER ACTUATOR RESTORATION							Service ATA:27
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	12000		14120		10596.7		
WC#: 27.200	AFL	1890							
PROC. REF: AMM 27-65-10PROC. REF: AMM 27-65-10									
27-71-00-7100	^S	GUST LOCK SYSTEM OPERATIONAL CHECK							Service ATA:27
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 27-71-00PROC. REF: AMM 27-71-00									PKG:208
270001		LEFT SPEED BRAKE FILTER FITTING							Component ATA:27
PN:20666-6-250	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 27.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
270001		RIGHT SPEED BRAKE FILTER FITTING							Component ATA:27
PN:20666-6-250	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 27.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
270003		LEFT CENTER GROUND SPOILER PROXIMITY SWITCH							Component ATA:27
PN:8-405-04	MOS/MSC	13-Sep-19	O/C	TSN 0					
SN:B83454	HRS	2000.2		TSN 0					
WC#: 27.210	AFL	1761		TSN 0					
PROC. REF: AMM 27-65-20PROC. REF: AMM 27-65-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
270003	LEFT INBOARD GROUND SPOILER PROXIMITY SWITCH								Component ATA:27
PN:8-405-04	MOS/MSC	12-Aug-23	O/C	TSN 0					
SN:B86540	HRS	2974.5		TSN 0					
WC#: 27.210	AFL	2592		TSN 0					
PROC. REF: AMM 27-65-20PROC. REF: AMM 27-65-20									
270003	LEFT OUTBOARD GROUND SPOILER PROXIMITY SWITCH								Component ATA:27
PN:8-405-04	MOS/MSC	16-May-14	O/C	TSN 0					
SN:B69955	HRS	0		TSN 0					
WC#: 27.210	AFL	0		TSN 0					
PROC. REF: AMM 27-65-20PROC. REF: AMM 27-65-20									
270003	RIGHT CENTER GROUND SPOILER PROXIMITY SWITCH								Component ATA:27
PN:8-405-04	MOS/MSC	16-May-14	O/C	TSN 0					
SN:B69860	HRS	0		TSN 0					
WC#: 27.210	AFL	0		TSN 0					
PROC. REF: AMM 27-65-20PROC. REF: AMM 27-65-20									
270003	RIGHT INBOARD GROUND SPOILER PROXIMITY SWITCH								Component ATA:27
PN:8-405-04	MOS/MSC	26-Jan-24	O/C	TSN 0					
SN:B87413	HRS	3158.5		TSN 0					
WC#: 27.210	AFL	2728		TSN 0					
PROC. REF: AMM 27-65-20PROC. REF: AMM 27-65-20									
270003	RIGHT OUTBOARD GROUND SPOILER PROXIMITY SWITCH								Component ATA:27
PN:8-405-04	MOS/MSC	14-Mar-24	O/C	TSN 0					
SN:B87381	HRS	3199.5		TSN 0					
WC#: 27.210	AFL	2753		TSN 0					
PROC. REF: AMM 27-65-20PROC. REF: AMM 27-65-20									
270004	LEFT SPEED BRAKE PROXIMITY SWITCH								Component ATA:27
PN:8-405-04	MOS/MSC	16-May-14	O/C	TSN 0					
SN:B69941	HRS	0		TSN 0					
WC#: 27.210	AFL	0		TSN 0					
PROC. REF: AMM 27-65-20PROC. REF: AMM 27-65-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
270004	RIGHT SPEED BRAKE PROXIMITY SWITCH								Component ATA:27
PN:8-405-04	MOS/MSC	16-May-14	O/C	TSN 0					
SN:B69942	HRS	0		TSN 0					
WC#: 27.210	AFL	0		TSN 0					
PROC. REF: AMM 27-65-20PROC. REF: AMM 27-65-20									
271000	AILERON ELECTRONIC TRIM ACTUATOR								Component ATA:27
PN:2A7216B	MOS/MSC	25-Oct-16	O/C	TSN 0					
SN:D0192	HRS	1021.2		TSN 0					
WC#: 27.030	AFL	842		TSN 0					
PROC. REF: AMM 27-13-10PROC. REF: AMM 27-13-10									
271000	NO.1 ELEVATOR ELECTRONIC TRIM ACTUATOR								Component ATA:27
PN:2A7218D	MOS/MSC	07-Jan-16	O/C						
SN:F0106	HRS	633.5							
WC#: 27.030	AFL	473							
PROC. REF: AMM 27-35-10PROC. REF: AMM 27-35-10									
271000	NO.2 ELEVATOR ELECTRONIC TRIM ACTUATOR								Component ATA:27
PN:9912731-6	MOS/MSC	17-Jul-15	O/C	TSO 8					
SN:F0048	HRS	485.8		TSO 0					
WC#: 27.030	AFL	315							
PROC. REF: AMM 27-35-10PROC. REF: AMM 27-35-10									
271000	RUDDER ELECTRONIC TRIM ACTUATOR								Component ATA:27
PN:2A7217D	MOS/MSC	16-May-14	O/C	TSN 0					
SN:E0181	HRS	0		TSN 0					
WC#: 27.030	AFL	0		TSN 0					
PROC. REF: AMM 27-25-10PROC. REF: AMM 27-25-10									
271011	ISOLATION CHECK VALVE								Component ATA:27
PN:8272-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 27.160	AFL	0		TSN 0					
PROC. REF: AMM 27-51-50PROC. REF: AMM 27-51-50									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
271021	FLAP CONTROL VALVE								Component ATA:27
PN:4271-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0176	HRS	0		TSN 0					
WC#: 27.150	AFL	0		TSN 0					
PROC. REF: AMM 27-51-40PROC. REF: AMM 27-51-40									
272001	LEFT RUDDER BIAS SHUTOFF VALVE								Component ATA:27
PN:5307-3	MOS/MSC	08-Dec-16	O/C	TSO 0					
SN:1164	HRS	1059.5		TSO 0					
WC#: 27.060	AFL	876		TSO 0					
PROC. REF: AMM 27-23-10PROC. REF: AMM 27-23-10									
272001	RIGHT RUDDER BIAS SHUTOFF VALVE								Component ATA:27
PN:5307-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1258	HRS	0		TSN 0					
WC#: 27.060	AFL	0		TSN 0					
PROC. REF: AMM 27-23-10PROC. REF: AMM 27-23-10									
273001	SHAKER CONTROL								Component ATA:27
PN:201	MOS/MSC	16-May-14	O/C	TSN 0					
SN:152981-13	HRS	0		TSN 0					
WC#: 27.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275001	LEFT CENTER 2 POSITION ACTUATOR								Component ATA:27
PN:494800-1003	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0889	HRS	0		TSN 0					
WC#: 27.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275001	LEFT INBOARD 2 POSITION ACTUATOR								Component ATA:27
PN:494800-1003	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0953	HRS	0		TSN 0					
WC#: 27.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
275001		LEFT OUTBOARD 2 POSITION ACTUATOR						Component	ATA:27
PN:494800-1003	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0988	HRS	0		TSN 0					
WC#: 27.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275001		RIGHT CENTER 2 POSITION ACTUATOR						Component	ATA:27
PN:494800-1003	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0967	HRS	0		TSN 0					
WC#: 27.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275001		RIGHT INBOARD 2 POSITION ACTUATOR						Component	ATA:27
PN:494800-1003	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0768	HRS	0		TSN 0					
WC#: 27.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275001		RIGHT OUTBOARD 2 POSITION ACTUATOR						Component	ATA:27
PN:494800-1003	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0989	HRS	0		TSN 0					
WC#: 27.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275002		LEFT FLAP ACTUATOR						Component	ATA:27
PN:471000-1005	MOS/MSC	12-May-15	O/C						
SN:0024A	HRS	447.6							
WC#: 27.130	AFL	260							
PROC. REF: AMM 27-51-10PROC. REF: AMM 27-51-10									
275002		RIGHT FLAP ACTUATOR						Component	ATA:27
PN:9912707-1	MOS/MSC	08-Jan-22	O/C	TSO 0					
SN:0524	HRS	2636.5		TSO 0					
WC#: 27.130	AFL	2300		TSO 0					
PROC. REF: AMM 27-51-10PROC. REF: AMM 27-51-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
275003		LEFT RVDT FLAP POSITION SENSOR						Component	ATA:27
PN:3A1332A	MOS/MSC	16-May-14	O/C	TSN 0					
SN:B0226	HRS	0		TSN 0					
WC#: 27.140	AFL	0		TSN 0					
PROC. REF: AMM 27-51-30PROC. REF: AMM 27-51-30									
275003		RIGHT RVDT FLAP POSITION SENSOR						Component	ATA:27
PN:3A1332A	MOS/MSC	16-May-14	O/C	TSN 0					
SN:B0304	HRS	0		TSN 0					
WC#: 27.140	AFL	0		TSN 0					
PROC. REF: AMM 27-51-30PROC. REF: AMM 27-51-30									
275004		LEFT MODULATING ACTUATOR						Component	ATA:27
PN:470700-1005	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0106	HRS	0		TSN 0					
WC#: 27.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275004		RIGHT MODULATING ACTUATOR						Component	ATA:27
PN:470700-1005	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0289	HRS	0		TSN 0					
WC#: 27.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275005		LEFT RVDT SB POS SENSOR						Component	ATA:27
PN:3A21200096B	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 27.180	AFL	0		TSN 0					
PROC. REF: AMM 27-61-40PROC. REF: AMM 27-61-40									
275006		LEFT RVDT THROTTLE POSITION SENSOR						Component	ATA:27
PN:3A21200096B	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 27.260	AFL	0		TSN 0					
PROC. REF: AMM 76-11-20PROC. REF: AMM 76-11-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 27 - FLIGHT CONTROLS									
275006	RIGHT RVDT THROTTLE POSITION SENSOR							Component	ATA:27
PN:3A21200096B	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 27.260	AFL	0		TSN 0					
PROC. REF: AMM 76-11-20PROC. REF: AMM 76-11-20									
275007	THROTTLE QUADRANT ASSY RVDT							Component	ATA:27
PN:7165200-13	MOS/MSC	16-May-14	O/C	TSN 0					
SN:148	HRS	0		TSN 0					
WC#: 27.270	AFL	0		TSN 0					
PROC. REF: AMM 76-11-10PROC. REF: AMM 76-11-10									
ATA 28 - FUEL									
28-00-02-2200	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	30-Aug-21	A/R					DISCRETIONARY	
	HRS								
	AFL								
PROC. REF: AMM 28-00-02PROC. REF: AMM 28-00-02									
28-00-02-2201	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	30-Aug-21	A/R					DISCRETIONARY	
	HRS								
	AFL								
PROC. REF: AMM 28-00-02PROC. REF: AMM 28-00-02									
28-11-10-2200 ^S	LOCKING FUEL CAP AND ADAPTER ASSEMBLY DETAILED INSPECTION							Service	ATA:28
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 28-11-10PKG:201									
28-21-40-7100 ^S	ENGINE FIREWALL SHUTOFF VALVES MOTOR ACTUATOR OPERATIONAL CHECK							Service	ATA:28
	MOS	27-Sep-24						AIRWORTHINESS	
	HRS	3353.9	400						
WC#: 28.090	AFL	2859							
PKG:110									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
PROC. REF: AMM 28-21-40PROC. REF: AMM 28-21-40									
28-41-00-7200 ^S		LOW FUEL WARNING SYSTEM FUNCTIONAL CHECK						Service	ATA:28
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00									
280001		LEFT MOTOR ACTUATOR						Component	ATA:28
PN:MA20A1029-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AA453219	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: AMM 28-21-40PROC. REF: AMM 28-21-40									
280001		RIGHT MOTOR ACTUATOR						Component	ATA:28
PN:MA20A1029-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AA453200	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: AMM 28-21-40PROC. REF: AMM 28-21-40									
282001		LEFT FUEL BOOST PUMP						Component	ATA:28
PN:3C7-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9BJ40	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-21-60PROC. REF: AMM 28-21-60									
282001		RIGHT FUEL BOOST PUMP						Component	ATA:28
PN:3C7-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9BJ39	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-21-60PROC. REF: AMM 28-21-60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
282002 LEFT AFT EJECTOR FUEL SCAVENGE PUMP								Component	ATA:28
PN:RG45880	MOS/MSC	16-May-14	O/C	TSN 0					
SN:B3815	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-21-20PROC. REF: AMM 28-21-20									
282002 LEFT FORWARD EJECTOR FUEL SCAVENGE PUMP								Component	ATA:28
PN:RG45880	MOS/MSC	16-May-14	O/C	TSN 0					
SN:B3813	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-21-20PROC. REF: AMM 28-21-20									
282002 RIGHT AFT EJECTOR FUEL SCAVENGE PUMP								Component	ATA:28
PN:RG45880	MOS/MSC	16-May-14	O/C	TSN 0					
SN:B3809	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-21-20PROC. REF: AMM 28-21-20									
282002 RIGHT FORWARD EJECTOR FUEL SCAVENGE PUMP								Component	ATA:28
PN:RG45880	MOS/MSC	16-May-14	O/C	TSN 0					
SN:B3812	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-21-20PROC. REF: AMM 28-21-20									
282003 LEFT BALL VALVE								Component	ATA:28
PN:125838AW	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AA451689	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-21-50PROC. REF: AMM 28-21-50									
282003 RIGHT BALL VALVE								Component	ATA:28
PN:125838AW	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AA451696	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-21-50PROC. REF: AMM 28-21-50									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
282005		LEFT EJECTOR FUEL PRIMARY PUMP						Component	ATA:28
PN:RG45310	MOS/MSC	16-May-14	O/C	TSN 0					
SN:C3444	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 28-21-20PROC. REF: AMM 28-21-20									
282005		RIGHT EJECTOR FUEL PRIMARY PUMP						Component	ATA:28
PN:RG45310	MOS/MSC	16-May-14	O/C	TSN 0					
SN:C3441	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 28-21-20PROC. REF: AMM 28-21-20									
282006		LEFT FUEL SHUTOFF VALVE						Component	ATA:28
PN:61086	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4559	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-25-40PROC. REF: AMM 28-25-40									
282006		RIGHT FUEL SHUTOFF VALVE						Component	ATA:28
PN:61086	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4562	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-25-40PROC. REF: AMM 28-25-40									
282007		LEFT PILOT HIGH LEV VALVE						Component	ATA:28
PN:61087	MOS/MSC	16-May-14	O/C	TSN 0					
SN:6287	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: AMM 28-25-30PROC. REF: AMM 28-25-30									
282007		RIGHT PILOT HIGH LEV VALVE						Component	ATA:28
PN:61087	MOS/MSC	16-May-14	O/C	TSN 0					
SN:6307	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: AMM 28-25-30PROC. REF: AMM 28-25-30									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
282008	LEFT POS/NEG RELIEF FUEL VALVE								Component ATA:28
PN:840203-105	MOS/MSC	16-May-14	O/C	TSN 0					
SN:7110XP	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: AMM 28-15-20PROC. REF: AMM 28-15-20									
282008	RIGHT POS/NEG RELIEF FUEL VALVE								Component ATA:28
PN:840203-105	MOS/MSC	16-May-14	O/C	TSN 0					
SN:7173XP	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: AMM 28-15-20PROC. REF: AMM 28-15-20									
282009	LEFT DEFUEL VALVE								Component ATA:28
PN:61084-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:2498	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: AMM 28-25-50PROC. REF: AMM 28-25-50									
282009	RIGHT DEFUEL VALVE								Component ATA:28
PN:61084-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:2500	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: AMM 28-25-50PROC. REF: AMM 28-25-50									
282010	TRANSFER VALVE								Component ATA:28
PN:ZSV57	MOS/MSC	16-May-14	O/C	TSN 0					
SN:13-111812	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: AMM 28-21-30PROC. REF: AMM 28-21-30									
282011	HOUSING ASSEMBLY								Component ATA:28
PN:61088	MOS/MSC	16-May-14	O/C	TSN 0					
SN:2457	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: AMM 28-25-20PROC. REF: AMM 28-25-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
282012	PRECHECK VALVE ASSEMBLY								Component ATA:28
PN:9036-351-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:2071	HRS	0		TSN 0					
WC#: 28.120	AFL	0		TSN 0					
PROC. REF: AMM 28-25-10PROC. REF: AMM 28-25-10									
282500	LEFT CHECK VALVE								Component ATA:28
PN:7F2W080005	MOS/MSC	16-May-14	O/C	TSN 0					
SN:7897	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-20PROC. REF: AMM 28-21-20									
282500	RIGHT CHECK VALVE								Component ATA:28
PN:7F2W080005	MOS/MSC	16-May-14	O/C	TSN 0					
SN:8034	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-20PROC. REF: AMM 28-21-20									
284001	NO. 5 LEFT FUEL PROBE								Component ATA:28
PN:020-251-010	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0505	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284001	NO. 5 RIGHT FUEL PROBE								Component ATA:28
PN:020-251-010	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0411	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284002	NO. 6 LEFT FUEL PROBE								Component ATA:28
PN:020-251-011	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0410	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284002	NO. 6 RIGHT FUEL PROBE								Component ATA:28
PN:020-251-011	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0420	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284003	NO. 7 LEFT FUEL PROBE								Component ATA:28
PN:020-251-012	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0521	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284003	NO. 7 RIGHT FUEL PROBE								Component ATA:28
PN:020-251-012	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0503	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284004	NO. 3 LEFT FUEL PROBE								Component ATA:28
PN:020-251-008	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0372	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284004	NO. 3 RIGHT FUEL PROBE								Component ATA:28
PN:020-251-008	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0496	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284005	NO. 4 LEFT FUEL PROBE								Component ATA:28
PN:020-251-009	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0464	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284005	NO. 4 RIGHT FUEL PROBE								Component ATA:28
PN:020-251-009	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0517	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284006	NO. 2 LEFT FUEL PROBE								Component ATA:28
PN:020-251-007	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0480	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284006	NO. 2 RIGHT FUEL PROBE								Component ATA:28
PN:020-251-007	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0472	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284007	NO. 1 LEFT FUEL PROBE								Component ATA:28
PN:020-251-006	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0478	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284007	NO. 1 RIGHT FUEL PROBE								Component ATA:28
PN:020-251-006	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0525	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10PROC. REF: AMM 28-41-10									
284008	LEFT FUEL FLOAT SWITCH								Component ATA:28
PN:L16H-14	MOS/MSC	16-May-14	O/C	TSN 0					
SN:2252	HRS	0		TSN 0					
WC#: 28.200	AFL	0		TSN 0					
PROC. REF: AMM 28-41-30PROC. REF: AMM 28-41-30									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 28 - FUEL									
284008	LEFT INBOARD FUEL FLOAT SWITCH								Component ATA:28
PN:L16H-14	MOS/MSC	16-May-14	O/C	TSN 0					
SN:2253	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-30PROC. REF: AMM 28-41-30									
284008	LEFT OUTBOARD FUEL FLOAT SWITCH								Component ATA:28
PN:L16H-14	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1764	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-30PROC. REF: AMM 28-41-30									
284008	RIGHT FUEL FLOAT SWITCH								Component ATA:28
PN:L16H-14	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1977	HRS	0		TSN 0					
WC#: 28.200	AFL	0		TSN 0					
PROC. REF: AMM 28-41-30PROC. REF: AMM 28-41-30									
284009	LEFT VENT FLOAT VALVE								Component ATA:28
PN:60221-4	MOS/MSC	16-May-14	O/C	TSN 0					
SN:2833	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: AMM 28-15-10PROC. REF: AMM 28-15-10									
284009	RIGHT VENT FLOAT VALVE								Component ATA:28
PN:60221-4	MOS/MSC	16-May-14	O/C	TSN 0					
SN:2826	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: AMM 28-15-10PROC. REF: AMM 28-15-10									
284010	FUEL QUANTITY SIGNAL CONDITIONER								Component ATA:28
PN:367-500-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1159	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					
PROC. REF: AMM 28-41-20PROC. REF: AMM 28-41-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
29-11-00-960		HYDRAULIC BYPASS FILTER ELEMENT - DISCARD						Service	ATA:29
PN:ACC455F415	MOS/MSC	EFF	N/A					DISCARD	
SN:NSN	HRS	EFF							
	AFL	EFF							
PROC. REF: AMM 29-11-00PROC. REF: AMM 29-11-00									
29-11-00-960		HYDRAULIC RETURN FILTER ELEMENT - DISCARD						Service	ATA:29
PN:ACC455F1215	MOS/MSC	EFF	N/A					DISCARD	
SN:NSN	HRS	EFF							
	AFL	EFF							
PROC. REF: AMM 29-11-00PROC. REF: AMM 29-11-00									
29-11-00-9600		HYDRAULIC BYPASS FILTER ELEMENT - DISCARD						Service	ATA:29
PN:ACC455F415	MOS	26-May-20						DISCARD	
SN:NSN	HRS	2120	2400 (+25/-25)		3998 (M)	4023	474.7 (+25)		
	AFL	1890							
PROC. REF: AMM 29-11-00PROC. REF: AMM 29-11-00									
29-11-00-9600		HYDRAULIC LINE FILTER ELEMENT - DISCARD						Service	ATA:29
PN:9912579-2	MOS	26-May-20						DISCARD	
SN:NSN	HRS	2120	2400 (+25/-25)		3998 (M)	4023	474.7 (+25)		
	AFL	1890							
PROC. REF: AMM 29-11-00PROC. REF: AMM 29-11-00									
29-11-00-9600		HYDRAULIC RETURN FILTER ELEMENT - DISCARD						Service	ATA:29
PN:ACC455F1215	MOS	26-May-20						DISCARD	
SN:NSN	HRS	2120	2400 (+25/-25)		3998 (M)	4023	474.7 (+25)		
	AFL	1890							
PROC. REF: AMM 29-11-00PROC. REF: AMM 29-11-00									
29-11-00-9600		LEFT NON-BYPASS HYDRAULIC FILTER ELEMENT - DISCARD						Service	ATA:29
PN:AC9607F10Y8	MOS	26-May-20						DISCARD	
SN:NSN	HRS	2120	2400 (+25/-25)		3998 (M)	4023	474.7 (+25)		
	AFL	1890							
PROC. REF: AMM 29-11-00PROC. REF: AMM 29-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
29-11-00-9600		RIGHT NON-BYPASS HYDRAULIC FILTER ELEMENT - DISCARD							Service ATA:29
PN:AC9607F10Y8	MOS	26-May-20						DISCARD	
SN:NSN	HRS	2120	2400 (+25/-25)		3998 (M)	4023	474.7 (+25)		
	AFL	1890							
PROC. REF: AMM 29-11-00PROC. REF: AMM 29-11-00									
291000		HYDRAULIC BOOTSTRAP 335 CI RESERVOIR							Component ATA:29
PN:7569	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0165	HRS	0		TSN 0					
WC#: 29.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
291002		LEFT HYDRAULIC PUMP							Component ATA:29
PN:51171-02	MOS/MSC	12-Jul-24	O/C	TSO 0					
SN:K1389 B	HRS	3287.4		TSO 0					
WC#: 29.090	AFL	2803							
PROC. REF: AMM 29-11-60PROC. REF: AMM 29-11-60									
291002		RIGHT HYDRAULIC PUMP							Component ATA:29
PN:51171-02	MOS/MSC	24-Nov-20	O/C	TSO 1					
SN:K0002	HRS	2259.8		TSO 0					
WC#: 29.090	AFL	2002		TSO 0					
PROC. REF: AMM 29-11-60PROC. REF: AMM 29-11-60									
291003		LEFT NON-BYPASS HYDRAULIC FILTER ELEMENT							Component ATA:29
PN:AC9607F10Y8	MOS/MSC	23-May-18	H/T	TSN 0					
SN:NSN	HRS	1598.4		TSN 0					
WC#: 29.060	AFL	1383		TSN 0					
PROC. REF: AMM 29-11-70PROC. REF: AMM 29-11-70									
291003		RIGHT NON-BYPASS HYDRAULIC FILTER ELEMENT							Component ATA:29
PN:AC9607F10Y8	MOS/MSC	23-May-18	H/T	TSN 0					
SN:NSN	HRS	1598.4		TSN 0					
WC#: 29.060	AFL	1383		TSN 0					
PROC. REF: AMM 29-11-70PROC. REF: AMM 29-11-70									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
291004	RET-HYDRAULIC MANIFOLD								Component ATA:29
PN:AEC45520	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0494	HRS	0		TSN 0					
WC#: 29.020	AFL	0		TSN 0					
PROC. REF: AMM 29-11-20PROC. REF: AMM 29-11-20									
291005	HYDRAULIC LINE FILTER ELEMENT								Component ATA:29
PN:9912579-2	MOS/MSC	23-May-18	H/T	TSN 0					
SN:NSN	HRS	1598.4		TSN 0					
WC#: 29.010	AFL	1383		TSN 0					
PROC. REF: AMM 29-11-30PROC. REF: AMM 29-11-30									
291006	HYDRAULIC RETURN FILTER ELEMENT								Component ATA:29
PN:ACC455F1215	MOS/MSC	23-May-18	H/T	TSN 0					
SN:NSN	HRS	1598.4		TSN 0					
	AFL	1383		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
291007	HYDRAULIC BYPASS FILTER ELEMENT								Component ATA:29
PN:ACC455F415	MOS/MSC	23-May-18	H/T	TSN 0					
SN:NSN	HRS	1598.4		TSN 0					
	AFL	1383		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
291010	LEFT SHUTOFF VALVE								Component ATA:29
PN:AV24B1388-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AA414841	HRS	0		TSN 0					
WC#: 29.040	AFL	0		TSN 0					
PROC. REF: AMM 29-11-40PROC. REF: AMM 29-11-40									
291010	RIGHT SHUTOFF VALVE								Component ATA:29
PN:AV24B1388-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AA412088	HRS	0		TSN 0					
WC#: 29.040	AFL	0		TSN 0					
PROC. REF: AMM 29-11-40PROC. REF: AMM 29-11-40									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
291013	CONTROL MANIFOLD ASSEMBLY								Component ATA:29
PN:8271-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0178	HRS	0		TSN 0					
WC#: 29.050	AFL	0		TSN 0					
PROC. REF: AMM 29-11-50PROC. REF: AMM 29-11-50									
291014	SYSTEM RELIEF VALVE								Component ATA:29
PN:2685	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0178	HRS	0		TSN 0					
WC#: 29.100	AFL	0		TSN 0					
PROC. REF: AMM 29-11-15PROC. REF: AMM 29-11-15									
291015	CROSS OVER RELIEF VALVE								Component ATA:29
PN:2684	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 29.110	AFL	0		TSN 0					
PROC. REF: AMM 29-11-15PROC. REF: AMM 29-11-15									
291016	NO.1 EDP1 PRESSURE TRANSDUCER								Component ATA:29
PN:80804-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:8049-7-222	HRS	0		TSN 0					
WC#: 29.070	AFL	0		TSN 0					
PROC. REF: AMM 29-31-30PROC. REF: AMM 29-31-30									
291016	NO.2 EDP2 PRESSURE TRANSDUCER								Component ATA:29
PN:80804-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 29.070	AFL	0		TSN 0					
PROC. REF: AMM 29-31-30PROC. REF: AMM 29-31-30									
291017	EDP1 CHECK VALVE								Component ATA:29
PN:9639-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 29.120	AFL	0		TSN 0					
PROC. REF: AMM 29-31-30PROC. REF: AMM 29-31-30									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 29 - HYDRAULIC POWER									
291101	REMOTE HYDRAULIC RES INDICATOR							Component	ATA:29
PN:9611-2	MOS/MSC	14-May-14	O/C	TSN 0					
SN:0172	HRS	0		TSN 0					
WC#: 29.130	AFL	0		TSN 0					
PROC. REF: AMM 29-31-10PROC. REF: AMM 29-31-10									
ATA 30 - ICE AND RAIN PROTECTION									
30-11-00-7100 ^S	WING ANTI-ICE SYSTEM OPERATIONAL CHECK							Service	ATA:30
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00									
PKG:201									
30-13-00-7100 ^S	TAIL DE-ICE SYSTEM OPERATIONAL CHECK							Service	ATA:30
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 30-13-00PROC. REF: AMM 30-13-00									
PKG:201									
30-13-10-7200 ^S	TAIL DEICE PRESSURE SWITCH FUNCTIONAL CHECK							Service	ATA:30
	MOS	05-Feb-25						AIRWORTHINESS	
	HRS	3457	1200						
WC#: 30.070	AFL	2941							
PROC. REF: AMM 30-13-10PROC. REF: AMM 30-13-10									
PKG:100									
301001	LEFT ELEC WNDSHLD ANTI-ICE CONTROLLER							Component	ATA:30
PN:856-1-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42YCDP	HRS	0		TSN 0					
WC#: 30.100	AFL	0		TSN 0					
PROC. REF: AMM 30-41-10PROC. REF: AMM 30-41-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 30 - ICE AND RAIN PROTECTION									
301001	RIGHT ELEC WNDSHLD ANTI-ICE CONTROLLER								Component ATA:30
PN:856-1-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42YDDD	HRS	0		TSN 0					
WC#: 30.100	AFL	0		TSN 0					
PROC. REF: AMM 30-41-10PROC. REF: AMM 30-41-10									
301002	LEFT BOTTOM TEMPERATURE TRANSDUCER								Component ATA:30
PN:1050C	MOS/MSC	16-May-14	O/C	TSN 0					
SN:L0290	HRS	0		TSN 0					
WC#: 30.020	AFL	0		TSN 0					
PROC. REF: AMM 30-11-10PROC. REF: AMM 30-11-10									
301002	LEFT TOP TEMPERATURE TRANSDUCER								Component ATA:30
PN:1050C	MOS/MSC	16-May-14	O/C	TSN 0					
SN:L0326	HRS	0		TSN 0					
WC#: 30.020	AFL	0		TSN 0					
PROC. REF: AMM 30-11-10PROC. REF: AMM 30-11-10									
301002	RIGHT BOTTOM TEMPERATURE TRANSDUCER								Component ATA:30
PN:1050C	MOS/MSC	16-May-14	O/C	TSN 0					
SN:L2927	HRS	0		TSN 0					
WC#: 30.020	AFL	0		TSN 0					
PROC. REF: AMM 30-11-10PROC. REF: AMM 30-11-10									
301002	RIGHT TOP TEMPERATURE TRANSDUCER								Component ATA:30
PN:1050C	MOS/MSC	16-May-14	O/C	TSN 0					
SN:L4096	HRS	0		TSN 0					
WC#: 30.020	AFL	0		TSN 0					
PROC. REF: AMM 30-11-10PROC. REF: AMM 30-11-10									
301003	LEFT MODULATING VALVE								Component ATA:30
PN:1H139-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:5BJ40	HRS	0		TSN 0					
WC#: 30.050	AFL	0		TSN 0					
PROC. REF: AMM 30-11-40PROC. REF: AMM 30-11-40									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 30 - ICE AND RAIN PROTECTION									
301003	RIGHT MODULATING VALVE								Component ATA:30
PN:1H139-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:12BJ71	HRS	0		TSN 0					
WC#: 30.050	AFL	0		TSN 0					
PROC. REF: AMM 30-11-40PROC. REF: AMM 30-11-40									
301004	LEFT PRECOOL TEMPERATURE SENSOR								Component ATA:30
PN:27431501-10	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4BJ71	HRS	0		TSN 0					
WC#: 30.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301004	RIGHT PRECOOL TEMPERATURE SENSOR								Component ATA:30
PN:27431501-10	MOS/MSC	16-May-14	O/C	TSN 0					
SN:12BJ161	HRS	0		TSN 0					
WC#: 30.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301005	LEFT PRESSURE REGULATOR SHUTOFF VALVE								Component ATA:30
PN:5845-00-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0345	HRS	0		TSN 0					
WC#: 30.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301005	RIGHT PRESSURE REGULATOR SHUTOFF VALVE								Component ATA:30
PN:5845-00-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0344	HRS	0		TSN 0					
WC#: 30.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301006	LEFT HORIZONTAL STABILIZER BOOT								Component ATA:30
PN:P29S4D5329-03	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NBF1000	HRS	0		TSN 0					
WC#: 30.130	AFL	0		TSN 0					
PROC. REF: AMM 55-10-10PROC. REF: AMM 55-10-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 30 - ICE AND RAIN PROTECTION									
301006	RIGHT HORIZONTAL STABILIZER BOOT								Component ATA:30
PN:P29S4D5329-04	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NBE8410	HRS	0		TSN 0					
WC#: 30.130	AFL	0		TSN 0					
PROC. REF: AMM 55-10-10PROC. REF: AMM 55-10-10									
301007	ENGINE BLEED SHUTOFF VALVE								Component ATA:30
PN:2602-43	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0595	HRS	0		TSN 0					
WC#: 30.040	AFL	0		TSN 0					
PROC. REF: AMM 30-11-30PROC. REF: AMM 30-11-30									
301008	LEFT PRESSURE SWITCH								Component ATA:30
PN:1106P55-1	MOS/MSC	27-Sep-24	O/C	TSN 0					
SN:13734A	HRS	3353.9		TSN 0					
WC#: 30.080	AFL	2859		TSN 0					
PROC. REF: AMM 30-13-10PROC. REF: AMM 30-13-10									
301008	RIGHT PRESSURE SWITCH								Component ATA:30
PN:1106P55-1	MOS/MSC	27-Sep-24	O/C	TSN 0					
SN:13734A	HRS	3353.9		TSN 0					
WC#: 30.080	AFL	2859		TSN 0					
PROC. REF: AMM 30-13-10PROC. REF: AMM 30-13-10									
301100	LEFT WING ANTI-ICE CHECK VALVE								Component ATA:30
PN:4005-20	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0517	HRS	0		TSN 0					
WC#: 21.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301100	RIGHT WING ANTI-ICE CHECK VALVE								Component ATA:30
PN:4005-20	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0513	HRS	0		TSN 0					
WC#: 21.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 30 - ICE AND RAIN PROTECTION									
302001		LEFT PRESSURE REGULATOR VALVE						Component	ATA:30
PN:1420-4	MOS/MSC	12-May-15	O/C	TSO 0					
SN:0106	HRS	447.6		TSO 0					
WC#: 30.140	AFL	260		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
302001		RIGHT PRESSURE REGULATOR VALVE						Component	ATA:30
PN:1420-4	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0420	HRS	0		TSN 0					
WC#: 30.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
303002		LEFT PITOT TUBE						Component	ATA:30
PN:0851JL1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:306861	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: AMM 34-13-10PROC. REF: AMM 34-13-10									
303002		RIGHT PITOT TUBE						Component	ATA:30
PN:0851JL1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:301820	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: AMM 34-13-10PROC. REF: AMM 34-13-10									
303003		STANDBY PITOT TUBE						Component	ATA:30
PN:0851JL1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:298517	HRS	0		TSN 0					
WC#: 30.160	AFL	0		TSN 0					
PROC. REF: AMM 34-15-40PROC. REF: AMM 34-15-40									
304011		LEFT SOLENOID DEICE VALVE						Component	ATA:30
PN:3D2353-06	MOS/MSC	16-May-14	O/C	TSN 0					
SN:N132973	HRS	0		TSN 0					
WC#: 30.090	AFL	0		TSN 0					
PROC. REF: AMM 30-13-20PROC. REF: AMM 30-13-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 30 - ICE AND RAIN PROTECTION									
304011	RIGHT SOLENOID DEICE VALVE								Component ATA:30
PN:3D2353-06	MOS/MSC	16-May-14	O/C	TSN 0					
SN:N133136	HRS	0		TSN 0					
WC#: 30.090	AFL	0		TSN 0					
PROC. REF: AMM 30-13-20PROC. REF: AMM 30-13-20									
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-31-00-7100 ^S	FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON OPERATIONAL CHECK								Service ATA:31
PN:PN	MOS	13-May-24	24 (+1m/-1m)						
SN:UNKNOWN	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 31-31-00PROC. REF: AMM 31-31-00									
PKG:203									
313001	FLIGHT HOURMETER								Component ATA:31
PN:C664503-0104	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 31.010	AFL	0		TSN 0					
PROC. REF: AMM 31-21-10PROC. REF: AMM 31-21-10									
ATA 32 - LANDING GEAR									
32-00-00-7200 ^S	LANDING GEAR SYSTEM FUNCTIONAL CHECK								Service ATA:32
	MOS	27-Sep-24						AIRWORTHINESS	
	HRS	3353.9	400						
WC#: 32.020	AFL	2859							
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00									
PKG:110									
32-11-00-2200 ^S	MAIN LANDING GEAR ASSEMBLY DETAILED INSPECTION								Service ATA:32
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
PKG:208									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-11-00-9600 LEFT MAIN LANDING GEAR TRUNNION ASSEMBLY DISCARD Service ATA:32									
PN:7141020-19	MOS	16-May-14						DISCARD	
SN:23972375	HRS	0							
	AFL	0	20000		20000		17025		
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-11-00-9600 RIGHT MAIN LANDING GEAR TRUNNION ASSEMBLY DISCARD Service ATA:32									
PN:7141020-20	MOS	16-May-14						DISCARD	
SN:23992393	HRS	0							
	AFL	0	20000		20000		17025		
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-11-00-9601 LEFT MAIN LANDING GEAR TRAILING LINK ASSEMBLY DISCARD Service ATA:32									
PN:7141030-5	MOS	16-May-14						DISCARD	
SN:23972375	HRS	0							
	AFL	0	43300		43300		40325		
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-11-00-9601 RIGHT MAIN LANDING GEAR TRAILING LINK ASSEMBLY DISCARD Service ATA:32									
PN:7141030-6	MOS	16-May-14						DISCARD	
SN:23982393	HRS	0							
	AFL	0	43300		43300		40325		
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-11-00-9602 LEFT MAIN LANDING GEAR OLEO ASSEMBLY DISCARD Service ATA:32									
PN:7141050-5	MOS	16-May-14						DISCARD	
SN:23896780	HRS	0							
	AFL	0	23300		23300		20325		
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-11-00-9602 RIGHT MAIN LANDING GEAR OLEO ASSEMBLY DISCARD Service ATA:32									
PN:7141050-5	MOS	16-May-14						DISCARD	
SN:23881153	HRS	0							
	AFL	0	23300		23300		20325		
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-11-00-9603		LEFT MAIN LANDING GEAR HYDRAULIC ACTUATOR DISCARD						Service	ATA:32
PN:FA100114-002	MOS	16-May-14						DISCARD	
SN:0232	HRS	0							
	AFL	0	15000		15000		12025		
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-11-00-9603		RIGHT MAIN LANDING GEAR HYDRAULIC ACTUATOR DISCARD						Service	ATA:32
PN:FA100114-002	MOS	16-May-14						DISCARD	
SN:0231	HRS	0							
	AFL	0	15000		15000		12025		
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00									
32-21-00-2200 ^S		NOSE LANDING GEAR ASSEMBLY DETAILED INSPECTION						Service	ATA:32
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00									
32-21-00-9600		NOSE LANDING GEAR ASSEMBLY DISCARD						Service	ATA:32
PN:7142010-9	MOS	16-May-14						DISCARD	
SN:NSN	HRS	0							
	AFL	0	26000		26000		23025		
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00									
32-21-00-9601		NOSE LANDING GEAR HYDRAULIC ACTUATOR DISCARD						Service	ATA:32
PN:FA100115-002	MOS	16-May-14						DISCARD	
SN:-2-0127	HRS	0							
	AFL	0	15000		15000		12025		
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00									
32-37-10-780		EMERGENCY PNEUMATIC BOTTLE (HYDROSTATIC TEST) RESTORATION						Service	ATA:32
PN:40005414-1	MOS	01-Nov-22	36		30-Nov-25		215 d	HYDRO CHECK	
SN:10407	HRS								
	AFL								
HydroCheck Date: : 01-Nov-22									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C / W	Interval	TSX / Adj.	Next Due (ENG / APU) A / C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
PROC. REF: AMM 32-37-10PROC. REF: AMM 32-37-10									
32-37-10-960		EMERGENCY PNEUMATIC BOTTLE DISCARD						Service	ATA:32
PN:40005414-1	MOS	01-May-20	288		31-May-44		6972 d	DISCARD	
SN:10407	HRS								
	AFL								
			Manufacture Date:: 01-May-20						
PROC. REF: AMM 32-37-10PROC. REF: AMM 32-37-10									
32-41-00-2200		LEFT MAIN LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION						Service	ATA:32
PN:90006036	MOS/MSC	18-Apr-25	T/C						
SN:APR15-0499	HRS	3521.2							
	AFL	2974							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-2200		NOSE LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION						Service	ATA:32
PN:90006044	MOS/MSC		T/C						
SN:MAR13-0184	HRS								
	AFL								
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-2200		RIGHT MAIN LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION						Service	ATA:32
PN:90006036	MOS/MSC	18-Apr-25	T/C						
SN:SEP16-0753	HRS	3521.2							
	AFL	2974							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-2201		NOSE LANDING GEAR AXLE ASSEMBLY DETAILED INSPECTION						Service	ATA:32
PN:90006044	MOS/MSC	13-May-24	WHL/C						
SN:MAR13-0184	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-41-00-2202		LEFT MAIN LANDING GEAR BRAKES DETAILED INSPECTION, MAIN LANDING GEAR AXLE GENERAL VISUAL INSPECTION AND FUNCTIONAL (WEAR PIN) CHECK						Service	ATA:32
PN:90006036	MOS/MSC	18-Apr-25	WHL/C						
SN:APR15-0499	HRS	3521.2							
	AFL	2974							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-2202		RIGHT MAIN LANDING GEAR BRAKES DETAILED INSPECTION, MAIN LANDING GEAR AXLE GENERAL VISUAL INSPECTION AND FUNCTIONAL (WEAR PIN) CHECK						Service	ATA:32
PN:90006036	MOS/MSC	18-Apr-25	WHL/C						
SN:SEP16-0753	HRS	3521.2							
	AFL	2974							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-2203		LEFT MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION						Service	ATA:32
PN:90006036	MOS/MSC	18-Apr-25	24 (+1m/-1m) / WHL/C		30-Apr-27	31-May-27	731 d (+31)		
SN:APR15-0499	HRS	3521.2							
	AFL	2974							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-41-00-2203		RIGHT MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION						Service	ATA:32
PN:90006036	MOS/MSC	18-Apr-25	24 (+1m/-1m) / WHL/C		30-Apr-27	31-May-27	731 d (+31)		
SN:SEP16-0753	HRS	3521.2							
	AFL	2974							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
32-43-50-9600		BRAKE SYSTEM FILTER ELEMENT DISCARD						Service	ATA:32
PN:9912372-1	MOS	26-May-20						DISCARD	
SN:NSN	HRS	2120	2400	Adj -522	3998		474.7		
	AFL	1890							
PROC. REF: AMM 32-43-50PROC. REF: AMM 32-43-50									
PKG:208									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
32-49-00-7100 ^S		EMERGENCY BRAKE CONTROL SYSTEM OPERATIONAL CHECK						Service	ATA:32
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 32-49-00PROC. REF: AMM 32-49-00									PKG:208
32-51-00-7200 ^S		NOSE LANDING GEAR STEERING SYSTEM DETAILED INSPECTION AND FUNCTIONAL CHECK						Service	ATA:32
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 32-51-00PROC. REF: AMM 32-51-00									PKG:208
321000		MANUAL SHUTOFF VALVE						Component	ATA:32
PN:98444-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0174	HRS	0		TSN 0					
WC#: 32.390	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
321001		LEFT MAIN LANDING GEAR						Component	ATA:32
PN:7141010-7	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.040	AFL	0		TSN 0					
PROC. REF: AMM 32-11-10PROC. REF: AMM 32-11-10									
321001		RIGHT MAIN LANDING GEAR						Component	ATA:32
PN:7141010-8	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.040	AFL	0		TSN 0					
PROC. REF: AMM 32-11-10PROC. REF: AMM 32-11-10									
321002		BRAKE SYSTEM FILTER ELEMENT						Component	ATA:32
PN:9912372-1	MOS/MSC	23-May-18	H/T	TSN 0					
SN:NSN	HRS	1598.4		TSN 0					
WC#: 32.270	AFL	1383		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
321003	LEFT MAIN LANDING GEAR TRUNNION ASSEMBLY								Component ATA:32
PN:7141020-19	MOS/MSC	16-May-14	H/T	TSN 0					
SN:23972375	HRS	0		TSN 0					
WC#: 32.400	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
321004	RIGHT MAIN LANDING GEAR TRUNNION ASSEMBLY								Component ATA:32
PN:7141020-20	MOS/MSC	16-May-14	H/T	TSN 0					
SN:23992393	HRS	0		TSN 0					
WC#: 32.410	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
321005	LEFT MAIN LANDING GEAR OLEO ASSEMBLY								Component ATA:32
PN:7141050-5	MOS/MSC	16-May-14	H/T	TSN 0					
SN:23896780	HRS	0		TSN 0					
WC#: 32.420	AFL	0		TSN 0					
PROC. REF: AMM 32-11-20PROC. REF: AMM 32-11-20									
321005	RIGHT MAIN LANDING GEAR OLEO ASSEMBLY								Component ATA:32
PN:7141050-5	MOS/MSC	16-May-14	H/T	TSN 0					
SN:23881153	HRS	0		TSN 0					
WC#: 32.420	AFL	0		TSN 0					
PROC. REF: AMM 32-11-20PROC. REF: AMM 32-11-20									
321010	LEFT MAIN LANDING GEAR TRAILING LINK								Component ATA:32
PN:7141030-5	MOS/MSC	16-May-14	H/T	TSN 0					
SN:23972375	HRS	0		TSN 0					
WC#: 32.430	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
321010	RIGHT MAIN LANDING GEAR TRAILING LINK								Component ATA:32
PN:7141030-6	MOS/MSC	16-May-14	H/T	TSN 0					
SN:23982393	HRS	0		TSN 0					
WC#: 32.430	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
321011	ANTISKID CONTROL VALVE								Component ATA:32
PN:39-939	MOS/MSC	16-May-14	O/C	TSN 0					
SN:275	HRS	0		TSN 0					
WC#: 34.200	AFL	0		TSN 0					
PROC. REF: AMM 32-47-20PROC. REF: AMM 32-47-20									
322001	LEFT CHECK/PR VALVE								Component ATA:32
PN:AAVX0510300B	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.440	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
322001	RIGHT CHECK/PR VALVE								Component ATA:32
PN:AAVX0510300B	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.440	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
322002	NOSE LANDING GEAR ASSEMBLY								Component ATA:32
PN:7142010-9	MOS/MSC	16-May-14	H/T	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.050	AFL	0		TSN 0					
PROC. REF: AMM 32-21-10PROC. REF: AMM 32-21-10									
322003	NOSE LANDING GEAR FORK								Component ATA:32
PN:7142042-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.450	AFL	0		TSN 0					
PROC. REF: AMM 32-41-20PROC. REF: AMM 32-41-20									
322004	NOSE LANDING GEAR FORK AND PISTON ASSEMBLY								Component ATA:32
PN:7142040-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.460	AFL	0		TSN 0					
PROC. REF: AMM 32-41-20PROC. REF: AMM 32-41-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
322005	RELIEF VALVE								Component ATA:32
PN:PRFA2812080L	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.470	AFL	0		TSN 0					
PROC. REF: AMM 32-43-57PROC. REF: AMM 32-43-57									
322006	NOSE LANDING GEAR SHIMMY DAMPER								Component ATA:32
PN:7143001-29	MOS/MSC	16-May-14	O/C	TSN 0					
SN:24023538A	HRS	0		TSN 0					
WC#: 32.070	AFL	0		TSN 0					
PROC. REF: AMM 32-21-20PROC. REF: AMM 32-21-20									
322007	NOSE LANDING GEAR TRUNNION ASSEMBLY								Component ATA:32
PN:7142020-11	MOS/MSC	16-May-14	O/C	TSN 0					
SN:24016184	HRS	0		TSN 0					
WC#: 32.480	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
322008	ZERO LEAK CHECK VALVE								Component ATA:32
PN:CSFA1876005A	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.490	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
323000	MAIN LANDING GEAR MODULE								Component ATA:32
PN:H218B	MOS/MSC	16-Sep-21	O/C	TSO 0					
SN:00270	HRS	2508		TSO 0					
WC#: 32.500	AFL	2187		TSO 0					
PROC. REF: AMM 32-11-10PROC. REF: AMM 32-11-10									
323001	LEFT MAIN LANDING GEAR HYDRAULIC ACTUATOR								Component ATA:32
PN:FA100114-002	MOS/MSC	16-May-14	H/T	TSN 0					
SN:0232	HRS	0		TSN 0					
WC#: 32.090	AFL	0		TSN 0					
PROC. REF: AMM 32-31-20PROC. REF: AMM 32-31-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
323001	RIGHT MAIN LANDING GEAR HYDRAULIC ACTUATOR								Component ATA:32
PN:FA100114-002	MOS/MSC	16-May-14	H/T	TSN 0					
SN:0231	HRS	0		TSN 0					
WC#: 32.090	AFL	0		TSN 0					
PROC. REF: AMM 32-31-20PROC. REF: AMM 32-31-20									
323002	LEFT MAIN LANDING GEAR UPLOCK HOOK								Component ATA:32
PN:7141100-5	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.150	AFL	0		TSN 0					
PROC. REF: AMM 32-35-40PROC. REF: AMM 32-35-40									
323002	RIGHT MAIN LANDING GEAR UPLOCK HOOK								Component ATA:32
PN:7141100-6	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.150	AFL	0		TSN 0					
PROC. REF: AMM 32-35-40PROC. REF: AMM 32-35-40									
323003	MAIN LANDING GEAR CONTROL VALVE								Component ATA:32
PN:4270-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0174	HRS	0		TSN 0					
WC#: 32.120	AFL	0		TSN 0					
PROC. REF: AMM 32-31-50PROC. REF: AMM 32-31-50									
323004	NOSE LANDING GEAR HYDRAULIC ACTUATOR								Component ATA:32
PN:FA100115-002	MOS/MSC	16-May-14	H/T	TSN 0					
SN:-2-0127	HRS	0		TSN 0					
WC#: 32.080	AFL	0		TSN 0					
PROC. REF: AMM 32-31-10PROC. REF: AMM 32-31-10									
323005	LEFT MAIN LANDING GEAR UPLOCK ACTUATOR								Component ATA:32
PN:6947010-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1145	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-35-30, AMM 32-35-10PROC. REF: AMM 32-35-30, AMM 32-35-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
323005	NOSE LANDING GEAR UPLOCK ACTAUTOR								Component ATA:32
PN:7147030-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:161	HRS	0		TSN 0					
WC#: 32.510	AFL	0		TSN 0					
PROC. REF: AMM 32-35-10PROC. REF: AMM 32-35-10									
323005	RIGHT MAIN LANDING GEAR UPLOCK ACTUATOR								Component ATA:32
PN:6947010-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1147	HRS	0		TSN 0					
WC#: 32.140	AFL	0		TSN 0					
PROC. REF: AMM 32-35-30, AMM 32-35-10PROC. REF: AMM 32-35-30, AMM 32-35-10									
323006	HYDRAULIC SHUTTLE VALVE								Component ATA:32
PN:98312	MOS/MSC	16-May-14	O/C	TSN 0					
SN:2456A	HRS	0		TSN 0					
WC#: 32.200	AFL	0		TSN 0					
PROC. REF: AMM 32-37-80PROC. REF: AMM 32-37-80									
323007	LEFT REGEN SHUTTLE VALVE								Component ATA:32
PN:5128-5	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1140	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-31-30PROC. REF: AMM 32-31-30									
323007	RIGHT REGEN SHUTTLE VALVE								Component ATA:32
PN:5128-5	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1134	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-31-30PROC. REF: AMM 32-31-30									
323008	NOSE LANDING GEAR UPPER BARREL ASSEMBLY								Component ATA:32
PN:7142020-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.520	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
323021	EMERGENCY GEAR BOTTLE GAUGE								Component ATA:32
PN:19940931-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:043469	HRS	0		TSN 0					
WC#: 32.190	AFL	0		TSN 0					
PROC. REF: AMM 32-37-20PROC. REF: AMM 32-37-20									
323022	BRAKE PRESSURE GAUGE								Component ATA:32
PN:19940935-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:GA-043006	HRS	0		TSN 0					
WC#: 32.370	AFL	0		TSN 0					
PROC. REF: AMM 32-43-30PROC. REF: AMM 32-43-30									
323701	EMERGENCY PNEUMATIC BOTTLE								Component ATA:32
PN:40005414-1	MOS/MSC	10-Mar-23	H/T	TSO 4					
SN:10407	HRS	2969.9		TSO 0					
WC#: 32.180	AFL	2589		TSO 0					
PROC. REF: AMM 32-37-10PROC. REF: AMM 32-37-10									
324001	LEFT MAIN LANDING GEAR WHEEL ASSEMBLY								Component ATA:32
PN:90006036	MOS/MSC	18-Apr-25	O/C	TSO 0					
SN:APR15-0499	HRS	3521.2		TSO 0					
WC#: 32.220	AFL	2974							
PROC. REF: AMM 32-41-10PROC. REF: AMM 32-41-10									
324001	RIGHT MAIN LANDING GEAR WHEEL ASSEMBLY								Component ATA:32
PN:90006036	MOS/MSC	18-Apr-25	O/C	TSO 0					
SN:SEP16-0753	HRS	3521.2		TSO 0					
WC#: 32.220	AFL	2974		TSO 0					
PROC. REF: AMM 32-41-10PROC. REF: AMM 32-41-10									
324002	NOSE LANDING GEAR WHEEL ASSEMBLY								Component ATA:32
PN:90006044	MOS/MSC	13-May-24	O/C	TSO 0					
SN:MAR13-0184	HRS	3262.4		TSO 0					
WC#: 32.230	AFL	2788		TSO 0					
PROC. REF: AMM 32-41-20PROC. REF: AMM 32-41-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324003	LEFT MAIN LANDING GEAR TIRE							Component	ATA:32
PN:026-617-1	MOS/MSC	18-Apr-25	O/C	TSN 0					
SN:1323P00021	HRS	3521.2		TSN 0					
WC#: 34.140	AFL	2974		TSN 0					
PROC. REF: AMM 32-41-30PROC. REF: AMM 32-41-30									
324003	RIGHT MAIN LANDING GEAR TIRE							Component	ATA:32
PN:026-617-1	MOS/MSC	18-Apr-25	O/C	TSN 0					
SN:1322P00028	HRS	3521.2		TSN 0					
WC#: 34.140	AFL	2974		TSN 0					
PROC. REF: AMM 32-41-30PROC. REF: AMM 32-41-30									
324004	NOSE LANDING GEAR TIRE							Component	ATA:32
PN:M19301	MOS/MSC	13-May-24	O/C	TSN 0					
SN:2102B042	HRS	3262.4		TSN 0					
WC#: 34.130	AFL	2788		TSN 0					
PROC. REF: AMM 32-41-30PROC. REF: AMM 32-41-30									
324005	LEFT MAIN LANDING GEAR BRAKE ASSEMBLY							Component	ATA:32
PN:90006022G	MOS/MSC	07-Apr-24	O/C	TSO 0					
SN:JUL11-0243	HRS	3230.4		TSO 0					
WC#: 32.310	AFL	2769		TSO 0					
PROC. REF: AMM 32-43-70PROC. REF: AMM 32-43-70									
324005	RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY							Component	ATA:32
PN:90006022G	MOS/MSC	07-Apr-24	O/C	TSO 0					
SN:NOV11-0278	HRS	3230.4		TSO 0					
WC#: 32.310	AFL	2769		TSO 0					
PROC. REF: AMM 32-43-70PROC. REF: AMM 32-43-70									
324101	BRAKE ANTISKID/METERING VALVE							Component	ATA:32
PN:32-117	MOS/MSC	16-May-14	O/C	TSN 0					
SN:219	HRS	0		TSN 0					
WC#: 32.320	AFL	0		TSN 0					
PROC. REF: AMM 32-43-80PROC. REF: AMM 32-43-80									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324102	LEFT ADAPTER TRANSDUCER								Component ATA:32
PN:40-955	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.530	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
324102	RIGHT ADAPTER TRANSDUCER								Component ATA:32
PN:40-955	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.530	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
324103	DIG ANTISKID CONTROL BOX								Component ATA:32
PN:142-153-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:276	HRS	0		TSN 0					
WC#: 34.190	AFL	0		TSN 0					
PROC. REF: AMM 34-47-10PROC. REF: AMM 34-47-10									
324104	BRAKE PRESSURE SWITCH								Component ATA:32
PN:GPP1250-69	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1403612	HRS	0		TSN 0					
WC#: 32.260	AFL	0		TSN 0					
PROC. REF: AMM 32-43-20PROC. REF: AMM 32-43-20									
324105	PARKING BRAKE VALVE								Component ATA:32
PN:98478-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0138	HRS	0		TSN 0					
WC#: 32.330	AFL	0		TSN 0					
PROC. REF: AMM 32-45-20PROC. REF: AMM 32-45-20									
324106	HYDRAULIC PUMP MOTOR								Component ATA:32
PN:MP50B1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4770	HRS	0		TSN 0					
WC#: 32.540	AFL	0		TSN 0					
PROC. REF: AMM 29-11-60PROC. REF: AMM 29-11-60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324107	BRAKE ANTISKID ACCUMULATOR								Component ATA:32
PN:7550-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1188	HRS	0		TSN 0					
WC#: 32.550	AFL	0		TSN 0					
PROC. REF: AMM 32-43-40PROC. REF: AMM 32-43-40									
324108	LOW PRESSURE SWITCH								Component ATA:32
PN:GPP1250-79	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1325619	HRS	0		TSN 0					
WC#: 32.290	AFL	0		TSN 0					
PROC. REF: AMM 32-43-53PROC. REF: AMM 32-43-53									
324109	BRAKE PRESSURE PUMP								Component ATA:32
PN:640929	MOS/MSC	16-May-14	O/C	TSN 0					
SN:2902A	HRS	0		TSN 0					
WC#: 32.560	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
324110	EMERGENCY BRAKE VALVE								Component ATA:32
PN:98480-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0196	HRS	0		TSN 0					
WC#: 32.350	AFL	0		TSN 0					
PROC. REF: AMM 32-49-10PROC. REF: AMM 32-49-10									
324111	BRAKE RESERVOIR ASSEMBLY								Component ATA:32
PN:7117005-11	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.250	AFL	0		TSN 0					
PROC. REF: AMM 32-43-10PROC. REF: AMM 32-43-10									
324113	THERMAL RELIEF VALVE								Component ATA:32
PN:1785-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0595	HRS	0		TSN 0					
WC#: 32.300	AFL	0		TSN 0					
PROC. REF: AMM 32-43-57PROC. REF: AMM 32-43-57									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 32 - LANDING GEAR									
324205	HYDRAULIC PACK ASSEMBLY							Component	ATA:32
PN:6517102-23	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.280	AFL	0		TSN 0					
PROC. REF: AMM 32-43-50PROC. REF: AMM 32-43-50									
326001	LEFT MAIN LANDING GEAR UPLOCK SWITCH							Component	ATA:32
PN:65-430087	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.130	AFL	0		TSN 0					
PROC. REF: AMM 32-35-50PROC. REF: AMM 32-35-50									
326001	RIGHT MAIN LANDING GEAR UPLOCK SWITCH							Component	ATA:32
PN:65-430087	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 32.130	AFL	0		TSN 0					
PROC. REF: AMM 32-35-50PROC. REF: AMM 32-35-50									
ATA 33 - LIGHTS									
33-51-00-7100 ^S	EMERGENCY LIGHTING SYSTEM OPERATIONAL CHECK							Service	ATA:33
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 33-51-00PROC. REF: AMM 33-51-00									
PKG:203									
33-51-00-7200 ^S	EMERGENCY LIGHTING BATTERY PACK (CAPACITY) FUNCTIONAL CHECK							Service	ATA:33
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 33-51-00PROC. REF: AMM 33-51-00									
PKG:201									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 33 - LIGHTS									
33-51-00-9600 CREW FLASHLIGHT BATTERIES DISCARD									
	MOS	31-Aug-24	12		31-Aug-25		124 d		Service ATA:33
	HRS	3321.6							
	AFL	2826							
PROC. REF: AMM 33-51-00PROC. REF: AMM 33-51-00									
33-51-00-9601 AFT EMERGENCY LIGHTING BATTERY PACK RESTORATION									
PN:CBS28-1	MOS	10-Aug-23	48		31-Aug-27		854 d	RESTORE	Service ATA:33
SN:3977M	HRS	2974.5							
	AFL	2592							
PROC. REF: AMM 33-51-00PROC. REF: AMM 33-51-00									
33-51-00-9601 FORWARD EMERGENCY LIGHTING BATTERY PACK RESTORATION									
PN:CBS28-1	MOS	EFF	48		30-Sep-26 * (M)		519 d	RESTORE	Service ATA:33
SN:008784	HRS								
	AFL								
PROC. REF: AMM 33-51-00PROC. REF: AMM 33-51-00									
33-51-00-9601 MAIN EMERGENCY LIGHTING BATTERY PACK RESTORATION									
PN:CBS28-1	MOS	10-Aug-23	48		31-Aug-27		854 d	RESTORE	Service ATA:33
SN:2684M	HRS	2974.5							
	AFL	2592							
PROC. REF: AMM 33-51-00PROC. REF: AMM 33-51-00									
330001 MAIN LANDING GEAR LED PANEL									
PN:92-1060-2	MOS/MSC	16-May-14	O/C	TSN 0					Component ATA:33
SN:0166	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
330003 MIDDLE OVERWING EMERGENCY EXIT LIGHT									
PN:OWL100-03	MOS/MSC	30-Jul-24	O/C	TSN 0					Component ATA:33
SN:202400000021962	HRS	3301.1		TSN 0					
	AFL	2814		TSN 0					
PROC. REF: AMM 33-51-30PROC. REF: AMM 33-51-30									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 33 - LIGHTS									
331003		LEFT INDIRECT LIGHTING CONTROL BOX						Component	ATA:33
PN:CLC500-01	MOS/MSC	16-May-14	O/C	TSN 0					
SN:500004843	HRS	0		TSN 0					
WC#: 33.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
331003		RIGHT INDIRECT LIGHTING CONTROL BOX						Component	ATA:33
PN:CLC500-01	MOS/MSC	16-May-14	O/C	TSN 0					
SN:500004844	HRS	0		TSN 0					
WC#: 33.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
332001		500VA STATIC INVERTER						Component	ATA:33
PN:SS50	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 33.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
332005 ^U		NO. 4 SEAT LED READING LIGHT ASSEMBLY						Component	ATA:33
PN:RDG400-01	MOS/MSC	23-Sep-20	O/C	TSN 0					
SN:256004322	HRS	2187.6		TSN 0					
	AFL	1941		TSN 0					
334001		GROUND REC LIGHT						Component	ATA:33
PN:84003-3	MOS/MSC	05-Feb-25	O/C	TSN 0					
SN:001769	HRS	3457		TSN 0					
WC#: 33.030	AFL	2941		TSN 0					
PROC. REF: AMM 33-41-40PROC. REF: AMM 33-41-40									
334005		LEFT COLLISION LIGHT ASSEMBLY						Component	ATA:33
PN:84056-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:000271	HRS	0		TSN 0					
WC#: 33.100	AFL	0		TSN 0					
PROC. REF: AMM 33-41-20PROC. REF: AMM 33-41-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 33 - LIGHTS									
334005 RIGHT COLLISION LIGHT ASSEMBLY								Component	ATA:33
PN:84056-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:000256	HRS	0		TSN 0					
WC#: 33.100	AFL	0		TSN 0					
PROC. REF: AMM 33-41-20PROC. REF: AMM 33-41-20									
334006 LEFT TAIL FLOOD LIGHT								Component	ATA:33
PN:TIL100-02	MOS/MSC	16-May-14	O/C	TSN 0					
SN:207000814	HRS	0		TSN 0					
WC#: 33.010	AFL	0		TSN 0					
PROC. REF: AMM 33-41-10PROC. REF: AMM 33-41-10									
334006 RIGHT TAIL FLOOD LIGHT								Component	ATA:33
PN:TIL100-02	MOS/MSC	16-May-14	O/C	TSN 0					
SN:207000888	HRS	0		TSN 0					
WC#: 33.010	AFL	0		TSN 0					
PROC. REF: AMM 33-41-10PROC. REF: AMM 33-41-10									
334007 LEFT WING INSPECTION LIGHT								Component	ATA:33
PN:WIL100-01	MOS/MSC	16-May-14	O/C	TSN 0					
SN:205000450	HRS	0		TSN 0					
WC#: 33.020	AFL	0		TSN 0					
PROC. REF: AMM 33-41-30PROC. REF: AMM 33-41-30									
334008 LEFT LANDING LIGHT								Component	ATA:33
PN:LDL100-01	MOS/MSC	18-Sep-20	O/C	TSR 0					
SN:206000366	HRS	2185.4		TSR 0					
WC#: 33.040	AFL	1937		TSR 0					
PROC. REF: AMM 33-41-50PROC. REF: AMM 33-41-50									
334008 RIGHT LANDING LIGHT								Component	ATA:33
PN:LDL100-01	MOS/MSC	18-Feb-21	O/C	TSR 0					
SN:206001427	HRS	2290.3		TSR 0					
WC#: 33.040	AFL	2026		TSR 0					
PROC. REF: AMM 33-41-50PROC. REF: AMM 33-41-50									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 33 - LIGHTS									
335000		AFT EMERGENCY EXIT BATTERY						Component	ATA:33
PN:CBS28-1	MOS/MSC	10-Aug-23	H/T	TSR 0					
SN:3977M	HRS	2974.5		TSR 0					
WC#: 33.130	AFL	2592		TSR 0					
PROC. REF: AMM 33-51-20PROC. REF: AMM 33-51-20									
335000		FORWARD EMERGENCY EXIT BATTERY						Component	ATA:33
PN:CBS28-1	MOS/MSC	20-Jun-22	H/T	TSN 0					
SN:008784	HRS	2745.7		TSN 0					
WC#: 33.130	AFL	2387		TSN 0					
PROC. REF: AMM 33-51-20PROC. REF: AMM 33-51-20									
335000		MAIN EMERGENCY EXIT BATTERY						Component	ATA:33
PN:CBS28-1	MOS/MSC	10-Aug-23	H/T	TSR 0					
SN:2684M	HRS	2974.5		TSR 0					
WC#: 33.130	AFL	2592		TSR 0					
PROC. REF: AMM 33-51-20PROC. REF: AMM 33-51-20									
335100		AFT G-FORCE SWITCH						Component	ATA:33
PN:7212-2-000	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1434	HRS	0		TSN 0					
WC#: 33.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
335100		FWD G-FORCE SWITCH						Component	ATA:33
PN:7212-2-000	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1486	HRS	0		TSN 0					
WC#: 33.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
335100		MID G-FORCE SWITCH						Component	ATA:33
PN:7212-2-000	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1471	HRS	0		TSN 0					
WC#: 33.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
34-13-00-720		NO. 1 AIR DATA COMPUTER PITOT-STATIC SYSTEM FUNCTIONAL CHECK						Service	ATA:34
PN:822-1109-128	MOS	13-May-24	24		31-May-26		397 d		
SN:41HCH4	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 34-13-00PROC. REF: AMM 34-13-00									
34-13-00-720		NO. 2 AIR DATA COMPUTER PITOT-STATIC SYSTEM FUNCTIONAL CHECK						Service	ATA:34
PN:822-1109-128	MOS	13-May-24	24		31-May-26		397 d		
SN:41HC99	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 34-13-00PROC. REF: AMM 34-13-00									
34-13-00-720		STANDBY AIR DATA COMPUTER PITOT-STATIC SYSTEM FUNCTIONAL CHECK						Service	ATA:34
PN:9200-30000-206	MOS	13-May-24	24		31-May-26		397 d		
SN:6281	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 34-13-00PROC. REF: AMM 34-13-00									
34-51-00-720		NO. 1 TRANSPONDER SYSTEM FUNCTIONAL CHECK						Service	ATA:34
PN:622-9210-501	MOS	13-May-24	24		31-May-26		397 d		
SN:4HWKR	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 34-51-00PROC. REF: AMM 34-51-00									
34-51-00-720		NO. 2 TRANSPONDER SYSTEM FUNCTIONAL CHECK						Service	ATA:34
PN:822-2132-001	MOS	13-May-24	24		31-May-26		397 d		
SN:4K20K	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 34-51-00PROC. REF: AMM 34-51-00									
34-63-00-7100 ^S		FLIGHT DISPLAY REVERSIONARY MODE OPERATIONAL CHECK						Service	ATA:34
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	12000						
WC#: 34.290	AFL	1890							
PROC. REF: AMM 34-63-00PROC. REF: AMM 34-63-00									
PKG:111									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
340001	MAGNOMETER								Component ATA:34
PN:501-1826-03	MOS/MSC	16-May-14	O/C	TSN 0					
SN:6271	HRS	0		TSN 0					
WC#: 34.340	AFL	0		TSN 0					
PROC. REF: AMM 34-25-40PROC. REF: AMM 34-25-40									
340002	CHECKLIST								Component ATA:34
PN:866-1098-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:49J8N	HRS	0		TSN 0					
WC#: 34.350	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340003	LEFT PANEL SWITCH								Component ATA:34
PN:80-02472-002	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0175	HRS	0		TSN 0					
WC#: 34.360	AFL	0		TSN 0					
PROC. REF: AMM 34-25-40PROC. REF: AMM 34-25-40									
340004	RIGHT PANEL SWITCH								Component ATA:34
PN:80-02500-002	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0074	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-25-40PROC. REF: AMM 34-25-40									
340005	FWD PED PANEL SWITCH								Component ATA:34
PN:80-02495-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0184	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340006	AFT PED PANEL SWITCH								Component ATA:34
PN:80-02515-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0175	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
340007	LEFT PANEL CONSOLE								Component ATA:34
PN:92-1056-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0166	HRS	0		TSN 0					
WC#: 34.400	AFL	0		TSN 0					
PROC. REF: AMM 33-11-10PROC. REF: AMM 33-11-10									
340007	RIGHT PANEL CONSOLE								Component ATA:34
PN:92-1055-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0131	HRS	0		TSN 0					
WC#: 34.400	AFL	0		TSN 0					
PROC. REF: AMM 33-11-10PROC. REF: AMM 33-11-10									
340008	LEFT CB PANEL								Component ATA:34
PN:92-1058-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0159	HRS	0		TSN 0					
WC#: 34.410	AFL	0		TSN 0					
PROC. REF: AMM 33-11-10PROC. REF: AMM 33-11-10									
340008	RIGHT CB PANEL								Component ATA:34
PN:92-1057-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0166	HRS	0		TSN 0					
WC#: 34.410	AFL	0		TSN 0					
PROC. REF: AMM 33-11-10PROC. REF: AMM 33-11-10									
340009	CENTER THROTTLE QUAD LED PANEL								Component ATA:34
PN:92-1059-3	MOS/MSC	21-May-14	O/C	TSN 0					
SN:0188	HRS	8		TSN 0					
WC#: 34.420	AFL	6		TSN 0					
PROC. REF: AMM 33-11-10PROC. REF: AMM 33-11-10									
340010	LEFT REVERSIONARY PANEL								Component ATA:34
PN:80-02506-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0163	HRS	0		TSN 0					
WC#: 34.430	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
340011	LEFT POWER SWITCH PANEL								Component ATA:34
PN:80-02483-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0161	HRS	0		TSN 0					
WC#: 34.440	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341001	NO. 1 AIR DATA COMPUTER								Component ATA:34
PN:822-1109-128	MOS/MSC	16-May-14	O/C	TSN 0					
SN:41HCH4	HRS	0		TSN 0					
WC#: 34.010	AFL	0		TSN 0					
PROC. REF: AMM 34-11-10PROC. REF: AMM 34-11-10									
341001	NO. 2 AIR DATA COMPUTER								Component ATA:34
PN:822-1109-128	MOS/MSC	18-Oct-16	O/C	TSO 0					
SN:41HC99	HRS	1016.5		TSO 0					
WC#: 34.010	AFL	835		TSO 0					
PROC. REF: AMM 34-11-10PROC. REF: AMM 34-11-10									
341001	STANDBY AIR DATA COMPUTER								Component ATA:34
PN:9200-30000-206	MOS/MSC	16-May-14	O/C	TSN 0					
SN:6281	HRS	0		TSN 0					
WC#: 34.010	AFL	0		TSN 0					
PROC. REF: AMM 34-15-10PROC. REF: AMM 34-15-10									
341003	AOA INDEXER								Component ATA:34
PN:C12463-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:151442-10	HRS	0		TSN 0					
WC#: 34.030	AFL	0		TSN 0					
PROC. REF: AMM 34-21-30PROC. REF: AMM 34-21-30									
341004	AOA COMPUTER								Component ATA:34
PN:0863D1	MOS/MSC	01-Jun-18	O/C	TSO 1					
SN:22	HRS	1605.9		TSO 0					
WC#: 34.450	AFL	1391		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
341010	LEFT RADIO ALT ANTENNA								Component ATA:34
PN:S67-2002	MOS/MSC	16-May-14	O/C	TSN 0					
SN:543-71378	HRS	0		TSN 0					
WC#: 34.120	AFL	0		TSN 0					
PROC. REF: AMM 34-41-20PROC. REF: AMM 34-41-20									
341010	RIGHT RADIO ALT ANTENNA								Component ATA:34
PN:S67-2002	MOS/MSC	16-May-14	O/C	TSN 0					
SN:543-71381	HRS	0		TSN 0					
WC#: 34.120	AFL	0		TSN 0					
PROC. REF: AMM 34-41-20PROC. REF: AMM 34-41-20									
341034	RADIO ALT TRANSMITTER								Component ATA:34
PN:822-0615-206	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4MMPV	HRS	0		TSN 0					
WC#: 34.460	AFL	0		TSN 0					
PROC. REF: AMM 34-41-10PROC. REF: AMM 34-41-10									
341103	NO.1 CONFIGURATION CONTROL STRAPPING UNIT								Component ATA:34
PN:822-1363-002	MOS/MSC	16-May-14	O/C	TSN 0					
SN:426PNP	HRS	0		TSN 0					
WC#: 34.470	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341103	NO.2 CONFIGURATION CONTROL STRAPPING UNIT								Component ATA:34
PN:822-1363-002	MOS/MSC	16-May-14	O/C	TSN 0					
SN:427ORP	HRS	0		TSN 0					
WC#: 34.470	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342001	DATA BASE UNIT								Component ATA:34
PN:822-2215-602	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4272K5	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
PROC. REF: AMM 34-65-10PROC. REF: AMM 34-65-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
342002	LEFT AHRS COMPUTER								Component ATA:34
PN:822-1110-002	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42RHD1	HRS	0		TSN 0					
WC#: 34.480	AFL	0		TSN 0					
PROC. REF: AMM 34-25-10PROC. REF: AMM 34-25-10									
342002	RIGHT AHRS COMPUTER								Component ATA:34
PN:822-1110-002	MOS/MSC	16-May-14	O/C	TSN 0					
SN:40MO8C	HRS	0		TSN 0					
WC#: 34.480	AFL	0		TSN 0					
PROC. REF: AMM 34-25-10PROC. REF: AMM 34-25-10									
342005	LEFT FLIGHT GUIDANCE COMPUTER								Component ATA:34
PN:822-1108-048	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42703Y	HRS	0		TSN 0					
WC#: 34.490	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342005	RIGHT FLIGHT GUIDANCE COMPUTER								Component ATA:34
PN:822-1108-048	MOS/MSC	16-May-14	O/C	TSN 0					
SN:412DPH	HRS	0		TSN 0					
WC#: 34.490	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342006	LEFT FLUX DETECTOR								Component ATA:34
PN:822-1193-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:302903	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-25-30PROC. REF: AMM 34-25-30									
342006	RIGHT FLUX DETECTOR								Component ATA:34
PN:822-1193-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:302902	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-25-30PROC. REF: AMM 34-25-30									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
342007	EXTERNAL FSU COMPENSATION UNIT								Component ATA:34
PN:822-1200-998	MOS/MSC	16-May-14	O/C	TSN 0					
SN:40LYVM	HRS	0		TSN 0					
WC#: 34.060	AFL	0		TSN 0					
PROC. REF: AMM 34-25-20, AMM 34-45-30, AMM 34-65-20PROC. REF: AMM 34-25-20, AMM 34-45-30, AMM 34-65-20									
342007	LEFT EXTERNAL COMPENSATION UNIT								Component ATA:34
PN:822-1200-003	MOS/MSC	16-May-14	O/C	TSN 0					
SN:40M070	HRS	0		TSN 0					
WC#: 34.060	AFL	0		TSN 0					
PROC. REF: AMM 34-25-20, AMM 34-45-30, AMM 34-65-20PROC. REF: AMM 34-25-20, AMM 34-45-30, AMM 34-65-20									
342007	RIGHT EXTERNAL COMPENSATION UNIT								Component ATA:34
PN:822-1200-003	MOS/MSC	16-May-14	O/C	TSN 0					
SN:40M071	HRS	0		TSN 0					
WC#: 34.060	AFL	0		TSN 0					
PROC. REF: AMM 34-25-20, AMM 34-45-30, AMM 34-65-20PROC. REF: AMM 34-25-20, AMM 34-45-30, AMM 34-65-20									
342008	LEFT IAPS POWER SUPPLY								Component ATA:34
PN:822-1137-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:426R25	HRS	0		TSN 0					
WC#: 34.500	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342008	RIGHT IAPS POWER SUPPLY								Component ATA:34
PN:822-1137-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42720K	HRS	0		TSN 0					
WC#: 34.500	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342009	ENVIRONMENTAL CONTROL								Component ATA:34
PN:822-1167-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:46WTX	HRS	0		TSN 0					
WC#: 34.510	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
342010	LEFT OPER CONFIG MODULE								Component ATA:34
PN:822-1484-228	MOS/MSC	16-May-14	O/C	TSN 0					
SN:412DYF	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
PROC. REF: AMM 34-15-30PROC. REF: AMM 34-15-30									
342010	RIGHT OPER CONFIG MODULE								Component ATA:34
PN:822-1484-228	MOS/MSC	16-May-14	O/C	TSN 0					
SN:426RC7	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
PROC. REF: AMM 34-15-30PROC. REF: AMM 34-15-30									
342011	LEFT I/O CONCENTRATOR IAPS MODULE								Component ATA:34
PN:822-2065-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:427ORL	HRS	0		TSN 0					
WC#: 34.530	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342011	RIGHT I/O CONCENTRATOR IAPS MODULE								Component ATA:34
PN:822-2065-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42712D	HRS	0		TSN 0					
WC#: 34.530	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342012	IAPS-CARD CAGE								Component ATA:34
PN:822-2191-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:426YYX	HRS	0		TSN 0					
WC#: 34.540	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342013	EXTERNAL AUDIO COMPENSATION UNIT								Component ATA:34
PN:822-1200-997	MOS/MSC	16-May-14	O/C	TSN 0					
SN:40M01K	HRS	0		TSN 0					
WC#: 34.550	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
342014	DETACHABLE CONFIG MODULE								Component ATA:34
PN:501-1803-226	MOS/MSC	16-May-14	O/C	TSN 0					
SN:6316	HRS	0		TSN 0					
WC#: 34.560	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342031	STANDBY GYRO POWER SUPPLY								Component ATA:34
PN:501-1712-01	MOS/MSC	10-Aug-23	O/C	TSO 0					
SN:3667	HRS	2974.5		TSO 0					
WC#: 34.570	AFL	2592		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342032	SECONDARY FLIGHT DISPLAY								Component ATA:34
PN:501-1741-3103	MOS/MSC	16-May-14	O/C	TSN 0					
SN:3174B	HRS	0		TSN 0					
WC#: 34.580	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342033	MAINTENANCE DIAGNOSTIC COMPUTER								Component ATA:34
PN:822-1987-008	MOS/MSC	19-Aug-22	O/C	TSO 0					
SN:426YMG	HRS	2814.2		TSO 0					
WC#: 34.590	AFL	2435		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342055	LEFT DATA CONCENTRATOR UNIT								Component ATA:34
PN:822-1538-202	MOS/MSC	16-May-14	O/C	TSN 0					
SN:41GHXD	HRS	0		TSN 0					
WC#: 34.600	AFL	0		TSN 0					
PROC. REF: AMM 31-41-10PROC. REF: AMM 31-41-10									
342056	LEFT AFD CONTROL DISPLAY PANEL								Component ATA:34
PN:822-2433-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42C123	HRS	0		TSN 0					
WC#: 34.610	AFL	0		TSN 0					
PROC. REF: AMM 34-63-20PROC. REF: AMM 34-63-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
342056	RIGHT AFD CONTROL DISPLAY PANEL								Component ATA:34
PN:822-2433-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4MGLY	HRS	0		TSN 0					
WC#: 34.610	AFL	0		TSN 0					
PROC. REF: AMM 34-63-20PROC. REF: AMM 34-63-20									
342057	NO.1 CURSOR CONTROL PANEL								Component ATA:34
PN:822-2434-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42COPX	HRS	0		TSN 0					
WC#: 34.300	AFL	0		TSN 0					
PROC. REF: AMM 34-63-40PROC. REF: AMM 34-63-40									
342057	NO.2 CURSOR CONTROL PANEL								Component ATA:34
PN:822-2434-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:42C165	HRS	0		TSN 0					
WC#: 34.300	AFL	0		TSN 0					
PROC. REF: AMM 34-63-40PROC. REF: AMM 34-63-40									
342302	LEFT ADAPTIVE FLIGHT DISPLAY								Component ATA:34
PN:822-1993-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:41FY78	HRS	0		TSN 0					
WC#: 34.620	AFL	0		TSN 0					
PROC. REF: AMM 34-63-20PROC. REF: AMM 34-63-20									
342302	RIGHT ADAPTIVE FLIGHT DISPLAY								Component ATA:34
PN:822-1993-100	MOS/MSC	16-May-14	O/C	TSN 0					
SN:41FY88	HRS	0		TSN 0					
WC#: 34.620	AFL	0		TSN 0					
PROC. REF: AMM 34-63-20PROC. REF: AMM 34-63-20									
342303	LEFT ADAPTIVE FLIGHT MFD DISPLAY								Component ATA:34
PN:822-2349-100	MOS/MSC	14-Aug-23	O/C	TSO 0					
SN:41FY2X	HRS	2975.9		TSO 0					
WC#: 34.630	AFL	2593		TSO 0					
PROC. REF: AMM 34-63-20PROC. REF: AMM 34-63-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
342303	RIGHT ADAPTIVE FLIGHT MFD DISPLAY								Component ATA:34
PN:822-2349-100	MOS/MSC	14-Aug-23	O/C						
SN:41FY8K	HRS	2975.9							
WC#: 34.630	AFL	2593							
PROC. REF: AMM 34-63-20PROC. REF: AMM 34-63-20									
343000	MARKER BEACON COUPLER								Component ATA:34
PN:DMB20-20	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4087	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 34-31-40PROC. REF: AMM 34-31-40									
343001	MARKER BEACON ANTENNA								Component ATA:34
PN:MB10-754-2	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0659	HRS	0		TSN 0					
WC#: 34.100	AFL	0		TSN 0					
PROC. REF: AMM 34-31-30PROC. REF: AMM 34-31-30									
343002	DUAL GLIDESLOPE COUPLER								Component ATA:34
PN:DGSC20-02	MOS/MSC	16-May-14	O/C	TSN 0					
SN:6998	HRS	0		TSN 0					
WC#: 34.080	AFL	0		TSN 0					
PROC. REF: AMM 34-31-10PROC. REF: AMM 34-31-10									
343003	GLIDESLOPE ASSEMBLY ANTENNA								Component ATA:34
PN:RGS10-48	MOS/MSC	16-May-14	O/C	TSN 0					
SN:17427	HRS	0		TSN 0					
WC#: 34.090	AFL	0		TSN 0					
PROC. REF: AMM 34-31-20PROC. REF: AMM 34-31-20									
344001	EGPWS COMPUTER								Component ATA:34
PN:965-1210-026	MOS/MSC	16-May-14	O/C	TSN 0					
SN:EMK8-08566	HRS	0		TSN 0					
WC#: 34.190	AFL	0		TSN 0					
PROC. REF: AMM 34-47-20PROC. REF: AMM 34-47-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
344002	WEATHER RADAR RECEIVER/TRANSMITTER ANTENNA								Component ATA:34
PN:822-2254-001	MOS/MSC	18-Dec-21	O/C	TSO 0					
SN:3PTLR	HRS	2634		TSO 0					
WC#: 34.650	AFL	2297		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
344014	XM DATA RECEIVER								Component ATA:34
PN:822-2031-002	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4K9VC	HRS	0		TSN 0					
WC#: 34.280	AFL	0		TSN 0					
PROC. REF: AMM 34-59-15PROC. REF: AMM 34-59-15									
344015	8 CHANNEL XM RECEIVER								Component ATA:34
PN:XMR100-01	MOS/MSC	16-May-14	O/C	TSN 0					
SN:801000851	HRS	0		TSN 0					
WC#: 34.660	AFL	0		TSN 0					
PROC. REF: AMM 34-59-15PROC. REF: AMM 34-59-15									
344015	NO. 1 XM RADIO RECEIVER SYSTEM								Component ATA:34
PN:XMD100-01	MOS/MSC	16-May-14	O/C	TSN 0					
SN:8090002719	HRS	0		TSN 0					
WC#: 34.660	AFL	0		TSN 0					
PROC. REF: AMM 34-59-15PROC. REF: AMM 34-59-15									
344015	NO. 2 XM RADIO RECEIVER SYSTEM								Component ATA:34
PN:XMD100-01	MOS/MSC	16-May-14	O/C	TSN 0					
SN:8090002719	HRS	0		TSN 0					
WC#: 34.660	AFL	0		TSN 0					
PROC. REF: AMM 34-59-15PROC. REF: AMM 34-59-15									
344017	NO.1 GPS XM ANTENNA								Component ATA:34
PN:C1428-410	MOS/MSC	16-May-14	O/C	TSN 0					
SN:442892	HRS	0		TSN 0					
WC#: 34.240	AFL	0		TSN 0					
PROC. REF: AMM 34-53-20PROC. REF: AMM 34-53-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
344017	NO.2 GPS XM ANTENNA								Component ATA:34
PN:CI428-410	MOS/MSC	16-May-14	O/C	TSN 0					
SN:442889	HRS	0		TSN 0					
WC#: 34.240	AFL	0		TSN 0					
PROC. REF: AMM 34-53-20PROC. REF: AMM 34-53-20									
345001	NO.1 DME ANTENNA								Component ATA:34
PN:L10-611-14	MOS/MSC	16-May-14	O/C	TSN 0					
SN:5391	HRS	0		TSN 0					
WC#: 34.260	AFL	0		TSN 0					
PROC. REF: AMM 34-57-20PROC. REF: AMM 34-57-20									
345001	NO.2 DME ANTENNA								Component ATA:34
PN:L10-611-14	MOS/MSC	16-May-14	O/C	TSN 0					
SN:5860	HRS	0		TSN 0					
WC#: 34.260	AFL	0		TSN 0					
PROC. REF: AMM 34-57-20PROC. REF: AMM 34-57-20									
345002	NO.1 DME TRANSCEIVER								Component ATA:34
PN:822-1466-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4HBYD	HRS	0		TSN 0					
WC#: 34.670	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345002	NO.2 DME TRANSCEIVER								Component ATA:34
PN:822-1466-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:40MCDG	HRS	0		TSN 0					
WC#: 34.670	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345005	LEFT VHF NAVIGATION ANTENNA								Component ATA:34
PN:VT10-767-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1439	HRS	0		TSN 0					
WC#: 34.250	AFL	0		TSN 0					
PROC. REF: AMM 34-55-30PROC. REF: AMM 34-55-30									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
345020	NO.1 ADF ANTENNA								Component ATA:34
PN:622-7383-001	MOS/MSC	16-May-14	O/C	TSN 0					
SN:40LVK7	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM 34-58-10PROC. REF: AMM 34-58-10									
345040	NO.1 TRANSPONDER ANTENNA								Component ATA:34
PN:L10-611-14	MOS/MSC	16-May-14	O/C	TSN 0					
SN:5433	HRS	0		TSN 0					
WC#: 34.230	AFL	0		TSN 0					
PROC. REF: AMM 34-51-20PROC. REF: AMM 34-51-20									
345040	NO.2 TRANSPONDER ANTENNA								Component ATA:34
PN:L10-611-14	MOS/MSC	16-May-14	O/C	TSN 0					
SN:5691	HRS	0		TSN 0					
WC#: 34.230	AFL	0		TSN 0					
PROC. REF: AMM 34-51-20PROC. REF: AMM 34-51-20									
345041	NO. 1 TRANSPONDER								Component ATA:34
PN:622-9210-501	MOS/MSC	28-Feb-17	O/C						
SN:4HWKR	HRS	1113.4							
WC#: 34.220	AFL	924							
PROC. REF: AMM 34-51-10PROC. REF: AMM 34-51-10									
345042	TSS W/TRANSPONDER COMPUTER								Component ATA:34
PN:822-2132-001	MOS/MSC	28-Feb-17	O/C						
SN:4K20K	HRS	1113.4							
WC#: 34.680	AFL	924							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345043	BOTTOM TSS ANTENNA								Component ATA:34
PN:866-0016-101	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4KK7H	HRS	0		TSN 0					
WC#: 34.170	AFL	0		TSN 0					
PROC. REF: AMM 34-45-20PROC. REF: AMM 34-45-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
345043	TOP TSS ANTENNA								Component ATA:34
PN:866-0016-101	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4K9LR	HRS	0		TSN 0					
WC#: 34.170	AFL	0		TSN 0					
PROC. REF: AMM 34-45-20PROC. REF: AMM 34-45-20									
345046	NO.1 FMS COMPUTER								Component ATA:34
PN:822-0883-038	MOS/MSC	10-Aug-23	O/C	TSO 0					
SN:33Y1T	HRS	2974.5		TSO 0					
WC#: 34.690	AFL	2592		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345046	NO.2 FMS COMPUTER								Component ATA:34
PN:822-0883-038	MOS/MSC	10-Aug-23	O/C	TSO 0					
SN:44B5C	HRS	2974.5		TSO 0					
WC#: 34.690	AFL	2592		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345047	NO.1 FMS CONTROL DISPLAY UNIT								Component ATA:34
PN:822-0884-662	MOS/MSC	16-May-14	O/C	TSN 0					
SN:412GL6	HRS	0		TSN 0					
WC#: 34.700	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345047	NO.2 FMS CONTROL DISPLAY UNIT								Component ATA:34
PN:822-0884-662	MOS/MSC	08-Nov-21	O/C	TSO 0					
SN:4GN748	HRS	2591.8		TSO 0					
WC#: 34.700	AFL	2273		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345051	IRIDIUM/GPS ANTENNA								Component ATA:34
PN:S67-1575-165	MOS/MSC	16-May-14	O/C	TSN 0					
SN:449-6574	HRS	0		TSN 0					
WC#: 34.240	AFL	0		TSN 0					
PROC. REF: AMM 34-53-10PROC. REF: AMM 34-53-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
345056	NO.1 GPS RECEIVER								Component ATA:34
PN:822-2189-010	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4JDVW	HRS	0		TSN 0					
WC#: 34.710	AFL	0		TSN 0					
PROC. REF: AMM 34-53-10PROC. REF: AMM 34-53-10									
345056	NO.2 GPS RECEIVER								Component ATA:34
PN:822-2189-010	MOS/MSC	16-May-14	O/C	TSN 0					
SN:4JDWB	HRS	0		TSN 0					
WC#: 34.710	AFL	0		TSN 0					
PROC. REF: AMM 34-53-10PROC. REF: AMM 34-53-10									
345057	NO. 1 VOR/ADF/MRK BEACON/ILS RECEIVER								Component ATA:34
PN:822-1465-001	MOS/MSC	25-Mar-24	O/C	TSO 0					
SN:1Y02F	HRS	3212.6		TSO 0					
WC#: 34.720	AFL	2760		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345057	NO. 2 VOR/ADF/MRK BEACON/ILS RECEIVER								Component ATA:34
PN:822-1579-001	MOS/MSC	10-Mar-23	O/C	TSO 2					
SN:4KM0K	HRS	2969.9		TSO 0					
WC#: 34.720	AFL	2589		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345065	TSS COMPENSATION UNIT								Component ATA:34
PN:822-1200-803	MOS/MSC	28-Feb-17	O/C	TSN 0					
SN:47NN56	HRS	1113.4		TSN 0					
WC#: 34.730	AFL	924		TSN 0					
PROC. REF: AMM 34-45-10PROC. REF: AMM 34-45-10									
345066	FILE SERVER UNIT								Component ATA:34
PN:822-1543-201	MOS/MSC	16-May-14	O/C	TSN 0					
SN:412M5N	HRS	0		TSN 0					
WC#: 34.320	AFL	0		TSN 0					
PROC. REF: AMM 34-65-30PROC. REF: AMM 34-65-30									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 34 - NAVIGATION									
345068	NO.1 AUDIO CONTROL PANEL RADIO								Component ATA:34
PN:822-2381-230	MOS/MSC	14-Aug-23	O/C						
SN:4M9PR	HRS	2975.9							
WC#: 34.750	AFL	2593							
PROC. REF: AMM 23-51-30PROC. REF: AMM 23-51-30									
345068	NO.2 AUDIO CONTROL PANEL RADIO								Component ATA:34
PN:822-2381-230	MOS/MSC	14-Aug-23	O/C						
SN:4K9LD	HRS	2975.9							
WC#: 34.750	AFL	2593							
PROC. REF: AMM 23-51-30PROC. REF: AMM 23-51-30									
ATA 35 - OXYGEN									
35-11-10-7100	OXYGEN CYLINDER ASSEMBLY DETAILED INSPECTION AND OPERATIONAL CHECK								Service ATA:35
PN:4441073-050	MOS	13-May-24	60 (+1m/-1m)		31-May-29	30-Jun-29	1493 d (+30)		
SN:560882503	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 35-11-10PROC. REF: AMM 35-11-10									
PKG:212									
35-11-10-780	OXYGEN BOTTLE ASSEMBLY RESTORATION (HYDROSTATIC TEST)								Service ATA:35
PN:4441073-050	MOS	01-Jul-23	60		31-Jul-28		1189 d	HYDRO CHECK	
SN:560882503	HRS								
WC#: 35.020	AFL								
HydroCheck Date: : 01-Jul-23									
PROC. REF: AMM 35-11-10PROC. REF: AMM 35-11-10									
35-11-10-960	OXYGEN BOTTLE ASSEMBLY - DISCARD								Service ATA:35
PN:4441073-050	MOS		180		16-May-33 (M)		2939 d	DISCARD	
SN:560882503	HRS								
	AFL								
PROC. REF: AMM 35-11-10PROC. REF: AMM 35-11-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
35-11-40-9600		CO-PILOT OXYGEN MASK (ELASTOMER PARTS DETAILED INSPECTION AND REGULATOR FUNCTIONAL CHECK) RESTORATION						Service	ATA:35
PN:MC10-16-150	MOS	28-Dec-19	72		30-Nov-25 (M)		215 d	OVERHAUL	
SN:123168	HRS	2065.1							
	AFL	1850							
PROC. REF: AMM 35-11-40PROC. REF: AMM 35-11-40									
35-11-40-9600		PILOT OXYGEN MASK (ELASTOMER PARTS DETAILED INSPECTION AND REGULATOR FUNCTIONAL CHECK) RESTORATION						Service	ATA:35
PN:MC10-16-150	MOS	28-Dec-19	72		31-Dec-25 (M)		246 d	OVERHAUL	
SN:B123180	HRS	2065.1							
	AFL	1850							
PROC. REF: AMM 35-11-40PROC. REF: AMM 35-11-40									
35-21-00-7100 ^S		PASSENGER OXYGEN SYSTEM DETAILED INSPECTION AND OPERATIONAL CHECK						Service	ATA:35
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 35-21-00PROC. REF: AMM 35-21-00									
35-21-00-7200 ^S		PASSENGER OXYGEN SYSTEM FUNCTIONAL CHECK						Service	ATA:35
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 35-21-00PROC. REF: AMM 35-21-00									
35-31-00-2100		PROTECTIVE BREATHING EQUIPMENT GENERAL VISUAL INSPECTION						Service	ATA:35
PN:PN	MOS/MSC	13-May-24	N/A						
SN:UNKNOWN	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 35-31-00PROC. REF: AMM 35-31-00									
350005		OXYGEN REGULATOR						Component	ATA:35
PN:172420-04	MOS/MSC	16-May-14	O/C	TSN 0					
SN:1212	HRS	0		TSN 0					
WC#: 35.120	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
350007	OXYGEN PRESSURE GAGE							Component	ATA:35
PN:P24140	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0202	HRS	0		TSN 0					
WC#: 35.060	AFL	0		TSN 0					
PROC. REF: AMM 35-11-70PROC. REF: AMM 35-11-70									
350009	OXYGEN PRESSURE TRANSDUCER							Component	ATA:35
PN:APT-389-1000-2400SG	MOS/MSC	16-May-14	O/C	TSN 0					
SN:8059-10-401	HRS	0		TSN 0					
WC#: 35.040	AFL	0		TSN 0					
PROC. REF: AMM 35-11-20PROC. REF: AMM 35-11-20									
351001	OXYGEN CONTROL VALVE							Component	ATA:35
PN:110081-04	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0163	HRS	0		TSN 0					
WC#: 35.070	AFL	0		TSN 0					
PROC. REF: AMM 35-11-80PROC. REF: AMM 35-11-80									
351101	COPILOT OXYGEN MASK							Component	ATA:35
PN:MC10-16-150	MOS/MSC	28-Dec-19	H/T	TSO 1					
SN:123168	HRS	2065.1							
WC#: 35.050	AFL	1850							
PROC. REF: AMM 35-11-40PROC. REF: AMM 35-11-40									
351101	PILOT OXYGEN MASK							Component	ATA:35
PN:MC10-16-150	MOS/MSC	28-Dec-19	H/T	TSO 0					
SN:B123180	HRS	2065.1							
WC#: 35.050	AFL	1850							
PROC. REF: AMM 35-11-40PROC. REF: AMM 35-11-40									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 35 - OXYGEN									
351102	OXYGEN BOTTLE ASSEMBLY								Component ATA:35
PN:4441073-050	MOS/MSC	23-May-18	H/T	TSO 0					
SN:560882503	HRS	1598.4							
WC#: 35.030	AFL	1383							
PROC. REF: AMM 35-11-10PROC. REF: AMM 35-11-10									
353102	PROTECTIVE BREATHING EQUIPMENT								Component ATA:35
PN:PN	MOS/MSC	16-May-14	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 36 - PNEUMATIC									
361002	LEFT PRECOOLER ASSEMBLY								Component ATA:36
PN:8385-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:T0326	HRS	0		TSN 0					
WC#: 36.050	AFL	0		TSN 0					
PROC. REF: AMM 21-61-15PROC. REF: AMM 21-61-15									
361002	RIGHT PRECOOLER ASSEMBLY								Component ATA:36
PN:8385-1	MOS/MSC	16-May-14	O/C	TSN 0					
SN:T0331	HRS	0		TSN 0					
WC#: 36.050	AFL	0		TSN 0					
PROC. REF: AMM 21-61-15PROC. REF: AMM 21-61-15									
361004	LEFT HEAT EXCHANGE FAN AIR EJECTOR VALVE								Component ATA:36
PN:1407-13	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0415	HRS	0		TSN 0					
WC#: 36.060	AFL	0		TSN 0					
PROC. REF: AMM 21-61-50PROC. REF: AMM 21-61-50									
361004	RIGHT HEAT EXCHANGE FAN AIR EJECTOR VALVE								Component ATA:36
PN:1407-13	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0420	HRS	0		TSN 0					
WC#: 36.060	AFL	0		TSN 0					
PROC. REF: AMM 21-61-50PROC. REF: AMM 21-61-50									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 36 - PNEUMATIC									
361005	LEFT SERVICE AIR CHECK VALVE							Component	ATA:36
PN:8C210	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9512	HRS	0		TSN 0					
WC#: 36.020	AFL	0		TSN 0					
PROC. REF: AMM 36-11-20PROC. REF: AMM 36-11-20									
361005	RIGHT SERVICE AIR CHECK VALVE							Component	ATA:36
PN:8C210	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9725	HRS	0		TSN 0					
WC#: 36.020	AFL	0		TSN 0					
PROC. REF: AMM 36-11-20PROC. REF: AMM 36-11-20									
361007	SERVICE AIR REGULATOR							Component	ATA:36
PN:1H75-25	MOS/MSC	16-May-14	O/C	TSN 0					
SN:11BJ21	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
PROC. REF: AMM 36-11-10PROC. REF: AMM 36-11-10									
361300	LEFT ENG BLEED AIR SOLENOID VALVE							Component	ATA:36
PN:5303-25	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0411	HRS	0		TSN 0					
WC#: 36.070	AFL	0		TSN 0					
PROC. REF: AMM 21-21-15PROC. REF: AMM 21-21-15									
361300	RIGHT ENG BLEED AIR VALVE							Component	ATA:36
PN:5303-25	MOS/MSC	16-May-14	O/C	TSN 0					
SN:0408	HRS	0		TSN 0					
WC#: 36.070	AFL	0		TSN 0					
PROC. REF: AMM 21-21-15PROC. REF: AMM 21-21-15									
ATA 38 - WATER/WASTE									
38-30-10-2200 ^S	EXTERNALLY SERVICEABLE FLUSH TOILET CABINET DETAILED INSPECTION (AIRPLANES -0046, AND -0100 AND ON AND AIRPLANES -0001 THRU -0045 AND -0047 THRU -0099 INCORPORATING SB525C-38-01)							Service	ATA:38
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							

PKG:203

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 38 - WATER/WASTE									
PROC. REF: AMM 38-30-10PROC. REF: AMM 38-30-10									
ATA 45 - CENTRAL MAINT SYSTEM									
450000	ARES RECORDER UNIT ASSEMBLY							Component	ATA:45
PN:6918236-20	MOS/MSC	26-May-16	O/C						
SN:1156	HRS	817.1							
WC#: 45.010	AFL	618							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 52 - DOORS									
52-00-00-2200 ^S	CABIN DOOR AND ESCAPE HATCH SKINS DETAILED INSPECTION							Service	ATA:52
	MOS	05-Feb-25						AIRWORTHINESS	
	HRS	3457	1200						
WC#: 52.010	AFL	2941							
PROC. REF: AMM 52-00-00PROC. REF: AMM 52-00-00									
PKG:100									
52-11-00-2200 ^S	CABIN DOOR DETAILED INSPECTION, OPERATIONAL CHECK, AND FUNCTIONAL CHECK							Service	ATA:52
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 52-11-00PROC. REF: AMM 52-11-00									
PKG:213									
52-21-00-2200 ^S	EMERGENCY EXIT EXTERIOR DOOR HANDLE PAN DETAILED INSPECTION							Service	ATA:52
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 52-21-00PROC. REF: AMM 52-21-00									
PKG:213									
52-21-00-2201 ^S	EMERGENCY EXIT DOOR DETAILED INSPECTION							Service	ATA:52
	MOS	20-Jun-22	96 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 52-21-00PROC. REF: AMM 52-21-00									
PKG:216									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 52 - DOORS									
52-21-00-7100 ^S		EMERGENCY EXIT DOOR LUBRICATION AND OPERATIONAL CHECK						Service	ATA:52
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 52-21-00PROC. REF: AMM 52-21-00									PKG:201
52-81-00-2100 ^S		MAIN LANDING GEAR DOORS GENERAL VISUAL INSPECTION						Service	ATA:52
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 52-81-00PROC. REF: AMM 52-81-00									PKG:208
52-81-00-2101 ^S		NOSE LANDING GEAR DOORS GENERAL VISUAL INSPECTION						Service	ATA:52
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 52-81-00PROC. REF: AMM 52-81-00									PKG:208
520001		4 CH PROX SENSING CARD						Component	ATA:52
PN:80-187-01	MOS/MSC	16-May-14	O/C	TSN 0					
SN:A170	HRS	0		TSN 0					
WC#: 52.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
522001		INFLATABLE DOOR SEAL						Component	ATA:52
PN:31M116-5	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 52.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
522003		CABIN DOOR PROXIMITY SWITCH						Component	ATA:52
PN:NBB8-18GM50-E0	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 52.090	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
---------	------	-----	----------	----------	------------------------	-----------	-----------	-------------	----------

ATA 52 - DOORS

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

522004				ESC HATCH PROXIMITY SWITCH				Component	ATA:52
PN:NBB8-18GM30-E2 MOS/MSC		16-May-14	O/C	TSN 0					
SN:NSN		HRS	0	TSN 0					
WC#: 52.100		AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

ATA 53 - FUSELAGE

53-00-00-2100 ^S	FUSELAGE FAIRING INTERNAL GENERAL VISUAL INSPECTION										Service	ATA:53
	MOS	26-May-20	72 (+1m/-1m)									
	HRS	2120										
	AFL	1890										
												PKG:213
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00												

53-00-00-2101 ^S	EXTERNAL FUSELAGE FAIRING GENERAL VISUAL INSPECTION										Service	ATA:53
	MOS	26-May-20	72 (+1m/-1m)									
	HRS	2120										
	AFL	1890										
												PKG:213
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00												

53-00-00-2102 ^S	EXTERNAL FUSELAGE GENERAL VISUAL INSPECTION			Service	ATA:53
MOS	26-May-20	72 (+1m/-1m)			
HRS	2120				
AFL	1890				
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00					PKG:213

53-00-00-2200 ^S	FLIGHT CONTROL SYSTEM STRUCTURAL SUPPORT DETAILED INSPECTION										Service	ATA:53
	MOS	26-May-20	72 (+1m/-1m)									
	HRS	2120										
	AFL	1890										
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00												PKG:213

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-00-00-2201	^S	TAILCONE SKIN DETAILED INSPECTION							Service ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:8600						
WC#: 53.070	AFL	1890							PKG:105
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
53-00-00-2202	^S	CABIN SKINS DETAILED INSPECTION							Service ATA:53
	MOS	05-Feb-25						AIRWORTHINESS	
	HRS	3457	1200						
WC#: 53.020	AFL	2941							PKG:100
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
53-00-00-2500	^S	FUSELAGE SKIN SPLICE EXTERNAL (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	26-May-20							
	HRS	2120	7200 (+25/-25)						
	AFL	1890							PKG:225
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
53-00-00-2501	^S	CABIN DOOR OPENING LINTEL UPPER FORWARD CORNER AROUND FASTENERS (FF-D1-16) (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	12000						
WC#: 53.080	AFL	1890							PKG:111
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
53-00-00-9600		LEFT NOSE LANDING GEAR ATTACH FITTING ASSEMBLY DISCARD							Service ATA:53
PN:7113052-11	MOS	16-May-14						DISCARD	
SN:233850022	HRS	0							
	AFL	0	26000		26000		23025		
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-00-00-9600	RIGHT NOSE LANDING GEAR TRUNNION SUPPORT FITTING								Service ATA:53
PN:7113052-12	MOS	16-May-14						DISCARD	
SN:146	HRS	0							
	AFL	0	26000		26000		23025		
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
53-00-00-9601	NOSE LANDING GEAR HYDRAULIC ACTUATOR FITTING ASSEMBLY DISCARD								Service ATA:53
PN:7111091-8	MOS	16-May-14						DISCARD	
SN:162	HRS	0							
	AFL	0	26000		26000		23025		
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
53-10-00-2100 ^S	NOSE LANDING GEAR WHEEL WELL AND DOORS GENERAL VISUAL INSPECTION								Service ATA:53
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									PKG:206
53-10-00-2101 ^S	INTERNAL NOSE SECTION GENERAL VISUAL INSPECTION								Service ATA:53
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									PKG:213
53-10-00-2200 ^S	NOSE LANDING GEAR AND NOSE LANDING GEAR WHEEL WELL STRUCTURE AND CORROSION DETAILED INSPECTION								Service ATA:53
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									PKG:201

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-10-00-2201	^S	NOSE LANDING GEAR ACTUATOR SUPPORT STRUCTURE AND ATTACHMENT FITTING (INSIDE TUNNEL) DETAILED INSPECTION						Service	ATA:53
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									PKG:206
53-20-00-2100	^S	INTERNAL COCKPIT BELOW FLOORLINE GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									PKG:213
53-20-00-2101	^S	INTERNAL COCKPIT CONTROL PANEL AND PEDESTAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	26-May-20	180 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									PKG:222
53-20-00-2102	^S	INTERNAL COCKPIT ABOVE FLOORLINE GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	26-May-20	180 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									PKG:222
53-21-10-2200	^S	FORWARD PRESSURE BULKHEAD WEB DETAILED INSPECTION						Service	ATA:53
	MOS	04-Sep-21						AIRWORTHINESS	
	HRS	2477.3	2500						
WC#: 53.180	AFL	2166							
PROC. REF: AMM 53-21-10PROC. REF: AMM 53-21-10									PKG:101

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-21-10-2500	^S	FORWARD PRESSURE BULKHEAD TENSION RING RADIUS (FF-D1-2) (EDDY CURRENT) SPECIAL DETAILED INSPECTION						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:5000						
WC#: 53.130	AFL	1890							
PROC. REF: AMM 53-21-10PROC. REF: AMM 53-21-10									PKG:103
53-21-10-2501	^S	EDDY CURRENT INSPECT FORWARD PRESSURE BULKHEAD HORIZONTAL BEAM CONNECTION FASTENERS AT WL 128.00 (FF4) TASK						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 53.140	AFL	1890							
PROC. REF: AMM 53-21-10PROC. REF: AMM 53-21-10									PKG:107
53-21-10-2502	^S	EDDY CURRENT INSPECT FORWARD PRESSURE BULKHEAD REMOVABLE PANEL SUPPORT STRUCTURE FASTENER HOLES AND CUTOUTS (FF-D1-4)						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 53.150	AFL	1890							
PROC. REF: AMM 53-21-10PROC. REF: AMM 53-21-10									PKG:107
53-21-10-2503	^S	EDDY CURRENT INSPECT FORWARD PRESSURE BULKHEAD INBOARD VERTICAL BEAM FASTENERS (FF2A)						Service	ATA:53
	MOS	16-May-14						AIRWORTHINESS	
	HRS	0	T:12000						
WC#: 53.160	AFL	0							
PROC. REF: AMM 53-21-10PROC. REF: AMM 53-21-10									PKG:107
53-21-10-2504	^S	EDDY CURRENT INSPECT FORWARD PRESSURE BULKHEAD HORIZONTAL BEAM UPPER AFT ANGLE FASTENERS (FF2B)						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 53.170	AFL	1890							
PROC. REF: AMM 53-21-10PROC. REF: AMM 53-21-10									PKG:107

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-21-10-2505	^S	EDDY CURRENT INSPECT FORWARD PRESSURE BULKHEAD CENTER SILL SUPPORT FASTENERS (FF7A)						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 53.190	AFL	1890							
PROC. REF: AMM 53-21-10PROC. REF: AMM 53-21-10									PKG:107
53-21-20-2200	^S	AFT PRESSURE BULKHEAD WEB DETAILED INSPECTION						Service	ATA:53
	MOS	04-Sep-21						AIRWORTHINESS	
	HRS	2477.3	2500						
WC#: 53.200	AFL	2166							
PROC. REF: AMM 53-21-20PROC. REF: AMM 53-21-20									PKG:101
53-21-20-2500	^S	AFT PRESSURE BULKHEAD TENSION RING RADIUS (FF-D1-17) (EDDY CURRENT) SPECIAL DETAILED INSPECTION						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:5000						
WC#: 53.210	AFL	1890							
PROC. REF: AMM 53-21-20PROC. REF: AMM 53-21-20									PKG:103
53-21-30-2500	^S	EDDY CURRENT INSPECT WINDSHIELD SUPPORT STRUCTURE LOWER SILL, INTERIOR FLANGE AT CENTER POST FASTENERS (FF9A)						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 53.270	AFL	1890							
PROC. REF: AMM 53-21-30PROC. REF: AMM 53-21-30									PKG:107
53-21-30-2501	^S	EDDY CURRENT INSPECT WINDSHIELD SUPPORT STRUCTURE LOWER SILL VERTICAL FLANGE AT FORWARD PRESSURE BULKHEAD OUTBOARD FITTING FASTENERS (FF10A)						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 53.240	AFL	1890							
PROC. REF: AMM 53-21-30PROC. REF: AMM 53-21-30									PKG:107

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-21-30-2502	^S	EDDY CURRENT INSPECT FORWARD PRESSURE BULKHEAD OUTBOARD FITTING FASTENERS (FF10B)						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 53.250	AFL	1890							
PROC. REF: AMM 53-21-30PROC. REF: AMM 53-21-30									PKG:107
53-21-30-2503	^S	EDDY CURRENT INSPECT FORWARD PRESSURE BULKHEAD CENTER SILL SUPPORT HORIZONTAL FLANGE FASTENERS (FF11A)						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 53.260	AFL	1890							
PROC. REF: AMM 53-21-30PROC. REF: AMM 53-21-30									PKG:107
53-21-30-2504	^S	EDDY CURRENT INSPECT WINDSHIELD SUPPORT STRUCTURE LOWER SILL, WINDSHIELD ATTACH HOLES FASTENERS (FF12)						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 53.280	AFL	1890							
PROC. REF: AMM 53-21-30PROC. REF: AMM 53-21-30									PKG:107
53-21-30-2505	^S	EDDY CURRENT INSPECT WINDSHIELD SUPPORT STRUCTURE CENTER POST CHANNEL FASTENERS (FF14A)						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 53.220	AFL	1890							
PROC. REF: AMM 53-21-30PROC. REF: AMM 53-21-30									PKG:107
53-21-30-2506	^S	EDDY CURRENT INSPECT WINDSHIELD SUPPORT STRUCTURE OUTBOARD SIDE POST FASTENERS (FF19)						Service	ATA:53
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 53.230	AFL	1890							
PROC. REF: AMM 53-21-30PROC. REF: AMM 53-21-30									PKG:107

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-30-00-2100	^S	AFT CABIN STRUCTURE BELOW TOILET GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00									PKG:213
53-30-00-2101	^S	INTERNAL CABIN ABOVE FLOOR GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	26-May-20	180 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00									PKG:222
53-30-00-2102	^S	INTERNAL CABIN BELOW FLOOR GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	20-Jun-22	96 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00									PKG:216
53-30-00-2200	^S	EXTERNAL CABIN STRUCTURE UNDER FAIRING) AND WING ATTACH POINT DETAILEDINSPECTION						Service	ATA:53
	MOS	20-Jun-22	96 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00									PKG:216
53-30-00-2201	^S	FUSELAGE TO WING ATTACHMENTS INTERNAL COMPONENTS DETAILED INSPECTION						Service	ATA:53
	MOS	26-May-20	180 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00									PKG:222

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-30-00-2202	^S	INTERNAL FUSELAGE TO WING YAW AND DRAG FITTINGS DETAILED INSPECTION						Service	ATA:53
	MOS	20-Jun-22	96 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00									PKG:216
53-30-00-2203	^S	AFT PRESSURE BULKHEAD (FORWARD SIDE) BELOW FLOOR DETAILED INSPECTION						Service	ATA:53
	MOS	20-Jun-22	96 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00									PKG:216
53-50-00-2100	^S	TAILCONE UPPER INTERNAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	26-May-20	180 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00									PKG:222
53-50-00-2101	^S	INTERNAL TAILCONE STINGER GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00									PKG:213
53-50-00-2102	^S	EXTERNAL TAILCONE GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00									PKG:213

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 53 - FUSELAGE									
53-50-00-2103 ^S		INTERNAL TAILCONE LOWER GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00									PKG:213
530000 RADOME ASSEMBLY Component ATA:53									
PN:6313101-47	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 53.120	AFL	0		TSN 0					
PROC. REF: AMM 53-11-10PROC. REF: AMM 53-11-10									
531004 LEFT NOSE LANDING GEAR ATTACH FITTING ASSEMBLY Component ATA:53									
PN:7113052-11	MOS/MSC	16-May-14	H/T	TSN 0					
SN:233850022	HRS	0		TSN 0					
WC#: 53.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531004 RIGHT NOSE LANDING GEAR ATTACH FITTING ASSEMBLY Component ATA:53									
PN:7113052-12	MOS/MSC	16-May-14	H/T	TSN 0					
SN:146	HRS	0		TSN 0					
WC#: 53.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531005 NOSE LANDING GEAR HYDRAULIC ACTUATOR FITTING ASSEMBLY Component ATA:53									
PN:7111091-8	MOS/MSC	16-May-14	H/T	TSN 0					
SN:162	HRS	0		TSN 0					
WC#: 53.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 54 - NACELLES/PYLONS									
54-50-00-2100	^S	INTERNAL PYLON AND COWLING GENERAL VISUAL INSPECTION						Service	ATA:54
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00									PKG:203
54-50-00-2101	^S	EXTERNAL PYLON AND COWLING GENERAL VISUAL INSPECTION						Service	ATA:54
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00									PKG:213
54-50-00-2200	^S	PYLON INTERNAL STRUCTURE DETAILED INSPECTION						Service	ATA:54
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00									PKG:206
ATA 55 - STABILIZERS									
55-00-00-2100	^S	EXTERNAL EMPENNAGE SECTION GENERAL VISUAL INSPECTION						Service	ATA:55
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 55-00-00PROC. REF: AMM 55-00-00									PKG:213
55-00-00-2200	^S	HORIZONTAL AND VERTICAL STABILIZER AFT SPAR COVE STRUCTURAL AND CORROSION DETAILED INSPECTION						Service	ATA:55
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 55-00-00PROC. REF: AMM 55-00-00									PKG:201

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-00-00-2500	^S	REAR SPAR UPPER CAP FASTENERS AT BL 6.00 TO SS 25.03 (RS) (EDDY CURRENT) SPECIAL DETAILED INSPECTION						Service	ATA:55
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 55.040	AFL	1890							
PROC. REF: AMM 55-00-00PROC. REF: AMM 55-00-00									PKG:106
55-00-00-2501	^S	EDDY CURRENT INSPECT CENTER SPAR UPPER CAP FASTENERS AT BL 6.00 TO SS 25.03 (CS)						Service	ATA:55
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 55.030	AFL	1890							
PROC. REF: AMM 55-00-00PROC. REF: AMM 55-00-00									PKG:107
55-00-00-2502	^S	EDDY CURRENT INSPECT CENTER SPAR UPPER SPLICE PLATES AT BL 0.00 (CSOSP)						Service	ATA:55
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 55.050	AFL	1890							
PROC. REF: AMM 55-00-00PROC. REF: AMM 55-00-00									PKG:107
55-10-00-2100	^S	INTERNAL HORIZONTAL STABILIZER GENERAL VISUAL INSPECTION						Service	ATA:55
	MOS	20-Jun-22	96 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									PKG:216
55-10-00-2900	^S	HORIZONTAL STABILIZER INTERNAL (BORESCOPE) SPECIAL DETAILED INSPECTION						Service	ATA:55
	MOS	26-May-20	180 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									PKG:222

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 55 - STABILIZERS									
55-20-00-2200	^S	ELEVATOR DETAILED INSPECTION							Service ATA:55
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 55-20-00PROC. REF: AMM 55-20-00									PKG:213
55-30-00-2100	^S	INTERNAL VERTICAL STABILIZER GENERAL VISUAL INSPECTION							Service ATA:55
	MOS	20-Jun-22	96 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00									PKG:216
55-30-00-2900	^S	VERTICAL STABILIZER INTERNAL (BORESCOPE) SPECIAL DETAILED INSPECTION							Service ATA:55
	MOS	26-May-20	180 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00									PKG:222
55-40-00-2200	^S	RUDDER DETAILED INSPECTION							Service ATA:55
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 55-40-00PROC. REF: AMM 55-40-00									PKG:213
ATA 56 - WINDOWS									
56-11-00-2200	^S	COCKPIT WINDOWS DETAILED INSPECTION							Service ATA:56
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									PKG:206

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 56 - WINDOWS									
56-11-00-2202	^S	WINDSHIELD HUMP SEAL AND FLIGHT COMPARTMENT WINDOWS SEALANT DETAILED INSPECTION							Service ATA:56
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									PKG:201
56-11-00-7200	^S	WINDSHIELD MIST SPRAY FUNCTIONAL CHECK							Service ATA:56
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									PKG:201
56-11-00-7201	^S	WINDSHIELD ASSEMBLY FASTENER TORQUE FUNCTIONAL CHECK							Service ATA:56
	MOS	26-May-20							
	HRS	2120	2400 (+25/-25)						
	AFL	1890							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									PKG:208
56-21-10-2200	^S	CABIN AND SKYLIGHT WINDOWS DETAILED INSPECTION							Service ATA:56
	MOS	20-Jun-22	96 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									PKG:216
56-21-10-2201	^S	CABIN WINDOWS DETAILED INSPECTION							Service ATA:56
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:4000						
WC#: 56.070	AFL	1890							
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									PKG:102

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 56 - WINDOWS									
561001	LEFT WINDSHIELD ASSY, (LH)								Component ATA:56
PN:NP-197501-5	MOS/MSC	10-Aug-23	O/C	TSN 0					
SN:23164H7654	HRS	2974.5		TSN 0					
WC#: 56.050	AFL	2592		TSN 0					
PROC. REF: AMM 56-11-10PROC. REF: AMM 56-11-10									
561001	RIGHT WINDSHIELD ASSY, (RH)								Component ATA:56
PN:NP-197501-6	MOS/MSC	10-Aug-23	O/C	TSN 0					
SN:23023H4376	HRS	2974.5		TSN 0					
WC#: 56.050	AFL	2592		TSN 0					
PROC. REF: AMM 56-11-10PROC. REF: AMM 56-11-10									
561002	LEFT NO. 1 CABIN WINDOW								Component ATA:56
PN:6311323-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9300	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									
561002	LEFT NO. 2 CABIN WINDOW								Component ATA:56
PN:6311323-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9310	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									
561002	LEFT NO. 3 CABIN WINDOW								Component ATA:56
PN:6311323-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9323	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									
561002	LEFT NO. 4 CABIN WINDOW								Component ATA:56
PN:6311323-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9397	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 56 - WINDOWS									
561002	LEFT NO. 5 CABIN WINDOW								Component ATA:56
PN:6311323-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9330	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									
561002	RIGHT NO. 1 CABIN WINDOW								Component ATA:56
PN:6311323-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9685	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									
561002	RIGHT NO. 2 CABIN WINDOW								Component ATA:56
PN:6311323-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9318	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									
561002	RIGHT NO. 3 CABIN WINDOW								Component ATA:56
PN:6311323-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9317	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									
561002	RIGHT NO. 4 CABIN WINDOW								Component ATA:56
PN:6311323-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9316	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									
561002	RIGHT NO. 5 CABIN WINDOW								Component ATA:56
PN:6311323-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9299	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 56 - WINDOWS									
561002	RIGHT NO. 6 CABIN WINDOW							Component	ATA:56
PN:6311323-9	MOS/MSC	16-May-14	O/C	TSN 0					
SN:9298	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10PROC. REF: AMM 56-21-10									
561003	PILOT SIDE WINDOW							Component	ATA:56
PN:NP-197502-11	MOS/MSC	16-May-14	O/C	TSN 0					
SN:13262H9878	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-11-20PROC. REF: AMM 56-11-20									
561004	COPILOT SIDE WINDOW							Component	ATA:56
PN:NP-197502-12	MOS/MSC	16-May-14	O/C	TSN 0					
SN:13289H2827	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-11-20PROC. REF: AMM 56-11-20									
ATA 57 - WINGS									
57-00-00-2100 ^S	EXTERNAL WING GENERAL VISUAL INSPECTION							Service	ATA:57
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
PKG:213									
57-00-00-2101 ^S	INTERNAL WING GENERAL VISUAL INSPECTION							Service	ATA:57
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
PKG:206									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-00-00-2103 ^S	WING TRIALING EDGE BONDING JUMPERS L/HIRF GENERAL VISUAL INSPECTION								Service ATA:57
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									PKG:206
57-00-00-9600	LEFT FORWARD MAIN LANDING GEAR TRUNNION ATTACH FITTING ASSEMBLY DISCARD								Service ATA:57
PN:7141155-1	MOS	16-May-14						DISCARD	
SN:23470729H	HRS	0							
	AFL	0	43300		43300		40325		
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
57-00-00-9600	RIGHT FORWARD MAIN LANDING GEAR TRUNNION ATTACH FITTING ASSEMBLY DISCARD								Service ATA:57
PN:7141155-2	MOS	16-May-14						DISCARD	
SN:53357597H	HRS	0							
	AFL	0	43300		43300		40325		
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
57-00-00-9601	LEFT AFT MAIN LANDING GEAR TRUNNION ATTACH FITTING ASSEMBLY DISCARD								Service ATA:57
PN:7141165-1	MOS	16-May-14						DISCARD	
SN:23470764H	HRS	0							
	AFL	0	43300		43300		40325		
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
57-00-00-9601	RIGHT AFT MAIN LANDING GEAR TRUNNION ATTACH FITTING ASSEMBLY DISCARD								Service ATA:57
PN:7141165-2	MOS	16-May-14						DISCARD	
SN:23733506R	HRS	0							
	AFL	0	43300		43300		40325		
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
57-00-00-9602	LEFT SIDE MAIN LANDING GEAR BRACE ACTUATOR ATTACH FITTING ASSEMBLY DISCARD								Service ATA:57
PN:7141175-1	MOS	16-May-14						DISCARD	
SN:23415448N	HRS	0							
	AFL	0	43300		43300		40325		
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-00-00-9602	RIGHT SIDE MAIN LANDING GEAR BRACE ACTUATOR ATTACH FITTING ASSEMBLY DISCARD							Service	ATA:57
PN:7141175-2	MOS	16-May-14						DISCARD	
SN:23415447H	HRS	0							
	AFL	0	43300		43300		40325		
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
57-10-00-2100 ^S	MAIN LANDING GEAR WHEEL WELL AND DOORS GENERAL VISUAL INSPECTION							Service	ATA:57
	MOS	20-Jun-22	48 (+1m/-1m)						
	HRS	2745.7							
	AFL	2387							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-2101 ^S	LANDING GEAR AND DOORS BONDING JUMPERS L/HIRF GENERAL VISUAL INSPECTION							Service	ATA:57
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-2200 ^S	WING AFT SPAR COVE STRUCTURAL AND CORROSION DETAILED INSPECTION							Service	ATA:57
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-2201 ^S	MAIN LANDING GEAR STRUCTURAL AND CORROSION DETAILED INSPECTION							Service	ATA:57
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	3262.4							
	AFL	2788							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-10-00-2500	^S	EDDY CURRENT INSPECT MAIN SPAR LOWER CAP AT WS 15.00 TO CWS 30.00 (W1)						Service	ATA:57
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 57.070	AFL	1890							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									PKG:107
57-10-00-2501	^S	EDDY CURRENT INSPECT MAIN SPAR LOWER CAP AT WS 36.11 TO CWS 185.70 (W2)						Service	ATA:57
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 57.080	AFL	1890							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									PKG:107
57-10-00-2502	^S	EDDY CURRENT INSPECT MAIN SPAR LOWER CAP AT CWS 222.09 TO CWS 241.74 (W3)						Service	ATA:57
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 57.090	AFL	1890							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									PKG:107
57-10-00-2503	^S	EDDY CURRENT INSPECT REAR SPAR LOWER CAP AT WS 15.00 TO CWS 30.00 (W5)						Service	ATA:57
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 57.050	AFL	1890							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									PKG:107
57-10-00-2504	^S	EDDY CURRENT INSPECT REAR SPAR LOWER CAP AT WS 30.00 TO WS 79.00 (W6)						Service	ATA:57
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 57.060	AFL	1890							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									PKG:107

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-10-00-2505	^S	EDDY CURRENT INSPECT REAR SPAR LOWER CAP AT CWS 163.60 TO CWS 241.74 (W7)						Service	ATA:57
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 57.020	AFL	1890							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									PKG:107
57-10-00-2506	^S	EDDY CURRENT INSPECT (BOLT HOLE) FRONT SPAR LOWER CAP STACK-UP FASTENER HOLES AT LWS 15.00 TO RWS 15.00 (WFS1)						Service	ATA:57
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 57.100	AFL	1890							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									PKG:107
57-10-00-2507	^S	EDDY CURRENT INSPECT (BOLT HOLE) MAIN SPAR LOWER CAP STACK-UP FASTENER HOLES AT LWS 15.00 TO RWS 15.00 (WMS1)						Service	ATA:57
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 57.030	AFL	1890							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									PKG:107
57-10-00-2508	^S	EDDY CURRENT INSPECT (BOLT HOLE) REAR SPAR LOWER CAP STACK-UP FASTENER HOLES AT LWS 15.00 TO RWS 15.00 (WRS1)						Service	ATA:57
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 57.040	AFL	1890							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									PKG:107
57-10-00-2509	^S	EDDY CURRENT INSPECT (BOLT HOLE) STRINGER 11 LOWER FLANGE STACK-UP FASTENER HOLES AT LWS 15.00 TO RWS 15.00 (WST1)						Service	ATA:57
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 57.120	AFL	1890							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									PKG:107

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
57-51-00-2200 ^S		FLAPS DETAILED INSPECTION							Service ATA:57
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 57-51-00PROC. REF: AMM 57-51-00									PKG:213
57-61-00-2200 ^S		AILERON DETAILED INSPECTION							Service ATA:57
	MOS	26-May-20	72 (+1m/-1m)						
	HRS	2120							
	AFL	1890							
PROC. REF: AMM 57-61-00PROC. REF: AMM 57-61-00									PKG:213
570001 ^U		SPOILER REPLACEMENT LEFT INBOARD REPLACE							Component ATA:57
PN:7124031-1	MOS/MSC	09-Jun-15	O/C	TSN 0					
SN:PRD-00164246	HRS	468.1		TSN 0					
	AFL	292		TSN 0					
570002 ^U		SPOILER REPLACEMENT LEFT CENTER REPLACE							Component ATA:57
PN:7124033-3	MOS/MSC	09-Jun-15	O/C	TSN 0					
SN:PRD-00173892	HRS	468.1		TSN 0					
	AFL	292		TSN 0					
570003 ^U		SPOILER REPLACEMENT LEFT OUTBOARD REPLACE							Component ATA:57
PN:7124035-7	MOS/MSC	09-Jun-15	O/C	TSN 0					
SN:PRD-00160295	HRS	468.1		TSN 0					
	AFL	292		TSN 0					
570004 ^U		SPOILER REPLACEMENT RIGHT INBOARD REPLACE							Component ATA:57
PN:7124031-2	MOS/MSC	09-Jun-15	O/C	TSN 0					
SN:PRD-00160356	HRS	468.1		TSN 0					
	AFL	292		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
570005 ^U		SPOILER REPLACEMENT RIGHT CENTER REPLACE						Component	ATA:57
PN:7124033-4	MOS/MSC	09-Jun-15	O/C	TSN 0					
SN:PRD-00164246	HRS	468.1		TSN 0					
	AFL	292		TSN 0					
570006 ^U		SPOILER REPLACEMENT RIGHT OUTBOARD REPLACE						Component	ATA:57
PN:7124035-8	MOS/MSC	09-Jun-15	O/C	TSN 0					
SN:PRD-00160301	HRS	468.1		TSN 0					
	AFL	292		TSN 0					
571001		LEFT SIDE MAIN LANDING GEAR BRACE ACTUATOR ATTACH FITTING ASSEMBLY						Component	ATA:57
PN:7141175-1	MOS/MSC	16-May-14	H/T	TSN 0					
SN:23415448N	HRS	0		TSN 0					
WC#: 57.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
571001		RIGHT SIDE MAIN LANDING GEAR BRACE ACTUATOR ATTACH FITTING ASSEMBLY						Component	ATA:57
PN:7141175-2	MOS/MSC	16-May-14	H/T	TSN 0					
SN:23415447H	HRS	0		TSN 0					
WC#: 57.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
571002		LEFT AFT MAIN LANDING GEAR TRUNNION ATTACH FITTING ASSEMBLY						Component	ATA:57
PN:7141165-1	MOS/MSC	16-May-14	H/T	TSN 0					
SN:23470764H	HRS	0		TSN 0					
WC#: 57.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
571002		RIGHT AFT MAIN LANDING GEAR TRUNNION ATTACH FITTING ASSEMBLY						Component	ATA:57
PN:7141165-2	MOS/MSC	16-May-14	H/T	TSN 0					
SN:23733506R	HRS	0		TSN 0					
WC#: 57.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 57 - WINGS									
571003	LEFT FORWARD MAIN LANDING GEAR TRUNNION ATTACH FITTING ASSEMBLY							Component	ATA:57
PN:7141155-1	MOS/MSC	16-May-14	H/T	TSN 0					
SN:23470729H	HRS	0		TSN 0					
WC#: 57.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
571003	RIGHT FORWARD MAIN LANDING GEAR TRUNNION ATTACH FITTING ASSEMBLY							Component	ATA:57
PN:7141155-2	MOS/MSC	16-May-14	H/T	TSN 0					
SN:53357597H	HRS	0		TSN 0					
WC#: 57.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 70 - STANDARD PRACTICES - ENGINES									
700010 ^S	NO. 1 ENGINE - VISUALLY CHECK INSTALLED ELECTRICAL COMPONENT BONDING SURFACES AND HARNESS CONNECTORS, IDENTIFIED IN COMPONENT BONDING REQUIREMENTS TABLE, TO MAKE SURE THAT THERE ARE NO VISIBLE SIGNS OF CORROSION. IF CORROSION IS PRESENT, CLEAN SURFACES							Service	ATA:70
	MOS	22-Mar-25							
	HRS	3472.6	600 (+30)						
	ENC	2932							
PROC. REF: LMM 70-03-01-801A-300A-APROC. REF: LMM 70-03-01-801A-300A-A								PKG:2	
700010 ^S	NO. 2 ENGINE - VISUALLY CHECK INSTALLED ELECTRICAL COMPONENT BONDING SURFACES AND HARNESS CONNECTORS, IDENTIFIED IN COMPONENT BONDING REQUIREMENTS TABLE, TO MAKE SURE THAT THERE ARE NO VISIBLE SIGNS OF CORROSION. IF CORROSION IS PRESENT, CLEAN SURFACES							Service	ATA:70
	MOS	22-Mar-25							
	HRS	3503.3	600 (+30)						
	ENC	2966							
PROC. REF: LMM 70-03-01-801A-300A-APROC. REF: LMM 70-03-01-801A-300A-A								PKG:2	
700401 ^S	NO. 1 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE COMPONENT MAINTENANCE HAS BEEN COMPLETED AND THE REQUIRED ELECTRICAL BONDING AGENT HAS BEEN DEFERRED TO THE NEXT (ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS							Service	ATA:70
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30)						
	ENC	2932							
								PKG:1 ,2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 70 - STANDARD PRACTICES - ENGINES									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
700401	^S	NO. 2 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE COMPONENT MAINTENANCE HAS BEEN COMPLETED AND THE REQUIRED ELECTRICAL BONDING AGENT HAS BEEN DEFERRED TO THE NEXT (ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS						Service	ATA:70
	MOS	22-Mar-25							
	HRS	3503.3	300 (+30)						
	ENC	2966							
									PKG:1 ,2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
700402	^S	NO. 1 ENGINE - REVIEW ENGINE LOGBOOK FOR ANY ADDITIONAL REPAIRS REQUIRED						Service	ATA:70
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30)						
	ENC	2932							
									PKG:1 ,2
700402	^S	NO. 2 ENGINE - REVIEW ENGINE LOGBOOK FOR ANY ADDITIONAL REPAIRS REQUIRED						Service	ATA:70
	MOS	22-Mar-25							
	HRS	3503.3	300 (+30)						
	ENC	2966							
									PKG:1 ,2
ATA 71 - POWER PLANT									
71-00-10-2100	^S	ENGINE DRAINS GENERAL VISUAL INSPECTION						Service	ATA:71
	MOS	14-Mar-24							
	HRS	3199.5	1600 (+25/-25)						
	AFL	2753							
									PKG:204
PROC. REF: AMM 71-00-10PROC. REF: AMM 71-00-10									
71-21-00-2200	^S	FORWARD AND AFT ENGINE ISOLATORS DETAILED INSPECTION						Service	ATA:71
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	5500						
WC#: 71.030	AFL	1890							
									PKG:104

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									
71-21-00-2500	S	EDDY CURRENT INSPECT FORWARD ENGINE BEAM FORWARD AND AFT ENGINE MOUNT FITTING ATTACH FASTENERS (FMC02)						Service	ATA:71
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 71.070	AFL	1890							
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									PKG:107
71-21-00-2501	S	EDDY CURRENT INSPECT (BOLT HOLE) FORWARD ENGINE BEAM FORWARD ENGINE MOUNT FITTING LOWER LUG BOLT HOLE (FLL)						Service	ATA:71
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 71.080	AFL	1890							
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									PKG:107
71-21-00-2502	S	EDDY CURRENT INSPECT FORWARD ENGINE BEAM ENGINE MOUNT FITTING OUTER COVER PLATE FASTENERS (FOP11, FOP12)						Service	ATA:71
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 71.040	AFL	1890							
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									PKG:107
71-21-00-2503	S	EDDY CURRENT INSPECT FORWARD ENGINE BEAM ENGINE MOUNT FITTING LOWER COVER PLATE FASTENERS (FLP16, FLP17)						Service	ATA:71
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 71.050	AFL	1890							
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									PKG:107
71-21-00-2504	S	EDDY CURRENT INSPECT FORWARD ENGINE BEAM FORWARD AND AFT ANGLE FASTENERS (FCM18, FCM20, FCM21)						Service	ATA:71
	MOS	26-May-20						AIRWORTHINESS	
	HRS	2120	T:12000						
WC#: 71.060	AFL	1890							
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									PKG:107

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
71-21-00-9600		LEFT ENGINE FORWARD BOTTOM ISOLATOR MOUNT ASSEMBLY DISCARD							Service ATA:71
PN:LM-610-SA1	MOS	16-May-14						DISCARD	
SN:LKO643	HRS	0	11000		11000		7476.7		
	AFL	0							
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									
71-21-00-9600		LEFT ENGINE FORWARD TOP ISOLATOR MOUNT ASSEMBLY DISCARD							Service ATA:71
PN:LM-610-SA1	MOS	16-May-14						DISCARD	
SN:LKO658	HRS	0	11000		11000		7476.7		
	AFL	0							
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									
71-21-00-9600		RIGHT ENGINE FORWARD BOTTOM ISOLATOR MOUNT ASSEMBLY DISCARD							Service ATA:71
PN:LM-610-SA1	MOS	16-May-14						DISCARD	
SN:LKO640	HRS	0	11000		11000		7476.7		
	AFL	0							
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									
71-21-00-9600		RIGHT ENGINE FORWARD TOP ISOLATOR MOUNT ASSEMBLY DISCARD							Service ATA:71
PN:LM-610-SA1	MOS	16-May-14						DISCARD	
SN:LKO651	HRS	0	11000		11000		7476.7		
	AFL	0							
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									
71-21-00-9601		LEFT ENGINE AFT ISOLATOR MOUNT ASSEMBLY DISCARD							Service ATA:71
PN:LM-610-SA2	MOS	16-May-14						DISCARD	
SN:LK0329	HRS	0	11000		11000		7476.7		
	AFL	0							
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									
71-21-00-9601		RIGHT ENGINE AFT ISOLATOR MOUNT ASSEMBLY DISCARD							Service ATA:71
PN:LM-610-SA2	MOS	16-May-14						DISCARD	
SN:LK0328	HRS	0	11000		11000		7476.7		
	AFL	0							
PROC. REF: AMM 71-21-00PROC. REF: AMM 71-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
710002	LEFT NO.1 ENGINE TEMPERATURE SWITCH							Component	ATA:71
PN:MS28034-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:185471	HRS	0		TSN 0					
WC#: 71.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710002	RIGHT NO. 2 ENGINE TEMPERATURE SWITCH							Component	ATA:71
PN:MS28034-3	MOS/MSC	16-May-14	O/C	TSN 0					
SN:183408	HRS	0		TSN 0					
WC#: 71.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710003	LEFT NO.1 ENGINE QUAD MOUNTING PLATE							Component	ATA:71
PN:94518	MOS/MSC	16-May-14	O/C	TSN 0					
SN:CES00309	HRS	0		TSN 0					
WC#: 71.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710003	RIGHT NO. 2 ENGINE QUAD MOUNTING PLATE							Component	ATA:71
PN:94518	MOS/MSC	16-May-14	O/C	TSN 0					
SN:CES00310	HRS	0		TSN 0					
WC#: 71.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710010 ^S	NO. 1 ENGINE - INTERROGATE FADEC FOR FAULTS USING EMT							Service	ATA:71
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30/-30)						
	ENC	2932							
PROC. REF: LMM 71-00-00-801B-421A-APROC. REF: LMM 71-00-00-801B-421A-A									
710010 ^S	NO. 2 ENGINE - INTERROGATE FADEC FOR FAULTS USING EMT							Service	ATA:71
	MOS	22-Mar-25							
	HRS	3503.3	300 (+30/-30)						
	ENC	2966							
PROC. REF: LMM 71-00-00-801B-421A-APROC. REF: LMM 71-00-00-801B-421A-A									

PKG:1 ,2

PKG:1 ,2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
710015		NO. 1 ENGINE - COMPRESSOR CLEANING						Service	ATA:71
	MOS/MSC	05-Feb-20	A/R						
	HRS	2050.7							
	ENC	1830							
PROC. REF: LMM 71-00-03-803A-258A-A, LMM 05-50-00-801A-042A-APROC. REF: LMM 71-00-03-803A-258A-A, LMM 05-50-00-801A-042A-A									
710015		NO. 2 ENGINE - COMPRESSOR CLEANING						Service	ATA:71
	MOS/MSC	05-Feb-20	A/R						
	HRS	2081.4							
	ENC	1864							
PROC. REF: LMM 71-00-03-803A-258A-A, LMM 05-50-00-801A-042A-APROC. REF: LMM 71-00-03-803A-258A-A, LMM 05-50-00-801A-042A-A									
712002		LEFT ENGINE AFT ISOLATOR MOUNT ASSEMBLY						Component	ATA:71
PN:LM-610-SA2	MOS/MSC	16-May-14	H/T	TSN 0					
SN:LK0329	HRS	0		TSN 0					
WC#: 71.090	AFL	0		TSN 0					
PROC. REF: AMM 71-21-10PROC. REF: AMM 71-21-10									
712002		LEFT ENGINE FORWARD BOTTOM ISOLATOR MOUNT ASSEMBLY						Component	ATA:71
PN:LM-610-SA1	MOS/MSC	16-May-14	H/T	TSN 0					
SN:LKO643	HRS	0		TSN 0					
WC#: 71.090	AFL	0		TSN 0					
PROC. REF: AMM 71-21-20PROC. REF: AMM 71-21-20									
712002		LEFT ENGINE FORWARD TOP ISOLATOR MOUNT ASSEMBLY						Component	ATA:71
PN:LM-610-SA1	MOS/MSC	16-May-14	H/T	TSN 0					
SN:LKO658	HRS	0		TSN 0					
WC#: 71.090	AFL	0		TSN 0					
PROC. REF: AMM 71-21-20PROC. REF: AMM 71-21-20									
712002		RIGHT ENGINE AFT ISOLATOR MOUNT ASSEMBLY						Component	ATA:71
PN:LM-610-SA2	MOS/MSC	16-May-14	H/T	TSN 0					
SN:LK0328	HRS	0		TSN 0					
WC#: 71.090	AFL	0		TSN 0					
PROC. REF: AMM 71-21-10PROC. REF: AMM 71-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 71 - POWER PLANT									
712002	RIGHT ENGINE FORWARD BOTTOM ISOLATOR MOUNT ASSEMBLY								Component ATA:71
PN:LM-610-SA1	MOS/MSC	16-May-14	H/T	TSN 0					
SN:LKO640	HRS	0		TSN 0					
WC#: 71.090	AFL	0		TSN 0					
PROC. REF: AMM 71-21-20PROC. REF: AMM 71-21-20									
712002	RIGHT ENGINE FORWARD TOP ISOLATOR MOUNT ASSEMBLY								Component ATA:71
PN:LM-610-SA1	MOS/MSC	16-May-14	H/T	TSN 0					
SN:LKO651	HRS	0		TSN 0					
WC#: 71.090	AFL	0		TSN 0					
PROC. REF: AMM 71-21-20PROC. REF: AMM 71-21-20									
71EN1	NO. 1 ENGINE								Component ATA:71
PN:73200-200	MOS/MSC	31-Aug-19	E/C						
SN:211323	HRS	1985.9		TSN 1955.2					
WC#: 71.EN1	AFL	1746							
PROC. REF: AMM 71-00-10PROC. REF: AMM 71-00-10									
71EN2	NO. 2 ENGINE								Component ATA:71
PN:73200-200	MOS/MSC		E/C						
SN:211322	HRS								
WC#: 71.EN2	AFL								
PROC. REF: AMM 71-00-10PROC. REF: AMM 71-00-10									
ATA 72 - ENGINE									
720001	NO. 1 ENGINE - FAN ROTOR								Component ATA:72
PN:110646	MOS	16-May-14		TSN 0				LIFE LIMIT	
SN:HW38122	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10034		7059		
PROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-APROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
720001		NO. 2 ENGINE - FAN ROTOR						Component	ATA:72
PN:110646	MOS	16-May-14		TSN 0				LIFE LIMIT	
SN:HW38123	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		7025		
PROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-A PROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-A									
720002		NO. 1 ENGINE - IP COMPRESSOR ROTOR						Component	ATA:72
PN:221931	MOS	27-Aug-19		TSN 0				LIFE LIMIT	
SN:HW54613	HRS	1955.2		TSN 0					
	ENC	1712	10000	TSN 0	(11712) 11746		8771		
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF									
720002		NO. 2 ENGINE - IP COMPRESSOR ROTOR						Component	ATA:72
PN:221931	MOS	20-May-20		TSN 2				LIFE LIMIT	
SN:HW58197	HRS	2120.7		TSN 0					
	ENC	1890	10000	TSN 0	(11890) 11890		8915		
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF									
720003		NO. 1 ENGINE - COMPLETE LP SHAFT ASSEMBLY						Component	ATA:72
PN:118431	MOS/MSC	16-May-14	O/C	TSN 0					
SN:RX13TY0311	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF									
720003		NO. 2 ENGINE - COMPLETE LP SHAFT ASSEMBLY						Component	ATA:72
PN:118431	MOS/MSC	16-May-14	O/C	TSN 0					
SN:RX13TY0310	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF									
720004		NO. 1 ENGINE - HIGH PRESSURE SHAFT						Component	ATA:72
PN:117532	MOS/MSC	16-May-14	O/C	TSN 0					
SN:RX12TG0283	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720004	NO. 2 ENGINE - HIGH PRESSURE SHAFT								Component ATA:72
PN:117532	MOS/MSC	16-May-14	O/C	TSN 0					
SN:RX12TG0323	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720005	NO. 1 ENGINE - HP COMPRESSOR COVER								Component ATA:72
PN:114826	MOS/MSC	27-Aug-19	O/C	TSN 0					
SN:AU20594	HRS	1955.2		TSN 0					
	ENC	1712		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720005	NO. 2 ENGINE - HP COMPRESSOR COVER								Component ATA:72
PN:114826	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AU20353	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720006	NO. 1 ENGINE - DIFFUSER CASE ASSEMBLY								Component ATA:72
PN:118822	MOS/MSC	27-Aug-19	O/C	TSN 0					
SN:20990	HRS	1955.2		TSN 0					
	ENC	1712		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720006	NO. 2 ENGINE - DIFFUSER CASE ASSEMBLY								Component ATA:72
PN:118822	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AU20530	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720007	NO. 1 ENGINE - 1ST STAGE LP TURBINE NOZZLE								Component ATA:72
PN:123587	MOS/MSC	27-Aug-19	O/C	TSR 0					
SN:AU20418	HRS	1955.2		TSN 1494.4, TSR 0					
	ENC	1712		TSN 690, TSR 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty	
ATA 72 - ENGINE										
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF										
720007		NO. 2 ENGINE - 1ST STAGE LP TURBINE NOZZLE							Component	ATA:72
PN:123587	MOS/MSC	10-Feb-17	O/C							
SN:AU20085	HRS	1113.4		TSN 1601.1						
	ENC	924		TSN 952						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF										
720008		NO. 1 ENGINE - ACCESS DRIVE GEARBOX							Component	ATA:72
PN:120757	MOS/MSC	16-May-14	O/C	TSN 0						
SN:MX20058	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF										
720008		NO. 2 ENGINE - ACCESS DRIVE GEARBOX							Component	ATA:72
PN:120757	MOS/MSC	16-May-14	O/C	TSN 0						
SN:MX20061	HRS	0		TSN 0						
	ENC	0		TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF										
723003 ^S		NO. 1 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS							Service	ATA:72
PN:110646	MOS	22-Mar-25								
SN:HW38122	HRS	3472.6	600 (+30)							
	ENC	2932								
								PKG:2		
PROC. REF: LMM 72-31-20-803A-310A-APROC. REF: LMM 72-31-20-803A-310A-A										
723003 ^S		NO. 2 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS							Service	ATA:72
PN:110646	MOS	22-Mar-25								
SN:HW38123	HRS	3503.3	600 (+30)							
	ENC	2966								
								PKG:2		
PROC. REF: LMM 72-31-20-803A-310A-APROC. REF: LMM 72-31-20-803A-310A-A										

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
723021 ^S		NO. 1 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER						Service	ATA:72
	MOS	22-Mar-25							
	HRS	3472.6	600 (+30)						
	ENC	2932							
PROC. REF: LMM 72-30-10-801A-310A-APROC. REF: LMM 72-30-10-801A-310A-A									PKG:2
723021 ^S		NO. 2 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER						Service	ATA:72
	MOS	22-Mar-25							
	HRS	3503.3	600 (+30)						
	ENC	2966							
PROC. REF: LMM 72-30-10-801A-310A-APROC. REF: LMM 72-30-10-801A-310A-A									PKG:2
725101		NO. 1 ENGINE - HP COMPRESSOR ROTOR						Component	ATA:72
PN:122727	MOS	27-Aug-19		TSN 0				LIFE LIMIT	
SN:HW55432	HRS	1955.2		TSN 0					
	ENC	1712	10000	TSN 0	(11712) 11746		8771		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725101		NO. 2 ENGINE - HP COMPRESSOR ROTOR						Component	ATA:72
PN:114839	MOS	16-May-14		TSN 0				LIFE LIMIT	
SN:HW37381	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		7025		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725102		NO. 1 ENGINE - HP TURBINE ROTOR						Component	ATA:72
PN:111126	MOS/MSC	16-May-14	O/C	TSN 0					
SN:HW36989	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
725102	NO. 2 ENGINE - HP TURBINE ROTOR								Component ATA:72
PN:111126	MOS/MSC	16-May-14	O/C	TSN 0					
SN:HW36992	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725103	NO. 1 ENGINE - HP TURBINE DISK								Component ATA:72
PN:111125	MOS	16-May-14		TSN 0				LIFE LIMIT	
SN:HW36989	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10034		7059		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725103	NO. 2 ENGINE - HP TURBINE DISK								Component ATA:72
PN:111125	MOS	16-May-14		TSN 0				LIFE LIMIT	
SN:HW36992	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		7025		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725501	NO. 1 ENGINE - 1ST LP TURBINE DISK								Component ATA:72
PN:77581	MOS	16-May-14		TSN 0				LIFE LIMIT	
SN:HW36100	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10034		7059		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725501	NO. 2 ENGINE - 1ST LP TURBINE DISK								Component ATA:72
PN:77581	MOS	16-May-14		TSN 0				LIFE LIMIT	
SN:HW37017	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		7025		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 72 - ENGINE									
725502	NO. 1 ENGINE - 2ND LP TURBINE DISK								Component ATA:72
PN:73052	MOS	16-May-14		TSN 0				LIFE LIMIT	
SN:HW36061	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10034		7059		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725502	NO. 2 ENGINE - 2ND LP TURBINE DISK								Component ATA:72
PN:73052	MOS	16-May-14		TSN 0				LIFE LIMIT	
SN:HW36062	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		7025		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
730001	NO. 1 ENGINE - PRESSURE SWITCH FUEL								Component ATA:73
PN:1103P0448	MOS/MSC	16-May-14	O/C	TSN 0					
SN:10353	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - PRESSURE SWITCH FUEL								Component ATA:73
PN:1103P0448	MOS/MSC	16-May-14	O/C	TSN 0					
SN:10354	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
730002	NO. 1 ENGINE - FUEL NOZZLE ASSY								Component ATA:73
PN:111765	MOS/MSC	13-Mar-25	O/C						
SN:UNKNOWN	HRS	3472.6							
	ENC	2932							
PROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-APROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
730002	NO. 2 ENGINE - FUEL NOZZLE ASSY								Component ATA:73
PN:111765	MOS/MSC	13-Mar-25	O/C						
SN:UNKNOWN	HRS	3503.3							
	ENC	2966							
PROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-APROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-A									
730003	NO. 1 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY								Component ATA:73
PN:115468	MOS/MSC	27-Aug-19	O/C						
SN:AU20091	HRS	1955.2		TSN 2324.5					
	ENC	1712		TSN 1523					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
730003	NO. 2 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY								Component ATA:73
PN:115468	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AU20384	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731010 ^S	NO. 1 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER								Service ATA:73
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30)						
	ENC	2932							
PKG:1 ,2									
PROC. REF: LMM 73-12-01-803A-310A-APROC. REF: LMM 73-12-01-803A-310A-A									
731010 ^S	NO. 2 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER								Service ATA:73
	MOS	22-Mar-25							
	HRS	3503.3	300 (+30)						
	ENC	2966							
PKG:1 ,2									
PROC. REF: LMM 73-12-01-803A-310A-APROC. REF: LMM 73-12-01-803A-310A-A									
731015 ^S	NO. 1 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN								Service ATA:73
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30)						
	ENC	2932							
PKG:1 ,2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
PROC. REF: LMM 73-12-01-801A-363A-APROC. REF: LMM 73-12-01-801A-363A-A									
731015	S	NO. 2 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service ATA:73
	MOS	22-Mar-25							
	HRS	3503.3	300 (+30)						
	ENC	2966							
PROC. REF: LMM 73-12-01-801A-363A-APROC. REF: LMM 73-12-01-801A-363A-A									
731025		NO. 1 ENGINE - REPLACE FUEL FILTER							Service ATA:73
	MOS	22-Mar-25							
	HRS	3472.6	1200 (+30)		(4672.6) 4703.3	4702.6	1180 (+30)		
	ENC	2932							
PROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-APROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-A									
731025		NO. 2 ENGINE - REPLACE FUEL FILTER							Service ATA:73
	MOS	22-Mar-25							
	HRS	3503.3	1200 (+30)		(4703.3) 4703.3	4733.3	1180 (+30)		
	ENC	2966							
PROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-APROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-A									
731046		NO. 1 ENGINE - FUEL MANIFOLD ASSEMBLY							Component ATA:73
PN:119076	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AU20463	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731046		NO. 2 ENGINE - FUEL MANIFOLD ASSEMBLY							Component ATA:73
PN:119076	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AU20451	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
731055 ^S		NO. 1 ENGINE - REPLACE FDU-TO-FLOWMETER FUEL TUBE ASSEMBLYAND FLOWMETER-TO-MANIFOLD FUEL TUBEASSEMBLY.(RENTAL ENGINES ONLY)						Service	ATA:73
	MOS/MSC	22-Mar-25	A/R						
	HRS	3472.6							
	ENC	2932							
									PKG:2
PROC. REF: LMM 73-10-01-809A-520A-A, LMM 73-10-01-810A-720A-APROC. REF: LMM 73-10-01-809A-520A-A, LMM 73-10-01-810A-720A-A									
731055 ^S		NO. 2 ENGINE - REPLACE FDU-TO-FLOWMETER FUEL TUBE ASSEMBLYAND FLOWMETER-TO-MANIFOLD FUEL TUBEASSEMBLY.(RENTAL ENGINES ONLY)						Service	ATA:73
	MOS/MSC	22-Mar-25	A/R						
	HRS	3503.3							
	ENC	2966							
									PKG:2
PROC. REF: LMM 73-10-01-809A-520A-A, LMM 73-10-01-810A-720A-APROC. REF: LMM 73-10-01-809A-520A-A, LMM 73-10-01-810A-720A-A									
732101		NO. 1 ENGINE - FUEL DELIVERY UNIT						Component	ATA:73
PN:122634	MOS	16-May-14		TSN 0				OVERHAUL	
SN:CL3ATY0468	HRS	0	5000 (+100)	TSN 0	(5000) 5030.7	5100	1507.4 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-19-01-801A-520A-A, LMM 73-19-01-801A-720A-APROC. REF: LMM 73-19-01-801A-520A-A, LMM 73-19-01-801A-720A-A									
732101		NO. 2 ENGINE - FUEL DELIVERY UNIT						Component	ATA:73
PN:122634	MOS	16-May-14		TSN 0				OVERHAUL	
SN:CL3ATY0463	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	1476.7 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-19-01-801A-520A-A, LMM 73-19-01-801A-720A-APROC. REF: LMM 73-19-01-801A-520A-A, LMM 73-19-01-801A-720A-A									
732102		NO. 1 ENGINE - PT2 SENSOR						Component	ATA:73
PN:113762	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AXT0100816	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-22-06-801A-520A-A, LMM 77-22-06-801A-720A-APROC. REF: LMM 77-22-06-801A-520A-A, LMM 77-22-06-801A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
732102	NO. 2 ENGINE - PT2 SENSOR								Component ATA:73
PN:113762	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AXT0100818	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-22-06-801A-520A-A, LMM 77-22-06-801A-720A-APROC. REF: LMM 77-22-06-801A-520A-A, LMM 77-22-06-801A-720A-A									
732105 ^S	NO. 1 ENGINE - SAVE ENGINE AND FADEC DATA								Service ATA:73
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30/-30)						
	ENC	2932							
PROC. REF: LMM 73-26-01-802A-913A-APROC. REF: LMM 73-26-01-802A-913A-A									
732105 ^S	NO. 2 ENGINE - SAVE ENGINE AND FADEC DATA								Service ATA:73
	MOS	22-Mar-25							
	HRS	3503.3	300 (+30/-30)						
	ENC	2966							
PROC. REF: LMM 73-26-01-802A-913A-APROC. REF: LMM 73-26-01-802A-913A-A									
732110 ^S	NO. 1 ENGINE - USE EMT TO INTERROGATE FADEC FOR OPERATIONAL LIMIT EXCEEDANCES								Service ATA:73
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30)						
	ENC	2932							
PROC. REF: LMM 73-26-01-802A-913A-APROC. REF: LMM 73-26-01-802A-913A-A									
732110 ^S	NO. 2 ENGINE - USE EMT TO INTERROGATE FADEC FOR OPERATIONAL LIMIT EXCEEDANCES								Service ATA:73
	MOS	22-Mar-25							
	HRS	3503.3	300 (+30)						
	ENC	2966							
PROC. REF: LMM 73-26-01-802A-913A-APROC. REF: LMM 73-26-01-802A-913A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
732301	NO. 1 ENGINE - ELEC FUEL FILTER INDICATOR								Component ATA:73
PN:57847	MOS/MSC	27-Aug-19	O/C	TSR 0					
SN:GE4832	HRS	1955.2		TSR 0					
	ENC	1712		TSR 0					
PROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-APROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-A									
732301	NO. 2 ENGINE - ELEC FUEL FILTER INDICATOR								Component ATA:73
PN:57847	MOS/MSC	16-May-14	O/C	TSN 0					
SN:GE4995	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-APROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-A									
732500	LEFT FULL AUTHORITY DIGITAL ELECTRONIC CONTROL (FADEC)								Component ATA:73
PN:117793	MOS/MSC	16-May-14	O/C	TSN 0					
SN:CL12AW2011	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
732500	RIGHT FULL AUTHORITY DIGITAL ELECTRONIC CONTROL (FADEC)								Component ATA:73
PN:117793	MOS/MSC	16-May-14	O/C	TSN 0					
SN:CL13AW2333	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
732610 ^S	NO. 1 ENGINE - PERFORM PMA PHASE OUT TEST ON FADEC AND FDU								Service ATA:73
	MOS	22-Mar-25							
	HRS	3472.6	600 (+30)						
	ENC	2932							
PROC. REF: LMM 73-26-01-804A-913A-APROC. REF: LMM 73-26-01-804A-913A-A									
732610 ^S	NO. 2 ENGINE - PERFORM PMA PHASE OUT TEST ON FADEC AND FDU								Service ATA:73
	MOS	22-Mar-25							
	HRS	3503.3	600 (+30)						
	ENC	2966							
PROC. REF: LMM 73-26-01-804A-913A-APROC. REF: LMM 73-26-01-804A-913A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 73 - ENGINE FUEL AND CONTROL									
733001	NO. 1 ENGINE - FUEL FLOW TRANSMITTER								Component ATA:73
PN:8TJ310AAA1	MOS/MSC	28-Feb-17	O/C	TSR 0					
SN:DTU0177Z	HRS	1113.4		TSR 0					
	ENC	924		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
733001	NO. 2 ENGINE - FUEL FLOW TRANSMITTER								Component ATA:73
PN:8TJ310AAA1	MOS/MSC	28-Feb-17	O/C	TSR 0					
SN:30986Z	HRS	1113.4		TSR 0					
	ENC	924		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 74 - IGNITION									
741001	NO. 1 ENGINE - INBOARD IGNITION EXCITER								Component ATA:74
PN:68145	MOS/MSC	16-May-14	O/C	TSN 0					
SN:CK1202003	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-10-01-803A-720A-APROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-10-01-803A-720A-A									
741001	NO. 1 ENGINE - OUTBOARD IGNITION EXCITER								Component ATA:74
PN:68145	MOS/MSC	16-May-14	O/C	TSN 0					
SN:CK1301259	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-10-01-803A-720A-APROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-10-01-803A-720A-A									
741001	NO. 2 ENGINE - INBOARD IGNITION EXCITER								Component ATA:74
PN:68145	MOS/MSC	16-May-14	O/C	TSN 0					
SN:CK1301271	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-10-01-803A-720A-APROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-10-01-803A-720A-A									
741001	NO. 2 ENGINE - OUTBOARD IGNITION EXCITER								Component ATA:74
PN:68145	MOS/MSC	16-May-14	O/C	TSN 0					
SN:CK1301134	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-10-01-803A-720A-APROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-10-01-803A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 74 - IGNITION									
741002	NO. 1 ENGINE - SHORT IGNITOR LEAD								Component ATA:74
PN:70163	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-APROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-A									
741002	NO. 2 ENGINE - SHORT IGNITOR LEAD								Component ATA:74
PN:70163	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-APROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-A									
741003	NO. 1 ENGINE - LONG IGNITOR LEAD								Component ATA:74
PN:70163	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-APROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-A									
741003	NO. 2 ENGINE - LONG IGNITOR LEAD								Component ATA:74
PN:70163	MOS/MSC	16-May-14	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-APROC. REF: LMM 74-20-01-801A-520A-A, LMM 74-20-01-801A-720A-A									
741004	NO. 1 ENGINE - INBOARD IGNITOR								Component ATA:74
PN:78214	MOS/MSC	13-Mar-25	O/C						
SN:UNKNOWN	HRS	3472.6							
	ENC	2932							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
741004	NO. 1 ENGINE - OUTBOARD IGNITOR								Component ATA:74
PN:78214	MOS/MSC	13-Mar-25	O/C						
SN:UNKNOWN	HRS	3472.6							
	ENC	2932							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 74 - IGNITION									
741004	NO. 2 ENGINE - INBOARD IGNITOR								Component ATA:74
PN:78214	MOS/MSC	13-Mar-25	O/C						
SN:UNKNOWN	HRS	3503.3							
	ENC	2966							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
741004	NO. 2 ENGINE - OUTBOARD IGNITOR								Component ATA:74
PN:78214	MOS/MSC	13-Mar-25	O/C						
SN:UNKNOWN	HRS	3503.3							
	ENC	2966							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
742037 ^S	NO. 1 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS								Service ATA:74
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30)						
	ENC	2932							
PROC. REF: LMM 74-22-01-801A-520A-A, LMM 74-22-01-803A-720A-A, LMM 74-22-01-806A-310A-A									
742037 ^S	NO. 2 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS								Service ATA:74
	MOS	22-Mar-25							
	HRS	3503.3	300 (+30)						
	ENC	2966							
PROC. REF: LMM 74-22-01-801A-520A-A, LMM 74-22-01-803A-720A-A, LMM 74-22-01-806A-310A-A									
742040 ^S	NO. 1 ENGINE - OPERATIONAL TEST IGNITION SYSTEM								Service ATA:74
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30)						
	ENC	2932							
PROC. REF: LMM 74-00-10-801A-340A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 74 - IGNITION									
742040 ^S	NO. 2 ENGINE - OPERATIONAL TEST IGNITION SYSTEM								Service ATA:74
	MOS	22-Mar-25							
	HRS	3503.3	300 (+30)						
	ENC	2966							
PROC. REF: LMM 74-00-10-801A-340A-APROC. REF: LMM 74-00-10-801A-340A-A									PKG:1 ,2
742050 ^S	NO. 1 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS								Service ATA:74
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30)						
	ENC	2932							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									PKG:1 ,2
742050 ^S	NO. 2 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS								Service ATA:74
	MOS	22-Mar-25							
	HRS	3503.3	300 (+30)						
	ENC	2966							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									PKG:1 ,2
ATA 75 - AIR									
753010 ^S	NO. 1 ENGINE - INSPECT ACCELERATION BLEED SYSTEM								Service ATA:75
	MOS	22-Mar-25							
	HRS	3472.6	600 (+30)						
	ENC	2932							
PROC. REF: LMM 75-30-01-801A-310A-APROC. REF: LMM 75-30-01-801A-310A-A									PKG:2
753010 ^S	NO. 2 ENGINE - INSPECT ACCELERATION BLEED SYSTEM								Service ATA:75
	MOS	22-Mar-25							
	HRS	3503.3	600 (+30)						
	ENC	2966							
PROC. REF: LMM 75-30-01-801A-310A-APROC. REF: LMM 75-30-01-801A-310A-A									PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 76 - ENGINE CONTROLS									
76-15-00-7100 ^S		TIME LIMITED DISPATCH OPERATIONAL CHECK							Service ATA:76
	MOS	13-May-24	12					AIRWORTHINESS	
	HRS	3262.4	330						
WC#: 76.010	AFL	2788							
PROC. REF: AMM 76-15-00PROC. REF: AMM 76-15-00									PKG:112

762010		NO. 2 ENGINE - STAGE 1 LP COMPRESSOR AND VANE ASSEMBLY							Component ATA:76
PN:116214	MOS/MSC	20-May-20	O/C	TSR 0					
SN:20721	HRS	2120.7		TSN 639.5, TSR 0					
	ENC	1890		TSN 533, TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

ATA 77 - ENGINE INDICATING

771001		NO. 1 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component ATA:77
PN:78231	MOS/MSC	16-May-14	O/C	TSN 0					
SN:MD-0163501	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

771001		NO. 2 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component ATA:77
PN:78231	MOS/MSC	16-May-14	O/C	TSN 0					
SN:MD-0159807	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

771002		NO. 1 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR							Component ATA:77
PN:54831	MOS/MSC	16-May-14	O/C	TSN 0					
SN:MD-0167880	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

771002		NO. 2 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR							Component ATA:77
PN:54831	MOS/MSC	16-May-14	O/C	TSN 0					
SN:MD-0165259	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
---------	------	-----	----------	----------	------------------------	-----------	-----------	-------------	----------

ATA 77 - ENGINE INDICATING

771003	NO. 1 ENGINE - TT2 SENSOR							Component	ATA:77
PN:114944	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AXT0201028	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-22-04-801A-520A-A, LMM 77-22-04-801A-720A-APROC. REF: LMM 77-22-04-801A-520A-A, LMM 77-22-04-801A-720A-A									

771003	NO. 2 ENGINE - TT2 SENSOR							Component	ATA:77
PN:114944	MOS/MSC	16-May-14	O/C	TSN 0					
SN:AXT0201121	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-22-04-801A-520A-A, LMM 77-22-04-801A-720A-APROC. REF: LMM 77-22-04-801A-520A-A, LMM 77-22-04-801A-720A-A									

772002	NO. 1 ENGINE - ITT HARNESS ASSEMBLY							Component	ATA:77
PN:73151	MOS/MSC	27-Aug-19	O/C	TSN 0					
SN:EMX000803	HRS	1955.2		TSN 0					
	ENC	1712		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

772002	NO. 2 ENGINE - ITT HARNESS ASSEMBLY							Component	ATA:77
PN:73151	MOS/MSC	16-May-14	O/C	TSN 0					
SN:YYF000341	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

ATA 79 - OIL

790001	L/H ENGINE OIL TEMPerture SENSOR							Component	ATA:79
PN:MS28034-3	MOS/MSC	18-Jun-19	O/C	TSN 61					
SN:185484	HRS	1956.3		TSN 1956.3					
WC#: 79.010	AFL	1713		TSN 1713					
PROC. REF: AMM 79-31-20PROC. REF: AMM 79-31-20									

790001	R/H ENGINE OIL TEMPerture SENSOR							Component	ATA:79
PN:MS28034-3	MOS/MSC	18-Jun-19	O/C	TSN 61					
SN:185521	HRS	1956.3		TSN 1956.3					
WC#: 79.010	AFL	1713		TSN 1713					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 79 - OIL									
PROC. REF: AMM 79-31-20PROC. REF: AMM 79-31-20									
792011	NO. 1 ENGINE - OIL FILTER DIFFERENTIAL PRESSURE INDICATOR								Component ATA:79
PN:115015	MOS/MSC	16-May-14	O/C	TSN 0					
SN:KM-0425	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
792011	NO. 2 ENGINE - OIL FILTER DIFFERENTIAL PRESSURE INDICATOR								Component ATA:79
PN:115015	MOS/MSC	16-May-14	O/C	TSN 0					
SN:KM-0424	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
792015 ^S	NO. 1 ENGINE - INSTALL NEW OIL FILTER								Service ATA:79
	MOS	22-Mar-25							
	HRS	3472.6	600 (+30)						
	ENC	2932							
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-APROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A									
792015 ^S	NO. 2 ENGINE - INSTALL NEW OIL FILTER								Service ATA:79
	MOS	22-Mar-25							
	HRS	3503.3	600 (+30)						
	ENC	2966							
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-APROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A									
792020 ^S	NO. 1 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS								Service ATA:79
	MOS	22-Mar-25							
	HRS	3472.6	300 (+30)						
	ENC	2932							
PROC. REF: LMM 79-30-01-801A-310A-A, LMM 79-30-01-801A-520A-A, LMM 79-30-01-801A-720A-APROC. REF: LMM 79-30-01-801A-310A-A, LMM 79-30-01-801A-520A-A, LMM 79-30-01-801A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 79 - OIL									
792020 ^S	NO. 2 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS								Service ATA:79
	MOS	22-Mar-25							
	HRS	3503.3	300 (+30)						
	ENC	2966							
PROC. REF: LMM 79-30-01-801A-310A-A, LMM 79-30-01-801A-520A-A, LMM 79-30-01-801A-720A-APROC. REF: LMM 79-30-01-801A-310A-A, LMM 79-30-01-801A-520A-A, LMM 79-30-01-801A-720A-A									PKG:1 ,2
792025 ^S	NO. 1 ENGINE - CHANGE OIL								Service ATA:79
	MOS	22-Mar-25							
	HRS	3472.6	600 (+30)						
	ENC	2932							
PROC. REF: LMM 72-00-03-803A-200A-APROC. REF: LMM 72-00-03-803A-200A-A									PKG:2
792025 ^S	NO. 2 ENGINE - CHANGE OIL								Service ATA:79
	MOS	22-Mar-25							
	HRS	3503.3	600 (+30)						
	ENC	2966							
PROC. REF: LMM 72-00-03-803A-200A-APROC. REF: LMM 72-00-03-803A-200A-A									PKG:2
792201	NO. 1 ENGINE - LUBE OIL COOLER								Component ATA:79
PN:121535	MOS/MSC	26-Mar-25	O/C	TSR 0					
SN:PP2244	HRS	3478.1		TSN 348.5, TSR 0					
	ENC	2934		TSN 328, TSR 0					
PROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-22-01-801A-720A-APROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-22-01-801A-720A-A									
792201	NO. 2 ENGINE - LUBE OIL COOLER								Component ATA:79
PN:121535	MOS/MSC	26-Mar-25	O/C	TSR 0					
SN:PP0518	HRS	3508.8		TSN 4731.6, TSR 0					
	ENC	2968		TSN 3440, TSR 0					
PROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-22-01-801A-720A-APROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-22-01-801A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 79 - OIL									
792401	NO. 1 ENGINE - LUBE AND SCAVENGE PUMP								Component ATA:79
PN:114520	MOS	16-May-14		TSN 0				OVERHAUL	
SN:MX21534	HRS	0	6000 (+100)	TSN 0	(6000) 6030.7	6100	2507.4 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A									
792401	NO. 2 ENGINE - LUBE AND SCAVENGE PUMP								Component ATA:79
PN:114520	MOS	16-May-14		TSN 0				OVERHAUL	
SN:MX21530	HRS	0	6000 (+100)	TSN 0	(6000) 6000	6100	2476.7 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A									
793003	NO. 1 ENGINE - OIL PRESSURE TRANSMITTER								Component ATA:79
PN:S2800-1608	MOS/MSC	25-Mar-25	O/C	TSN 0					
SN:9106-3-91	HRS	3478.1		TSN 0					
	ENC	2934		TSN 0					
PROC. REF: GENERIC NO REF									
793003	NO. 2 ENGINE - OIL PRESSURE TRANSMITTER								Component ATA:79
PN:APTE-598-1000-200G	MOS/MSC	26-Jun-18	O/C						
SN:8101-12-244	HRS	1622.3							
	ENC	1402							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 525C - CJ4 (MSG-3) Serial: 525C-0155 RegNo: N525KJ HRS: 3523.3 AFL: 2975 As Of: 24-Apr-2025

29-Apr-2025 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	Warranty
ATA 80 - STARTING									
80-11-10-9600		LEFT STARTER - GENERATOR (BEARINGS DISCARD AND BRUSHES DISCARD) RESTORATION							Service ATA:80
PN:MG94D-3	MOS	10-Mar-23						OVERHAUL	
SN:0588B	HRS	2969.9	1000		3969.9		446.6		
	AFL	2589							
PROC. REF: AMM 80-11-10PROC. REF: AMM 80-11-10									
80-11-10-9600		RIGHT STARTER - GENERATOR (BEARINGS DISCARD AND BRUSHES DISCARD) RESTORATION							Service ATA:80
PN:MG94D-3	MOS	10-Mar-23						OVERHAUL	
SN:0373B	HRS	2969.9	1000		3969.9		446.6		
	AFL	2589							
PROC. REF: AMM 80-11-10PROC. REF: AMM 80-11-10									
801102		LEFT STARTER - GENERATOR							Component ATA:80
PN:MG94D-3	MOS/MSC	10-Mar-23	H/T	TSO 4					
SN:0588B	HRS	2969.9		TSO 0					
WC#: 80.010	AFL	2589		TSO 0					
PROC. REF: AMM 80-11-10PROC. REF: AMM 80-11-10									
801102		RIGHT STARTER-GENERATOR							Component ATA:80
PN:MG94D-3	MOS/MSC	10-Mar-23	H/T	TSO 4					
SN:0373B	HRS	2969.9		TSO 0					
WC#: 80.010	AFL	2589		TSO 0					
PROC. REF: AMM 80-11-10PROC. REF: AMM 80-11-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task